

# Maciej KuÅ›mider

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3455594/publications.pdf>

Version: 2024-02-01

55  
papers

973  
citations

430874

18  
h-index

477307

29  
g-index

74  
all docs

74  
docs citations

74  
times ranked

1535  
citing authors

#	ARTICLE	IF	CITATIONS
1	Alterations in BDNF and trkB mRNAs following acute or sensitizing cocaine treatments and withdrawal. <i>Brain Research</i> , 2006, 1071, 218-225.	2.2	98
2	Effect of Antidepressant Drugs in Mice Lacking the Norepinephrine Transporter. <i>Neuropsychopharmacology</i> , 2006, 31, 2424-2432.	5.4	64
3	Fluorescence Studies Reveal Heterodimerization of Dopamine D1 and D2 Receptors in the Plasma Membrane. <i>Biochemistry</i> , 2006, 45, 8751-8759.	2.5	62
4	Mesolimbic dopamine D2 receptor plasticity contributes to stress resilience in rats subjected to chronic mild stress. <i>Psychopharmacology</i> , 2013, 227, 583-593.	3.1	48
5	Active versus passive cocaine administration: Differences in the neuroadaptive changes in the brain dopaminergic system. <i>Brain Research</i> , 2007, 1157, 1-10.	2.2	44
6	The role of D1 and D2 receptor hetero-dimerization in the mechanism of action of clozapine. <i>European Neuropsychopharmacology</i> , 2008, 18, 682-691.	0.7	38
7	Time-dependent miR-16 serum fluctuations together with reciprocal changes in the expression level of miR-16 in mesocortical circuit contribute to stress resilient phenotype in chronic mild stress – An animal model of depression. <i>European Neuropsychopharmacology</i> , 2016, 26, 23-36.	0.7	37
8	Long-term exposure of rats to tramadol alters brain dopamine and $\alpha$ 1-adrenoceptor function that may be related to antidepressant potency. <i>European Journal of Pharmacology</i> , 2004, 501, 103-110.	3.5	35
9	Reciprocal MicroRNA Expression in Mesocortical Circuit and Its Interplay with Serotonin Transporter Define Resilient Rats in the Chronic Mild Stress. <i>Molecular Neurobiology</i> , 2017, 54, 5741-5751.	4.0	33
10	Effect of chronic mild stress and imipramine on the proteome of the rat dentate gyrus. <i>Journal of Neurochemistry</i> , 2010, 113, 848-859.	3.9	28
11	Involvement of prolactin and somatostatin in depression and the mechanism of action of antidepressant drugs. <i>Pharmacological Reports</i> , 2013, 65, 1640-1646.	3.3	28
12	Effects of tramadol on $\alpha$ 2-adrenergic receptors in the rat brain. <i>Brain Research</i> , 2004, 1016, 263-267.	2.2	27
13	Prolactin and its receptors in the chronic mild stress rat model of depression. <i>Brain Research</i> , 2014, 1555, 48-59.	2.2	27
14	Repeated Clozapine Increases the Level of Serotonin 5-HT1AR Heterodimerization with 5-HT2A or Dopamine D2 Receptors in the Mouse Cortex. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 40.	2.9	27
15	Chronic mild stress alters the somatostatin receptors in the rat brain. <i>Psychopharmacology</i> , 2016, 233, 255-266.	3.1	26
16	Effect of clozapine on ketamine-induced deficits in attentional set shift task in mice. <i>Psychopharmacology</i> , 2017, 234, 2103-2112.	3.1	22
17	Expression of proopiomelanocortin, proenkephalin and prodynorphin genes in porcine theca and granulosa cells. <i>Animal Reproduction Science</i> , 2007, 101, 97-112.	1.5	19
18	Understanding GPCR dimerization. <i>Methods in Cell Biology</i> , 2019, 149, 155-178.	1.1	19

#	ARTICLE	IF	CITATIONS
19	Delayed effects of antidepressant drugs in rats. <i>Behavioural Pharmacology</i> , 2006, 17, 641-649.	1.7	18
20	Neuroadaptive changes in the rat brain GABAB receptors after withdrawal from cocaine self-administration. <i>European Journal of Pharmacology</i> , 2008, 599, 58-64.	3.5	18
21	Long-lasting increase in [3H]CP55,940 binding to CB1 receptors following cocaine self-administration and its withdrawal in rats. <i>Brain Research</i> , 2012, 1451, 34-43.	2.2	17
22	Effect of citalopram in the modified forced swim test in rats. <i>Pharmacological Reports</i> , 2007, 59, 785-8.	3.3	17
23	Analysis of region-specific changes in gene expression upon treatment with citalopram and desipramine reveals temporal dynamics in response to antidepressant drugs at the transcriptome level. <i>Psychopharmacology</i> , 2012, 223, 281-297.	3.1	15
24	Norepinephrine transporter (NET) knock-out upregulates dopamine and serotonin transporters in the mouse brain. <i>Neurochemistry International</i> , 2011, 59, 185-191.	3.8	14
25	Potential role of G protein-coupled receptor (GPCR) heterodimerization in neuropsychiatric disorders: A focus on depression. <i>Pharmacological Reports</i> , 2013, 65, 1498-1505.	3.3	14
26	Differential stress response in rats subjected to chronic mild stress is accompanied by changes in CRH-family gene expression at the pituitary level. <i>Peptides</i> , 2014, 61, 98-106.	2.4	14
27	Discovering the mechanisms underlying serotonin (5-HT <sub>2A</sub> ) and 5-HT <sub>2C</sub> receptor regulation following nicotine withdrawal in rats. <i>Journal of Neurochemistry</i> , 2015, 134, 704-716.	3.9	14
28	Effects of PRI-2191 – A low-calcemic analog of 1,25-dihydroxyvitamin D3 on the seizure-induced changes in brain gene expression and immune system activity in the rat. <i>Brain Research</i> , 2005, 1039, 1-13.	2.2	13
29	Alterations in gamma-aminobutyric acid(B) receptor binding in the rat brain after reinstatement of cocaine-seeking behavior. <i>Pharmacological Reports</i> , 2008, 60, 834-43.	3.3	13
30	Paroxetine and Low-dose Risperidone Induce Serotonin 5-HT <sub>1A</sub> and Dopamine D <sub>2</sub> Receptor Heteromerization in the Mouse Prefrontal Cortex. <i>Neuroscience</i> , 2018, 377, 184-196.	2.3	12
31	Regulation of somatostatin receptor 2 in the context of antidepressant treatment response in chronic mild stress in rat. <i>Psychopharmacology</i> , 2018, 235, 2137-2149.	3.1	11
32	Genomic Screening of Wistar and Wistar-Kyoto Rats Exposed to Chronic Mild Stress and Deep Brain Stimulation of Prefrontal Cortex. <i>Neuroscience</i> , 2019, 423, 66-75.	2.3	11
33	Serum Level of miR-1 and miR-155 as Potential Biomarkers of Stress-Resilience of NET-KO and SWR/J Mice. <i>Cells</i> , 2020, 9, 917.	4.1	11
34	Antidepressant drugs promote the heterodimerization of the dopamine D <sub>2</sub> and somatostatin Sst5 receptors – fluorescence in vitro studies. <i>Pharmacological Reports</i> , 2012, 64, 1253-1258.	3.3	9
35	Basal prolactin levels in rat plasma correlates with response to antidepressant treatment in animal model of depression. <i>Neuroscience Letters</i> , 2017, 647, 147-152.	2.1	9
36	Antidepressants promote formation of heterocomplexes of dopamine D <sub>2</sub> and somatostatin subtype 5 receptors in the mouse striatum. <i>Brain Research Bulletin</i> , 2017, 135, 92-97.	3.0	8

#	ARTICLE	IF	CITATIONS
37	Restraint Stress in Mice Alters Set of 25 miRNAs Which Regulate Stress- and Depression-Related mRNAs. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9469.	4.1	8
38	Time-course of changes in key catecholaminergic receptors and trophic systems in rat brain after antidepressant administration. <i>Neurochemistry International</i> , 2020, 141, 104885.	3.8	8
39	Norepinephrine transporter knock-out alters expression of the genes connected with antidepressant drugs action. <i>Brain Research</i> , 2015, 1594, 284-292.	2.2	5
40	Clozapine administered repeatedly following pretreatment with ketamine enhances dopamine D2 receptors in the dopamine mesolimbic pathway in mice brain. <i>Neuroscience Letters</i> , 2019, 707, 134292.	2.1	5
41	Effect of desipramine on gene expression in the mouse frontal cortex – Microarray study. <i>Pharmacological Reports</i> , 2015, 67, 345-348.	3.3	3
42	Effects of imipramine on cytokines panel in the rats serum during the drug treatment and discontinuation. <i>Neurochemistry International</i> , 2018, 113, 85-91.	3.8	3
43	Genetic variants in dopamine receptors influence on heterodimerization in the context of antipsychotic drug action. <i>Progress in Molecular Biology and Translational Science</i> , 2020, 169, 279-296.	1.7	3
44	Dopamine D1 and D2 Receptors in Chronic Mild Stress: Analysis of Dynamic Receptor Changes in an Animal Model of Depression Using In Situ Hybridization and Autoradiography. <i>Neuromethods</i> , 2015, , 355-375.	0.3	3
45	Identification of Molecular Markers of Clozapine Action in Ketamine-Induced Cognitive Impairment: A GPCR Signaling PathwayFinder Study. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12203.	4.1	3
46	Behavioral response to imipramine under chronic mild stress corresponds with increase of mRNA encoding somatostatin receptors sst2 and sst4 expression in medial habenular nucleus. <i>Neurochemistry International</i> , 2018, 121, 108-113.	3.8	2
47	Intrahepatic expression of genes related to metabotropic receptors in chronic hepatitis. <i>World Journal of Gastroenterology</i> , 2012, 18, 4156.	3.3	2
48	P.1.a.020 Expression of calcyon gene in rat brain after stressfull behavioural procedures. <i>European Neuropsychopharmacology</i> , 2010, 20, S223-S224.	0.7	1
49	P.1.028 Serum levels of somatostatin-28 and its binding sites in medial habenular nucleus differentiate rats responding and non responding to chronic mild stress. <i>European Neuropsychopharmacology</i> , 2011, 21, S131-S132.	0.7	1
50	Life-long norepinephrine transporter (NET) knock-out leads to the increase in the NET mRNA in brain regions rich in norepinephrine terminals. <i>European Neuropsychopharmacology</i> , 2015, 25, 1099-1108.	0.7	1
51	Effects on brain-derived neurotrophic factor signalling of chronic mild stress, chronic risperidone and acute intracranial dopamine receptor challenges. <i>Behavioural Pharmacology</i> , 2018, 29, 537-542.	1.7	1
52	Pro-cognitive effect of acute imipramine administration correlates with direct interaction of BDNF with its receptor, Trk1 <sup>2</sup> . <i>Brain Research</i> , 2022, 1789, 147948.	2.2	1
53	P.1.29 Effect of clozapine on dopamine D1 and D2 receptors interaction in the HEK 293 cells. <i>European Neuropsychopharmacology</i> , 2007, 17, S25-S26.	0.7	0
54	P.1.13 Time-dependent alterations in genes expression in rat brain after administration of antidepressants – a gene microarray, RT-PCR study. <i>European Neuropsychopharmacology</i> , 2009, 19, S13-S13.	0.7	0

#	ARTICLE	IF	CITATIONS
55	Changes in the level of calcyon mRNA in the brain of rats exposed to cocaine, self-administered or received passively. European Journal of Pharmacology, 2010, 634, 33-39.	3.5	0