

Sabine Rohrmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3456004/publications.pdf>

Version: 2024-02-01

383
papers

18,702
citations

9775

73
h-index

20343

116
g-index

391
all docs

391
docs citations

391
times ranked

24293
citing authors

#	ARTICLE	IF	CITATIONS
1	International incidence of childhood cancer, 2001-2010: a population-based registry study. <i>Lancet Oncology</i> , 2017, 18, 719-731.	5.1	992
2	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010, 102, 529-537.	3.0	357
3	An Accurate Risk Score Based on Anthropometric, Dietary, and Lifestyle Factors to Predict the Development of Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 510-515.	4.3	341
4	Meat consumption and mortality - results from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013, 11, 63.	2.3	329
5	Androgens and Diabetes in Men: Results from the Third National Health and Nutrition Examination Survey (NHANES III). <i>Diabetes Care</i> , 2007, 30, 234-238.	4.3	309
6	The EPIC nutrient database project (ENDB): a first attempt to standardize nutrient databases across the 10 European countries participating in the EPIC study. <i>European Journal of Clinical Nutrition</i> , 2007, 61, 1037-1056.	1.3	309
7	Associations of dietary calcium intake and calcium supplementation with myocardial infarction and stroke risk and overall cardiovascular mortality in the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition study (EPIC-Heidelberg). <i>Heart</i> , 2012, 98, 920-925.	1.2	276
8	Mediterranean dietary pattern and cancer risk in the EPIC cohort. <i>British Journal of Cancer</i> , 2011, 104, 1493-1499.	2.9	248
9	Association between markers of the metabolic syndrome and lower urinary tract symptoms in the Third National Health and Nutrition Examination Survey (NHANES III). <i>International Journal of Obesity</i> , 2005, 29, 310-316.	1.6	234
10	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 2065-2072.	2.3	229
11	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. <i>BMJ: British Medical Journal</i> , 2011, 342, d1584-d1584.	2.4	218
12	Loneliness is adversely associated with physical and mental health and lifestyle factors: Results from a Swiss national survey. <i>PLoS ONE</i> , 2017, 12, e0181442.	1.1	207
13	The "healthy migrant effect" is not merely a fallacy of inaccurate denominator figures. <i>International Journal of Epidemiology</i> , 2000, 29, 191-192.	0.9	195
14	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 912-921.	2.2	194
15	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 255-263.	1.8	191
16	Serum levels of IGF1, IGFBP3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010, 126, 1702-1715.	2.3	190
17	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 398-407.	2.2	189
18	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 331-346.	2.2	188

#	ARTICLE	IF	CITATIONS
19	Risk of cardiovascular disease morbidity and mortality in frail and pre-frail older adults: Results from a meta-analysis and exploratory meta-regression analysis. <i>Ageing Research Reviews</i> , 2017, 35, 63-73.	5.0	182
20	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S206-S225.	1.3	163
21	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2008, 98, 1574-1581.	2.9	157
22	Contribution of Obesity and Abdominal Fat Mass to Risk of Stroke and Transient Ischemic Attacks. <i>Stroke</i> , 2008, 39, 3145-3151.	1.0	157
23	Serum Estrogen, But Not Testosterone, Levels Differ between Black and White Men in a Nationally Representative Sample of Americans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2519-2525.	1.8	150
24	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007, 18, 399-413.	0.8	148
25	Serum B Vitamin Levels and Risk of Lung Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 2377.	3.8	147
26	Plasma Concentrations of Trimethylamine-N-oxide Are Directly Associated with Dairy Food Consumption and Low-Grade Inflammation in a German Adult Population. <i>Journal of Nutrition</i> , 2016, 146, 283-289.	1.3	145
27	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. <i>Journal of Nutrition</i> , 2009, 139, 1728-1737.	1.3	144
28	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010, 17, 1007-1019.	1.6	143
29	Association of cigarette smoking, alcohol consumption, and physical activity with sex steroid hormone levels in US men. <i>Cancer Causes and Control</i> , 2009, 20, 877-886.	0.8	142
30	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2007, 10, 1515-1525.	1.1	139
31	Sex Steroid Hormone Concentrations and Risk of Death in US Men. <i>American Journal of Epidemiology</i> , 2010, 171, 583-592.	1.6	124
32	Associations of Obesity with Lower Urinary Tract Symptoms and Noncancer Prostate Surgery in the Third National Health and Nutrition Examination Survey. <i>American Journal of Epidemiology</i> , 2004, 159, 390-397.	1.6	118
33	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006, 17, 957-969.	0.8	118
34	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2394-2403.	2.3	118
35	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 1103-1114.	2.3	115
36	Effects of Selenium Status and Polymorphisms in Selenoprotein Genes on Prostate Cancer Risk in a Prospective Study of European Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2958-2968.	1.1	115

#	ARTICLE	IF	CITATIONS
37	Plasma carotenoids, retinol, and tocopherols and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 672-681.	2.2	114
38	Social Inequalities and Mortality in Europe – Results from a Large Multi-National Cohort. <i>PLoS ONE</i> , 2012, 7, e39013.	1.1	113
39	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835.	2.2	112
40	Association of cigarette smoking, alcohol consumption and physical activity with lower urinary tract symptoms in older American men: findings from the third National Health And Nutrition Examination Survey. <i>BJU International</i> , 2005, 96, 77-82.	1.3	110
41	Meat and dairy consumption and subsequent risk of prostate cancer in a US cohort study. <i>Cancer Causes and Control</i> , 2007, 18, 41-50.	0.8	110
42	The impact of education on risk factors and the occurrence of multimorbidity in the EPIC-Heidelberg cohort. <i>BMC Public Health</i> , 2008, 8, 384.	1.2	110
43	Pregnancy loss and risk of cardiovascular disease: a prospective population-based cohort study (EPIC-Heidelberg). <i>Heart</i> , 2011, 97, 49-54.	1.2	110
44	Anthropometry and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2079-2089.	1.1	109
45	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 407-418.	1.6	107
46	Anthropometry, Physical Activity, and the Risk of Pancreatic Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 879-885.	1.1	106
47	Heterocyclic aromatic amine intake increases colorectal adenoma risk: findings from a prospective European cohort study. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1418-1424.	2.2	105
48	Body Size and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3252-3261.	1.1	104
49	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1405-1413.	2.2	104
50	Dietary vitamin K intake in relation to cancer incidence and mortality: results from the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Heidelberg). <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1348-1358.	2.2	102
51	Serum C-reactive protein concentration and lower urinary tract symptoms in older men in the Third National Health and Nutrition Examination Survey (NHANES III). <i>Prostate</i> , 2005, 62, 27-33.	1.2	99
52	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 602-612.	2.2	98
53	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012, 14, R76.	2.2	94
54	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. <i>European Journal of Epidemiology</i> , 2007, 22, 871-881.	2.5	93

#	ARTICLE	IF	CITATIONS
55	Lifestyle and diet in people using dietary supplements. <i>European Journal of Nutrition</i> , 2007, 46, 165-173.	1.8	93
56	Body fatness and sex steroid hormone concentrations in US men: results from NHANES III. <i>Cancer Causes and Control</i> , 2011, 22, 1141-1151.	0.8	92
57	Physical activity and risk of endometrial cancer: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 121, 347-355.	2.3	89
58	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1121-1127.	1.1	88
59	Meat consumption and diet quality and mortality in NHANES III. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 598-606.	1.3	88
60	Family history of prostate cancer and obesity in relation to high-grade disease and extraprostatic extension in young men with prostate cancer. <i>Prostate</i> , 2003, 55, 140-146.	1.2	85
61	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , 2011, 54, 3037-3046.	2.9	85
62	Changing geographical patterns and trends in cancer incidence in children and adolescents in Europe, 1991-2010 (Automated Childhood Cancer Information System): a population-based study. <i>Lancet Oncology</i> , 2018, 19, 1159-1169.	5.1	85
63	Association of prostate cancer risk with insulin, glucose, and anthropometry in the baltimore longitudinal study of aging. <i>Urology</i> , 2004, 63, 253-258.	0.5	84
64	Eating out of home: energy, macro- and micronutrient intakes in 10 European countries. <i>The European Prospective Investigation into Cancer and Nutrition. European Journal of Clinical Nutrition</i> , 2009, 63, S239-S262.	1.3	84
65	Fruit and vegetable consumption, intake of micronutrients, and benign prostatic hyperplasia in US men. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 523-529.	2.2	83
66	Nonsteroidal Anti-inflammatory Drugs and Risk of Prostate Cancer in the Baltimore Longitudinal Study of Aging. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 390-396.	1.1	81
67	Serum Sex Steroid Hormones and Lower Urinary Tract Symptoms in Third National Health and Nutrition Examination Survey (NHANES III). <i>Urology</i> , 2007, 69, 708-713.	0.5	81
68	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 1331-1338.	2.3	80
69	Epidemiology of Frailty in Older People. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1216, 21-27.	0.8	80
70	Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008, 93, 1666-1677.	1.7	78
71	Dietary glucosinolate intake and risk of prostate cancer in the EPIC-Heidelberg cohort study. <i>International Journal of Cancer</i> , 2009, 125, 2179-2186.	2.3	78
72	Mortality risk associated with underweight: a census-linked cohort of 31,578 individuals with up to 32 years of follow-up. <i>BMC Public Health</i> , 2014, 14, 371.	1.2	78

#	ARTICLE	IF	CITATIONS
73	A cross-sectional analysis of physical activity and obesity indicators in European participants of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2009, 33, 497-506.	1.6	77
74	Glioblastoma in the Canton of Zurich, Switzerland revisited: 2005 to 2009. <i>Cancer</i> , 2016, 122, 2206-2215.	2.0	77
75	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006, 96, S12-S23.	1.2	76
76	Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2009, 125, 902-908.	2.3	76
77	Intra-individual variation of plasma trimethylamine-N-oxide (TMAO), betaine and choline over 1 year. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 261-268.	1.4	76
78	Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2010, 21, 357-371.	0.8	75
79	Dietary intake of vitamin K and risk of prostate cancer in the Heidelberg cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Heidelberg). <i>American Journal of Clinical Nutrition</i> , 2008, 87, 985-992.	2.2	74
80	Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2278-2286.	1.1	73
81	Serum Lipid Profiles and Cancer Risk in the Context of Obesity: Four Meta-Analyses. <i>Journal of Cancer Epidemiology</i> , 2013, 2013, 1-12.	0.5	73
82	Bevacizumab may improve quality of life, but not overall survival in glioblastoma: an epidemiological study. <i>Annals of Oncology</i> , 2018, 29, 1431-1436.	0.6	73
83	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011, 11, 169.	1.2	72
84	Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1667-1678.	2.3	72
85	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 372-381.	2.3	72
86	Physical Activity and Ovarian Cancer Risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 351-354.	1.1	70
87	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 124, 1926-1934.	2.3	69
88	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3108-3115.	1.1	67
89	Association between endogenous sex steroid hormones and inflammatory biomarkers in US men. <i>Andrology</i> , 2013, 1, 919-928.	1.9	66
90	Long-term reproducibility of a food-frequency questionnaire and dietary changes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort. <i>British Journal of Nutrition</i> , 2007, 98, 194-200.	1.2	65

#	ARTICLE	IF	CITATIONS
91	Meat and fish consumption and risk of pancreatic cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013, 132, 617-624.	2.3	65
92	Obesity: Focus on all-cause mortality and cancer. <i>Maturitas</i> , 2010, 65, 112-116.	1.0	64
93	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body size The EPIC-InterAct study. <i>Journal of Internal Medicine</i> , 2012, 272, 358-370.	2.7	64
94	Associations between objective and self-reported physical activity and vitamin D serum levels in the US population. <i>Cancer Causes and Control</i> , 2015, 26, 881-891.	0.8	64
95	Associations between self-reported and objectively measured physical activity, sedentary behavior and overweight/obesity in NHANES 2003-2006. <i>International Journal of Obesity</i> , 2017, 41, 186-193.	1.6	64
96	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006, 119, 2389-2397.	2.3	62
97	Dietary β -carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Breast Cancer Research and Treatment</i> , 2010, 119, 753-765.	1.1	62
98	Processed meat: the real villain?. <i>Proceedings of the Nutrition Society</i> , 2016, 75, 233-241.	0.4	62
99	Methodological Challenges in the Application of the Glycemic Index in Epidemiological Studies Using Data from the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Nutrition</i> , 2009, 139, 568-575.	1.3	61
100	Is body weight dissatisfaction a predictor of depression independent of body mass index, sex and age? Results of a cross-sectional study. <i>BMC Public Health</i> , 2016, 16, 863.	1.2	60
101	Heavy Smoking Is More Strongly Associated with General Unhealthy Lifestyle than Obesity and Underweight. <i>PLoS ONE</i> , 2016, 11, e0148563.	1.1	59
102	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , 2012, 106, 1866-1874.	2.9	58
103	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	0.8	57
104	Calcium Intake and Serum Concentration in Relation to Risk of Cardiovascular Death in NHANES III. <i>PLoS ONE</i> , 2013, 8, e61037.	1.1	57
105	Effects of Leisure-Time and Occupational Physical Activity on Total Mortality Risk in NHANES III According to Sex, Ethnicity, Central Obesity, and Age. <i>Journal of Physical Activity and Health</i> , 2015, 12, 184-192.	1.0	57
106	Mediterranean diet and mortality in Switzerland: an alpine paradox?. <i>European Journal of Nutrition</i> , 2015, 54, 139-148.	1.8	57
107	Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk - results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006, 9, 449-464.	1.1	56
108	Primary brain tumours and specific serum immunoglobulin E: a case-control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 1434-1441.	2.7	56

#	ARTICLE	IF	CITATIONS
109	Association between serum calcium concentration and risk of incident and fatal cardiovascular disease in the prospective AMORIS study. <i>Atherosclerosis</i> , 2016, 251, 85-93.	0.4	56
110	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013, 108, 708-714.	2.9	55
111	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2007, 166, 912-923.	1.6	53
112	Serum sex steroid hormones and frailty in older American men of the Third National Health and Nutrition Examination Survey (NHANES III). <i>Aging Male</i> , 2012, 15, 208-215.	0.9	53
113	Treatment of patients with myocardial infarction depends on history of cancer. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 639-645.	0.4	53
114	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S188-S205.	1.3	52
115	Relationship of sex steroid hormones with bone mineral density (BMD) in a nationally representative sample of men. <i>Clinical Endocrinology</i> , 2009, 70, 26-34.	1.2	51
116	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011, 35, 416-426.	1.6	51
117	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011, 129, 449-459.	2.3	51
118	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012, 106, 1004-1010.	2.9	51
119	Weight change in later life and risk of death amongst the elderly: the European Prospective Investigation into Cancer and Nutritionâ€Elderly Network on Ageing and Health study. <i>Journal of Internal Medicine</i> , 2010, 268, 133-144.	2.7	50
120	Impact of different domains of physical activity on cause-specific mortality: A longitudinal study. <i>Preventive Medicine</i> , 2014, 62, 89-95.	1.6	50
121	Racial variation in sex steroid hormone concentration in black and white men: a meta-analysis. <i>Andrology</i> , 2014, 2, 428-435.	1.9	49
122	Cultural Differences in Diet and Determinants of Diet Quality in Switzerland: Results from the National Nutrition Survey menuCH. <i>Nutrients</i> , 2019, 11, 126.	1.7	49
123	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	0.8	48
124	Lifestyle factors, obesity and the risk of colorectal adenomas in EPIC-Heidelberg. <i>Cancer Causes and Control</i> , 2009, 20, 1397-1408.	0.8	48
125	Dietary Glucosinolate Intake, Polymorphisms in Selected Biotransformation Enzymes, and Risk of Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 135-143.	1.1	47
126	The prevalence of low sex steroid hormone concentrations in men in the Third National Health and Nutrition Examination Survey (NHANES III). <i>Clinical Endocrinology</i> , 2011, 75, 232-239.	1.2	47

#	ARTICLE	IF	CITATIONS
127	Dietary calcium and magnesium intake in relation to cancer incidence and mortality in a German prospective cohort (EPIC-Heidelberg). <i>Cancer Causes and Control</i> , 2011, 22, 1375-1382.	0.8	47
128	Polymorphisms in Thioredoxin Reductase and Selenoprotein K Genes and Selenium Status Modulate Risk of Prostate Cancer. <i>PLoS ONE</i> , 2012, 7, e48709.	1.1	47
129	Associations between habitual diet, metabolic disease, and the gut microbiota using latent Dirichlet allocation. <i>Microbiome</i> , 2021, 9, 61.	4.9	47
130	Biomarkers of dietary intake of flavonoids and phenolic acids for studying diet-cancer relationship in humans. <i>European Journal of Nutrition</i> , 2008, 47, 60-68.	1.8	46
131	Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009, 125, 406-412.	2.3	46
132	Dietary Patterns and Their Sociodemographic and Lifestyle Determinants in Switzerland: Results from the National Nutrition Survey menuCH. <i>Nutrients</i> , 2019, 11, 62.	1.7	46
133	Consistency of vitamin and/or mineral supplement use and demographic, lifestyle and health-status predictors: findings from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort. <i>British Journal of Nutrition</i> , 2010, 104, 1058-1064.	1.2	45
134	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 1079-1087.	1.3	44
135	Cancer of unknown primary-Epidemiological trends and relevance of comprehensive genomic profiling. <i>Cancer Medicine</i> , 2018, 7, 4814-4824.	1.3	44
136	Smoking and Risk of Fatal Prostate Cancer in a Prospective U.S. Study. <i>Urology</i> , 2007, 69, 721-725.	0.5	43
137	A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1653-1662.	2.2	43
138	Intake of heterocyclic aromatic amines and the risk of prostate cancer in the EPIC-Heidelberg cohort. <i>Cancer Causes and Control</i> , 2011, 22, 109-114.	0.8	43
139	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012, 130, 2428-2437.	2.3	43
140	Cooking of meat and fish in Europe-results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2002, 56, 1216-1230.	1.3	42
141	Association between serum 25-hydroxyvitamin D and serum sex steroid hormones among men in <sc>NHANES</sc>. <i>Clinical Endocrinology</i> , 2016, 85, 258-266.	1.2	42
142	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008, 93, 842-850.	1.7	41
143	Impact of Smoking and Excess Body Weight on Overall and Site-Specific Cancer Mortality Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1516-1522.	1.1	41
144	Racial Variation in Sex Steroid Hormones and the Insulin-Like Growth Factor Axis in Umbilical Cord Blood of Male Neonates. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1484-1491.	1.1	40

#	ARTICLE	IF	CITATIONS
145	Determinants and Correlates of Serum Undercarboxylated Osteocalcin. <i>Annals of Nutrition and Metabolism</i> , 2007, 51, 563-570.	1.0	39
146	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Caseâ€“Control Study within the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 619-628.	1.1	39
147	Trends in sex hormone concentrations in US males: 1988â€“1991 to 1999â€“2004. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 456-466.	3.6	39
148	Lifestyle and health-related predictors of cervical cancer screening attendance in a Swiss population-based study. <i>Cancer Epidemiology</i> , 2015, 39, 870-876.	0.8	39
149	The relative risk of second primary cancers in Switzerland: a population-based retrospective cohort study. <i>BMC Cancer</i> , 2020, 20, 51.	1.1	39
150	Circulating total testosterone and PSA concentrations in a nationally representative sample of men without a diagnosis of prostate cancer. <i>Prostate</i> , 2015, 75, 1167-1176.	1.2	38
151	Prevalence and Progression of Lower Urinary Tract Symptoms in an Aging Population. <i>Urology</i> , 2016, 95, 158-163.	0.5	38
152	Prevalence and determinants of vitamin D deficiency in the third trimester of pregnancy: a multicentre study in Switzerland. <i>British Journal of Nutrition</i> , 2018, 119, 299-309.	1.2	38
153	Alcohol Consumption and the Risk for Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1282-1287.	1.1	37
154	Socio-demographic characteristics of participation in the opportunistic German cervical cancer screening programme: results from the EPIC-Heidelberg cohort. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009, 135, 533-541.	1.2	37
155	Association of Vasectomy and Prostate Cancer Among Men in a Maryland Cohort. <i>Cancer Causes and Control</i> , 2005, 16, 1189-1194.	0.8	36
156	Concordance Rates and Modifiable Risk Factors for Lower Urinary Tract Symptoms in Twins. <i>Epidemiology</i> , 2006, 17, 419-427.	1.2	36
157	Smoking and Lymphoma Risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 1081-1089.	1.6	36
158	Vitamin/mineral supplementation and cancer, cardiovascular, and all-cause mortality in a German prospective cohort (EPIC-Heidelberg). <i>European Journal of Nutrition</i> , 2012, 51, 407-413.	1.8	36
159	Adherence to the cancer prevention recommendations of the World Cancer Research Fund/American Institute for Cancer Research and mortality: a census-linked cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 678-685.	2.2	36
160	Prevalence of Vitamin D Deficiency and Its Associations with Skin Color in Pregnant Women in the First Trimester in a Sample from Switzerland. <i>Nutrients</i> , 2017, 9, 260.	1.7	36
161	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 811-821.	0.8	35
162	Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 827-838.	2.2	35

#	ARTICLE	IF	CITATIONS
163	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 623-634.	2.3	34
164	Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011, 63, 1235-1250.	0.9	34
165	Development of a short questionnaire to assess the dietary intake of heterocyclic aromatic amines. <i>Public Health Nutrition</i> , 2002, 5, 699-705.	1.1	33
166	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009, 124, 245-249.	2.3	33
167	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). <i>European Journal of Cancer</i> , 2011, 47, 748-760.	1.3	33
168	Healthy lifestyle is inversely associated with mortality in cancer survivors: Results from the Third National Health and Nutrition Examination Survey (NHANES III). <i>PLoS ONE</i> , 2019, 14, e0218048.	1.1	33
169	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 125, 982-987.	2.3	32
170	Endogenous sex steroid hormones and measures of chronic kidney disease (CKD) in a nationally representative sample of men. <i>Clinical Endocrinology</i> , 2009, 71, 246-252.	1.2	32
171	Alcohol consumption patterns, diet and body weight in 10 European countries. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S81-S100.	1.3	32
172	Associations between fruit and vegetable consumption and psychological distress: results from a population-based study. <i>BMC Psychiatry</i> , 2015, 15, 213.	1.1	31
173	The effect of occasional smoking on smoking-related cancers. <i>Cancer Causes and Control</i> , 2006, 17, 1305-1309.	0.8	30
174	Intake of heterocyclic aromatic amines from meat in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heidelberg cohort. <i>British Journal of Nutrition</i> , 2007, 98, 1112-1115.	1.2	30
175	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 869-875.	1.1	30
176	Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2174-2182.	1.1	30
177	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013, 65, 178-187.	0.9	30
178	Evaluation of completeness of case ascertainment in Swiss cancer registration. <i>European Journal of Cancer Prevention</i> , 2017, 26, S139-S146.	0.6	30
179	Semen quality of young men in Switzerland: a nationwide cross-sectional population-based study. <i>Andrology</i> , 2019, 7, 818-826.	1.9	30
180	Dietary Heterocyclic Amine Intake and Colorectal Adenoma Risk: A Systematic Review and Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 99-109.	1.1	30

#	ARTICLE	IF	CITATIONS
181	The association of sex steroid hormone concentrations with non-alcoholic fatty liver disease and liver enzymes in US men. <i>Liver International</i> , 2021, 41, 300-310.	1.9	30
182	Psychobiological Differences Between the Aggression and Psychoticism Dimension. <i>Pharmacopsychiatry</i> , 1999, 32, 5-12.	1.7	29
183	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 537-549.	0.8	29
184	Relationship of Serum Vitamin D Concentrations and Allostatic Load as a Measure of Cumulative Biological Risk among the US Population: A Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0139217.	1.1	29
185	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006, 164, 1103-1114.	1.6	28
186	Serum Undercarboxylated Osteocalcin as Biomarker of Vitamin K Intake and Risk of Prostate Cancer: A Nested Case-Control Study in the Heidelberg Cohort of the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 49-56.	1.1	28
187	Inverse association between circulating vitamin D and mortality – Dependent on sex and cause of death?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 960-966.	1.1	28
188	Obesity and cancer: the role of vitamin D. <i>BMC Cancer</i> , 2014, 14, 712.	1.1	28
189	Incidence trends and clinical-pathological characteristics of invasive cutaneous melanoma from 1980 to 2010 in the Canton of Zurich, Switzerland. <i>Melanoma Research</i> , 2017, 27, 145-151.	0.6	28
190	Incidence of Second Malignancies for Prostate Cancer. <i>PLoS ONE</i> , 2014, 9, e102596.	1.1	27
191	Association between serum concentrations of micronutrients and lower urinary tract symptoms in older men in the Third National Health and Nutrition Examination Survey. <i>Urology</i> , 2004, 64, 504-509.	0.5	26
192	The association of urinary cadmium with sex steroid hormone concentrations in a general population sample of US adult men. <i>BMC Public Health</i> , 2008, 8, 72.	1.2	26
193	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 909-918.	0.8	26
194	Breast cancer screening attendance in two Swiss regions dominated by opportunistic or organized screening. <i>BMC Health Services Research</i> , 2016, 16, 519.	0.9	26
195	Serum leptin, C-reactive protein, and cancer mortality in the NHANES III. <i>Cancer Medicine</i> , 2016, 5, 120-128.	1.3	26
196	Plasma Inflammation Markers of the Tumor Necrosis Factor Pathway but Not C-Reactive Protein Are Associated with Processed Meat and Unprocessed Red Meat Consumption in Bavarian Adults. <i>Journal of Nutrition</i> , 2017, 147, 78-85.	1.3	26
197	Plasma concentrations of anserine, carnosine and pi-methylhistidine as biomarkers of habitual meat consumption. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 692-702.	1.3	26
198	Association of dietary intake of milk and dairy products with blood concentrations of insulin-like growth factor 1 (IGF-1) in Bavarian adults. <i>European Journal of Nutrition</i> , 2020, 59, 1413-1420.	1.8	26

#	ARTICLE	IF	CITATIONS
199	The impact of social status inconsistency on cardiovascular risk factors, myocardial infarction and stroke in the EPIC-Heidelberg cohort. <i>BMC Public Health</i> , 2011, 11, 104.	1.2	25
200	Association Between Sex Steroid Hormones and Hematocrit in a Nationally Representative Sample of Men. <i>Journal of Andrology</i> , 2012, 33, 1332-1341.	2.0	25
201	Impact of Body Mass Index on Prognostically Relevant Breast Cancer Tumor Characteristics. <i>Breast Care</i> , 2013, 8, 192-198.	0.8	25
202	The combined effect on survival of four main behavioural risk factors for non-communicable diseases. <i>Preventive Medicine</i> , 2014, 65, 148-152.	1.6	25
203	Eating at restaurants, at work or at home. Is there a difference? A study among adults of 11 European countries in the context of the HECTOR* project. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 407-419.	1.3	25
204	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1769-1776.	2.2	24
205	Type A personality and mortality: Competitiveness but not speed is associated with increased risk. <i>Atherosclerosis</i> , 2017, 262, 19-24.	0.4	24
206	Impact of comorbidities at diagnosis on prostate cancer treatment and survival. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 707-715.	1.2	24
207	Health-related quality of life among long-term (≥5 years) prostate cancer survivors by primary intervention: a systematic review. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 22.	1.0	24
208	Racial/ethnic differences in serum sex steroid hormone concentrations in US adolescent males. <i>Cancer Causes and Control</i> , 2013, 24, 817-826.	0.8	23
209	Post-Diagnostic Diet Quality and Mortality in Females with Self-Reported History of Breast or Gynecological Cancers: Results from the Third National Health and Nutrition Examination Survey (NHANES III). <i>Nutrients</i> , 2019, 11, 2558.	1.7	23
210	Multidisciplinary Outpatient Cancer Rehabilitation Can Improve Cancer Patients' Physical and Psychosocial Status—a Systematic Review. <i>Current Oncology Reports</i> , 2020, 22, 122.	1.8	23
211	Body weight and self-perception are associated with depression: Results from the National Health and Nutrition Examination Survey (NHANES) 2005–2016. <i>Journal of Affective Disorders</i> , 2020, 274, 929-934.	2.0	23
212	Primary brain tumour epidemiology in Georgia: first-year results of a population-based study. <i>Journal of Neuro-Oncology</i> , 2013, 112, 241-246.	1.4	22
213	Urinary phytoestrogens and depression in perimenopausal US women: NHANES 2005–2008. <i>Journal of Affective Disorders</i> , 2014, 156, 200-205.	2.0	22
214	Anthropometry, physical activity and hip fractures in the elderly. <i>Injury</i> , 2011, 42, 188-193.	0.7	21
215	The association between urinary phytoestrogen excretion and components of the metabolic syndrome in NHANES. <i>European Journal of Nutrition</i> , 2014, 53, 1371-1381.	1.8	21
216	Association between dietary patterns and prediabetes, undetected diabetes or clinically diagnosed diabetes: results from the KORA FF4 study. <i>European Journal of Nutrition</i> , 2021, 60, 2331-2341.	1.8	21

#	ARTICLE	IF	CITATIONS
217	Viral Infections and Lower Urinary Tract Symptoms in the Third National Health and Nutrition Examination Survey. <i>Journal of Urology</i> , 2007, 178, 2181-2185.	0.2	20
218	Association of IGF-1 and IGFBP-3 with lower urinary tract symptoms in the third national health and nutrition examination survey. <i>Prostate</i> , 2007, 67, 1693-1698.	1.2	20
219	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 565-574.	1.1	20
220	Specific food group combinations explaining the variation in intakes of nutrients and other important food components in the European Prospective Investigation into Cancer and Nutrition: an application of the reduced rank regression method. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S263-S274.	1.3	20
221	Association of serum cholesterol and cholesterol-lowering drug use with serum sex steroid hormones in men in NHANES III. <i>Cancer Causes and Control</i> , 2010, 21, 1575-1583.	0.8	20
222	Urinary lignans and inflammatory markers in the US National Health and Nutrition Examination Survey (NHANES) 1999-2004 and 2005-2008. <i>Cancer Causes and Control</i> , 2014, 25, 395-403.	0.8	20
223	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015, 136, E423-31.	2.3	20
224	Trends in cigarette smoking in the German centers of the European Prospective Investigation into Cancer and Nutrition (EPIC): the influence of the educational level. <i>Preventive Medicine</i> , 2003, 36, 448-454.	1.6	19
225	Dietary intake of meat and meat-derived heterocyclic aromatic amines and their correlation with DNA adducts in female breast tissue. <i>Mutagenesis</i> , 2008, 24, 127-132.	1.0	19
226	Racial variation in vitamin D cord blood concentration in white and black male neonates. <i>Cancer Causes and Control</i> , 2013, 24, 91-98.	0.8	19
227	Intake of Meat Mutagens and Risk of Prostate Cancer in a Cohort of U.S. Health Professionals. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1557-1563.	1.1	19
228	Changes in autopsy rates among cancer patients and their impact on cancer statistics from a public health point of view: a longitudinal study from 1980 to 2010 with data from Cancer Registry Zurich. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 466, 637-643.	1.4	19
229	Pre-diabetes and serum sex steroid hormones among US men. <i>Andrology</i> , 2017, 5, 49-57.	1.9	19
230	Occupational physical activity and all-cause and cardiovascular disease mortality: Results from two longitudinal studies in Switzerland. <i>American Journal of Industrial Medicine</i> , 2019, 62, 559-567.	1.0	19
231	Health-related quality of life in long-term survivors with localised prostate cancer by therapy—Results from a population-based study. <i>European Journal of Cancer Care</i> , 2019, 28, e13076.	0.7	19
232	Effects of phenotypes in heterocyclic aromatic amine (HCA) metabolism-related genes on the association of HCA intake with the risk of colorectal adenomas. <i>Cancer Causes and Control</i> , 2012, 23, 1429-1442.	0.8	18
233	Heterocyclic Aromatic Amine [HCA] Intake and Prostate Cancer Risk: Effect Modification by Genetic Variants. <i>Nutrition and Cancer</i> , 2012, 64, 704-713.	0.9	18
234	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017, 35, 1297-1303.	0.8	18

#	ARTICLE	IF	CITATIONS
235	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019, 17, 221.	2.3	18
236	Association of serum inorganic phosphate with sex steroid hormones and vitamin D in a nationally representative sample of men. <i>Andrology</i> , 2014, 2, 967-976.	1.9	17
237	Continuous outcome logistic regression for analyzing body mass index distributions. <i>F1000Research</i> , 2017, 6, 1933.	0.8	17
238	The risk of prostate cancer mortality and cardiovascular mortality of nonmetastatic prostate cancer patients: A population-based retrospective cohort study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 309.e15-309.e23.	0.8	17
239	Investigating nutrition and lifestyle factors as determinants of abdominal obesity: an environment-wide study. <i>International Journal of Obesity</i> , 2017, 41, 340-347.	1.6	16
240	Joints effects of BMI and smoking on mortality of all-causes, CVD, and cancer. <i>Cancer Causes and Control</i> , 2019, 30, 549-557.	0.8	16
241	Vitamin D status and its determinants in healthy pregnant women living in Switzerland in the first trimester of pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 10.	0.9	16
242	Differences in Bone Mineral Density between Adult Vegetarians and Nonvegetarians Become Marginal when Accounting for Differences in Anthropometric Factors. <i>Journal of Nutrition</i> , 2020, 150, 1266-1271.	1.3	16
243	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 957-963.	1.3	15
244	Determinants of non- response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 148.	1.4	15
245	Associations between urinary soy isoflavonoids and two inflammatory markers in adults in the United States in 2005â€“2008. <i>Cancer Causes and Control</i> , 2013, 24, 1185-1196.	0.8	15
246	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013, 28, 677-688.	2.5	15
247	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 196-202.	1.3	15
248	Indicators of Data Quality at the Cancer Registry Zurich and Zug in Switzerland. <i>BioMed Research International</i> , 2018, 2018, 1-11.	0.9	15
249	Cost-effectiveness of physical activity interventions in cancer survivors of developed countries: a systematic review. <i>Journal of Cancer Survivorship</i> , 2021, 15, 961-975.	1.5	15
250	How food choices link sociodemographic and lifestyle factors with sustainability impacts. <i>Journal of Cleaner Production</i> , 2021, 300, 126896.	4.6	15
251	Urinary Phytoestrogen Levels and Frailty in Older American Women of the National Health and Nutrition Examination Survey (NHANES) 1999-2002: A Cross-Sectional Study. <i>Annals of Nutrition and Metabolism</i> , 2013, 63, 269-276.	1.0	14
252	The association between circulating IGF1, IGFBP3, and calcium: results from NHANES III. <i>Endocrine Connections</i> , 2015, 4, 187-195.	0.8	14

#	ARTICLE	IF	CITATIONS
253	Body height and mortality - mortality follow-up of four Swiss surveys. <i>Preventive Medicine</i> , 2017, 101, 67-71.	1.6	14
254	Impact of subtypes and comorbidities on breast cancer relapse and survival in population-based studies. <i>Breast</i> , 2018, 41, 151-158.	0.9	14
255	Ultraprocessed Food Consumption is Strongly and Dose-Dependently Associated with Excess Body Weight in Swiss Women. <i>Obesity</i> , 2021, 29, 601-609.	1.5	14
256	Validation of a short questionnaire to qualitatively assess the intake of total fat, saturated, monounsaturated, polyunsaturated fatty acids, and cholesterol. <i>Journal of Human Nutrition and Dietetics</i> , 2003, 16, 111-117.	1.3	13
257	Association of serum $\hat{\pm}$ -tocopherol with sex steroid hormones and interactions with smoking: implications for prostate cancer risk. <i>Cancer Causes and Control</i> , 2011, 22, 827-836.	0.8	13
258	Associations of serum carotenoid concentrations and fruit or vegetable consumption with serum insulin-like growth factor (IGF)-1 and IGF binding protein-3 concentrations in the Third National Health and Nutrition Examination Survey (NHANES III). <i>Journal of Nutritional Science</i> , 2016, 5, e13.	0.7	13
259	Association of Dietary Patterns and Type-2 Diabetes Mellitus in Metabolically Homogeneous Subgroups in the KORA FF4 Study. <i>Nutrients</i> , 2020, 12, 1684.	1.7	13
260	Development and validation of a short food list to assess the intake of total fat, saturated, mono-unsaturated, polyunsaturated fatty acids and cholesterol. <i>European Journal of Public Health</i> , 2003, 13, 262-268.	0.1	12
261	Ability of a biomarker-based score to predict death from circulatory disease and cancer in NHANES III. <i>BMC Public Health</i> , 2012, 12, 895.	1.2	12
262	Vitamin Substitution Beyond Childhood. <i>Deutsches A&#x0308;rzteblatt International</i> , 2020, 117, 14-22.	0.6	12
263	Incidence and mortality trends of thyroid cancer from 1980 to 2016. <i>Swiss Medical Weekly</i> , 2021, 151, w30029.	0.8	12
264	Time trends in cigarette smoking in two German cohorts â€œ results from EPIC Germany. <i>European Journal of Cancer Prevention</i> , 2003, 12, 327-332.	0.6	11
265	Evaluation of the Obesity Genes <i><i>FTO</i></i> and <i><i>MC4R</i></i> and the Type 2 Diabetes Mellitus Gene <i><i>TCF7L2</i></i> for Contribution to Stroke Risk: The Mannheim-Heidelberg Stroke Study. <i>Obesity Facts</i> , 2011, 4, 5-5.	1.6	11
266	Influence of In Utero Maternal and Neonate Factors on Cord Blood Leukocyte Telomere Length: Clues to the Racial Disparity in Prostate Cancer?. <i>Prostate Cancer</i> , 2016, 2016, 1-8.	0.4	11
267	Associations of C-Reactive Protein, Granulocytes and Granulocyte-to-Lymphocyte Ratio with Mortality from Breast Cancer in Non-Institutionalized American Women. <i>PLoS ONE</i> , 2016, 11, e0157482.	1.1	11
268	Sex-specific effects of leisure-time physical activity on cause-specific mortality in NHANES III. <i>Preventive Medicine</i> , 2017, 101, 53-59.	1.6	11
269	Dietary Patterns Are Associated with Cardiovascular and Cancer Mortality among Swiss Adults in a Census-Linked Cohort. <i>Nutrients</i> , 2018, 10, 313.	1.7	11
270	Clustering of sociodemographic and lifestyle factors among adults with excess weight in a multilingual country. <i>Nutrition</i> , 2019, 62, 177-185.	1.1	11

#	ARTICLE	IF	CITATIONS
271	The Importance of Sweet Beverage Definitions When Targeting Health Policiesâ€”The Case of Switzerland. <i>Nutrients</i> , 2020, 12, 1976.	1.7	11
272	Metabolites, Nutrients, and Lifestyle Factors in Relation to Coffee Consumption: An Environment-Wide Association Study. <i>Nutrients</i> , 2020, 12, 1470.	1.7	11
273	The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. <i>BMC Cancer</i> , 2010, 10, 563.	1.1	10
274	Racial variation in umbilical cord blood sex steroid hormones and the insulin-like growth factor axis in African-American and white female neonates. <i>Cancer Causes and Control</i> , 2012, 23, 445-454.	0.8	10
275	Intake of Processed Meat and Association with Sociodemographic and Lifestyle Factors in a Representative Sample of the Swiss Population. <i>Nutrients</i> , 2019, 11, 2556.	1.7	10
276	Impact of comorbidities at diagnosis on the 10-year colorectal cancer net survival: A population-based study. <i>Cancer Epidemiology</i> , 2021, 73, 101962.	0.8	10
277	Effects of selenium status, dietary glucosinolate intake and serum glutathione <i>S</i> -transferase \pm activity on the risk of benign prostatic hyperplasia. <i>BJU International</i> , 2012, 110, E879-85.	1.3	9
278	Overweight, obesity, and breast cancer screening. <i>European Journal of Cancer Prevention</i> , 2016, 25, 130-136.	0.6	9
279	The inverse association between serum 25-hydroxyvitamin D and mortality may be modified by vitamin A status and use of vitamin A supplements. <i>European Journal of Nutrition</i> , 2016, 55, 393-402.	1.8	9
280	Have Swiss adult males and females stopped growing taller? Evidence from the population-based nutrition survey menuCH, 2014/2015. <i>Economics and Human Biology</i> , 2019, 33, 201-210.	0.7	9
281	Age-specific health-related quality of life in disease-free long-term prostate cancer survivors versus male population controlsâ€”results from a population-based study. <i>Supportive Care in Cancer</i> , 2020, 28, 2875-2885.	1.0	9
282	Identifying classes of the pain, fatigue, and depression symptom cluster in long-term prostate cancer survivorsâ€”results from the multi-regional Prostate Cancer Survivorship Study in Switzerland (PROCAS). <i>Supportive Care in Cancer</i> , 2021, 29, 6259-6269.	1.0	9
283	Cancer is associated with inferior outcome in patients with ischemic stroke. <i>Journal of Neurology</i> , 2021, 268, 4190-4202.	1.8	9
284	Vitamin B6 Status among Vegetarians: Findings from a Population-Based Survey. <i>Nutrients</i> , 2021, 13, 1627.	1.7	9
285	Parathyroid Hormone in Pregnancy: Vitamin D and Other Determinants. <i>Nutrients</i> , 2021, 13, 360.	1.7	9
286	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010, 34, 696-701.	0.8	8
287	Impact of overweight and obesity on postmenopausal breast cancer: analysis of 20-year data from Switzerland. <i>Archives of Gynecology and Obstetrics</i> , 2012, 285, 797-803.	0.8	8
288	Better risk assessment with glycated hemoglobin instead of cholesterol in CVD risk prediction charts. <i>European Journal of Epidemiology</i> , 2013, 28, 551-555.	2.5	8

#	ARTICLE	IF	CITATIONS
289	Association between socioeconomic and demographic characteristics and utilization of colonoscopy in the EPIC-Heidelberg cohort. <i>European Journal of Cancer Prevention</i> , 2015, 24, 81-88.	0.6	8
290	Self-reported dietary flavonoid intake and serum markers of inflammation: the multiethnic cohort. <i>Cancer Causes and Control</i> , 2018, 29, 601-607.	0.8	8
291	Lifestyle and Progression of Lower Urinary Tract Symptoms in German Men-Results From the EPIC-Heidelberg Cohort. <i>Urology</i> , 2018, 120, 192-196.	0.5	8
292	Nationally Representative Estimates of Serum Testosterone Concentration in Never-Smoking, Lean Men Without Aging-Associated Comorbidities. <i>Journal of the Endocrine Society</i> , 2019, 3, 1759-1770.	0.1	8
293	Prediagnostic plasma vitamin C levels and the subsequent risk of prostate cancer. <i>Nutrition</i> , 2005, 21, 686-690.	1.1	7
294	Italianity is associated with lower risk of prostate cancer mortality in Switzerland. <i>Cancer Causes and Control</i> , 2014, 25, 1523-1529.	0.8	7
295	Primary Treatment Choice Over Time and Relative Survival of Prostate Cancer Patients: Influence of Age, Grade, and Stage. <i>Oncology Research and Treatment</i> , 2017, 40, 484-489.	0.8	7
296	Underweight and weight loss are predictors of poor outcome in patients with brain metastasis. <i>Journal of Neuro-Oncology</i> , 2019, 145, 339-347.	1.4	7
297	Age-Specific Serum Total and Free Estradiol Concentrations in Healthy Men in US Nationally Representative Samples. <i>Journal of the Endocrine Society</i> , 2019, 3, 1825-1836.	0.1	7
298	Cross-sectional associations between healthy eating index and sex steroid hormones in men-National Health and Nutrition Examination Survey 1999-2002. <i>Andrology</i> , 2020, 8, 154-159.	1.9	7
299	Diet and Other Lifestyle Factors Associated with Prostate Cancer Differ Between the German and Italian Region of Switzerland. <i>International Journal for Vitamin and Nutrition Research</i> , 2016, 86, 1-8.	0.6	7
300	31 years of lung cancer in the canton of Zurich, Switzerland: incidence trends by sex, histology and laterality. <i>Swiss Medical Weekly</i> , 2016, 146, w14327.	0.8	7
301	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 71-77.	1.2	6
302	Racial Variation in Umbilical Cord Blood Leptin Concentration in Male Babies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 665-671.	1.1	6
303	No-meat eaters are less likely to be overweight or obese, but take dietary supplements more often: results from the Swiss National Nutrition survey menuCH. <i>Public Health Nutrition</i> , 2021, 24, 4156-4165.	1.1	6
304	Health-related quality of life in long-term prostate cancer survivors after nerve-sparing and non-nerve-sparing radical prostatectomy-Results from the multiregional PROCAS study. <i>Cancer Medicine</i> , 2020, 9, 5416-5424.	1.3	6
305	Does diet map with mortality? Ecological association of dietary patterns with chronic disease mortality and its spatial dependence in Switzerland. <i>British Journal of Nutrition</i> , 2022, 127, 1037-1049.	1.2	6
306	Glaucoma and mortality risk: findings from a prospective population-based study. <i>Scientific Reports</i> , 2021, 11, 11771.	1.6	6

#	ARTICLE	IF	CITATIONS
307	Characterisation of meat consumption across socio-demographic, lifestyle and anthropometric groups in Switzerland: results from the National Nutrition Survey menuCH. <i>Public Health Nutrition</i> , 2022, 25, 3096-3106.	1.1	6
308	Should we go nuts about nuts?. <i>BMC Medicine</i> , 2013, 11, 165.	2.3	5
309	Association of Urinary Phytoestrogen Concentrations with Serum Concentrations of Prostate-Specific Antigen in the National Health and Nutrition Examination Survey. <i>Nutrition and Cancer</i> , 2013, 65, 813-819.	0.9	5
310	Incidence of metachronous contralateral breast cancer in the Canton of Zurich: a population-based study of the cancer registry. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 365-371.	1.2	5
311	Geographical variation in malignant and benign/borderline brain and CNS tumor incidence: a comparison between a high-income and a middle-income country. <i>Journal of Neuro-Oncology</i> , 2020, 149, 273-282.	1.4	5
312	Recent trends in cancer incidence: impact of risk factors, diagnostic activities and data quality of registration. <i>Tumori</i> , 2014, 100, 399-405.	0.6	5
313	Selling, buying and eating "a synthesis study on dietary patterns across language regions in Switzerland. <i>British Food Journal</i> , 2022, 124, 1502-1518.	1.6	5
314	Racial/Ethnic Differences in the Associations of Overall and Central Body Fatness with Circulating Hormones and Metabolic Factors in US Men. <i>International Journal of Endocrinology and Metabolism</i> , 2017, In press, e44926.	0.3	5
315	37-year incidence and mortality time trends of common cancer types by sex, age, and stage in the canton of Zurich. <i>Swiss Medical Weekly</i> , 2020, 150, w20388.	0.8	5
316	Adherence to cancer prevention recommendations and risk of breast cancer in situ in the United Kingdom Biobank. <i>International Journal of Cancer</i> , 2022, 151, 1674-1683.	2.3	5
317	Association of serum calcium with serum sex steroid hormones in men in NHANES III. <i>Aging Male</i> , 2013, 16, 151-158.	0.9	4
318	Association between endogenous sex steroid hormones and insulin-like growth factor proteins in US men. <i>Cancer Causes and Control</i> , 2014, 25, 353-363.	0.8	4
319	Added Salt and Cancer Mortality. <i>Epidemiology</i> , 2014, 25, 615-616.	1.2	4
320	Atopy and prostate cancer: Is there a link between circulating levels of IgE and PSA in humans?. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 1557-1562.	2.0	4
321	Relationship of sex steroid hormones with bone mineral density of the lumbar spine in adult men. <i>Bone and Joint Research</i> , 2020, 9, 139-145.	1.3	4
322	Increased vitamin B6 turnover is associated with greater mortality risk in the general US population: A prospective biomarker study. <i>Clinical Nutrition</i> , 2022, 41, 1343-1356.	2.3	4
323	Re: "Obesity and hormone-dependent tumors: cohort and co-twin control studies based on the Swedish twin registry". <i>International Journal of Cancer</i> , 2006, 118, 785-785.	2.3	3
324	Recent Trends in Cancer Incidence: Impact of Risk Factors, Diagnostic Activities and Data Quality of Registration. <i>Tumori</i> , 2014, 100, 399-405.	0.6	3

#	ARTICLE	IF	CITATIONS
325	Loneliness is adversely associated with lifestyle and physical and mental health. <i>European Psychiatry</i> , 2016, 33, S82-S82.	0.1	3
326	Adherence to dietary recommendations is not associated with depression in two Swiss population-based samples. <i>Psychiatry Research</i> , 2017, 252, 310-318.	1.7	3
327	Trends in prostate cancer incidence between 1996 and 2013 in two Swiss regions by age, grade, and T-stage. <i>Cancer Causes and Control</i> , 2018, 29, 269-277.	0.8	3
328	Racial differences in maternal and umbilical cord blood leukocyte telomere length and their correlations. <i>Cancer Causes and Control</i> , 2018, 29, 759-767.	0.8	3
329	Increasing trends in in situ breast cancer incidence in a region with no population-based mammographic screening program: results from Zurich, Switzerland 2003-2014. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 653-660.	1.2	3
330	Selenium and Sex Steroid Hormones in a U.S. Nationally Representative Sample of Men: A Role for the Link between Selenium and Estradiol in Prostate Carcinogenesis?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 578-583.	1.1	3
331	Environment-wide association study to comprehensively test and validate associations between nutrition and lifestyle factors and testosterone deficiency: NHANES 1988-1994 and 1999-2004. <i>Hormones</i> , 2020, 19, 205-214.	0.9	3
332	Hormonal patterns in men with prediabetes and diabetes in NHANES III: possible links with prostate cancer. <i>Cancer Causes and Control</i> , 2022, 33, 429-440.	0.8	3
333	RE: BODY SIZE AND SERUM LEVELS OF INSULIN AND LEPTIN IN RELATION TO THE RISK OF BENIGN PROSTATIC HYPERPLASIA. <i>Journal of Urology</i> , 2004, 172, 779-779.	0.2	2
334	946: Incidence of second malignancies for prostate cancer in the canton of Zurich, 1980-2010. <i>European Journal of Cancer</i> , 2014, 50, S230-S231.	1.3	2
335	The Association of Milk and Dairy Consumption and Calcium Intake With the Risk and Severity of Prostate Cancer. <i>Current Nutrition Reports</i> , 2015, 4, 66-71.	2.1	2
336	Consumption of caffeinated beverages and serum concentrations of sex steroid hormones in US men. <i>Cancer Causes and Control</i> , 2018, 29, 157-166.	0.8	2
337	Associations of Current, Childhood, and Adolescent Milk Intake with Serum Insulin-like Growth Factor (IGF)-1 and IGF Binding Protein 3 Concentrations in Adulthood. <i>Nutrition and Cancer</i> , 2019, 71, 931-938.	0.9	2
338	Daily and meal-based assessment of dairy and corresponding protein intake in Switzerland: results from the National Nutrition Survey menuCH. <i>European Journal of Nutrition</i> , 2021, 60, 2099-2109.	1.8	2
339	Risk for Invasive Cancers in Women With Breast Cancer In Situ: Results From a Population Not Covered by Organized Mammographic Screening. <i>Frontiers in Oncology</i> , 2021, 11, 606747.	1.3	2
340	Glioblastoma in the Canton of Zurich, Switzerland, revisited (2005-2009).. <i>Journal of Clinical Oncology</i> , 2015, 33, e13025-e13025.	0.8	2
341	Pregnancy loss and risk of cardiovascular disease. <i>Journal of Reproductive Immunology</i> , 2011, 90, 154.	0.8	1
342	Is body weight dissatisfaction associated with depression?. <i>European Psychiatry</i> , 2016, 33, S174-S174.	0.1	1

#	ARTICLE	IF	CITATIONS
343	Survival outcome of non-small cell lung cancer patients: Comparing results between the database of the Comprehensive Cancer Center ZÃ¼rich and the Epidemiological Cancer Registry Zurich and Zug. Lung Cancer, 2020, 146, 217-223.	0.9	1
344	Are there sex differences among colorectal cancer patients in treatment and survival? A Swiss cohort study. Journal of Cancer Research and Clinical Oncology, 2021, 147, 1407-1419.	1.2	1
345	Non-AIDS defining malignancies in the combination ART era: immunological and socio-behavioral risk factors. F1000Research, 0, 8, 1400.	0.8	1
346	Association of Prudent, Western, and Alternate Healthy Eating Index (AHEI-2010) dietary patterns with serum testosterone and sex hormone binding globulin levels in men. Hormones, 2022, 21, 113-125.	0.9	1
347	Management and Outcome of Young Women (â‰¥40 Years) with Breast Cancer in Switzerland. Cancers, 2022, 14, 1328.	1.7	1
348	Different dietary assessment methods, similar conclusions? Comparison of a countryâ€™s adherence to food-based dietary guidelines as depicted in two population-based surveys using different dietary assessment methods. Public Health Nutrition, 2022, , 1-8.	1.1	1
349	Investigation of Alcohol-Drinking Levels in the Swiss Population: Differences in Diet and Associations with Sociodemographic, Lifestyle and Anthropometric Factors. Nutrients, 2022, 14, 2494.	1.7	1
350	Comparing the results of a cholesterol and saturated fat screener when using two different scores. European Journal of Epidemiology, 2002, 18, 413-415.	2.5	0
351	Reply to CK Chow. American Journal of Clinical Nutrition, 2010, 92, 1534-1535.	2.2	0
352	Problems with epidemiological approach and conclusions-the response. Heart, 2012, 98, 1751.2-1752.	1.2	0
353	To Adjust or Not in Studies on Racial Differences in Hormone Concentrations? Depends on the Question!. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 407-408.	1.8	0
354	947: Italianity is associated with lower risk of prostate cancer mortality in Switzerland. European Journal of Cancer, 2014, 50, S231.	1.3	0
355	Diabetes risk scores and death: predictability and practicability in two different populations. European Journal of Public Health, 2015, 25, 26-28.	0.1	0
356	Association between serum calcium concentration and risk of incident and fatal myocardial infarction and stroke in the AMORIS cohort. Atherosclerosis, 2015, 241, e135.	0.4	0
357	Obese, smoker, and obese smoker: Is there a general lifestyle gradient?. Atherosclerosis, 2015, 241, e138.	0.4	0
358	Type A personality and its association with mortality: Considering different analysis approaches of the Bortner Scale. European Psychiatry, 2016, 33, S174-S175.	0.1	0
359	OS01.6 Glioblastoma in the era of bevacizumab: an epidemiological study in the Canton of Zurich, Switzerland. Neuro-Oncology, 2017, 19, iii2-iii2.	0.6	0
360	Haem iron and nitrate/nitrite account for much of the mortality increase associated with red meat consumption. Evidence-Based Medicine, 2017, 22, 179-179.	0.6	0

#	ARTICLE	IF	CITATIONS
361	Survival outcome of non-small cell lung cancer (NSCLC) patients: Comparing results between the database of the Comprehensive Cancer Center Zürich (CCCZ) and the Epidemiological Cancer Registry Zurich and Zug (KKR). <i>Annals of Oncology</i> , 2019, 30, v593.	0.6	0
362	EPID-10. VENOUS THROMBOEMBOLIC EVENTS IN GLIOBLASTOMA PATIENTS: AN EPIDEMIOLOGICAL VIEW. <i>Neuro-Oncology</i> , 2019, 21, vi76-vi76.	0.6	0
363	Using Dietary Indices—What’s Next?. <i>Nutrients</i> , 2020, 12, 2161.	1.7	0
364	Characterisation and protein intake analysis of no- to high meat consumption, based on the Swiss National Nutrition Survey menuCH. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0
365	Investigation of processed meat consumption from the National Nutritional Survey menuCH and ecological data for colorectal cancer incidence in Switzerland. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0
366	Combining Recent Nutritional Data with Prospective Cohorts to Quantify the Impact of Modern Dietary Patterns on Disability-Adjusted Life Years: A Feasibility Study. <i>Nutrients</i> , 2020, 12, 833.	1.7	0
367	National study for multidisciplinary outpatient oncological rehabilitation: online survey to support revised quality and performance criteria. <i>Supportive Care in Cancer</i> , 2021, 29, 3839-3847.	1.0	0
368	Outpatient multidisciplinary cancer rehabilitation in Switzerland: a status assessment. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 0, , 1.	0.8	0
369	Abstract 1921: Body fatness and sex steroid hormone concentrations in US men — Results from NHANES III. , 2011, , .		0
370	Abstract 2533: Inverse association between circulating vitamin D and mortality - dependent on sex and cause of death.. , 2013, , .		0
371	Abstract 3620: Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition.. , 2013, , .		0
372	Abstract 3614: Are circulating testosterone and PSA levels associated in a nationally representative sample of men without a diagnosis of prostate cancer.. , 2013, , .		0
373	Abstract 1782: Racial differences in maternal and cord blood leukocyte telomere length and their correlations. , 2016, , .		0
374	Abstract 3292: Cause-specific mortality of nonmetastatic prostate cancer patients. , 2017, , .		0
375	Abstract 2763: Health-related quality of life among long-term prostate cancer survivors by primary treatment: A systematic review. , 2017, , .		0
376	Cross-Sectional Epidemiology and Intervention Studies of Mediators of the Energy Imbalance-Prostate Cancer Association. <i>Energy Balance and Cancer</i> , 2018, , 87-114.	0.2	0
377	Abstract P2-11-24: Disparities in the application of post-mastectomy radiotherapy in Switzerland: A pooled analysis of 7 cancer registries over the 2003-2005 period. , 2018, , .		0
378	Glioblastoma in the era of bevacizumab: An epidemiological study in the Canton of Zurich, Switzerland, 2010-2014.. <i>Journal of Clinical Oncology</i> , 2018, 36, e14062-e14062.	0.8	0

#	ARTICLE	IF	CITATIONS
379	Abstract 2214: Impact of comorbidities at diagnosis on prostate cancer treatment and survival. , 2018, , .		0
380	Abstract P1-08-32: Treatment delivery waiting times for stage I-III breast cancer patients in Switzerland : A pooled analysis of 7 cancer registries over the 2003-2008 period. , 2019, , .		0
381	In Reply. Deutsches Ärzteblatt International, 2020, 117, 346.	0.6	0
382	Abstract C027: Racial variation in umbilical cord blood vitamin D concentrations and telomere length: Implications for cancer risk. , 2020, , .		0
383	Comment on: Wiser et al. Ovarian cancer in Switzerland: incidence and treatment according to hospital registry data. Swiss Med Wkly.2018;148:w14647. Swiss Medical Weekly, 2020, 150, w20179.	0.8	0