

# Emilio Ortega

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3457340/publications.pdf>

Version: 2024-02-01

136  
papers

6,685  
citations

117625

34  
h-index

69250

77  
g-index

145  
all docs

145  
docs citations

145  
times ranked

8661  
citing authors

#	ARTICLE	IF	CITATIONS
1	Advanced lipoprotein profile in individuals with normal and impaired glucose metabolism. Revista Espanola De Cardiologia (English Ed ), 2022, 75, 22-30.	0.6	5
2	Perfil lipoproteico avanzado en individuos con metabolismo glucémico normal y alterado. Revista Espanola De Cardiologia, 2022, 75, 22-30.	1.2	5
3	Weight-loss thresholds after bariatric surgery and cardiovascular outcomes: more is better. International Journal of Obesity, 2022, 46, 279-286.	3.4	5
4	Novel APOB mutation in familial hypobetalipoproteinemia. Journal of Clinical Lipidology, 2022, 16, 28-32.	1.5	0
5	Compliance with the DPP-4 inhibitors dose adjustment recommendations based on renal function in a population database. Endocrinología Diabetes Y Nutrición (English Ed ), 2022, 69, 83-91.	0.2	0
6	Results of a multidisciplinary strategy to improve the management of cardiovascular risk factors after liver transplantation. Liver Transplantation, 2022, 28, 1332-1344.	2.4	4
7	Low Percentage of Vegetable Fat in Red Blood Cells Is Associated with Worse Glucose Metabolism and Incidence of Type 2 Diabetes. Nutrients, 2022, 14, 1368.	4.1	2
8	The Role of Arterial Stiffness in the Estimation of Cardiovascular Risk in Liver Transplant Recipients. Transplantation Direct, 2022, 8, e1272.	1.6	4
9	Optical Coherence Tomography Angiography in Type 1 Diabetes Mellitus—Report 2: Diabetic Kidney Disease. Journal of Clinical Medicine, 2022, 11, 197.	2.4	5
10	Impact of COVID-19 Lockdown in Eating Disorders: A Multicentre Collaborative International Study. Nutrients, 2022, 14, 100.	4.1	18
11	Linoleic Acid Status in Cell Membranes Inversely Relates to the Prevalence of Symptomatic Carotid Artery Disease. Stroke, 2021, 52, 703-706.	2.0	5
12	Clinical Characteristics and Degree of Glycemic and Cardiovascular Risk Factor Control in Patients with Type 1 Diabetes in Catalonia (Spain). Journal of Clinical Medicine, 2021, 10, 1536.	2.4	8
13	Reply. Journal of the American College of Cardiology, 2021, 77, 1841-1843.	2.8	1
14	Hipertrigliceridemias secundarias. Clínica E Investigación En Arteriosclerosis, 2021, 33, 29-36.	0.8	5
15	Impact of statin therapy on LDL and non-HDL cholesterol levels in subjects with heterozygous familial hypercholesterolaemia. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1594-1603.	2.6	9
16	Quantification of glycoproteins by nuclear magnetic resonance associated with preclinical carotid atherosclerosis in patients with type 1 diabetes. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2099-2108.	2.6	16
17	Cumplimiento de las recomendaciones de ajuste de la dosis de inhibidores DPP4 según la función renal en una base de datos poblacional. Endocrinología, Diabetes Y Nutrición, 2021, 69, 83-83.	0.3	0
18	Biomarkers of fatty acid intake are independently associated with preclinical atherosclerosis in individuals with type 1 diabetes. European Journal of Nutrition, 2021, 60, 4595-4605.	3.9	5

#	ARTICLE	IF	CITATIONS
19	Risk factors for severe outcomes in people with diabetes hospitalised for COVID-19: a cross-sectional database study. <i>BMJ Open</i> , 2021, 11, e051237.	1.9	16
20	Cardiovascular and mortality benefits of sodium-glucose co-transporter-2 inhibitors in patients with type 2 diabetes mellitus: CVD-Real Catalonia. <i>Cardiovascular Diabetology</i> , 2021, 20, 139.	6.8	13
21	Cataract Surgery in Elderly Subjects with Heterozygous Familial Hypercholesterolemia in Prolonged Treatment with Statins. <i>Journal of Clinical Medicine</i> , 2021, 10, 3494.	2.4	0
22	Extracellular vesicles in atherothrombosis and cardiovascular disease: Friends and foes. <i>Atherosclerosis</i> , 2021, 330, 61-75.	0.8	19
23	Optical Coherence Tomography Angiography in Type 1 Diabetes Mellitus. Report 4: Glycated Haemoglobin. <i>Diagnostics</i> , 2021, 11, 1537.	2.6	6
24	Fatty liver index as a predictor for type 2 diabetes in subjects with normoglycemia in a nationwide cohort study. <i>Scientific Reports</i> , 2021, 11, 16453.	3.3	5
25	Molecular mapping of platelet hyperreactivity in diabetes: the stress proteins complex HSPA8/Hsp90/CSK21± and platelet aggregation in diabetic and normal platelets. <i>Translational Research</i> , 2021, 235, 1-14.	5.0	10
26	Psychosocial, Lifestyle, and Body Weight Impact of COVID-19-Related Lockdown in a Sample of Participants with Current or Past History of Obesity in Spain. <i>Obesity Surgery</i> , 2021, 31, 2115-2124.	2.1	19
27	Outstanding improvement of the advanced lipoprotein profile in subjects with new-onset type 1 diabetes mellitus after achieving optimal glycemetic control. <i>Diabetes Research and Clinical Practice</i> , 2021, 182, 109145.	2.8	6
28	Associations Between Diabetic Retinopathy and Parkinson's Disease: Results From the Catalanian Primary Care Cohort Study. <i>Frontiers in Medicine</i> , 2021, 8, 800973.	2.6	6
29	Coronavirus disease 2019 (<sc>COVID</sc>â€19) and obesity. Impact of obesity and its main comorbidities in the evolution of the disease. <i>European Eating Disorders Review</i> , 2020, 28, 799-815.	4.1	22
30	Polygenic Markers in Patients Diagnosed of Autosomal Dominant Hypercholesterolemia in Catalonia: Distribution of Weighted LDL-c-Raising SNP Scores and Refinement of Variant Selection. <i>Biomedicines</i> , 2020, 8, 353.	3.2	6
31	Remnant Cholesterol, Not LDL Cholesterol, Is Associated With Incident Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2712-2724.	2.8	240
32	Advanced lipoprotein profile disturbances in type 1 diabetes mellitus: a focus on LDL particles. <i>Cardiovascular Diabetology</i> , 2020, 19, 126.	6.8	17
33	Obesity impacts brain metabolism and structure independently of amyloid and tau pathology in healthy elderly. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12052.	2.4	7
34	Circulating Omega-3 Fatty Acids and Incident Adverse Events in Patients With Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2089-2097.	2.8	19
35	<sc>COVID</sc> Isolation Eating Scale (<sc>CIES</sc>): Analysis of the impact of confinement in eating disorders and obesityâ€A collaborative international study. <i>European Eating Disorders Review</i> , 2020, 28, 871-883.	4.1	59
36	Ellagic Acid as a Tool to Limit the Diabetes Burden: Updated Evidence. <i>Antioxidants</i> , 2020, 9, 1226.	5.1	40

#	ARTICLE	IF	CITATIONS
37	Optical Coherence Tomography Angiography in Type 1 Diabetes Mellitus. Report 1: Diabetic Retinopathy. <i>Translational Vision Science and Technology</i> , 2020, 9, 34.	2.2	22
38	5-cis-, Trans- and Total Lycopene Plasma Concentrations Inversely Relate to Atherosclerotic Plaque Burden in Newly Diagnosed Type 2 Diabetes Subjects. <i>Nutrients</i> , 2020, 12, 1696.	4.1	14
39	Steno type 1 risk engine and preclinical atherosclerosis in Mediterranean individuals with type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3320.	4.0	16
40	Insulin resistance is associated with preclinical carotid atherosclerosis in patients with type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3323.	4.0	25
41	Incidence of diabetes mellitus in Spain as results of the nation-wide cohort di@bet.es study. <i>Scientific Reports</i> , 2020, 10, 2765.	3.3	71
42	Incidence and regression of metabolic syndrome in a representative sample of the Spanish population: results of the cohort di@bet.es study. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, .	2.8	1
43	A Mediterranean Diet Rich in Extra-Virgin Olive Oil Is Associated with a Reduced Prevalence of Nonalcoholic Fatty Liver Disease in Older Individuals at High Cardiovascular Risk. <i>Journal of Nutrition</i> , 2019, 149, 1920-1929.	2.9	59
44	Glucagon-Like Peptide-1 Receptor Agonists in Patients with Type 2 Diabetes: Prescription According to Reimbursement Constraints and Guideline Recommendations in Catalonia. <i>Journal of Clinical Medicine</i> , 2019, 8, 1389.	2.4	7
45	Ten-year outcomes after Roux-en-Y gastric bypass and sleeve gastrectomy: an observational nonrandomized cohort study. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, 382-388.	1.2	36
46	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. <i>Lancet, The</i> , 2019, 394, 121-130.	13.7	1,625
47	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019, 394, 131-138.	13.7	394
48	Glucagon-like peptide-1 receptor agonists in patients with type 2 diabetes:real-world evidence from a Mediterranean area. <i>Current Medical Research and Opinion</i> , 2019, 35, 1735-1744.	1.9	10
49	Ultrasound Tissue Characterization of Carotid Plaques Differs Between Patients with Type 1 Diabetes and Subjects without Diabetes. <i>Journal of Clinical Medicine</i> , 2019, 8, 424.	2.4	8
50	Prevalence and factors associated with statin use in high-risk patients with type 1 diabetes from a specialized diabetes unit. <i>Endocrinología y Nutrición (English Ed)</i> , 2019, 66, 512-519.	0.2	0
51	Evaluation of microvascular changes in the perifoveal vascular network using optical coherence tomography angiography (OCTA) in type I diabetes mellitus: a large scale prospective trial. <i>BMC Medical Imaging</i> , 2019, 19, 91.	2.7	12
52	Aortic Valvular Disease in Elderly Subjects with Heterozygous Familial Hypercholesterolemia: Impact of Lipid-Lowering Therapy. <i>Journal of Clinical Medicine</i> , 2019, 8, 2209.	2.4	10
53	Comparative efficacy between atorvastatin and rosuvastatin in the prevention of cardiovascular disease recurrence. <i>Lipids in Health and Disease</i> , 2019, 18, 216.	3.0	16
54	Cohort Profile: Design and methods of the PREDIMED-Plus randomized trial. <i>International Journal of Epidemiology</i> , 2019, 48, 387-388o.	1.9	179

#	ARTICLE	IF	CITATIONS
55	Genetic background influences weight-loss trajectories on the mid-term after bariatric surgery. <i>International Journal of Obesity</i> , 2019, 43, 1869-1874.	3.4	5
56	Dietary polyunsaturated fatty acids mediate the inverse association of stearoyl-CoA desaturase activity with the risk of fatty liver in dyslipidaemic individuals. <i>European Journal of Nutrition</i> , 2019, 58, 1561-1568.	3.9	6
57	Effects of sex steroids on cardiovascular risk profile in transgender men under gender affirming hormone therapy. <i>Endocrinología, Diabetes Y Nutrición</i> , 2019, 66, 385-392.	0.3	15
58	Prevalence and factors associated with statin use in high-risk patients with type 1 diabetes from a specialized diabetes unit. <i>Endocrinología, Diabetes Y Nutrición</i> , 2019, 66, 512-519.	0.3	11
59	Ambient temperature and prevalence of diabetes and insulin resistance in the Spanish population: Di@bet.es study. <i>European Journal of Endocrinology</i> , 2019, 180, 273-280.	3.7	18
60	Iron deficiency is associated with Hypothyroxinemia and Hypotriiodothyroninemia in the Spanish general adult population: Di@bet.es study. <i>Scientific Reports</i> , 2018, 8, 6571.	3.3	17
61	Health care and therapeutic education program for newly diagnosed type 2 diabetes: A new approach in primary care. <i>Endocrinología y Diabetes Y Nutrición (English Ed)</i> , 2018, 65, 486-499.	0.2	4
62	Programa de atención y educación terapéutica en el debut de la diabetes tipo 2: un nuevo modelo de abordaje en atención primaria. <i>Endocrinología, Diabetes Y Nutrición</i> , 2018, 65, 486-499.	0.3	5
63	Diabetes mellitus y riesgo cardiovascular. Actualización de las recomendaciones del Grupo de Trabajo de Diabetes y Riesgo Cardiovascular de la Sociedad Española de Diabetes (SED, 2018). <i>Clínica e Investigación En Arteriosclerosis</i> , 2018, 30, 137-153.	0.8	11
64	Diabetes mellitus and cardiovascular risk: Update of the recommendations of the Diabetes and Cardiovascular Disease working group of the Spanish Diabetes Society (SED, 2018). <i>Clínica e Investigación En Arteriosclerosis (English Edition)</i> , 2018, 30, 137-153.	0.2	2
65	Obesity and Alzheimer's disease, does the obesity paradox really exist? A magnetic resonance imaging study. <i>Oncotarget</i> , 2018, 9, 34691-34698.	1.8	57
66	Relationship between noninvasive scores of nonalcoholic fatty liver disease and nuclear magnetic resonance lipoprotein abnormalities: A focus on atherogenic dyslipidemia. <i>Journal of Clinical Lipidology</i> , 2017, 11, 551-561.e7.	1.5	21
67	Reference values for TSH may be inadequate to define hypothyroidism in persons with morbid obesity: Di@bet.es study. <i>Obesity</i> , 2017, 25, 788-793.	3.0	36
68	How many familial hypercholesterolemia patients are eligible for PCSK9 inhibition?. <i>Atherosclerosis</i> , 2017, 262, 107-112.	0.8	22
69	Prediction of Cardiovascular Disease by the Framingham REGICOR Equation in the High-Risk PREDIMED Cohort: Impact of the Mediterranean Diet Across Different Risk Strata. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	17
70	Relationship Between Total Serum Bilirubin Levels and Carotid and Femoral Atherosclerosis in Familial Dyslipidemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 2356-2363.	2.4	35
71	Inhibidores de proproteína convertasa subtilisina/kexina tipo 9 (iPCSK9). Los nuevos de la clase en el tratamiento de la hipercolesterolemia. <i>Endocrinología, Diabetes Y Nutrición</i> , 2017, 64, 341-344.	0.3	2
72	Population-Based National Prevalence of Thyroid Dysfunction in Spain and Associated Factors: Di@bet.es Study. <i>Thyroid</i> , 2017, 27, 156-166.	4.5	50

#	ARTICLE	IF	CITATIONS
73	Preclinical carotid atherosclerosis in patients with latent autoimmune diabetes in adults (LADA), type 2 diabetes and classical type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2017, 16, 94.	6.8	20
74	Lower Hemoglobin Concentration Is Associated with Retinal Ischemia and the Severity of Diabetic Retinopathy in Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-8.	2.3	30
75	Low Physical Activity and Its Association with Diabetes and Other Cardiovascular Risk Factors: A Nationwide, Population-Based Study. <i>PLoS ONE</i> , 2016, 11, e0160959.	2.5	53
76	Prevalence, Diagnosis, Treatment, and Control of Hypertension in Spain. Results of the Di@bet.es Study. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2016, 69, 572-578.	0.6	41
77	Clinical onset of celiac disease after duodenal switch: a case report. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 1078-1079.	2.9	8
78	Clinical status of a cohort of patients with type 1 diabetes diagnosed more than 2 decades before. Results of a specific clinical follow-up program. <i>Endocrinología Y Nutrición (English Edition)</i> , 2016, 63, 339-344.	0.5	2
79	The proportion of total C18:1 trans -fatty acids in red blood cell membranes relates to carotid plaque prevalence. <i>Journal of Nutritional Biochemistry</i> , 2016, 38, 81-85.	4.2	2
80	Increased Burden of Cerebral Small Vessel Disease in Patients With Type 2 Diabetes and Retinopathy. <i>Diabetes Care</i> , 2016, 39, 1614-1620.	8.6	55
81	Situación clínica de una cohorte de pacientes con diabetes tipo 1 más de 2 décadas después del inicio. Resultados de un programa específico de seguimiento en una unidad de referencia. <i>Endocrinología Y Nutrición: Organó De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2016, 63, 339-344.	0.8	11
82	Nuclear magnetic resonance lipoprotein abnormalities in newly-diagnosed type 2 diabetes and their association with preclinical carotid atherosclerosis. <i>Atherosclerosis</i> , 2016, 247, 161-169.	0.8	34
83	Prevalencia, diagnóstico, tratamiento y control de la hipertensión arterial en España. Resultados del estudio Di@bet.es. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 572-578.	1.2	91
84	Cardiovascular disease in patients with type 1 and type 2 diabetes in Spain. <i>Medicina Clínica (English)</i> Tj ETQq0 0 0 rgBT /Overlock 10 T	0.2	3
85	Salsalate has no effect on insulin secretion but decreases insulin clearance: a randomized, placebo-controlled trial in subjects without diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2015, 17, 608-612.	4.4	8
86	Microangiopathy of common carotid vasa vasorum in type 1 diabetes mellitus. <i>Atherosclerosis</i> , 2015, 241, 334-338.	0.8	12
87	Prevalence by sex of preclinical carotid atherosclerosis in newly diagnosed type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 742-748.	2.6	31
88	Type 2 diabetes-associated carotid plaque burden is increased in patients with retinopathy compared to those without retinopathy. <i>Cardiovascular Diabetology</i> , 2015, 14, 33.	6.8	47
89	Prospective Study of Individualized or High Fixed Doses of Vitamin D Supplementation After Bariatric Surgery. <i>Obesity Surgery</i> , 2015, 25, 470-476.	2.1	25
90	Estimating Cardiovascular Risk in Spain by the European Guidelines on Cardiovascular Disease Prevention in Clinical Practice. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2015, 68, 417-425.	0.6	9

#	ARTICLE	IF	CITATIONS
91	Ambient temperature and prevalence of obesity in the Spanish population: The Di@bet.es study. <i>Obesity</i> , 2014, 22, 2328-2332.	3.0	32
92	Vitamin C Further Improves the Protective Effect of Glucagon-Like Peptide-1 on Acute Hypoglycemia-Induced Oxidative Stress, Inflammation, and Endothelial Dysfunction in Type 1 Diabetes. <i>Diabetes Care</i> 2013;36:4104-4108. <i>Diabetes Care</i> , 2014, 37, 2063.1-2063.	8.6	0
93	Prevalence of plasma lipid abnormalities and its association with glucose metabolism in Spain: The di@bet.es study. <i>Clínica E Investigaci3n En Arteriosclerosis</i> , 2014, 26, 107-114.	0.8	15
94	Hyperglycemia following recovery from hypoglycemia worsens endothelial damage and thrombosis activation in type 1 diabetes and in healthy controls. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 116-123.	2.6	41
95	Modifications of the homeostasis model assessment of insulin resistance index with age. <i>Acta Diabetologica</i> , 2014, 51, 917-925.	2.5	12
96	Variable patterns of obesity and cardiometabolic phenotypes and their association with lifestyle factors in the Di@bet.es study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 947-955.	2.6	26
97	Vitamin C further improves the protective effect of GLP-1 on the ischemia-reperfusion-like effect induced by hyperglycemia post-hypoglycemia in type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2013, 12, 97.	6.8	17
98	Glucagon-Like Peptide 1 Reduces Endothelial Dysfunction, Inflammation, and Oxidative Stress Induced by Both Hyperglycemia and Hypoglycemia in Type 1 Diabetes. <i>Diabetes Care</i> , 2013, 36, 2346-2350.	8.6	158
99	Prevalence of the metabolic syndrome in Spain using regional cutoff points for waist circumference: the di@bet.es study. <i>Acta Diabetologica</i> , 2013, 50, 615-623.	2.5	34
100	Olive oil has a beneficial effect on impaired glucose regulation and other cardiometabolic risk factors. Di@bet.es study. <i>European Journal of Clinical Nutrition</i> , 2013, 67, 911-916.	2.9	32
101	Microangiopathy of large artery wall: A neglected complication of diabetes mellitus. <i>Atherosclerosis</i> , 2013, 228, 142-147.	0.8	28
102	Use of Drugs Related to the Treatment of Diabetes Mellitus and Other Cardiovascular Risk Factors in the Spanish Population. The Di@bet.es Study. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2013, 66, 854-863.	0.6	5
103	Mediterranean Diet Adherence in Individuals with Prediabetes and Unknown Diabetes: The Di@bet.es Study. <i>Annals of Nutrition and Metabolism</i> , 2013, 62, 339-346.	1.9	21
104	Pseudo-enhancement does not explain the increased carotid adventitial vasa vasorum signal in diabetic patients. <i>Atherosclerosis</i> , 2013, 229, 459-461.	0.8	5
105	Anthropometric indexes outperform bioelectrical impedance analysis-derived estimates of body composition in identification of metabolic abnormalities in morbid obesity. <i>Surgery for Obesity and Related Diseases</i> , 2013, 9, 648-652.	1.2	2
106	Factors determining high-sensitivity C-reactive protein values in the Spanish population. Di@bet.es study. <i>European Journal of Clinical Investigation</i> , 2013, 43, 1-10.	3.4	16
107	Factors affecting levels of urinary albumin excretion in the general population of Spain: the Di@bet.es study. <i>Clinical Science</i> , 2013, 124, 269-277.	4.3	10
108	Vitamin C Further Improves the Protective Effect of Glucagon-Like Peptide-1 on Acute Hypoglycemia-Induced Oxidative Stress, Inflammation, and Endothelial Dysfunction in Type 1 Diabetes. <i>Diabetes Care</i> , 2013, 36, 4104-4108.	8.6	61

#	ARTICLE	IF	CITATIONS
109	Evaluation of Health-Related Quality of Life according to Carbohydrate Metabolism Status: A Spanish Population-Based Study (Di@bet.es Study). <i>International Journal of Endocrinology</i> , 2012, 2012, 1-6.	1.5	16
110	Safety of Cabergoline in the Management of Pituitary Prolactin-Induced Symptoms with Patients Treated with Atypical Neuroleptics. <i>Current Drug Safety</i> , 2012, 7, 92-98.	0.6	12
111	Association Analyses of Variants in the <i>DIO2</i> Gene with Early-Onset Type 2 Diabetes Mellitus in Pima Indians. <i>Thyroid</i> , 2012, 22, 80-87.	4.5	42
112	White blood cell count is associated with carotid and femoral atherosclerosis. <i>Atherosclerosis</i> , 2012, 221, 275-281.	0.8	48
113	Evidence That Hyperglycemia After Recovery From Hypoglycemia Worsens Endothelial Function and Increases Oxidative Stress and Inflammation in Healthy Control Subjects and Subjects With Type 1 Diabetes. <i>Diabetes</i> , 2012, 61, 2993-2997.	0.6	136
114	Iodine intake in the adult population. Di@bet.es study. <i>Clinical Nutrition</i> , 2012, 31, 882-888.	5.0	48
115	Predictive factors of excess body weight loss 1Âyear after laparoscopic bariatric surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012, 26, 1744-1750.	2.4	113
116	Prevalence of diabetes mellitus and impaired glucose regulation in Spain: the Di@bet.es Study. <i>Diabetologia</i> , 2012, 55, 88-93.	6.3	812
117	Inverse association between serum phospholipid oleic acid and insulin resistance in subjects with primary dyslipidaemia. <i>Clinical Nutrition</i> , 2011, 30, 590-592.	5.0	11
118	Macrophage Content in Subcutaneous Adipose Tissue. <i>Diabetes</i> , 2009, 58, 385-393.	0.6	120
119	The effect of salsalate on insulin action and glucose tolerance in obese non-diabetic patients: results of a randomised double-blind placebo-controlled study. <i>Diabetologia</i> , 2009, 52, 385-393.	6.3	115
120	Free triiodothyronine plasma concentrations are positively associated with insulin secretion in euthyroid individuals. <i>European Journal of Endocrinology</i> , 2008, 158, 217-221.	3.7	67
121	The effect of insulin on net lipid oxidation predicts worsening of insulin resistance and development of type 2 diabetes mellitus. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E264-E269.	3.5	13
122	Plasma concentrations of free triiodothyronine predict weight change in euthyroid persons. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 440-445.	4.7	46
123	Acute insulin response is an independent predictor of type 2 diabetes mellitus in individuals with both normal fasting and 2-h plasma glucose concentrations. <i>Diabetes/Metabolism Research and Reviews</i> , 2007, 23, 304-310.	4.0	45
124	Glucose Response to an Oral Glucose Tolerance Test Predicts Weight Change in Non-diabetic Subjects. <i>Obesity</i> , 2007, 15, 632-639.	3.0	15
125	The 24-h carbohydrate oxidation rate in a human respiratory chamber predicts ad libitum food intake. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 625-32.	4.7	90
126	Lower Total Fasting Plasma Adiponectin Concentrations Are Associated with Higher Metabolic Rates. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1600-1603.	3.6	25



#	ARTICLE	IF	CITATIONS
127	Serum $\hat{3}$ -Glutamyl Transpeptidase Is a Determinant of Insulin Resistance Independently of Adiposity in Pima Indian Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1419-1422.	3.6	55
128	A Burning Question: Does an Adipokine-Induced Activation of the Immune System Mediate the Effect of Overnutrition on Type 2 Diabetes?. <i>Diabetes</i> , 2005, 54, 917-927.	0.6	204
129	Emerging cardiovascular risk factors in subclinical hypothyroidism: Lack of change after restoration of euthyroidism. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 1512-1515.	3.4	47
130	Neuromuscular dysfunction in adult growth hormone deficiency. <i>Clinical Endocrinology</i> , 2003, 59, 450-458.	2.4	12
131	Plasma Homocysteine Is not Increased in Microalbuminuric Patients With Type 2 Diabetes Without Clinical Cardiovascular Disease. <i>Diabetes Care</i> , 2002, 25, 632-633.	8.6	5
132	Evaluation of Accessibility and Use of New Communication Technologies in Patients With Type 1 Diabetes Mellitus. <i>Journal of Medical Internet Research</i> , 2002, 4, e16.	4.3	37
133	Utilidad de los análogos de somatostatina en tumores neuroendocrinos gastroenteropancreáticos y tumores hipofisarios no productores de GH. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2001, 48, 140-148.	0.8	1
134	Decreased insulin requirements after LAR-octreotide but not after lanreotide in an acromegalic patient. <i>Pituitary</i> , 2001, 4, 275-278.	2.9	4
135	Hypoglycemia and pulmonary edema: a forgotten association. <i>Diabetes Care</i> , 2000, 23, 1023-1024.	8.6	28
136	Chlorambucil-induced inappropriate antidiuresis in a man with chronic lymphocytic leukemia. <i>Annals of Hematology</i> , 1999, 78, 37-38.	1.8	6