

Sonia Johnson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3457941/publications.pdf>

Version: 2024-02-01

318
papers

15,744
citations

20759

60
h-index

27345

106
g-index

368
all docs

368
docs citations

368
times ranked

11524
citing authors

#	ARTICLE	IF	CITATIONS
1	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020, 7, 813-824.	3.7	1,101
2	Schizophrenia and employment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 337-349.	1.6	713
3	Associations between loneliness and perceived social support and outcomes of mental health problems: a systematic review. <i>BMC Psychiatry</i> , 2018, 18, 156.	1.1	705
4	A systematic review and meta-analysis of randomised controlled trials of peer support for people with severe mental illness. <i>BMC Psychiatry</i> , 2014, 14, 39.	1.1	380
5	Drug and Alcohol Problems among Individuals with Severe Mental Illnesses in South London. <i>British Journal of Psychiatry</i> , 1996, 168, 612-619.	1.7	354
6	Rates and correlates of employment in people with schizophrenia in the UK, France and Germany. <i>British Journal of Psychiatry</i> , 2007, 191, 30-37.	1.7	294
7	Social isolation in mental health: a conceptual and methodological review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1451-1461.	1.6	252
8	Randomised controlled trial of acute mental health care by a crisis resolution team: the north Islington crisis study. <i>BMJ: British Medical Journal</i> , 2005, 331, 599.	2.4	250
9	Overview: deinstitutionalization of psychiatric patients, a critical review of outcome studies. <i>American Journal of Psychiatry</i> , 1981, 138, 736-749.	4.0	214
10	The REACT study: randomised evaluation of assertive community treatment in north London. <i>BMJ: British Medical Journal</i> , 2006, 332, 815-820.	2.4	208
11	A life less lonely: the state of the art in interventions to reduce loneliness in people with mental health problems. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 627-638.	1.6	200
12	The European Service Mapping Schedule (ESMS): development of an instrument for the description and classification of mental health services. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 14-23.	2.2	195
13	The association between loneliness and depressive symptoms among adults aged 50 years and older: a 12-year population-based cohort study. <i>Lancet Psychiatry</i> , 2021, 8, 48-57.	3.7	178
14	Mental Health, "Burnout" and Job Satisfaction among Hospital and Community-Based Mental Health Staff. <i>British Journal of Psychiatry</i> , 1996, 169, 334-337.	1.7	172
15	Rationale and design. <i>British Journal of Psychiatry</i> , 1998, 173, 363-370.	1.7	159
16	Impact on mental health care and on mental health service users of the COVID-19 pandemic: a mixed methods survey of UK mental health care staff. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 25-37.	1.6	157
17	Domestic and sexual violence against patients with severe mental illness. <i>Psychological Medicine</i> , 2015, 45, 875-886.	2.7	156
18	Early impacts of the COVID-19 pandemic on mental health care and on people with mental health conditions: framework synthesis of international experiences and responses. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 13-24.	1.6	156

#	ARTICLE	IF	CITATIONS
19	From efficacy to effectiveness in community mental health services. <i>British Journal of Psychiatry</i> , 1998, 173, 423-427.	1.7	153
20	The views and experiences of severely mentally ill mothers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 472-82.	1.6	153
21	Visual impairment is associated with physical and mental comorbidities in older adults: a cross-sectional study. <i>BMC Medicine</i> , 2014, 12, 181.	2.3	153
22	Substance misuse and risk of aggression and offending among the severely mentally ill. <i>British Journal of Psychiatry</i> , 1998, 172, 345-350.	1.7	152
23	Initiatives to shorten duration of untreated psychosis: systematic review. <i>British Journal of Psychiatry</i> , 2011, 198, 256-263.	1.7	131
24	Perceived sources of work stress and satisfaction among hospital and community mental health staff, and their relation to mental health, burnout and job satisfaction. <i>Journal of Psychosomatic Research</i> , 1997, 43, 51-59.	1.2	119
25	Implementation of the Crisis Resolution Team model in adult mental health settings: a systematic review. <i>BMC Psychiatry</i> , 2015, 15, 74.	1.1	116
26	Outcomes of crises before and after introduction of a crisis resolution team. <i>British Journal of Psychiatry</i> , 2005, 187, 68-75.	1.7	115
27	Views and Experiences of Employment among People with Psychosis: A Qualitative Descriptive Study. <i>International Journal of Social Psychiatry</i> , 2005, 51, 302-316.	1.6	108
28	Burden on caregivers of people with schizophrenia: Comparison between Germany and Britain. <i>British Journal of Psychiatry</i> , 2007, 190, 333-338.	1.7	108
29	User perspective on needs and satisfaction with mental health services. <i>British Journal of Psychiatry</i> , 1998, 173, 409-415.	1.7	105
30	The experience of loneliness among young people with depression: a qualitative meta-synthesis of the literature. <i>BMC Psychiatry</i> , 2020, 20, 415.	1.1	105
31	Peer-supported self-management for people discharged from a mental health crisis team: a randomised controlled trial. <i>Lancet, The</i> , 2018, 392, 409-418.	6.3	104
32	Variations in patterns of involuntary hospitalisation and in legal frameworks: an international comparative study. <i>Lancet Psychiatry, the</i> , 2019, 6, 403-417.	3.7	104
33	Clinical and social factors associated with increased risk for involuntary psychiatric hospitalisation: a systematic review, meta-analysis, and narrative synthesis. <i>Lancet Psychiatry, the</i> , 2019, 6, 1039-1053.	3.7	103
34	Explanations for stress and satisfaction in mental health professionals: a qualitative study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 301-308.	1.6	102
35	Integration between primary and secondary services in the care of the severely mentally ill: patients' and general practitioners' views. <i>British Journal of Psychiatry</i> , 1997, 171, 169-174.	1.7	99
36	Mental health, "burnout" and job satisfaction in a longitudinal study of mental health staff. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 295-300.	1.6	99

#	ARTICLE	IF	CITATIONS
37	Self-management interventions for people with severe mental illness: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2019, 214, 260-268.	1.7	99
38	The effectiveness of interventions for reducing subjective and objective social isolation among people with mental health problems: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 839-876.	1.6	99
39	Continuity of care for the severely mentally ill: concepts and measures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997, 32, 137-142.	1.6	96
40	Characteristics of Subgroups of Individuals With Psychotic Illness and a Comorbid Substance Use Disorder. <i>Psychiatric Services</i> , 2003, 54, 554-561.	1.1	93
41	Childhood trauma and schizotypy: a systematic literature review. <i>Psychological Medicine</i> , 2015, 45, 947-963.	2.7	88
42	Dual diagnosis of severe mental illness and substance misuse: A case for specialist services?. <i>British Journal of Psychiatry</i> , 1997, 171, 205-208.	1.7	87
43	Service user and carer experiences of seeking help for a first episode of psychosis: a UK qualitative study. <i>BMC Psychiatry</i> , 2011, 11, 157.	1.1	87
44	Patients' experiences of assessment and detention under mental health legislation: systematic review and qualitative meta-synthesis. <i>BJPsych Open</i> , 2019, 5, e37.	0.3	85
45	Factors affecting implementation of digital health interventions for people with psychosis or bipolar disorder, and their family and friends: a systematic review. <i>Lancet Psychiatry</i> , 2019, 6, 257-266.	3.7	85
46	Implementation, Adoption, and Perceptions of Telemental Health During the COVID-19 Pandemic: Systematic Review. <i>Journal of Medical Internet Research</i> , 2021, 23, e31746.	2.1	84
47	Correlates of Subjective Quality of Life in People With Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 87-94.	0.5	83
48	Crisis resolution and home treatment teams: an evolving model. <i>Advances in Psychiatric Treatment</i> , 2013, 19, 115-123.	0.6	83
49	Recent physical and sexual violence against adults with severe mental illness: a systematic review and meta-analysis. <i>International Review of Psychiatry</i> , 2016, 28, 433-451.	1.4	83
50	How does drug and alcohol misuse develop among people with psychotic illness? A literature review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 269-276.	1.6	81
51	Characteristics and needs of asylum seekers and refugees in contact with London community mental health teams. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 789-795.	1.6	78
52	Implementation of Telemental Health Services Before COVID-19: Rapid Umbrella Review of Systematic Reviews. <i>Journal of Medical Internet Research</i> , 2021, 23, e26492.	2.1	78
53	The social context of insight in schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 500-507.	1.6	77
54	A qualitative study of online mental health information seeking behaviour by those with psychosis. <i>BMC Psychiatry</i> , 2016, 16, 232.	1.1	75

#	ARTICLE	IF	CITATIONS
55	Randomised evaluation of assertive community treatment: 3-year outcomes. <i>British Journal of Psychiatry</i> , 2009, 195, 81-82.	1.7	74
56	Violent and non-violent crime against adults with severe mental illness. <i>British Journal of Psychiatry</i> , 2015, 206, 275-282.	1.7	71
57	Experiences of living with mental health problems during the COVID-19 pandemic in the UK: a coproduced, participatory qualitative interview study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1447-1457.	1.6	71
58	Residential alternatives to acute psychiatric hospital admission: systematic review. <i>British Journal of Psychiatry</i> , 2009, 195, 109-117.	1.7	68
59	Identification of <i>Mycoplasma fermentans</i> in Synovial Fluid Samples from Arthritis Patients with Inflammatory Disease. <i>Journal of Clinical Microbiology</i> , 2000, 38, 90-93.	1.8	68
60	Insight and psychosis: a social perspective. <i>Psychological Medicine</i> , 1995, 25, 515-520.	2.7	67
61	Recent intimate partner violence among people with chronic mental illness: Findings from a national cross-sectional survey. <i>British Journal of Psychiatry</i> , 2015, 207, 207-212.	1.7	67
62	Social networks and service use among representative cases of psychosis in South London. <i>British Journal of Psychiatry</i> , 1997, 171, 15-19.	1.7	66
63	Evaluation of an integrated system for classification, assessment and comparison of services for long-term care in Europe: the eDESDE-LTC study. <i>BMC Health Services Research</i> , 2013, 13, 218.	0.9	66
64	The Relationship between Therapeutic Alliance and Service User Satisfaction in Mental Health Inpatient Wards and Crisis House Alternatives: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e100153.	1.1	66
65	Improving outcomes for people in mental health crisis: a rapid synthesis of the evidence for available models of care. <i>Health Technology Assessment</i> , 2016, 20, 1-162.	1.3	65
66	Variations in rates of comorbid substance use in psychosis between mental health settings and geographical areas in the UK. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 429-447.	1.6	63
67	Community mental health teams: evidence or belief?. <i>British Journal of Psychiatry</i> , 1999, 175, 508-513.	1.7	62
68	The European Socio-demographic Schedule (ESDS): rationale, principles and development. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 33-46.	2.2	61
69	Assertive outreach teams in London: Models of operation. <i>British Journal of Psychiatry</i> , 2003, 183, 132-138.	1.7	60
70	In-patient and residential alternatives to standard acute psychiatric wards in England. <i>British Journal of Psychiatry</i> , 2009, 194, 456-463.	1.7	60
71	Cannabis use and first-episode psychosis: relationship with manic and psychotic symptoms, and with age at presentation. <i>Psychological Medicine</i> , 2014, 44, 499-506.	2.7	60
72	How has COVID-19 affected mental health nurses and the delivery of mental health nursing care in the UK? Results of a mixed-methods study. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2021, 28, 126-137.	1.2	60

#	ARTICLE	IF	CITATIONS
73	The lifetime and past-year prevalence of dual diagnosis in people with schizophrenia across Europe: findings from the European Schizophrenia Cohort (EuroSC). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 607-616.	1.8	59
74	Development of a measure of model fidelity for mental health Crisis Resolution Teams. <i>BMC Psychiatry</i> , 2016, 16, 427.	1.1	59
75	The European Schizophrenia Cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 707-717.	1.6	58
76	Economic evaluation of a crisis resolution service: A randomised controlled trial. <i>Epidemiologia E Psichiatria Sociale</i> , 2009, 18, 54-58.	1.0	58
77	An investigation of factors associated with psychiatric hospital admission despite the presence of crisis resolution teams. <i>BMC Psychiatry</i> , 2007, 7, 52.	1.1	57
78	Characteristics of teams, staff and patients: associations with outcomes of patients in assertive outreach. <i>British Journal of Psychiatry</i> , 2004, 185, 306-311.	1.7	55
79	Continuity of care and clinical outcome: a prospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 242-247.	1.6	54
80	Violence against People with Disability in England and Wales: Findings from a National Cross-Sectional Survey. <i>PLoS ONE</i> , 2013, 8, e55952.	1.1	54
81	Compulsory community treatment to reduce readmission to hospital and increase engagement with community care in people with mental illness: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2018, 5, 1013-1022.	3.7	54
82	Crisis resolution and home treatment: stakeholders' views on critical ingredients and implementation in England. <i>BMC Psychiatry</i> , 2017, 17, 254.	1.1	53
83	Assertive outreach teams in London: Patient characteristics and outcomes. <i>British Journal of Psychiatry</i> , 2003, 183, 148-154.	1.7	52
84	The sectorisation of psychiatric services in England and Wales. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1993, 28, 45-47.	1.6	51
85	Utilisation and costs of community mental health services. <i>British Journal of Psychiatry</i> , 1998, 173, 391-398.	1.7	51
86	Factors affecting staff morale on inpatient mental health wards in England: a qualitative investigation. <i>BMC Psychiatry</i> , 2011, 11, 68.	1.1	51
87	Drug and alcohol misuse among in-patients with psychotic illnesses in three inner-London psychiatric units. <i>Psychiatric Bulletin</i> , 2003, 27, 217-220.	0.3	49
88	Routine evaluation in first episode psychosis services: feasibility and results from the MiData project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 960-967.	1.6	49
89	Training in dual diagnosis interventions (the COMO Study): Randomised controlled trial. <i>BMC Psychiatry</i> , 2008, 8, 12.	1.1	49
90	Dual diagnosis of severe mental health problems and substance abuse/dependence: a major priority for mental health nursing. <i>Journal of Psychiatric and Mental Health Nursing</i> , 1997, 4, 89-95.	1.2	48

#	ARTICLE	IF	CITATIONS
91	Patterns of mental health service utilisation in Italy and Spain. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 149-159.	1.6	48
92	Evidence of the effectiveness of a specialist vocational intervention following first episode psychosis: a naturalistic prospective cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 1-8.	1.6	48
93	Morale in the English mental health workforce: questionnaire survey. <i>British Journal of Psychiatry</i> , 2012, 201, 239-246.	1.7	48
94	National implementation of a mental health service model: A survey of Crisis Resolution Teams in England. <i>International Journal of Mental Health Nursing</i> , 2018, 27, 214-226.	2.1	48
95	Service use and costs of people with dual diagnosis in South London. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 464-472.	2.2	47
96	Ethnic variations in pathways into early intervention services for psychosis. <i>British Journal of Psychiatry</i> , 2013, 202, 277-283.	1.7	46
97	Psychosocial functioning, quality of life and clinical correlates of comorbid alcohol and drug dependence syndromes in people with schizophrenia across Europe. <i>Psychiatry Research</i> , 2016, 239, 301-307.	1.7	46
98	Improving support for mental health staff: a qualitative study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1999, 34, 309-315.	1.6	45
99	Service users' experiences of residential alternatives to standard acute wards: qualitative study of similarities and differences. <i>British Journal of Psychiatry</i> , 2010, 197, s26-s31.	1.7	45
100	The least worst option: user experiences of antipsychotic medication and lack of involvement in medication decisions in a UK community sample. <i>Journal of Mental Health</i> , 2018, 27, 322-328.	1.0	44
101	Assertive outreach teams in London: Staff experiences and perceptions. <i>British Journal of Psychiatry</i> , 2003, 183, 139-147.	1.7	43
102	Successful engagement: a mixed methods study of the approaches of assertive community treatment and community mental health teams in the REACT trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 532-540.	1.6	43
103	Clinicians' attitudes to the employment of people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 349-360.	1.6	42
104	Assessment instruments: standardization of the <i>European Service Mapping Schedule</i> (ESMS) in Spain. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 24-32.	2.2	41
105	Integrated Care for Co-occurring Disorders: Psychiatric Symptoms, Social Functioning, and Service Costs at 18 Months. <i>Psychiatric Services</i> , 2008, 59, 276-282.	1.1	41
106	Home Treatment as an Alternative to Hospital Admission for Mothers in a Mental Health Crisis: A Qualitative Study. <i>Psychiatric Services</i> , 2009, 60, 634-639.	1.1	41
107	The REACT Study: Cost-Effectiveness Analysis of Assertive Community Treatment in North London. <i>Psychiatric Services</i> , 2009, 60, 908-913.	1.1	40
108	Acute psychiatric care: approaches to increasing the range of services and improving access and quality of care. <i>World Psychiatry</i> , 2022, 21, 220-236.	4.8	40

#	ARTICLE	IF	CITATIONS
109	Women's experiences of admission to a crisis house and to acute hospital wards: A qualitative study. <i>Journal of Mental Health</i> , 2004, 13, 247-262.	1.0	39
110	Ethnic variations in compulsory detention and hospital admission for psychosis across four UK Early Intervention Services. <i>BMC Psychiatry</i> , 2014, 14, 256.	1.1	39
111	Shared goals for mental health research: what, why and when for the 2020s. <i>Journal of Mental Health</i> , 2023, 32, 997-1005.	1.0	39
112	The European Service Mapping Schedule (ESMS): development of an instrument for the description and classification of mental health services. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 14-23.	2.2	38
113	Loneliness and the onset of new mental health problems in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2161-2178.	1.6	38
114	Social interventions in mental health: a call to action. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 245-247.	1.6	37
115	Service user experiences and views regarding telemental health during the COVID-19 pandemic: A co-produced framework analysis. <i>PLoS ONE</i> , 2021, 16, e0257270.	1.1	37
116	An implementation study of the crisis resolution team model in Norway: Are the crisis resolution teams fulfilling their role?. <i>BMC Health Services Research</i> , 2011, 11, 96.	0.9	36
117	Advancing our understanding of loneliness and mental health problems in young people. <i>Lancet Psychiatry</i> , 2018, 5, 955-956.	3.7	36
118	Maternal perinatal depressive symptoms and offspring psychotic experiences at 18 years of age: a longitudinal study. <i>Lancet Psychiatry</i> , 2020, 7, 431-440.	3.7	36
119	Residential alternatives to acute in-patient care in England: satisfaction, ward atmosphere and service user experiences. <i>British Journal of Psychiatry</i> , 2010, 197, s41-s45.	1.7	35
120	Duration of untreated psychosis in adolescents: Ethnic differences and clinical profiles. <i>Schizophrenia Research</i> , 2013, 150, 526-532.	1.1	35
121	Standardised description of health and social care: A systematic review of use of the ESMS/DESDE (European Service Mapping Schedule/Description and Evaluation of Services and DirectoriEs). <i>European Psychiatry</i> , 2019, 61, 97-110.	0.1	35
122	Crisis-planning interventions for people with psychotic illness or bipolar disorder: systematic review and meta-analyses. <i>BJPsych Open</i> , 2019, 5, e53.	0.3	35
123	Drayton Park, an alternative to hospital admission for women in acute mental health crisis. <i>Psychiatric Bulletin</i> , 2000, 24, 101-104.	0.3	34
124	Social firms as a means of vocational recovery for people with mental illness: a UK survey. <i>BMC Health Services Research</i> , 2013, 13, 270.	0.9	34
125	Effectiveness and cost-effectiveness of admissions to women's crisis houses compared with traditional psychiatric wards: pilot patient-preference randomised controlled trial. <i>British Journal of Psychiatry</i> , 2010, 197, s32-s40.	1.7	33
126	The CORE service improvement programme for mental health crisis resolution teams: results from a cluster-randomised trial. <i>British Journal of Psychiatry</i> , 2020, 216, 314-322.	1.7	33

#	ARTICLE	IF	CITATIONS
127	Loneliness as a predictor of outcomes in mental disorders among people who have experienced a mental health crisis: a 4-month prospective study. <i>BMC Psychiatry</i> , 2020, 20, 249.	1.1	33
128	Description and classification of mental health services: a European perspective. <i>European Psychiatry</i> , 1998, 13, 333-341.	0.1	32
129	Tomorrow's world: current developments in the therapeutic use of technology for psychosis. <i>BJ Psych Advances</i> , 2016, 22, 301-310.	0.5	32
130	Mental health service provision in England. <i>Acta Psychiatrica Scandinavica</i> , 2001, 104, 47-55.	2.2	31
131	Randomised controlled trial of gradual antipsychotic reduction and discontinuation in people with schizophrenia and related disorders: the RADAR trial (Research into Antipsychotic Discontinuation) <i>Tj ETQq1 1 0.784314 rgB31/Overlo</i>	1.1	31
132	Epidemiology of loneliness in a cohort of UK mental health community crisis service users. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 811-822.	1.6	30
133	The European Service Mapping Schedule (ESMS): development of an instrument for the description and classification of mental health services. <i>Acta Psychiatrica Scandinavica, Supplement</i> , 2000, 405, 14-23.	0.1	30
134	Alternatives to standard acute in-patient care in England: short-term clinical outcomes and cost-effectiveness. <i>British Journal of Psychiatry</i> , 2010, 197, s14-s19.	1.7	29
135	Ethnic variations in pathways to acute care and compulsory detention for women experiencing a mental health crisis. <i>International Journal of Social Psychiatry</i> , 2012, 58, 3-15.	1.6	29
136	A systematic review and meta-analysis of cognitive behavioural informed psychological interventions for psychiatric inpatients with psychosis. <i>Schizophrenia Research</i> , 2020, 222, 133-144.	1.1	29
137	Assessing the content of mental health services: a review of measures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 673-682.	1.6	28
138	Quality of life and illness beliefs in individuals with early psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 545-551.	1.6	28
139	Experiences of Improving Access to Psychological Therapy Services for Perinatal Mental Health Difficulties: a Qualitative Study of Women's and Therapists' Views. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 421-436.	0.9	28
140	The Community Navigator Study: Results from a feasibility randomised controlled trial of a programme to reduce loneliness for people with complex anxiety or depression. <i>PLoS ONE</i> , 2020, 15, e0233535.	1.1	28
141	Effects of training community staff in interventions for substance misuse in dual diagnosis patients with psychosis (COMO study). <i>British Journal of Psychiatry</i> , 2007, 191, 451-452.	1.7	27
142	Predictors of employment status change over 2 years in people with schizophrenia living in Europe. <i>Epidemiology and Psychiatric Sciences</i> , 2009, 18, 344-351.	1.8	27
143	Carers' experiences of involuntary admission under mental health legislation: systematic review and qualitative meta-synthesis. <i>BJPsych Open</i> , 2020, 6, e19.	0.3	27
144	Frequency and predictors of adverse events. <i>British Journal of Psychiatry</i> , 1998, 173, 376-384.	1.7	26

#	ARTICLE	IF	CITATIONS
145	Satisfaction and burnout among staff of crisis resolution, assertive outreach and community mental health teams. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 541-549.	1.6	26
146	Results of a pilot cluster randomised trial of the use of a Medication Review Tool for people taking antipsychotic medication. <i>BMC Psychiatry</i> , 2016, 16, 205.	1.1	25
147	Smartphone-delivered self-management for first-episode psychosis: the ARIES feasibility randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e034927.	0.8	25
148	Demands, control, supportive relationships and well-being amongst British mental health workers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1055-1068.	1.6	24
149	Evaluation of a community awareness programme to reduce delays in referrals to early intervention services and enhance early detection of psychosis. <i>BMC Psychiatry</i> , 2015, 15, 98.	1.1	24
150	The therapeutic needs of psychiatric in-patients with psychosis: A qualitative exploration of patient and staff perspectives. <i>BJPsych Open</i> , 2019, 5, e45.	0.3	24
151	Service user experiences of community services for complex emotional needs: A qualitative thematic synthesis. <i>PLoS ONE</i> , 2021, 16, e0248316.	1.1	24
152	Crisis resolution and intensive home treatment teams. <i>Psychiatry (Abingdon, England)</i> , 2004, 3, 22-25.	0.2	23
153	A National Survey of Psychiatric Mother and Baby Units in England. <i>Psychiatric Services</i> , 2009, 60, 629-633.	1.1	23
154	Alternatives to standard acute in-patient care in England: readmissions, service use and cost after discharge. <i>British Journal of Psychiatry</i> , 2010, 197, s20-s25.	1.7	23
155	Treatment and outcomes of crisis resolution teams: a prospective multicentre study. <i>BMC Psychiatry</i> , 2011, 11, 183.	1.1	23
156	Clinical effectiveness of a web-based peer-supported self-management intervention for relatives of people with psychosis or bipolar (REACT): online, observer-blind, randomised controlled superiority trial. <i>BMC Psychiatry</i> , 2020, 20, 160.	1.1	23
157	Insight, psychosis and ethnicity: a case-note study. <i>Psychological Medicine</i> , 1996, 26, 1081-1084.	2.7	22
158	Outcomes and costs of a community support worker service for the severely mentally ill. <i>Acta Psychiatrica Scandinavica</i> , 1999, 99, 196-206.	2.2	22
159	Alternatives to standard acute in-patient care in England: differences in content of care and staff-patient contact. <i>British Journal of Psychiatry</i> , 2010, 197, s46-s51.	1.7	22
160	How do women's partners view perinatal mental health services? A qualitative meta-synthesis. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 112-129.	1.4	22
161	Negative symptoms in first-episode psychosis: Clinical correlates and 1-year follow-up outcomes in London Early Intervention Services. <i>Microbial Biotechnology</i> , 2019, 13, 443-452.	0.9	22
162	Maternal and Perinatal Outcomes of White Coat Hypertension During Pregnancy. <i>Hypertension</i> , 2020, 76, 157-166.	1.3	22

#	ARTICLE	IF	CITATIONS
163	Drug and alcohol misuse among in-patients with psychotic illnesses in three inner-London psychiatric units. <i>Psychiatric Bulletin</i> , 2003, 27, 217-220.	0.3	21
164	Be Good to Your Patient. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 789-791.	0.5	21
165	A comparison of the implementation of Assertive Community Treatment in Melbourne, Australia and London, England. <i>Epidemiology and Psychiatric Sciences</i> , 2011, 20, 151-161.	1.8	21
166	Duration of untreated psychosis and clinical outcomes of first episode psychosis: An observational and an instrumental variables analysis. <i>Microbial Biotechnology</i> , 2019, 13, 841-847.	0.9	21
167	Clinical and social factors associated with involuntary psychiatric hospitalisation in children and adolescents: a systematic review, meta-analysis, and narrative synthesis. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 501-512.	2.7	21
168	Can we reverse the rising tide of compulsory admissions?. <i>Lancet, The</i> , 2013, 381, 1603-1604.	6.3	20
169	First episode psychosis in the over 35s: is there a role for early intervention?. <i>Microbial Biotechnology</i> , 2018, 12, 348-354.	0.9	20
170	A qualitative comparison of experiences of specialist mother and baby units versus general psychiatric wards. <i>BMC Psychiatry</i> , 2019, 19, 401.	1.1	20
171	Alternatives to standard acute in-patient care in England: roles and populations served. <i>British Journal of Psychiatry</i> , 2010, 197, s6-s13.	1.7	19
172	Scenarios for the future of mental health care: a social perspective. <i>Lancet Psychiatry</i> , 2017, 4, 257-260.	3.7	19
173	Experiences of how services supporting women with perinatal mental health difficulties work with their families: a qualitative study in England. <i>BMJ Open</i> , 2019, 9, e030208.	0.8	19
174	The role of psychology in a multidisciplinary psychiatric inpatient setting: Perspective from the multidisciplinary team. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2019, 92, 554-564.	1.3	19
175	Indicators predicting use of mental health services in Piedmont, Italy. <i>Journal of Mental Health Policy and Economics</i> , 2005, 8, 95-106.	0.6	19
176	Predicting the Costs of Community Care for Individuals With Severe Mental Illness in South London. <i>Schizophrenia Bulletin</i> , 2001, 27, 653-660.	2.3	18
177	Developing mental health services in response to research evidence. <i>Epidemiologia E Psichiatria Sociale</i> , 2008, 17, 47-56.	1.0	18
178	Psychiatric admissions from crisis resolution teams in Norway: a prospective multicentre study. <i>BMC Psychiatry</i> , 2013, 13, 117.	1.1	18
179	A systematic review of ethnic variations in hospital admission and compulsory detention in first-episode psychosis. <i>Journal of Mental Health</i> , 2014, 23, 205-211.	1.0	18
180	Protocol for an online randomised controlled trial to evaluate the clinical and cost-effectiveness of a peer-supported self-management intervention for relatives of people with psychosis or bipolar disorder: Relatives Education And Coping Toolkit (REACT). <i>BMJ Open</i> , 2017, 7, e016965.	0.8	18

#	ARTICLE	IF	CITATIONS
181	Psychologists's Perspectives on the implementation of Psychological Therapy for Psychosis in the Acute Psychiatric Inpatient Setting. <i>Qualitative Health Research</i> , 2019, 29, 2048-2056.	1.0	18
182	Emergency psychiatric services in England and Wales. <i>BMJ: British Medical Journal</i> , 1995, 311, 287-288.	2.4	18
183	Acute mental health care for older people by crisis resolution teams in England. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 263-265.	1.3	17
184	Methodological Challenges in Evaluating the Effectiveness of Women's Crisis Houses Compared With Psychiatric Wards. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 722-727.	0.5	17
185	The CORE Service Improvement Programme for mental health crisis resolution teams: study protocol for a cluster-randomised controlled trial. <i>Trials</i> , 2016, 17, 158.	0.7	17
186	Mental health crisis resolution teams and crisis care systems in England: a national survey. <i>BJPsych Bulletin</i> , 2018, 42, 146-151.	0.7	17
187	Crisis resolution and home treatment in the UK: A survey of model fidelity using a novel review methodology. <i>International Journal of Mental Health Nursing</i> , 2020, 29, 187-201.	2.1	17
188	Challenges and opportunities of the COVID-19 pandemic for perinatal mental health care: a mixed-methods study of mental health care staff. <i>Archives of Women's Mental Health</i> , 2021, 24, 749-757.	1.2	17
189	Mums Alone: Exploring the Role of Isolation and Loneliness in the Narratives of Women Diagnosed with Perinatal Depression. <i>Journal of Clinical Medicine</i> , 2021, 10, 2271.	1.0	17
190	Crisis resolution and intensive home treatment teams. <i>Psychiatry (Abingdon, England)</i> , 2007, 6, 339-342.	0.2	16
191	Admission to Women's Crisis Houses or to Psychiatric Wards: Women's Pathways to Admission. <i>Psychiatric Services</i> , 2008, 59, 1443-1449.	1.1	16
192	Development of a peer-supported, self-management intervention for people following mental health crisis. <i>BMC Research Notes</i> , 2017, 10, 588.	0.6	16
193	The CIRCuiTS study (Implementation of cognitive remediation in early intervention services): protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 183.	0.7	16
194	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. <i>BMC Medicine</i> , 2019, 17, 161.	2.3	16
195	Psychosocial Interventions to Reduce Compulsory Psychiatric Admissions: A Rapid Evidence Synthesis. <i>EClinicalMedicine</i> , 2019, 10, 58-67.	3.2	16
196	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-108.	1.3	16
197	Service user perspectives of community mental health services for people with complex emotional needs: a co-produced qualitative interview study. <i>BMC Psychiatry</i> , 2022, 22, 55.	1.1	16
198	Synthesis of the Evidence on What Works for Whom in Telemental Health: Rapid Realist Review. <i>Interactive Journal of Medical Research</i> , 2022, 11, e38239.	0.6	16

#	ARTICLE	IF	CITATIONS
199	Ethnic differences among a community cohort of individuals with dual diagnosis in South London. <i>Journal of Mental Health</i> , 2006, 15, 551-567.	1.0	15
200	Acute in-patient psychiatry: residential alternatives to hospital admission. <i>Psychiatric Bulletin</i> , 2007, 31, 262-264.	0.3	15
201	So what shall we do about assertive community treatment?. <i>Epidemiologia E Psichiatria Sociale</i> , 2008, 17, 110-114.	1.0	15
202	Predictors of vocational activity over the first year in inner-city early intervention in psychosis services. <i>Microbial Biotechnology</i> , 2015, 9, 447-458.	0.9	15
203	Community alternatives to inpatient admissions in psychiatry. <i>World Psychiatry</i> , 2019, 18, 31-32.	4.8	15
204	Emerging models and trends in mental health crisis care in England: a national investigation of crisis care systems. <i>BMC Health Services Research</i> , 2021, 21, 1174.	0.9	15
205	An analysis of views about supported reduction or discontinuation of antipsychotic treatment among people with schizophrenia and other psychotic disorders. <i>BMC Psychiatry</i> , 2022, 22, 185.	1.1	15
206	Impact of a crisis resolution team on service costs in the UK. <i>Psychiatric Bulletin</i> , 2009, 33, 17-19.	0.3	14
207	The clinical profile of employees with mental health problems working in social firms in the UK. <i>Journal of Mental Health</i> , 2015, 24, 242-248.	1.0	14
208	Protocol for a quasi-experimental study of the effectiveness and cost-effectiveness of mother and baby units compared with general psychiatric inpatient wards and crisis resolution team services (The Tj ETQq0 0 OrgBT /Overlock 10 T		
209	A qualitative study of stakeholder views on the use of a digital app for supported self-management in early intervention services for psychosis. <i>BMC Psychiatry</i> , 2021, 21, 311.	1.1	14
210	A web-based, peer-supported self-management intervention to reduce distress in relatives of people with psychosis or bipolar disorder: the REACT RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-142.	1.3	14
211	Implementation of Assertive Community Treatment in Australia: Model Fidelity, Patient Characteristics and Staff Experiences. <i>Community Mental Health Journal</i> , 2012, 48, 652-661.	1.1	13
212	Twitter Users's™ Views on Mental Health Crisis Resolution Team Care Compared With Stakeholder Interviews and Focus Groups: Qualitative Analysis. <i>JMIR Mental Health</i> , 2021, 8, e25742.	1.7	13
213	Enabling people, not completing tasks: patient perspectives on relationships and staff morale in mental health wards in England. <i>BMC Psychiatry</i> , 2015, 15, 307.	1.1	12
214	Implementation of A Relatives's™ Toolkit (IMPART study): an iterative case study to identify key factors impacting on the implementation of a web-based supported self-management intervention for relatives of people with psychosis or bipolar experiences in a National Health Service: a study protocol. <i>Implementation Science</i> , 2017, 12, 152.	2.5	12
215	Distribution of ecto 5Å¢Â²-nucleotidase on <i>Mycoplasma</i> species associated with arthritis. <i>FEMS Microbiology Letters</i> , 2000, 192, 59-65.	0.7	11
216	The longer term outcomes of community care: a 12 year follow-up of the Camberwell High Contact Survey. <i>Psychological Medicine</i> , 2001, 31, 351-359.	2.7	11

#	ARTICLE	IF	CITATIONS
217	What is the relationship between substance abuse and schizophrenia?. , 2002, , 317-342.		11
218	Is locating acute wards in the general hospital an essential element in psychiatric reform? The UK experience. <i>Epidemiology and Psychiatric Sciences</i> , 2010, 19, 282-286.	1.8	11
219	Implementing successful residential alternatives to acute in-patient psychiatric services: lessons from a multi-centre study of alternatives in England. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 175-185.	1.8	11
220	The nature and correlates of paid and unpaid work among service users of London Community Mental Health Teams. <i>Epidemiology and Psychiatric Sciences</i> , 2013, 22, 169-180.	1.8	11
221	Gender differences in one-year outcomes of first presentation psychosis patients in inner-city UK early intervention services. <i>Microbial Biotechnology</i> , 2017, 11, 215-223.	0.9	11
222	The Community Navigator Study: a feasibility randomised controlled trial of an intervention to increase community connections and reduce loneliness for people with complex anxiety or depression. <i>Trials</i> , 2017, 18, 493.	0.7	11
223	A qualitative investigation of models of community mental health care for women with perinatal mental health problems. <i>Journal of Mental Health</i> , 2021, 30, 594-600.	1.0	11
224	Assessment instruments: standardization of the European Service Mapping Schedule (ESMS) in Spain. <i>Acta Psychiatrica Scandinavica, Supplement</i> , 2000, 405, 24-32.	0.1	11
225	What has changed in the experiences of people with mental health problems during the COVID-19 pandemic: a coproduced, qualitative interview study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1291-1303.	1.6	11
226	The development of crisis resolution and home treatment teams. , 2008, , 9-22.		10
227	App to support Recovery in Early Intervention Services (ARIES) study: protocol of a feasibility randomised controlled trial of a self-management Smartphone application for psychosis. <i>BMJ Open</i> , 2019, 9, e025823.	0.8	10
228	Adult mental health provision in England: a national survey of acute day units. <i>BMC Health Services Research</i> , 2019, 19, 866.	0.9	10
229	The psychiatric decision unit as an emerging model in mental health crisis care: a national survey in England. <i>International Journal of Mental Health Nursing</i> , 2021, 30, 955-962.	2.1	10
230	The European Socio-Demographic Schedule (ESDS): rationale, principles and development. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 33-46.	2.2	10
231	Methodological Challenges in Web-Based Trials: Update and Insights From the Relatives Education and Coping Toolkit Trial. <i>JMIR Mental Health</i> , 2020, 7, e15878.	1.7	10
232	Crisis resolution teams for people experiencing mental health crises: the CORE mixed-methods research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2019, 7, 1-102.	0.4	10
233	Loneliness as an active ingredient in preventing or alleviating youth anxiety and depression: a critical interpretative synthesis incorporating principles from rapid realist reviews. <i>Translational Psychiatry</i> , 2021, 11, 628.	2.4	10
234	Interventions to improve social circumstances of people with mental health conditions: a rapid evidence synthesis. <i>BMC Psychiatry</i> , 2022, 22, 302.	1.1	10

#	ARTICLE	IF	CITATIONS
235	Crisis resolution teams: rationale and core model. , 2008, , 67-84.		9
236	Where next with residential alternatives to admission?. British Journal of Psychiatry, 2010, 197, s52-s54.	1.7	9
237	Has the closure of psychiatric beds gone too far? No. BMJ: British Medical Journal, 2011, 343, d7410-d7410.	2.4	9
238	The accuracy and accessibility of cited evidence: a study examining mental health policy documents. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 111-121.	1.6	9
239	Understanding increasing rates of psychiatric hospital detentions in England: development and preliminary testing of an explanatory model. BJPsych Open, 2020, 6, e88.	0.3	9
240	Experiences of intensive home treatment for a mental health crisis during the perinatal period: A UK qualitative study. International Journal of Mental Health Nursing, 2021, 30, 208-218.	2.1	9
241	Acute day units for mental health crises: a qualitative study of service user and staff views and experiences. BMC Psychiatry, 2021, 21, 146.	1.1	9
242	Fidelity to an evidence-based model for crisis resolution teams: a cross-sectional multicentre study in Norway. BMC Psychiatry, 2021, 21, 231.	1.1	9
243	Trajectories of loneliness and objective social isolation and associations between persistent loneliness and self-reported personal recovery in a cohort of secondary mental health service users in the UK. BMC Psychiatry, 2021, 21, 421.	1.1	9
244	Randomised controlled trial of the clinical and cost-effectiveness of a peer-delivered self-management intervention to prevent relapse in crisis resolution team users: study protocol. BMJ Open, 2017, 7, e015665.	0.8	9
245	Experiences of crisis care among service users with complex emotional needs or a diagnosis of 'personality disorder', and other stakeholders: systematic review and meta-synthesis of the qualitative literature. BJPsych Open, 2022, 8, e53.	0.3	9
246	Effectiveness and cost-effectiveness of psychiatric mother and baby units: quasi-experimental study. British Journal of Psychiatry, 2022, 221, 628-636.	1.7	9
247	Perinatal mental health services in pregnancy and the year after birth: the ESMI research programme including RCT. Programme Grants for Applied Research, 2022, 10, 1-142.	0.4	9
248	Home treatment and "hospitality"™ within a comprehensive community mental health centre. , 2008, , 251-266.		8
249	Initial treatment phase in early psychosis: can intensive home treatment prevent admission?. Psychiatric Bulletin, 2006, 30, 243-246.	0.3	8
250	Childhood sexual abuse in patients with severe mental illness: Demographic, clinical and functional correlates. Acta Psychiatrica Scandinavica, 2021, 143, 495-502.	2.2	8
251	Investigating geographical variation in the use of mental health services by area of England: a cross-sectional ecological study. BMC Health Services Research, 2021, 21, 951.	0.9	8
252	Assessment instruments: standardization of the European Service Mapping Schedule (ESMS) in Spain. Acta Psychiatrica Scandinavica, 2000, 102, 24-32.	2.2	8

#	ARTICLE	IF	CITATIONS
253	A survey of Core Medical Trainees'™ opinions on the ePortfolio record of educational activities: beneficial and cost-effective?. <i>Journal of the Royal College of Physicians of Edinburgh</i> , The, 2012, 42, 15-20.	0.2	7
254	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 515.	0.7	7
255	Mental Health Support in the Perinatal Period for Women With a Personality Disorder Diagnosis: A Qualitative Study of Women's Experiences. <i>Journal of Personality Disorders</i> , 2020, 35, 1-16.	0.8	7
256	Implementation of An online Relatives'™ Toolkit for psychosis or bipolar (IMPART study): iterative multiple case study to identify key factors impacting on staff uptake and use. <i>BMC Health Services Research</i> , 2020, 20, 219.	0.9	7
257	Women in academic psychiatry in the United Kingdom. <i>Psychiatric Bulletin</i> , 2003, 27, 323-326.	0.3	7
258	A mixed-methods study exploring therapeutic relationships and their association with service user satisfaction in acute psychiatric wards and crisis residential alternatives. <i>Health Services and Delivery Research</i> , 2014, 2, 1-106.	1.4	7
259	Sexual health promotion in people with severe mental illness: the RESPECT feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-136.	1.3	7
260	Assessing Digital Risk in Psychiatric Patients: Mixed Methods Study of Psychiatry Trainees'™ Experiences, Views, and Understanding. <i>JMIR Mental Health</i> , 2020, 7, e19008.	1.7	7
261	The crisis resolution team model: recent developments and dissemination. , 2008, , 23-34.		6
262	Muslim adolescent mental health in the UK: an exploratory cross-sectional school survey. <i>International Journal of Culture and Mental Health</i> , 2012, 5, 202-218.	0.6	6
263	NICE v. SIGN on psychosis and schizophrenia: Same roots, similar guidelines, different interpretations. <i>British Journal of Psychiatry</i> , 2016, 208, 316-319.	1.7	6
264	Clinical and demographic differences between patients with manic, depressive and schizophrenia'™spectrum psychoses presenting to Early Intervention Services in London. <i>Microbial Biotechnology</i> , 2019, 13, 509-516.	0.9	6
265	A comparison of clinical outcomes, service satisfaction and well-being in people using acute day units and crisis resolution teams: cohort study in England. <i>BJPsych Open</i> , 2021, 7, e68.	0.3	6
266	The case for catchment areas for mental health services. <i>Psychiatric Bulletin</i> , 1995, 19, 343-345.	0.3	6
267	The experience of loneliness among people with a '™personality disorder'™ diagnosis or traits: a qualitative meta-synthesis. <i>BMC Psychiatry</i> , 2022, 22, 130.	1.1	6
268	Clinician perspectives on what constitutes good practice in community services for people with complex emotional needs: A qualitative thematic meta-synthesis. <i>PLoS ONE</i> , 2022, 17, e0267787.	1.1	6
269	Digital interventions for subjective and objective social isolation among individuals with mental health conditions: a scoping review. <i>BMC Psychiatry</i> , 2022, 22, 331.	1.1	6
270	Patients' views of the letters their psychiatrists and psychologists send to referrers. <i>Journal of Mental Health</i> , 2005, 14, 369-382.	1.0	5

#	ARTICLE	IF	CITATIONS
271	Developing and comparing methods for measuring the content of care in mental health services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 219-229.	1.6	5
272	Improving substance misuse outcomes in contingency management treatment with adjunctive formal psychotherapy: a systematic review and meta-analysis. <i>BMJ Open</i> , 2020, 10, e034735.	0.8	5
273	Influences on participation in a programme addressing loneliness among people with depression and anxiety: findings from the Community Navigator Study. <i>BMC Psychiatry</i> , 2020, 20, 565.	1.1	5
274	Experiences of friendships of young people with first-episode psychosis: A qualitative study. <i>PLoS ONE</i> , 2021, 16, e0255469.	1.1	5
275	Admission to Women's Crisis Houses or to Psychiatric Wards: Women's Pathways to Admission. <i>Psychiatric Services</i> , 2008, 59, 1443-1449.	1.1	5
276	Acute day units in non-residential settings for people in mental health crisis: the AD-CARE mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-122.	1.4	5
277	Integration of the crisis resolution function within community mental health teams. , 2008, , 235-250.		4
278	Recent research on crisis resolution teams: findings and limitations. , 2008, , 51-64.		4
279	The Camberwell Elderly Mentally Ill and Their Needs for Services. <i>International Journal of Social Psychiatry</i> , 2009, 55, 82-90.	1.6	4
280	The RESPECT study: a feasibility randomised controlled trial of a sexual health promotion intervention for people with serious mental illness in community mental health services in the UK. <i>BMC Public Health</i> , 2020, 20, 1736.	1.2	4
281	Loneliness in early psychosis: a qualitative study exploring the views of mental health practitioners in early intervention services. <i>BMC Psychiatry</i> , 2021, 21, 134.	1.1	4
282	Readmission after discharge from acute mental healthcare among 231 988 people in England: cohort study exploring predictors of readmission including availability of acute day units in local areas. <i>BJPsych Open</i> , 2021, 7, e136.	0.3	4
283	Acceptability of Using Social Media Content in Mental Health Research: A Reflection. Comment on "Twitter Users' Views on Mental Health Crisis Resolution Team Care Compared With Stakeholder Interviews and Focus Groups: Qualitative Analysis". <i>JMIR Mental Health</i> , 2021, 8, e32475.	1.7	4
284	An online supported self-management toolkit for relatives of people with psychosis or bipolar experiences: the IMPART multiple case study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-248.	1.4	4
285	Vocational rehabilitation via social firms: a qualitative investigation of the views and experiences of employees with mental health problems, social firm managers and clinicians. <i>BMC Psychiatry</i> , 2021, 21, 566.	1.1	4
286	Clinician views on best practice community care for people with complex emotional needs and how it can be achieved: a qualitative study. <i>BMC Psychiatry</i> , 2022, 22, 72.	1.1	4
287	The European Socio-Demographic Schedule (ESDS): rationale, principles and development. <i>Acta Psychiatrica Scandinavica, Supplement</i> , 2000, 405, 33-46.	0.1	4
288	Diagnosis and Monitoring of White Coat Hypertension in Pregnancy: an ISSHP Consensus Delphi Procedure. <i>Hypertension</i> , 2022, 79, 993-1005.	1.3	4

#	ARTICLE	IF	CITATIONS
289	The relationship between social support in pregnancy and postnatal depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 1435-1444.	1.6	4
290	The needs of elderly graduates. , 1999, 14, 984-985.		3
291	The classic home treatment studies. , 0, , 37-50.		3
292	Personal and Team Morale in Health Services: Distinct and Measurable Concepts. <i>Journal of Health Management</i> , 2012, 14, 535-557.	0.4	3
293	Reviewing the Mental Health Act: delivering evidence-informed policy. <i>Lancet Psychiatry</i> , the, 2019, 6, 90-91.	3.7	3
294	Community Mental Health Care: Promises and Pitfalls. , 0, , 131-170.		2
295	The crisis resolution team within the community service system. , 2008, , 85-96.		2
296	Social network confidants, duration of untreated psychosis and cannabis use in people with first episode psychosis: An exploratory study. <i>Microbial Biotechnology</i> , 2018, 12, 942-946.	0.9	2
297	Patterns of use of the Mental Health Act 1983, from 2007â€“2008 to 2016â€“2017, in two major London secondary mental healthcare providers. <i>BJPsych Open</i> , 2019, 5, e102.	0.3	2
298	The impact of manic symptoms in firstâ€“episode psychosis: Findings from the UK National EDEN study. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 358-367.	2.2	2
299	Assessing Needs for Mental Health Services. , 2010, , 217-226.		2
300	Chapter 13 Crisis and emergency services. , 2010, , .		2
301	Responding to diversity in home treatment. , 2008, , 205-222.		1
302	Practical psychosocial interventions. , 0, , 137-150.		1
303	Planning and implementing a local service. , 0, , 295-306.		1
304	Community interventions for people with complex emotional needs that meet the criteria for personality disorder diagnoses: systematic review of economic evaluations and expert commentary. <i>BJPsych Open</i> , 2021, 7, .	0.3	1
305	What's new inâ€“ Psychiatry: crisis resolution teams. <i>Medicine</i> , 2004, 32, 1-3.	0.2	0
306	Integrating crisis residential care and crisis resolution teams. , 2008, , 283-292.		0

#	ARTICLE	IF	CITATIONS
307	Recruiting, training and retaining an effective crisis team. , 2008, , 307-318.		0
308	Crisis resolution teams and older people. , 0, , 267-274.		0
309	Assessment of crises. , 0, , 97-110.		0
310	A National Evaluation of Mental Health Inpatient Staff Morale in England. European Psychiatry, 2009, 24, .	0.1	0
311	Domestic and sexual violence against people with severe mental illness: comparisons with the 2011/2012 National Crime survey for England and Wales. European Journal of Public Health, 2014, 24, .	0.1	0
312	EPA-1641 “The influence of age and family factors in shaping pathways to care in first episode psychosis. European Psychiatry, 2014, 29, 1.	0.1	0
313	Authors' reply. British Journal of Psychiatry, 2019, 215, 503-504.	1.7	0
314	Experiences of parent-infant teams among mothers diagnosed with perinatal mental health difficulties. Journal of Reproductive and Infant Psychology, 2021, , 1-12.	0.9	0
315	Three psychiatric day centres in a London borough. Psychiatric Bulletin, 1992, 16, 540-542.	0.3	0
316	Descripci3n y clasificaci3n de los servicios de salud mental: una perspectiva europea. European Psychiatry (Ed Espa±ola), 1999, 6, 182-194.	0.0	0
317	Mental health. Sending in the paras. The Health Service Journal, 1997, 107, 30-1.	0.0	0
318	Morale in the mental health workforce. Mental Health Today (brighton, England), 2013, , 18-9.	0.0	0