

Tai-Gyu Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3461387/publications.pdf>

Version: 2024-02-01

128
papers

1,605
citations

279798

23
h-index

434195

31
g-index

128
all docs

128
docs citations

128
times ranked

2039
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of HLA class I and II genes with Middle East respiratory syndrome coronavirus infection in Koreans. <i>Immunity, Inflammation and Disease</i> , 2022, 10, 111-116.	2.7	4
2	The <i>HLA*51:353</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2022, 99, 385-387.	0.6	3
3	Identification of Naturally Processed Epitope Region Using Artificial APC Expressing a Single HLA Class I Allotype and mRNA of HCMV pp65 Antigen Fragments. <i>Vaccines</i> , 2022, 10, 787.	4.4	1
4	The <i>HLA*07:457</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2022, 100, 362-364.	0.6	3
5	The <i>HLA*DRB1*12:97</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2022, 100, 391-392.	0.6	3
6	The <i>HLA*35:01:64</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2021, 97, 147-148.	0.6	3
7	Distributions of HLA A, B, and DRB1 alleles typed by amplicon-based next generation sequencing in Korean volunteer donors for unrelated hematopoietic stem cell transplantation. <i>Hla</i> , 2021, 97, 112-126.	0.6	7
8	Exosomes from human cord blood plasma accelerate cutaneous wound healing by promoting fibroblast function, angiogenesis, and M2 macrophage differentiation. <i>Biomaterials Science</i> , 2021, 9, 3028-3039.	5.4	15
9	The <i>HLA*02:954</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2021, 97, 439-441.	0.6	3
10	The <i>HLA*13:144</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2021, 97, 548-550.	0.6	3
11	The <i>HLA*DRB1*09:45</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2021, 98, 238-239.	0.6	3
12	The <i>HLA*24:514N</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2021, 97, 527-529.	0.6	3
13	The <i>HLA*11:384</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2021, 97, 525-526.	0.6	3
14	Allele and haplotype frequencies of human leukocyte antigen-A, -B, -C, -DRB1, -DRB3/4/5, -DQA1, -DQB1, -DPA1, and -DPB1 by next generation sequencing-based typing in Koreans in South Korea. <i>PLoS ONE</i> , 2021, 16, e0253619.	2.5	13
15	Establishment of HLA class I and MICA/B null HEK-293T panel expressing single MICA alleles to detect anti-MICA antibodies. <i>Scientific Reports</i> , 2021, 11, 15716.	3.3	2
16	Î³ T cells cultured with artificial antigen-presenting cells and IL-2 show long-term proliferation and enhanced effector functions compared with Î³ T cells cultured with only IL-2 after stimulation with zoledronic acid. <i>Cytotherapy</i> , 2021, 23, 908-917.	0.7	14
17	Comprehensive Analysis of CD4+ T Cell Response Cross-Reactive to SARS-CoV-2 Antigens at the Single Allele Level of HLA Class II. <i>Frontiers in Immunology</i> , 2021, 12, 774491.	4.8	6
18	HLA polymorphisms and risk of glioblastoma in Koreans. <i>PLoS ONE</i> , 2021, 16, e0260618.	2.5	7

#	ARTICLE	IF	CITATIONS
19	The <sc><i>HLA*33:03:42</i></sc> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 96, 334-335.	0.6	6
20	GPR174 and ITM2A Gene Polymorphisms rs3827440 and rs5912838 on the X chromosome in Korean Children with Autoimmune Thyroid Disease. Genes, 2020, 11, 858.	2.4	8
21	Polymorphisms of IRAK1 Gene on X Chromosome Is Associated with Hashimoto Thyroiditis in Korean Children. Endocrinology, 2020, 161, .	2.8	6
22	Specific donor HLA allotypes as predictors of cytomegalovirus disease risk in acute myeloid leukemia. Hla, 2020, 96, 445-455.	0.6	5
23	The <sc><i>HLA*DRB1*04:05:21</i></sc> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 96, 110-111.	0.6	2
24	The <sc><i>HLA*24:480</i></sc> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 96, 332-334.	0.6	6
25	<i>HLA*02:877</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 95, 480-482.	0.6	2
26	The <i>HLA*54:41</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 95, 496-497.	0.6	2
27	The <sc><i>HLA*02:842</i></sc> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 95, 478-480.	0.6	0
28	The <i>HLA*15:529</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 95, 490-491.	0.6	2
29	The <i>HLA*07:367</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 95, 488-489.	0.6	2
30	The <i>HLA*31:154</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 95, 485-486.	0.6	2
31	An effective peptide vaccine strategy circumventing clonal MHC heterogeneity of murine myeloid leukaemia. British Journal of Cancer, 2020, 123, 919-931.	6.4	0
32	The <i>HLA*46:01:26</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 95, 492-493.	0.6	2
33	The <i>HLA*44:454</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 95, 210-212.	0.6	2
34	The <i>HLA*51:284</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 95, 494-495.	0.6	2
35	The <i>HLA*DRB1*04:277</i> allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2020, 95, 225-226.	0.6	3
36	Physical and Psychological Discomfort Experienced by Hematopoietic Stem-Cell Donors. International Journal of Environmental Research and Public Health, 2020, 17, 2316.	2.6	2

#	ARTICLE	IF	CITATIONS
37	Extracellular vesicles from human umbilical cord blood plasma modulate interleukin-2 signaling of T cells to ameliorate experimental autoimmune encephalomyelitis. <i>Theranostics</i> , 2020, 10, 5011-5028.	10.0	14
38	Comprehensive Analysis of CD4+ T Cell Responses to CMV pp65 Antigen Restricted by Single HLA-DR, -DQ, and -DP Allotype Within an Individual. <i>Frontiers in Immunology</i> , 2020, 11, 602014.	4.8	9
39	T Cells Modified with CD70 as an Alternative Cellular Vaccine for Antitumor Immunity. <i>Cancer Research and Treatment</i> , 2020, 52, 747-763.	3.0	3
40	Comparison and correlation among in vitro and in vivo assays to assess cord blood quality according to delivery temperature and time after collection. <i>Transfusion and Apheresis Science</i> , 2019, 58, 475-483.	1.0	1
41	HLA alleles, especially amino-acid signatures of HLA-DPB1, might contribute to the molecular pathogenesis of early-onset autoimmune thyroid disease. <i>PLoS ONE</i> , 2019, 14, e0216941.	2.5	29
42	GM-CSF Promotes the Expansion and Differentiation of Cord Blood Myeloid-Derived Suppressor Cells, Which Attenuate Xenogeneic Graft-vs.-Host Disease. <i>Frontiers in Immunology</i> , 2019, 10, 183.	4.8	34
43	Post-transplant immunotherapy with WT1-specific CTLs for high-risk acute myelogenous leukemia: a prospective clinical phase I/II trial. <i>Bone Marrow Transplantation</i> , 2019, 54, 903-906.	2.4	12
44	Experiences of Unrelated Hematopoietic Stem-cell Donors and Experts of Relevant Institutions. <i>Korean Journal of Adult Nursing</i> , 2019, 31, 522.	0.7	1
45	A novel Epstein-Barr virus-latent membrane protein-1-specific T-cell receptor for TCR gene therapy. <i>British Journal of Cancer</i> , 2018, 118, 534-545.	6.4	33
46	Recent progress of national banking project on homozygous HLA-typed induced pluripotent stem cells in South Korea. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, e1531-e1536.	2.7	39
47	Infusions of Epstein-Barr virus-specific cytotoxic T lymphocytes as post-remission therapy in high-risk post-transplant lymphoproliferative disorder patients: report of two cases. <i>International Journal of Hematology</i> , 2018, 107, 596-603.	1.6	6
48	The HLA-DQB1*04:02:03 allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2018, 92, 313-314.	0.6	4
49	The HLA-C*01:32:02 allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2018, 92, 315-316.	0.6	2
50	The HLA-C*06:66 allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2018, 92, 318-319.	0.6	2
51	The HLA-B*46:67 allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2018, 92, 310-311.	0.6	2
52	The HLA-C*03:272 allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2018, 92, 316-318.	0.6	2
53	HLA-B*40:330 allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2018, 92, 248-250.	0.6	3
54	The HLA-DRB1*09:29 allele identified in a volunteer donor for hematopoietic stem cell transplant. <i>Hla</i> , 2018, 92, 261-262.	0.6	4

#	ARTICLE	IF	CITATIONS
55	The HLA-C*07:478 allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2018, 92, 256-257.	0.6	3
56	The HLA-A*33:110 allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2018, 92, 242-243.	0.6	3
57	The HLA-B*58:01:20 allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2018, 92, 103-104.	0.6	3
58	The HLA-B*15:400N allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2018, 92, 100-101.	0.6	2
59	The HLA-B*54:35 and -B*54:38 identified in volunteer donors for hematopoietic stem cell transplant. Hla, 2018, 92, 180-181.	0.6	4
60	Ex Vivo Generated Human Cord Blood Myeloid-Derived Suppressor Cells Attenuate Murine Chronic Graft-versus-Host Diseases. Biology of Blood and Marrow Transplantation, 2018, 24, 2381-2396.	2.0	11
61	The HLA-A*26:132 allele identified in a volunteer donor for hematopoietic stem cell transplant. Hla, 2018, 92, 97-99.	0.6	3
62	Association of MICA and MICB polymorphisms with the susceptibility of leukemia in Korean patients. Blood Cancer Journal, 2018, 8, 58.	6.2	9
63	Specific Donor Human Leukocyte Antigen (HLA) Allotypes and CMV IgG Serology Status Predict the Risk of Cytomegalovirus-Related Disease in Acute Myeloid Leukemia Patients Who Received Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2018, 132, 2076-2076.	1.4	0
64	Use of Engineered Exosomes Expressing HLA and Costimulatory Molecules to Generate Antigen-specific CD8+ T Cells for Adoptive Cell Therapy. Journal of Immunotherapy, 2017, 40, 83-93.	2.4	16
65	Antigen Presentation by Individually Transferred HLA Class I Genes in HLA-A, HLA-B, HLA-C Null Human Cell Line Generated Using the Multiplex CRISPR-Cas9 System. Journal of Immunotherapy, 2017, 40, 201-210.	2.4	24
66	Comprehensive Analysis of Cytomegalovirus pp65 Antigen-Specific CD8+ T Cell Responses According to Human Leukocyte Antigen Class I Allotypes and Intraindividual Dominance. Frontiers in Immunology, 2017, 8, 1591.	4.8	39
67	Association of Polymorphisms in Toll-Like Receptors 4 and 9 with Autoimmune Thyroid Disease in Korean Pediatric Patients. International Journal of Endocrinology, 2017, 2017, 1-8.	1.5	17
68	Simultaneous in vitro generation of CD8 and CD4 T cells specific to three universal tumor associated antigens of WT1, survivin and TERT and adoptive T cell transfer for the treatment of acute myeloid leukemia. Oncotarget, 2017, 8, 44059-44072.	1.8	12
69	Unrelated hematopoietic stem cell registry and the role of the Hematopoietic Stem Cell Bank. Blood Research, 2016, 51, 107.	1.3	9
70	HLA-C*01 is a Risk Factor for Crohn's Disease. Inflammatory Bowel Diseases, 2016, 22, 796-806.	1.9	22
71	Comprehensive analysis of cytokine gene polymorphisms defines the association of IL-12 gene with ophthalmopathy in Korean children with autoimmune thyroid disease. Molecular and Cellular Endocrinology, 2016, 426, 43-49.	3.2	8
72	Zoledronic acid induces dose-dependent increase of antigen-specific CD8 T-cell responses in combination with peptide/poly-IC vaccine. Vaccine, 2016, 34, 1275-1281.	3.8	5

#	ARTICLE	IF	CITATIONS
73	Triple costimulation via CD80, 4-1BB, and CD83 ligand elicits the long-term growth of VÎ³9VÎ²2 T cells in low levels of IL-2. <i>Journal of Leukocyte Biology</i> , 2016, 99, 521-529.	3.3	18
74	Co-expression of CD40L with CD70 or OX40L increases B-cell viability and antitumor efficacy. <i>Oncotarget</i> , 2016, 7, 46173-46186.	1.8	11
75	Multiplex Genotyping of Cytokine Gene SNPs Using Fluorescence Bead Array. <i>PLoS ONE</i> , 2015, 10, e0118008.	2.5	5
76	Long-term Outcome of Extranodal NK/T Cell Lymphoma Patients Treated With Postremission Therapy Using EBV LMP1 and LMP2a-specific CTLs. <i>Molecular Therapy</i> , 2015, 23, 1401-1409.	8.2	63
77	An optimized peptide vaccine strategy capable of inducing multivalent CD8 ⁺ T cell responses with potent antitumor effects. <i>Oncolmmunology</i> , 2015, 4, e1043504.	4.6	24
78	Association of Toll-Like Receptor 10 Polymorphisms with Autoimmune Thyroid Disease in Korean Children. <i>Thyroid</i> , 2015, 25, 250-255.	4.5	26
79	Measurement of CD8+ and CD4+ T Cell Frequencies Specific for EBV LMP1 and LMP2a Using mRNA-Transfected DCs. <i>PLoS ONE</i> , 2015, 10, e0127899.	2.5	5
80	MICB Allele Genotyping on Microarrays by Improving the Specificity of Extension Primers. <i>PLoS ONE</i> , 2015, 10, e0142467.	2.5	2
81	CD4 T-cells transduced with CD80 and 4-1BBL mRNA induce long-term CD8 T-cell responses resulting in potent antitumor effects. <i>Vaccine</i> , 2014, 32, 6919-6926.	3.8	2
82	HLA-Cw polymorphism and killer cell immunoglobulin-like receptor (KIR) gene analysis in Korean colorectal cancer patients. <i>International Journal of Surgery</i> , 2014, 12, 815-820.	2.7	24
83	Toll like Receptor 3 & 4 Responses of Human Turbinate Derived Mesenchymal Stem Cells: Stimulation by Double Stranded RNA and Lipopolysaccharide. <i>PLoS ONE</i> , 2014, 9, e101558.	2.5	31
84	Shared epitope and radiologic progression are less prominent in elderly onset RA than young onset RA. <i>Rheumatology International</i> , 2013, 33, 2135-2140.	3.0	6
85	Combinatorial molecular marker assays of <i>WT1</i> , <i>survivin</i> , and <i>TERT</i> at initial diagnosis of adult acute myeloid leukemia. <i>European Journal of Haematology</i> , 2013, 91, 411-422.	2.2	17
86	Microarrays for high-throughput genotyping of <i>MICA</i> alleles using allele-specific primer extension. <i>Tissue Antigens</i> , 2013, 82, 259-268.	1.0	5
87	Association of <i>MICA</i> Alleles with Autoimmune Thyroid Disease in Korean Children. <i>International Journal of Endocrinology</i> , 2012, 2012, 1-7.	1.5	15
88	Efficient induction of anti-tumor immunity by a TAT-CEA fusion protein vaccine with poly(I:C) in a murine colorectal tumor model. <i>Vaccine</i> , 2011, 29, 8642-8648.	3.8	19
89	HLA and Disease Associations in Koreans. <i>Immune Network</i> , 2011, 11, 324.	3.6	13
90	Induction of antitumor immunity using dendritic cells electroporated with <i>Polo-like kinase 1 (Plk1)</i> mRNA in murine tumor models. <i>Cancer Science</i> , 2011, 102, 1448-1454.	3.9	12

#	ARTICLE	IF	CITATIONS
91	Association of HLA Alleles with Autoimmune Thyroid Disease in Korean Children. <i>Hormone Research in Paediatrics</i> , 2011, 76, 328-334.	1.8	25
92	Topoisomerase II alpha as a universal tumor antigen: antitumor immunity in murine tumor models and H-2Kb-restricted T cell epitope. <i>Cancer Immunology, Immunotherapy</i> , 2010, 59, 747-757.	4.2	7
93	Efficient co-transduction of adenoviral vectors encoding carcinoembryonic antigen and survivin into dendritic cells by the CAR-TAT adaptor molecule enhance anti-tumor immunity in a murine colorectal cancer model. <i>Immunology Letters</i> , 2010, 131, 73-80.	2.5	13
94	Potential role of adoptively transferred allogeneic WT1-specific CD4+ and CD8+ T lymphocytes for the sustained remission of refractory AML. <i>Bone Marrow Transplantation</i> , 2010, 45, 597-599.	2.4	23
95	Direct and indirect antitumor effects by human peripheral blood lymphocytes expressing both chimeric immune receptor and interleukin-2 in ovarian cancer xenograft model. <i>Cancer Gene Therapy</i> , 2010, 17, 742-750.	4.6	12
96	Improved genotyping of the human minor histocompatibility antigen HB-1 by polymerase chain reaction with sequence-specific primers using a complementary oligonucleotide. <i>Tissue Antigens</i> , 2010, 76, 482-486.	1.0	2
97	Recipient's Killer Cell Immunoglobulin-like Receptor Genotype and Human Leukocyte Antigen C Ligand Influence the Clinical Outcome following Living Donor Liver Transplantation. [Chapchi] <i>Journal Taehan Oekwa Hakhoe</i> , 2010, 78, 357.	1.1	1
98	Immunological Factors Relating to the Antitumor Effect of Temozolomide Chemoimmunotherapy in a Murine Glioma Model. <i>Vaccine Journal</i> , 2010, 17, 143-153.	3.1	65
99	Dendritic cell vaccine in addition to FOLFIRI regimen improve antitumor effects through the inhibition of immunosuppressive cells in murine colorectal cancer model. <i>Vaccine</i> , 2010, 28, 7787-7796.	3.8	18
100	Transfer of Her-2/neu Specificity into Cytokine-Induced Killer (CIK) Cells with RNA Encoding Chimeric Immune Receptor (CIR). <i>Journal of Clinical Immunology</i> , 2009, 29, 806-814.	3.8	18
101	Association of HLA alleles with non-Hodgkin's lymphoma in Korean population. <i>International Journal of Hematology</i> , 2008, 87, 203-209.	1.6	14
102	Efficient antitumor immunity in a murine colorectal cancer model induced by CEA RNA electroporated B cells. <i>European Journal of Immunology</i> , 2008, 38, 2106-2117.	2.9	16
103	A membrane-bound form of IL-4 enhances proliferation and antigen presentation of CD40-activated human B cells. <i>Immunology Letters</i> , 2008, 116, 33-40.	2.5	5
104	Co-administration of carcinoembryonic antigen and HIV TAT fusion protein with CpG oligodeoxynucleotide induces potent antitumor immunity. <i>Cancer Science</i> , 2008, 99, 1034-1039.	3.9	25
105	Efficient generation of survivin-specific cytotoxic T lymphocytes from healthy persons in vitro: Quantitative and qualitative effects of CD4+ T cells. <i>Vaccine</i> , 2008, 26, 3987-3997.	3.8	8
106	Modification of CEA with both CRT and TAT PTD induces potent anti-tumor immune responses in RNA-pulsed DC vaccination. <i>Vaccine</i> , 2008, 26, 6433-6440.	3.8	22
107	The Activating Killer Cell Immunoglobulin-Like Receptors as Important Determinants of Acute Graft-Versus Host Disease in Hematopoietic Stem Cell Transplantation for Acute Myelogenous Leukemia. <i>Transplantation</i> , 2007, 84, 1082-1091.	1.0	27
108	Cross-priming by temozolomide enhances antitumor immunity of dendritic cell vaccination in murine brain tumor model. <i>Vaccine</i> , 2007, 25, 3485-3491.	3.8	33

#	ARTICLE	IF	CITATIONS
109	The optimal interval for dendritic cell vaccination following adoptive T cell transfer is important for boosting potent anti-tumor immunity. <i>Vaccine</i> , 2007, 25, 7322-7330.	3.8	16
110	Direct vaccination with pseudotype baculovirus expressing murine telomerase induces anti-tumor immunity comparable with RNA-electroporated dendritic cells in a murine glioma model. <i>Cancer Letters</i> , 2007, 250, 276-283.	7.2	29
111	Enhanced induction of anti-tumor immunity in human and mouse by dendritic cells pulsed with recombinant TAT fused human survivin protein. <i>Cancer Letters</i> , 2007, 258, 189-198.	7.2	21
112	Identification of Leukemia-Specific Fusion Gene Transcripts with a Novel Oligonucleotide Array. <i>Molecular Diagnosis and Therapy</i> , 2007, 11, 21-28.	3.8	8
113	Distribution of the minor histocompatibility antigens in Korean population and disparities in unrelated hematopoietic SCT. <i>Bone Marrow Transplantation</i> , 2007, 40, 723-728.	2.4	6
114	Influence of killer cell immunoglobulin-like receptor genotypes on acute graft-vs-host disease after unrelated hematopoietic stem cell transplantation in Koreans. <i>Tissue Antigens</i> , 2007, 69, 114-117.	1.0	8
115	Enhanced antitumor immunity by combined use of temozolomide and TAT-survivin pulsed dendritic cells in a murine glioma. <i>Immunology</i> , 2007, 122, 615-622.	4.4	48
116	Dendritic cells transduced with recombinant adenoviruses induce more efficient anti-tumor immunity than dendritic cells pulsed with peptide. <i>Vaccine</i> , 2006, 24, 2860-2868.	3.8	38
117	Enhancement of Adenoviral Transduction and Immunogenicity of Transgenes by Soluble Coxsackie and Adenovirus Receptor-TAT Fusion Protein on Dendritic Cells. <i>Immune Network</i> , 2006, 6, 192.	3.6	1
118	Adoptive Transfer of Epstein-Barr Virus-Specific Cytotoxic T-Lymphocytes for the Treatment of Angiocentric Lymphomas. <i>International Journal of Hematology</i> , 2006, 83, 66-73.	1.6	34
119	Enhancement of anti-tumor immunity specific to murine glioma by vaccination with tumor cell lysate-pulsed dendritic cells engineered to produce interleukin-12. <i>Cancer Immunology, Immunotherapy</i> , 2006, 55, 1309-1319.	4.2	44
120	CpG-ODN-stimulated dendritic cells act as a potent adjuvant for E7 protein delivery to induce antigen-specific antitumor immunity in a HPV 16 E7-associated animal tumour model. <i>Immunology</i> , 2004, 112, 117-125.	4.4	44
121	Polymorphisms of tumor necrosis factor (TNF) $\hat{1}$ and $\hat{2}$ genes in Korean patients with psoriasis. <i>Archives of Dermatological Research</i> , 2003, 295, 8-13.	1.9	33
122	Distribution of MICA alleles and haplotypes associated with HLA in the Korean population. <i>Human Immunology</i> , 2003, 64, 378-384.	2.4	27
123	In vitro induction of carcinoembryonic antigen (CEA)-specific cytotoxic T lymphocytes by dendritic cells transduced with recombinant adenoviruses. <i>Vaccine</i> , 2003, 22, 224-236.	3.8	40
124	Investigation of IL-1B (-511, +3954) and IL-1RN Gene Polymorphisms in Korean Psoriasis Patients. <i>Immune Network</i> , 2003, 3, 242.	3.6	0
125	Influence of Human Leukocyte Antigen in the Pathogenesis of MeÅnie're's Disease in the South Korean Population. <i>Acta Oto-Laryngologica</i> , 2002, 122, 851-856.	0.9	13
126	Identification of HLA-A*11 variant (A*1107) in the Korean population. <i>Tissue Antigens</i> , 2001, 58, 190-192.	1.0	11

#	ARTICLE	IF	CITATIONS
127	Antitumor effect of carcinoma cells transduced with herpes simplex virus-thymidine kinase by gancyclovir and radiation. <i>Immune Network</i> , 2001, 1, 45.	3.6	0
128	DQCAR 113 and DQCAR 115 in combination with HLA-DRB1 alleles are significant markers of susceptibility to rheumatoid arthritis in the Korean population. <i>Tissue Antigens</i> , 1999, 54, 552-559.	1.0	12