

Willeke van der Stuijt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3466272/publications.pdf>

Version: 2024-02-01

10
papers

383
citations

1307594

7
h-index

1588992

8
g-index

10
all docs

10
docs citations

10
times ranked

552
citing authors

#	ARTICLE	IF	CITATIONS
1	Subcutaneous or Transvenous Defibrillator Therapy. <i>New England Journal of Medicine</i> , 2020, 383, 526-536.	27.0	278
2	A morphology based deep learning model for atrial fibrillation detection using single cycle electrocardiographic samples. <i>International Journal of Cardiology</i> , 2020, 316, 130-136.	1.7	28
3	Efficacy and Safety of Appropriate Shocks and Antitachycardia Pacing in Transvenous and Subcutaneous Implantable Defibrillators: Analysis of All Appropriate Therapy in the PRAETORIAN Trial. <i>Circulation</i> , 2022, 145, 321-329.	1.6	28
4	Minimal defibrillation thresholds and the correlation with implant position in subcutaneous implantable defibrillator patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2441-2447.	1.7	13
5	Improving the care for female subcutaneous ICD patients: A qualitative study of gender-specific issues. <i>International Journal of Cardiology</i> , 2020, 317, 91-95.	1.7	12
6	Complications related to elective generator replacement of the subcutaneous implantable defibrillator. <i>Europace</i> , 2021, 23, 395-399.	1.7	12
7	Long-term follow-up of the two-incision implantation technique for the subcutaneous implantable cardioverter defibrillator. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1476-1480.	1.2	10
8	Effect of short-term fasting on electrocardiographic parameters. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12643.	1.1	2
9	High shock impedance during subcutaneous implantable defibrillator generator replacements: Authors' reply. <i>Europace</i> , 2022, 24, 350-351.	1.7	0
10	Rupturing Abdominal Aneurysm Presenting as Acute Coronary Syndrome. <i>Cureus</i> , 2020, 12, e9296.	0.5	0