

# Kaiming Liao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3472632/publications.pdf>

Version: 2024-02-01

54  
papers

3,471  
citations

126907

33  
h-index

161849

54  
g-index

55  
all docs

55  
docs citations

55  
times ranked

4434  
citing authors

#	ARTICLE	IF	CITATIONS
1	A simple strategy that may effectively tackle the anode-electrolyte interface issues in solid-state lithium metal batteries. <i>Chemical Engineering Journal</i> , 2022, 427, 131001.	12.7	38
2	A Controllable Dual Interface Engineering Concept for Rational Design of Efficient Bifunctional Electrocatalyst for Zinc-Air Batteries. <i>Small</i> , 2022, 18, e2105604.	10.0	18
3	Towards practically accessible aprotic Li-air batteries: Progress and challenges related to oxygen-permeable membranes and cathodes. <i>Energy Storage Materials</i> , 2022, 45, 869-902.	18.0	32
4	One-dimensional metal-organic framework-reinforced gel polymer electrolyte enables a stable Li metal battery. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2022, 17, .	1.5	10
5	Kirkendall synthesis and characterization of nanotubular (Bi <sub>2</sub> ) <sub>m</sub> (Bi <sub>2</sub> Te <sub>3</sub> ) <sub>n</sub> series. <i>Materials Research Bulletin</i> , 2022, 152, 111827.	5.2	2
6	Smart Construction of an Intimate Lithium   Garnet Interface for All-Solid-State Batteries by Tuning the Tension of Molten Lithium. <i>Advanced Functional Materials</i> , 2021, 31, 2101556.	14.9	97
7	Tailoring charge and mass transport in cation/anion-codoped Ni <sub>3</sub> N / N-doped CNT integrated electrode toward rapid oxygen evolution for fast-charging zinc-air batteries. <i>Energy Storage Materials</i> , 2021, 39, 11-20.	18.0	44
8	Stabilizing Li Anodes in $I_{2/O_{2}}$ Steam to Tackle the Shuttling-Induced Depletion of an Iodide/Triiodide Redox Mediator in $Li_{2}O_{2}$ Batteries with Suppressed Li Dendrite Growth. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 53859-53867.	8.0	12
9	Recent Advances in Emerging Metal- and Covalent-Organic Frameworks for Enzyme Encapsulation. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 56752-56776.	8.0	67
10	Tuning Nitrogen in Graphitic Carbon Nitride Enabling Enhanced Performance for Polysulfide Confinement in $Li-S$ Batteries. <i>Energy &amp; Fuels</i> , 2020, 34, 11557-11564.	5.1	19
11	Achieving Safe and Dendrite-Suppressed Solid-State Li Batteries via a Novel Self-Extinguished Trimethyl Phosphate-Based Wetting Agent. <i>Energy &amp; Fuels</i> , 2020, 34, 11547-11556.	5.1	19
12	Direct growth of ordered N-doped carbon nanotube arrays on carbon fiber cloth as a free-standing and binder-free air electrode for flexible quasi-solid-state rechargeable Zn-Air batteries. , 2020, 2, 461-471.		64
13	Recent Advances in Filler Engineering of Polymer Electrolytes for Solid-State Li-Ion Batteries: A Review. <i>Energy &amp; Fuels</i> , 2020, 34, 9189-9207.	5.1	89
14	Rich atomic interfaces between sub-1 nm RuO <sub>x</sub> clusters and porous Co <sub>3</sub> O <sub>4</sub> nanosheets boost oxygen electrocatalysis bifunctionality for advanced Zn-air batteries. <i>Energy Storage Materials</i> , 2020, 32, 20-29.	18.0	84
15	Water-proof, electrolyte-nonvolatile, and flexible Li-Air batteries via O <sub>2</sub> -Permeable silica-aerogel-reinforced polydimethylsiloxane external membranes. <i>Energy Storage Materials</i> , 2020, 27, 297-306.	18.0	69
16	A smart lithiophilic polymer filler in gel polymer electrolyte enables stable and dendrite-free Li metal anode. <i>Journal of Materials Chemistry A</i> , 2020, 8, 9733-9742.	10.3	53
17	Self-Catalyzed Growth of Co, N-Codoped CNTs on Carbon-Encased CoS <sub>x</sub> Surface: A Noble-Metal-Free Bifunctional Oxygen Electrocatalyst for Flexible Solid Zn-Air Batteries. <i>Advanced Functional Materials</i> , 2019, 29, 1904481.	14.9	217
18	Photoelectrochemical response of Ag-graphene heterostructures: insight into the localized surface plasmon enhanced photocurrent generation process. <i>Nanotechnology</i> , 2019, 30, 495203.	2.6	5

#	ARTICLE	IF	CITATIONS
19	An "electronegative" bifunctional coating layer: simultaneous regulation of polysulfide and Li-ion adsorption sites for long-cycling and "dendrite-free" Li-S batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 22463-22474.	10.3	49
20	Layered Co/Ni-free oxides for sodium-ion battery cathode materials. <i>Current Opinion in Green and Sustainable Chemistry</i> , 2019, 17, 29-34.	5.9	14
21	Reduced air sensitivity and improved electrochemical stability of P2-Na <sub>2</sub> /3Mn <sub>1</sub> /2Fe <sub>1</sub> /4Co <sub>1</sub> /4O <sub>2</sub> through atomic layer deposition-assisted Al <sub>2</sub> O <sub>3</sub> coating. <i>Composites Part B: Engineering</i> , 2019, 173, 106913.	12.0	26
22	Ultralong Cycle Life "O <sub>2</sub> " Battery Enabled by a MOF-Derived Ruthenium "Carbon Composite Catalyst with a Durable Regenerative Surface. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 20091-20097.	8.0	46
23	Rational design of strontium antimony co-doped Li <sub>7</sub> La <sub>3</sub> Zr <sub>2</sub> O <sub>12</sub> electrolyte membrane for solid-state lithium batteries. <i>Journal of Alloys and Compounds</i> , 2019, 794, 347-357.	5.5	42
24	Recent advances in the interface engineering of solid-state Li-ion batteries with artificial buffer layers: challenges, materials, construction, and characterization. <i>Energy and Environmental Science</i> , 2019, 12, 1780-1804.	30.8	230
25	Realizing fourfold enhancement in conductivity of perovskite Li <sub>0.33</sub> La <sub>0.557</sub> TiO <sub>3</sub> electrolyte membrane via a Sr and Ta co-doping strategy. <i>Journal of Membrane Science</i> , 2019, 582, 194-202.	8.2	51
26	Enhancing the cycle life of Li-S batteries by designing a free-standing cathode with excellent flexible, conductive, and catalytic properties. <i>Electrochimica Acta</i> , 2019, 298, 421-429.	5.2	22
27	A cobalt and nickel co-modified layered P2-Na <sub>2</sub> /3Mn <sub>1</sub> /2Fe <sub>1</sub> /2O <sub>2</sub> with excellent cycle stability for high-energy density sodium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2019, 775, 383-392.	5.5	36
28	Dodecylamine-Induced Synthesis of a Nitrogen-Doped Carbon Comb for Advanced Lithium "Sulfur Battery Cathodes. <i>Advanced Materials Interfaces</i> , 2018, 5, 1701659.	3.7	21
29	Optimal synthesis and new understanding of P2-type Na <sub>2</sub> /3Mn <sub>1</sub> /2Fe <sub>1</sub> /4Co <sub>1</sub> /4O <sub>2</sub> as an advanced cathode material in sodium-ion batteries with improved cycle stability. <i>Ceramics International</i> , 2018, 44, 5184-5192.	4.8	34
30	Flexible, Flame-Resistant, and Dendrite-Impermeable Gel-Polymer Electrolyte for "O <sub>2</sub> /Air Batteries Workable Under Hurdle Conditions. <i>Small</i> , 2018, 14, e1801798.	10.0	113
31	Developing a "Water-Defendable" and "Dendrite-Free" Lithium-Metal Anode Using a Simple and Promising GeCl <sub>4</sub> Pretreatment Method. <i>Advanced Materials</i> , 2018, 30, e1705711.	21.0	186
32	A long-life lithium ion oxygen battery based on commercial silicon particles as the anode. <i>Energy and Environmental Science</i> , 2016, 9, 3262-3271.	30.8	89
33	Lowering the charge voltage of "O <sub>2</sub> " batteries via an unmediated photoelectrochemical oxidation approach. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12411-12415.	10.3	59
34	Stabilization of polysulfides via lithium bonds for Li-S batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5406-5409.	10.3	105
35	A self-defense redox mediator for efficient lithium "O <sub>2</sub> " batteries. <i>Energy and Environmental Science</i> , 2016, 9, 1024-1030.	30.8	224
36	Sponge-Like Cathode Material Self-Assembled from Two-Dimensional V <sub>2</sub> O <sub>5</sub> Nanosheets for Sodium-Ion Batteries. <i>ChemElectroChem</i> , 2015, 2, 1660-1664.	3.4	65

#	ARTICLE	IF	CITATIONS
37	An oxygen cathode with stable full discharge-charge capability based on 2D conducting oxide. Energy and Environmental Science, 2015, 8, 1992-1997.	30.8	113
38	Pd nanoparticle-modified electrodes for nonenzymatic hydrogen peroxide detection. Nanoscale Research Letters, 2015, 10, 1021.	5.7	24
39	Facile in Situ Preparation of Graphitic-C <sub>3</sub> N <sub>4</sub> @carbon Paper As an Efficient Metal-Free Cathode for Nonaqueous Li-O <sub>2</sub> Battery. ACS Applied Materials & Interfaces, 2015, 7, 10823-10827.	8.0	75
40	Electrospinning of a PMA-co-PAA/FP biopolymer nanofiber: enhanced capability for immobilized horseradish peroxidase and its consequence for p-nitrophenol disposal. RSC Advances, 2015, 5, 41994-41998.	3.6	15
41	Nanoporous Ru as a Carbon- and Binder-free Cathode for Li-O <sub>2</sub> Batteries. ChemSusChem, 2015, 8, 1429-1434.	6.8	104
42	Superior Performance of a Li-O <sub>2</sub> Battery with Metallic RuO <sub>2</sub> Hollow Spheres as the Carbon-free Cathode. Advanced Energy Materials, 2015, 5, 1500294.	19.5	139
43	Reducing the charging voltage of a Li-O <sub>2</sub> battery to 1.9 V by incorporating a photocatalyst. Energy and Environmental Science, 2015, 8, 2664-2667.	30.8	147
44	A promising method for fabricating Ag nanoparticle modified nonenzyme hydrogen peroxide sensors. Sensors and Actuators B: Chemical, 2013, 181, 125-129.	7.8	35
45	Anisotropy antireflection TiO <sub>2</sub> nanoparticle films fabricated with directed cluster beam deposition. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 2366-2369.	0.8	6
46	High-power splitting of expanded graphite to produce few-layer graphene sheets. Carbon, 2011, 49, 2862-2868.	10.3	28
47	Synthesis of hierarchical Ni <sub>11</sub> (HPO <sub>3</sub> ) <sub>8</sub> (OH) <sub>6</sub> superstructures based on nanorods through a soft hydrothermal route. Materials Research Bulletin, 2010, 45, 205-209.	5.2	16
48	In situ template route for synthesis of porous Ni <sub>12</sub> P <sub>5</sub> superstructures and their applications in environmental treatments. CrystEngComm, 2010, 12, 1568.	2.6	40
49	Hydrothermal synthesis of Ni <sub>12</sub> P <sub>5</sub> hollow microspheres, characterization and photocatalytic degradation property. Journal of Colloid and Interface Science, 2009, 332, 231-236.	9.4	36
50	Porous cuprous oxide microcubes for non-enzymatic amperometric hydrogen peroxide and glucose sensing. Electrochemistry Communications, 2009, 11, 812-815.	4.7	231
51	Ni <sup>2+</sup> ions assisted hydrothermal synthesis of flowerlike Co <sub>11</sub> (HPO <sub>3</sub> ) <sub>8</sub> (OH) <sub>6</sub> superstructures and shape control. CrystEngComm, 2009, 11, 570.	2.6	27
52	Co <sub>2</sub> P nanostructures constructed by nanorods: hydrothermal synthesis and applications in the removal of heavy metal ions. New Journal of Chemistry, 2009, 33, 2055.	2.8	40
53	Controllable synthesis of polyhedral YF <sub>3</sub> microcrystals via a potassium sodium tartrate-assisted hydrothermal route. CrystEngComm, 2008, 10, 1681.	2.6	27
54	Large-Scale Synthesis of Single Crystalline NiHPO <sub>3</sub> ·H <sub>2</sub> O Nanoneedle Bundles Based on the Dismutation of NaH <sub>2</sub> PO <sub>2</sub> . Crystal Growth and Design, 2008, 8, 3636-3640.	3.0	12