

Peter Schumann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3473470/publications.pdf>

Version: 2024-02-01

509
papers

20,865
citations

13865

67
h-index

32842

100
g-index

533
all docs

533
docs citations

533
times ranked

12150
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Szabonella alba</i> gen. nov., sp. nov., a motile alkaliphilic bacterium of the family Rhodobacteraceae isolated from a soda lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	6
2	<i>Salsipaludibacter albus</i> gen. nov., sp. nov., a novel actinobacterial strain isolate from a Portuguese solar saltern and proposal of <i>Salsipaludibacteraceae</i> fam. nov. and <i>Salsipaludibacterales</i> ord. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2022, 72, .	1.7	11
3	<i>Streptomyces marianii</i> sp. nov., a novel marine actinomycete from southern coast of India. <i>Journal of Antibiotics</i> , 2021, 74, 59-69.	2.0	6
4	<i>Kibdelosporangium persicum</i> sp. nov., a new member of the Actinomycetes from a hot desert in Iran. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	9
5	<i>Streptomyces bathyalis</i> sp. nov., an actinobacterium isolated from the sponge in a deep sea. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 425-435.	1.7	22
6	Reclassification of <i>Haloactinobacterium glacieicola</i> as <i>Occultella glacieicola</i> gen. nov., comb. nov., of <i>Haloactinobacterium album</i> as <i>Ruania alba</i> comb. nov, with an emended description of the genus <i>Ruania</i> , recognition that the genus names <i>Haloactinobacterium</i> and <i>Ruania</i> are heterotypic synonyms and description of <i>Occultella aeris</i> sp. nov., a halotolerant isolate from surface soil sampled at an ancient copper smelter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021, 71, .	1.7	44
7	<i>Streptomonospora litoralis</i> sp. nov., a halophilic thiopeptides producer isolated from sand collected at Cuxhaven beach. <i>Antonie Van Leeuwenhoek</i> , 2021, 114, 1483-1496.	1.7	6
8	<i>Zafaria cholistanensis</i> gen. nov. sp. nov., a moderately thermotolerant and halotolerant actinobacterium isolated from Cholistan desert soil of Pakistan. <i>Archives of Microbiology</i> , 2021, 203, 1717-1729.	2.2	1
9	Isolation and characterization of an endolichenic actinobacterium from the lichen thallus of <i>Pseudocyphellaria berberina</i> . <i>Symbiosis</i> , 2020, 80, 43-51.	2.3	4
10	<i>Pseudomonas khazarica</i> sp. nov., a polycyclic aromatic hydrocarbon-degrading bacterium isolated from Khazar Sea sediments. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 521-532.	1.7	21
11	Airborne bacterial emission fluxes from manure-fertilized agricultural soil. <i>Microbial Biotechnology</i> , 2020, 13, 1631-1647.	4.2	17
12	<i>Vallicoccus soli</i> gen. nov., sp. nov., a novel actinobacterium isolated from soil, and description of <i>Vallicoccaceae</i> fam. nov., <i>Motilibacterales</i> ord. nov.. <i>Antonie Van Leeuwenhoek</i> , 2020, 113, 2155-2165.	1.7	27
13	<i>Bacillus glennii</i> sp. nov. and <i>Bacillus saganii</i> sp. nov., isolated from the vehicle assembly building at Kennedy Space Center where the Viking spacecraft were assembled. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 71-76.	1.7	14
14	<i>Phragmitibacter flavus</i> gen. nov., sp. nov. a new member of the family <i>Verrucomicrobiaceae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2108-2114.	1.7	13
15	<i>Methylicorpusculum oleiharenae</i> gen. nov., sp. nov., an aerobic methanotroph isolated from an oil sands tailings pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2499-2508.	1.7	10
16	<i>Leekyejeonella antrihumi</i> gen. nov., sp. nov., a new member of the family <i>Dermacoccaceae</i> isolated from a cave soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 3340-3347.	1.7	8
17	<i>Micromonospora fluminis</i> sp. nov., isolated from mountain river sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6428-6436.	1.7	8
18	<i>Arthrobacter ulcerisalmonis</i> sp. nov., isolated from an ulcer of a farmed Atlantic salmon (<i>Salmo</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 <i>Systematic and Evolutionary Microbiology</i> , 2020, 70, 1963-1968.	1.7	11

#	ARTICLE	IF	CITATIONS
19	<i>Halomonas lysinitropha</i> sp. nov., a novel halophilic bacterium isolated from a hypersaline wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6098-6105.	1.7	9
20	<i>Nocardiopsis dassonvillei</i> subsp. <i>crassaminis</i> subsp. nov., isolated from freshwater sediment, and reappraisal of <i>Nocardiopsis alborubida</i> Grund and Kroppenstedt 1990 emend. Nouioui et al. 2018. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 6172-6179.	1.7	7
21	<i>Sapientia aquatica</i> gen. nov., sp. nov., isolated from a crater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 346-351.	1.7	8
22	<i>Borrelia burgdorferi</i> peptidoglycan is a persistent antigen in patients with Lyme arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 13498-13507.	7.1	97
23	Taxonomic insights into the phylogeny of <i>Bacillus badius</i> and proposal for its reclassification to the genus <i>Pseudobacillus</i> as <i>Pseudobacillus badius</i> comb. nov. and reclassification of <i>Bacillus wudalianchiensis</i> Liu et al., 2017 as <i>Pseudobacillus wudalianchiensis</i> comb. nov.. <i>Systematic and Applied Microbiology</i> , 2019, 42, 360-372.	2.8	4
24	<i>Anaerobacillus alkaliphilus</i> sp. nov., a novel alkaliphilic and moderately halophilic bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 631-637.	1.7	19
25	Reclassification of <i>Arthrobacter endophyticus</i> (Wang et al. 2015) as <i>Glutamicibacter endophyticus</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1057-1059.	1.7	10
26	<i>Modestobacter italicus</i> sp. nov., isolated from Carrara marble quarry and emended descriptions of the genus <i>Modestobacter</i> and the species <i>Modestobacter marinus</i> , <i>Modestobacter multiseptatus</i> , <i>Modestobacter roseus</i> and <i>Modestobacter versicolor</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1537-1545.	1.7	19
27	<i>Planomicrobium iranicum</i> sp. nov., a novel slightly halophilic bacterium isolated from a hypersaline wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1433-1437.	1.7	9
28	<i>Deinococcus fonticola</i> sp. nov., isolated from a radioactive thermal spring in Hungary. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1724-1730.	1.7	7
29	<i>Siculibacillus lacustris</i> gen. nov., sp. nov., a new rosette-forming bacterium isolated from a freshwater crater lake (Lake St. Ana, Romania). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1731-1736.	1.7	10
30	<i>Specibacter cremeus</i> gen. nov., sp. nov., a new member of the family Micrococcaceae isolated from a natural cave. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1767-1774.	1.7	11
31	<i>Leucobacter muris</i> sp. nov., isolated from the nose of a laboratory mouse. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2095-2100.	1.7	11
32	<i>Streptomyces huasconensis</i> sp. nov., an haloalkalitolerant actinobacterium isolated from a high altitude saline wetland at the Chilean Altiplano. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2315-2322.	1.7	18
33	Reclassification of <i>Arthrobacter enclensis</i> as <i>Pseudarthrobacter enclensis</i> comb. nov., and emended descriptions of the genus <i>Pseudarthrobacter</i> , and the species <i>Pseudarthrobacter phenanthrenivorans</i> and <i>Pseudarthrobacter scleromae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3508-3511.	1.7	17
34	<i>Filibacter tadaridae</i> sp. nov., isolated from within a guano pile from a colony of Mexican free-tailed bats <i>Tadarida brasiliensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1438-1442.	1.7	6
35	<i>Fertoeibacter niger</i> gen. nov., sp. nov. a novel alkaliphilic bacterium of the family Rhodobacteraceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 71, .	1.7	8
36	<i>Streptomyces altiplanensis</i> sp. nov., an alkalitolerant species isolated from Chilean Altiplano soil, and emended description of <i>Streptomyces chryseus</i> (Krasil'nikov et al. 1965) Pridham 1970. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2498-2505.	1.7	12

#	ARTICLE	IF	CITATIONS
37	<i>Indiicoccus explosivorum</i> gen. nov., sp. nov., isolated from an explosives waste contaminated site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 2555-2564.	1.7	13
38	<i>Cellulosimicrobium arenosum</i> sp. nov., Isolated from Marine Sediment Sand. <i>Current Microbiology</i> , 2018, 75, 901-906.	2.2	12
39	Description and Comparative Genomics of <i>Macrococcus caseolyticus</i> subsp. <i>hominis</i> subsp. nov., <i>Macrococcus goetzii</i> sp. nov., <i>Macrococcus epidermidis</i> sp. nov., and <i>Macrococcus bohemicus</i> sp. nov., Novel <i>Macrococci</i> From Human Clinical Material With Virulence Potential and Suspected Uptake of Foreign DNA by Natural Transformation. <i>Frontiers in Microbiology</i> , 2018, 9, 1178.	3.5	65
40	A new <i>Rhizobium</i> species isolated from the water of a crater lake, description of <i>Rhizobium aquaticum</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2175-2183.	1.7	17
41	Taxonomic analyses of members of the <i>Streptomyces cinnabarinus</i> cluster, description of <i>Streptomyces cinnabarigriseus</i> sp. nov. and <i>Streptomyces davaonensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 382-393.	1.7	26
42	<i>Xylanibacillus composti</i> gen. nov., sp. nov., isolated from compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 698-702.	1.7	12
43	<i>Nannocystis konarekensis</i> sp. nov., a novel myxobacterium from an Iranian desert. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 721-729.	1.7	21
44	<i>Blastococcus xanthinilyticus</i> sp. nov., isolated from monument. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1177-1183.	1.7	14
45	<i>Marmoricola silvestris</i> sp. nov., a novel actinobacterium isolated from alpine forest soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1313-1318.	1.7	12
46	<i>Oleiharenicola alkalitolerans</i> gen. nov., sp. nov., a new member of the phylum Verrucomicrobia isolated from an oilsands tailings pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1078-1084.	1.7	11
47	<i>Psychromicrobium lacuslunae</i> sp. nov., isolated from a high altitude lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3416-3423.	1.7	5
48	<i>Kribbella soli</i> sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 641-649.	1.7	15
49	<i>Luethyella okanaganae</i> gen. nov., sp. nov., a Novel Genus and Species of the Family Microbacteriaceae Isolated from the Insect <i>Okanagana rimosa</i> . <i>Current Microbiology</i> , 2017, 74, 419-424.	2.2	7
50	<i>Blastococcus colisei</i> sp. nov, isolated from an archaeological amphitheatre. <i>Antonie Van Leeuwenhoek</i> , 2017, 110, 339-346.	1.7	18
51	Evidence for a peptidoglycan-like structure in <i>Orientia tsutsugamushi</i> . <i>Molecular Microbiology</i> , 2017, 105, 440-452.	2.5	32
52	An investigation into the taxonomy of <i>Bacillus aminovorans</i> and its reclassification to the genus <i>Domibacillus</i> as <i>Domibacillus aminovorans</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 2017, 40, 458-467.	2.8	13
53	Examination into the taxonomic position of <i>Bacillus thermotolerans</i> Yang et al., 2013, proposal for its reclassification into a new genus and species <i>Quasibacillus thermotolerans</i> gen. nov., comb. nov. and reclassification of <i>B. encimensis</i> Dastager et al., 2015 as a later heterotypic synonym of <i>B. badius</i> . <i>Systematic and Applied Microbiology</i> , 2017, 40, 411-422.	2.8	14
54	Three Novel Species with Peptidoglycan Cell Walls form the New Genus <i>Lacunisphaera</i> gen. nov. in the Family <i>Opiritaceae</i> of the Verrucomicrobial Subdivision 4. <i>Frontiers in Microbiology</i> , 2017, 8, 202.	3.5	75

#	ARTICLE	IF	CITATIONS
55	Genome-Scale Data Call for a Taxonomic Rearrangement of Geodermatophilaceae. <i>Frontiers in Microbiology</i> , 2017, 8, 2501.	3.5	105
56	“ <i>Streptomyces caelicus</i> ”™, an antibiotic-producing species of the genus <i>Streptomyces</i> , and <i>Streptomyces canchipurensis</i> Li et al. 2015 are later heterotypic synonyms of <i>Streptomyces muensis</i> Ningthoujam et al. 2014. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 548-556.	1.7	14
57	<i>Promicromonospora kermanensis</i> sp. nov., an actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 262-267.	1.7	11
58	<i>Actinocrinis puniceicyclus</i> gen. nov., sp. nov., an actinobacterium isolated from an acidic spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 602-609.	1.7	10
59	<i>Caenimicrobium hargitense</i> gen. nov., sp. nov., a new member of the family <i>Alcaligenaceae</i> (Betaproteobacteria) isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 627-632.	1.7	14
60	<i>Psychromicrobium silvestre</i> gen. nov., sp. nov., an actinobacterium isolated from alpine forest soils. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 640-645.	1.7	11
61	<i>Brevundimonas balnearis</i> sp. nov., isolated from the well water of a thermal bath. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1033-1038.	1.7	19
62	Reclassification of <i>Arthrobacter sanguinis</i> (Mages et al. 2009) as <i>Haematomicrobium sanguinis</i> gen. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1052-1057.	1.7	19
63	<i>Aliidiomarina sedimenti</i> sp. nov., a haloalkaliphilic bacterium in the family <i>Idiomarinaceae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2087-2092.	1.7	12
64	<i>Streptomyces jeddahensis</i> sp. nov., an oleaginous bacterium isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 1676-1682.	1.7	25
65	<i>Leucobacter ruminantium</i> sp. nov., isolated from the bovine rumen. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2634-2639.	1.7	17
66	<i>Micrococcoides hystricis</i> gen. nov., sp. nov., a novel member of the family <i>Micrococcaceae</i> , phylum <i>Actinobacteria</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2758-2765.	1.7	12
67	<i>Bacillus praedii</i> sp. nov., isolated from purplish paddy soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2823-2828.	1.7	13
68	<i>Bacillus wudalianchiensis</i> sp. nov., isolated from grass soils of the Wudalianchi scenic area. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2897-2902.	1.7	9
69	<i>Bacillus kiskunsagensis</i> sp. nov., a novel alkaliphilic and moderately halophilic bacterium isolated from soda soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 3490-3495.	1.7	21
70	<i>Nesterenkonia pannonica</i> sp. nov., a novel alkaliphilic and moderately halophilic actinobacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4116-4120.	1.7	14
71	<i>Salinifilum</i> gen. nov., with description of <i>Salinifilum proteinilyticum</i> sp. nov., an extremely halophilic actinomycete isolated from Meighan wetland, Iran, and reclassification of <i>Saccharopolyspora aidingensis</i> as <i>Salinifilum aidingensis</i> comb. nov. and <i>Saccharopolyspora ghardaiensis</i> as <i>Salinifilum ghardaiensis</i> comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4221-4227.	1.7	27
72	<i>Corynebacterium gottingense</i> sp. nov., isolated from a clinical patient. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4494-4499.	1.7	11

#	ARTICLE	IF	CITATIONS
73	<i>Gellertiella hungarica</i> gen. nov., sp. nov., a novel bacterium of the family Rhizobiaceae isolated from a spa in Budapest. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4565-4571.	1.7	22
74	<i>Bacillus ciccensis</i> sp. nov., isolated from maize (<i>Zea mays</i> L.) seeds. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4606-4611.	1.7	10
75	<i>Quisquiliibacterium transsilvanicum</i> gen. nov., sp. nov., a novel betaproteobacterium isolated from a waste-treating bioreactor. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 4742-4746.	1.7	13
76	<i>Kocuria salina</i> sp. nov., an actinobacterium isolated from the rhizosphere of the halophyte <i>Arthrocnemum macrostachyum</i> and emended description of <i>Kocuria turfanensis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5006-5012.	1.7	15
77	<i>Nitrincola alkalilacustris</i> sp. nov. and <i>Nitrincola schmidtii</i> sp. nov., alkaliphilic bacteria isolated from soda pans, and emended description of the genus <i>Nitrincola</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5159-5164.	1.7	25
78	<i>Leucobacter weissii</i> sp. nov., an isolate from activated sludge once described as first representative of the peptidoglycan variation B2 ¹ , and emended description of the genus <i>Leucobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 5244-5251.	1.7	15
79	<i>Nocardiopsis mwathae</i> sp. nov., isolated from the haloalkaline Lake Elmenteita in the African Rift Valley. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 421-430.	1.7	11
80	<i>Kroppenstedtia pulmonis</i> sp. nov. and <i>Kroppenstedtia sanguinis</i> sp. nov., isolated from human patients. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 603-610.	1.7	12
81	<i>Micromonospora yasonensis</i> sp. nov., isolated from a Black Sea sediment. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 1019-1028.	1.7	13
82	From oil spills to barley growth – oil-degrading soil bacteria and their promoting effects. <i>Journal of Basic Microbiology</i> , 2016, 56, 1252-1273.	3.3	13
83	Characterization of the first cultured representative of <i>Verrucomicrobia</i> subdivision 5 indicates the proposal of a novel phylum. <i>ISME Journal</i> , 2016, 10, 2801-2816.	9.8	173
84	<i>Thermoactinomyces khenchelensis</i> sp. nov., a filamentous bacterium isolated from soil sediment of a terrestrial hot spring. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 311-317.	1.7	12
85	A novel mechanism of conjugate formation of bisphenol A and its analogues by <i>Bacillus amyloliquefaciens</i> : Detoxification and reduction of estrogenicity of bisphenols. <i>International Biodeterioration and Biodegradation</i> , 2016, 109, 165-173.	3.9	31
86	<i>Actinomadura algeriensis</i> sp. nov., an actinobacterium isolated from Saharan soil. <i>Antonie Van Leeuwenhoek</i> , 2016, 109, 159-165.	1.7	20
87	<i>Bacillus gobiensis</i> sp. nov., isolated from a soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 379-384.	1.7	12
88	<i>Halosiccatus urmianus</i> gen. nov., sp. nov., a haloarchaeon from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 725-730.	1.7	19
89	<i>Streptosporangium algeriense</i> sp. nov., an actinobacterium isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1034-1038.	1.7	13
90	<i>Virgibacillus flavescens</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1138-1143.	1.7	13

#	ARTICLE	IF	CITATIONS
91	<i>Streptosporangium saharensense</i> sp. nov., an actinobacterium isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1371-1376.	1.7	17
92	<i>Oceanobacillus halophilus</i> sp. nov., a novel moderately halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1317-1322.	1.7	22
93	<i>Microbulbifer rhizosphaerae</i> sp. nov., isolated from the rhizosphere of the halophyte <i>Arthrocnemum macrostachyum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1844-1850.	1.7	19
94	<i>Tessaracoccus flavus</i> sp. nov., isolated from the drainage system of a lindane-producing factory. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1862-1868.	1.7	23
95	Reclassification of <i>Bacillus isronensis</i> Shivaji et al. 2009 as <i>Solibacillus isronensis</i> comb. nov. and emended description of genus <i>Solibacillus</i> Krishnamurthi et al. 2009. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2113-2120.	1.7	18
96	<i>Aliidiomarina iranensis</i> sp. nov., a haloalkaliphilic bacterium from a coastal-marine wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2099-2105.	1.7	15
97	<i>Fictibacillus halophilus</i> sp. nov., from a microbial mat of a hot spring atop the Himalayan Range. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2409-2416.	1.7	24
98	<i>Streptosporangium becharensense</i> sp. nov., an actinobacterium isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2484-2490.	1.7	22
99	<i>Actinomadura adrarensis</i> sp. nov., an actinobacterium isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2724-2729.	1.7	17
100	<i>Actinophytocola algeriensis</i> sp. nov., an actinobacterium isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 2760-2765.	1.7	19
101	<i>Corynebacterium pollutisoli</i> sp. nov., isolated from hexachlorocyclohexane-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3531-3537.	1.7	15
102	<i>Geodermatophilus pulveris</i> sp. nov., a gamma-radiation-resistant actinobacterium isolated from the Sahara desert. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 3828-3834.	1.7	34
103	<i>Oceanobacillus longus</i> sp. nov., a moderately halophilic bacterium isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4225-4230.	1.7	11
104	<i>Paenibacillus solani</i> sp. nov., isolated from potato rhizosphere soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4486-4491.	1.7	15
105	<i>Blastococcus capsensis</i> sp. nov., isolated from an archaeological Roman pool and emended description of the genus <i>Blastococcus</i> , <i>B. aggregatus</i> , <i>B. saxobsidens</i> , <i>B. jejuensis</i> and <i>B. endophyticus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4864-4872.	1.7	39
106	<i>Rufibacter quisquiliarum</i> sp. nov., a new member of the phylum Bacteroidetes isolated from a bioreactor treating landfill leachate. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 5150-5154.	1.7	10
107	<i>Labrenzia salina</i> sp. nov., isolated from the rhizosphere of the halophyte <i>Arthrocnemum macrostachyum</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 5173-5180.	1.7	29
108	Proposal of a type strain for <i>Frankia alni</i> (Woronin 1866) Von Tubeuf 1895, emended description of <i>Frankia alni</i> , and recognition of <i>Frankia casuarinae</i> sp. nov. and <i>Frankia elaeagni</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 5201-5210.	1.7	68

#	ARTICLE	IF	CITATIONS
109	<i>Deinococcus budaensis</i> sp. nov., a mesophilic species isolated from a biofilm sample of a hydrothermal spring cave. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 5345-5351.	1.7	19
110	Complete genome sequence and description of <i>Salinispira pacifica</i> gen. nov., sp. nov., a novel spirochaete isolated from a hypersaline microbial mat. <i>Standards in Genomic Sciences</i> , 2015, 10, 7.	1.5	38
111	<i>Saccharothrix tamarassetensis</i> sp. nov., an actinomycete isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1316-1320.	1.7	20
112	<i>Actinoalloteichus hoggarensis</i> sp. nov., an actinomycete isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2006-2010.	1.7	15
113	Description of <i>Geodermatophilus bullaregiensis</i> sp. nov.. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 415-425.	1.7	19
114	<i>Geodermatophilus aquaeductus</i> sp. nov., isolated from the ruins of Hadrian's aqueduct. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 41-50.	1.7	21
115	Comparative 16S rRNA signatures and multilocus sequence analysis for the genus <i>Salinicola</i> and description of <i>Salinicola acroporae</i> sp. nov., isolated from coral <i>Acropora digitifera</i> . <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 59-73.	1.7	15
116	<i>Arenimonas subflava</i> sp. nov., isolated from a drinking water network, and emended description of the genus <i>Arenimonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1915-1921.	1.7	26
117	<i>Halovarius luteus</i> gen. nov., sp. nov., an extremely halophilic archaeon from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2420-2425.	1.7	25
118	Dissection of the genus <i>Actinobaculum</i> : Reclassification of <i>Actinobaculum schaalii</i> Lawson et al. 1997 and <i>Actinobaculum urinale</i> Hall et al. 2003 as <i>Actinotignum schaalii</i> gen. nov., comb. nov. and <i>Actinotignum urinale</i> comb. nov., description of <i>Actinotignum sanguinis</i> sp. nov. and emended descriptions of the genus <i>Actinobaculum</i> and <i>Actinobaculum suis</i> ; and re-examination of the culture deposited as <i>Actinobaculum massiliense</i> CCUG 47753T (≡ DSM 19118T), revealing that it does not represent a strain of this species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1922-1932.	1.7	64
119	Enrichment of aliphatic, alicyclic and aromatic acids by oil-degrading bacteria isolated from the rhizosphere of plants growing in oil-contaminated soil from Kazakhstan. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 4071-4084.	3.6	19
120	<i>Nocardiopsis algeriensis</i> sp. nov., an alkalitolerant actinomycete isolated from Saharan soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 313-320.	1.7	27
121	<i>Melghiribacillus thermohalophilus</i> gen. nov., sp. nov., a novel filamentous, endospore-forming, thermophilic and halophilic bacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1172-1179.	1.7	18
122	<i>Belliella kenyensis</i> sp. nov., isolated from an alkaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 457-462.	1.7	15
123	<i>Actinopolyspora biskrensis</i> sp. nov., a Novel Halophilic Actinomycete Isolated from Northern Sahara. <i>Current Microbiology</i> , 2015, 70, 423-428.	2.2	13
124	Planctomycetes do possess a peptidoglycan cell wall. <i>Nature Communications</i> , 2015, 6, 7116.	12.8	149
125	<i>Streptomyces alkaliphilus</i> sp. nov., isolated from sediments of Lake Elmenteita in the Kenyan Rift Valley. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 1249-1259.	1.7	16
126	<i>Bounagaea algeriensis</i> gen. nov., sp. nov., an extremely halophilic actinobacterium isolated from a Saharan soil of Algeria. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 473-482.	1.7	22

#	ARTICLE	IF	CITATIONS
127	<i>Nocardia arizonensis</i> sp. nov., obtained from human respiratory specimens. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1129-1137.	1.7	11
128	Taxonomic characterisation of <i>Proteus terrae</i> sp. nov., a N ₂ O-producing, nitrate-ammonifying soil bacterium. <i>Antonie Van Leeuwenhoek</i> , 2015, 108, 1457-1468.	1.7	28
129	<i>Actinokineospora mzabensis</i> sp. nov., a novel actinomycete isolated from Saharan soil. <i>Antonie Van Leeuwenhoek</i> , 2015, 107, 291-296.	1.7	22
130	Description of gamma radiation-resistant <i>Geodermatophilus dictyosporus</i> sp. nov. to accommodate the not validly named <i>Geodermatophilus obscurus</i> subsp. <i>dictyosporus</i> (Luedemann, 1968). <i>Extremophiles</i> , 2015, 19, 77-85.	2.3	28
131	<i>Aggregicoccus edonensis</i> gen. nov., sp. nov., an unusually aggregating myxobacterium isolated from a soil sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 745-753.	1.7	26
132	The status of the species <i>Actinobaculum massiliense</i> (Greub and Raoult 2006). Request for an Opinion. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1102-1103.	1.7	11
133	<i>Garicola koreensis</i> gen. nov., sp. nov., isolated from saeu-jeot, traditional Korean fermented shrimp. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1015-1021.	1.7	14
134	<i>Prauserella isguenensis</i> sp. nov., a halophilic actinomycete isolated from desert soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1598-1603.	1.7	21
135	<i>Bacillus wuyishanensis</i> sp. nov., isolated from rhizosphere soil of a medical plant, <i>Prunella vulgaris</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2030-2035.	1.7	15
136	<i>Nocardia halotolerans</i> sp. nov., a halotolerant actinomycete isolated from saline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3148-3154.	1.7	11
137	<i>Geodermatophilus sabuli</i> sp. nov., a ¹³⁷ γ-radiation-resistant actinobacterium isolated from desert limestone. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3365-3372.	1.7	21
138	<i>Salininema proteolyticum</i> gen. nov., sp. nov., a halophilic rare actinomycete isolated from wetland soil, and emended description of the family Glycomycetaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3727-3733.	1.7	16
139	Reclassification of <i>Angiococcus disciformis</i> , <i>Cystobacter minus</i> and <i>Cystobacter violaceus</i> as <i>Archangium disciforme</i> comb. nov., <i>Archangium minus</i> comb. nov. and <i>Archangium violaceum</i> comb. nov., unification of the families Archangiaceae and Cystobacteraceae, and emended descriptions of the families Myxococcaceae and Archangiaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4032-4042.	1.7	36
140	<i>Bacillus solani</i> sp. nov., isolated from rhizosphere soil of a potato field. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4066-4071.	1.7	15
141	<i>Saccharothrix ecbatanensis</i> sp. nov., an actinobacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4544-4549.	1.7	7
142	<i>Bacillus taiwanensis</i> sp. nov., isolated from a soil sample from Taiwan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 2078-2084.	1.7	5
143	Genome-scale data suggest reclassifications in the Leisingera-Phaeobacter cluster including proposals for <i>Sedimentitalea</i> gen. nov. and <i>Pseudophaeobacter</i> gen. nov.. <i>Frontiers in Microbiology</i> , 2014, 5, 416.	3.5	88
144	<i>Geodermatophilus poikilotrophus</i> sp. nov.: A Multitolerant Actinomycete Isolated from Dolomitic Marble. <i>BioMed Research International</i> , 2014, 2014, 1-11.	1.9	37

#	ARTICLE	IF	CITATIONS
145	MALDI-TOF Mass Spectrometry Applied to Classification and Identification of Bacteria. <i>Methods in Microbiology</i> , 2014, , 275-306.	0.8	56
146	<i>Cyclobacterium halophilum</i> sp. nov., a marine bacterium isolated from a coastal-marine wetland. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1000-1005.	1.7	11
147	<i>Oceanobacillus limi</i> sp. nov., a moderately halophilic bacterium from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1284-1289.	1.7	32
148	<i>Aquibacillus halophilus</i> gen. nov., sp. nov., a moderately halophilic bacterium from a hypersaline lake, and reclassification of <i>Virgibacillus koreensis</i> as <i>Aquibacillus koreensis</i> comb. nov. and <i>Virgibacillus albus</i> as <i>Aquibacillus albus</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3616-3623.	1.7	36
149	<i>Salinispirillum marinum</i> gen. nov., sp. nov., a haloalkaliphilic bacterium in the family "Saccharospirillaceae". <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3610-3615.	1.7	17
150	Emended description of <i>Actinoplanes friuliensis</i> and description of <i>Actinoplanes nipponensis</i> sp. nov., antibiotic-producing species of the genus <i>Actinoplanes</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 599-606.	1.7	11
151	<i>Hephaestia caeni</i> gen. nov., sp. nov., a novel member of the family Sphingomonadaceae isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 738-744.	1.7	19
152	<i>Saccharopolyspora ghardaiensis</i> sp. nov., an extremely halophilic actinomycete isolated from Algerian Saharan soil. <i>Journal of Antibiotics</i> , 2014, 67, 299-303.	2.0	22
153	<i>Canibacter oris</i> gen. nov., sp. nov., isolated from an infected human wound. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1635-1640.	1.7	14
154	<i>Aliococcus persicus</i> gen. nov., sp. nov., a halophilic member of the Firmicutes isolated from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1964-1969.	1.7	21
155	Description of two new thermophilic species of the genus <i>Rubrobacter</i> , <i>Rubrobacter calidifluminis</i> sp. nov. and <i>Rubrobacter naiadicus</i> sp. nov., and emended description of the genus <i>Rubrobacter</i> and the species <i>Rubrobacter bracarensis</i> . <i>Systematic and Applied Microbiology</i> , 2014, 37, 235-243.	2.8	43
156	<i>Alloactinosynnema iranicum</i> sp. nov., a rare actinomycete isolated from a hypersaline wetland, and emended description of the genus <i>Alloactinosynnema</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1173-1179.	1.7	11
157	Description of <i>Geodermatophilus amargosae</i> sp. nov., to Accommodate the Not Validly Named <i>Geodermatophilus obscurus</i> subsp. <i>amargosae</i> (Luedemann, 1968). <i>Current Microbiology</i> , 2014, 68, 365-371.	2.2	24
158	<i>Phreatobacter oligotrophus</i> gen. nov., sp. nov., an alphaproteobacterium isolated from ultrapure water of the water purification system of a power plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 839-845.	1.7	46
159	<i>Salinithrix halophila</i> gen. nov., sp. nov., a halophilic bacterium in the family Thermoactinomycetaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 4115-4119.	1.7	18
160	<i>Vibrio panuliri</i> sp. nov., a marine bacterium isolated from spiny lobster, <i>Panulirus penicillatus</i> and transfer of <i>Vibrio ponticus</i> from <i>Scophthalmi</i> clade to the newly proposed <i>Ponticus</i> clade. <i>Research in Microbiology</i> , 2014, 165, 826-835.	2.1	19
161	<i>Geodermatophilus brasiliensis</i> sp. nov., isolated from Brazilian soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2841-2848.	1.7	16
162	<i>Deinococcus phoenicis</i> sp. nov., an extreme ionizing-radiation-resistant bacterium isolated from the Phoenix Lander assembly facility. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3441-3446.	1.7	23

#	ARTICLE	IF	CITATIONS
163	<i>Bacillus cihuensis</i> sp. nov., isolated from rhizosphere soil of a plant in the Cihu area of Taiwan. Antonie Van Leeuwenhoek, 2014, 106, 1147-1155.	1.7	9
164	<i>Pseudomonas salegens</i> sp. nov., a halophilic member of the genus <i>Pseudomonas</i> isolated from a wetland. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3565-3570.	1.7	25
165	<i>Mzabimyces algeriensis</i> gen. nov., sp. nov., a halophilic filamentous actinobacterium isolated from a Saharan soil, and proposal of <i>Mzabimycetaceae</i> fam. nov.. Antonie Van Leeuwenhoek, 2014, 106, 1021-1030.	1.7	26
166	<i>Eoetvoesia caeni</i> gen. nov., sp. nov., isolated from an activated sludge system treating coke plant effluent. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1920-1925.	1.7	24
167	<i>Promicromonospora iranensis</i> sp. nov., an actinobacterium isolated from rhizospheric soil. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3314-3319.	1.7	14
168	<i>Nocardia vulneris</i> sp. nov., isolated from wounds of human patients in North America. Antonie Van Leeuwenhoek, 2014, 106, 543-553.	1.7	28
169	<i>Streptomonospora algeriensis</i> sp. nov., a halophilic actinomycete isolated from soil in Algeria. Antonie Van Leeuwenhoek, 2014, 106, 287-292.	1.7	18
170	<i>Chryseobacterium oleae</i> sp. nov., an efficient plant growth promoting bacterium in the rooting induction of olive tree (<i>Olea europaea</i> L.) cuttings and emended descriptions of the genus <i>Chryseobacterium</i> , <i>C. daecheongense</i> , <i>C. gambrini</i> , <i>C. gleum</i> , <i>C. joostei</i> , <i>C. jejuense</i> , <i>C. luteum</i> , <i>C. shigense</i> , <i>C. taiwanense</i> , <i>C. ureilyticum</i> and <i>C. vrystaatense</i> . Systematic and Applied Microbiology, 2014, 37, 342-350.	2.8	89
171	The Families <i>Erysipelotrichaceae</i> emend., <i>Coprobacillaceae</i> fam. nov., and <i>Turicibacteraceae</i> fam. nov., 2014, , 79-105.		31
172	The Family <i>Promicromonosporaceae</i> . , 2014, , 701-724.		2
173	The Family <i>Intrasporangiaceae</i> . , 2014, , 397-424.		1
174	The Family <i>Cellulomonadaceae</i> . , 2014, , 163-184.		4
175	The Use of MALDI-TOF Mass Spectrometry, Ribotyping and Phenotypic Tests to Identify Lactic Acid Bacteria from Fermented Cereal Foods in Abidjan (Côte d'Ivoire). Open Microbiology Journal, 2014, 8, 78-86.	0.7	14
176	The Family <i>Dermacoccaceae</i> . , 2014, , 301-315.		0
177	The Families <i>Sanguibacteraceae</i> and <i>Rarobacteraceae</i> . , 2014, , 867-876.		0
178	<i>Geodermatophilus saharensis</i> sp. nov., isolated from sand of the Saharan desert in Chad. Archives of Microbiology, 2013, 195, 153-159.	2.2	36
179	<i>Pannonibacter indica</i> sp. nov., a highly arsenate-tolerant bacterium isolated from a hot spring in India. Archives of Microbiology, 2013, 195, 1-8.	2.2	39
180	Bacteriolytic <i>Bacillus</i> species isolated from brackish waters of the Southern Baltic Sea. Marine Biology, 2013, 160, 2699-2709.	1.5	5

#	ARTICLE	IF	CITATIONS
181	<i>Actinopolyspora righensis</i> sp. nov., a novel halophilic actinomycete isolated from Saharan soil in Algeria. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 301-307.	1.7	28
182	<i>Geodermatophilus africanus</i> sp. nov., a halotolerant actinomycete isolated from Saharan desert sand. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 207-216.	1.7	52
183	<i>Patulibacter medicamentivorans</i> sp. nov., isolated from activated sludge of a wastewater treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2588-2593.	1.7	22
184	<i>Edaphobacillus lindanitolerans</i> gen. nov., sp. nov., isolated from hexachlorocyclohexane (HCH) contaminated soil. <i>Journal of Basic Microbiology</i> , 2013, 53, 758-765.	3.3	12
185	Description of <i>Tersicoccus phoenicis</i> gen. nov., sp. nov. isolated from spacecraft assembly clean room environments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2463-2471.	1.7	26
186	The discriminatory power of ribotyping as automatable technique for differentiation of bacteria. <i>Systematic and Applied Microbiology</i> , 2013, 36, 369-375.	2.8	39
187	<i>Bacillus halosaccharovorans</i> sp. nov., a moderately halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2776-2781.	1.7	33
188	<i>Saccharothrix saharensis</i> sp. nov., an actinomycete isolated from Algerian Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3744-3749.	1.7	20
189	<i>Metallibacterium scheffleri</i> gen. nov., sp. nov., an alkalinizing gammaproteobacterium isolated from an acidic biofilm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1499-1504.	1.7	79
190	<i>Limimonas halophila</i> gen. nov., sp. nov., an extremely halophilic bacterium in the family Rhodospirillaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1562-1567.	1.7	29
191	<i>Bacillus persicus</i> sp. nov., a halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1229-1234.	1.7	23
192	<i>Bacillus salsus</i> sp. nov., a halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3324-3329.	1.7	19
193	Reclassification of <i>Koreibacter</i> algae as a later heterotypic synonym of <i>Paraoerskovia marina</i> and emended descriptions of the genus <i>Paraoerskovia</i> Khan et al. 2009 and of <i>Paraoerskovia marina</i> Khan et al. 2009. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 219-223.	1.7	7
194	<i>Chryseobacterium hispalense</i> sp. nov., a plant-growth-promoting bacterium isolated from a rainwater pond in an olive plant nursery, and emended descriptions of <i>Chryseobacterium defluvii</i> , <i>Chryseobacterium indologenes</i> , <i>Chryseobacterium wanjuense</i> and <i>Chryseobacterium gregarium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4386-4395.	1.7	187
195	<i>Lactobacillus pasteurii</i> sp. nov. and <i>Lactobacillus hominis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 53-59.	1.7	18
196	<i>Ornithinibacillus halophilus</i> sp. nov., a moderately halophilic, Gram-stain-positive, endospore-forming bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 844-848.	1.7	28
197	<i>Pelagimonas varians</i> gen. nov., sp. nov., isolated from the southern North Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 835-843.	1.7	25
198	<i>Azorhizobium oxalatophilum</i> sp. nov., and emended description of the genus <i>Azorhizobium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1505-1511.	1.7	17

#	ARTICLE	IF	CITATIONS
199	<i>Saliterribacillus persicus</i> gen. nov., sp. nov., a moderately halophilic bacterium isolated from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 345-351.	1.7	31
200	<i>Geodermatophilus telluris</i> sp. nov., an actinomycete isolated from Saharan desert sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2254-2259.	1.7	37
201	<i>Geodermatophilus normandii</i> sp. nov., isolated from Saharan desert sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3437-3443.	1.7	28
202	<i>Marinobacter persicus</i> sp. nov., a moderately halophilic bacterium from a saline lake in Iran. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 47-54.	1.7	27
203	<i>Staphylococcus jettensis</i> sp. nov., a coagulase-negative staphylococcal species isolated from human clinical specimens. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3250-3256.	1.7	15
204	<i>Epibacterium ulvae</i> gen. nov., sp. nov., epibiotic bacteria isolated from the surface of a marine alga. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1589-1596.	1.7	25
205	<i>Geodermatophilus siccatus</i> sp. nov., isolated from arid sand of the Saharan desert in Chad. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 449-456.	1.7	48
206	<i>Actinopolyspora saharensis</i> sp. nov., a novel halophilic actinomycete isolated from a Saharan soil of Algeria. <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 771-776.	1.7	29
207	<i>Paraoerskovia sediminicola</i> sp. nov., an actinobacterium isolated from sea sediment, and emended description of the genus <i>Paraoerskovia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2637-2641.	1.7	9
208	<i>Geodermatophilus tzadiensis</i> sp. nov., a UV radiation-resistant bacterium isolated from sand of the Saharan desert. <i>Systematic and Applied Microbiology</i> , 2013, 36, 177-182.	2.8	43
209	<i>Actinopolyspora mزابensis</i> sp. nov., a halophilic actinomycete isolated from an Algerian Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3787-3792.	1.7	33
210	<i>Hazenella coriacea</i> gen. nov., sp. nov., isolated from clinical specimens. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4087-4093.	1.7	20
211	<i>Ornithinimicrobium murale</i> sp. nov., isolated from an indoor wall colonized by moulds. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 119-123.	1.7	17
212	<i>Budvicia diplopodorum</i> sp. nov. and emended description of the genus <i>Budvicia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 260-267.	1.7	12
213	<i>Rudaeicoccus suwonensis</i> gen. nov., sp. nov., an actinobacterium isolated from the epidermal tissue of a root of a <i>Phalaenopsis</i> orchid. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1291-1296.	1.7	13
214	<i>Chryseomicrobium amylolyticum</i> sp. nov., isolated from a semi-arid tropical soil, and emended descriptions of the genus <i>Chryseomicrobium</i> and <i>Chryseomicrobium imtechense</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2612-2617.	1.7	11
215	<i>Saccharothrix hoggarensis</i> sp. nov., an actinomycete isolated from Saharan soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 549-553.	1.7	26
216	<i>Nocardia amikacinitolerans</i> sp. nov., an amikacin-resistant human pathogen. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1056-1061.	1.7	31

#	ARTICLE	IF	CITATIONS
217	Molecular and phenotypic analyses reveal the non-identity of the <i>Phaeobacter gallaeciensis</i> type strain deposits CIP 105210T and DSM 17395. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 4340-4349.	1.7	52
218	<i>Melghirimyces thermohalophilus</i> sp. nov., a thermoactinomycete isolated from an Algerian salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1717-1722.	1.7	19
219	The effect of easily degradable substrate feeding on the community structure of laboratory-scale wastewater sludge digesters. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2013, 60, 289-301.	0.8	1
220	<i>Bacillus purgationiresistans</i> sp. nov., isolated from a drinking-water treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 71-77.	1.7	28
221	<i>Microbacterium immunditiarum</i> sp. nov., an actinobacterium isolated from landfill surface soil, and emended description of the genus <i>Microbacterium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2187-2193.	1.7	28
222	Emended descriptions of <i>Bacillus sporothermodurans</i> and <i>Bacillus oleronius</i> with the inclusion of dairy farm isolates of both species. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 307-314.	1.7	20
223	<i>Planktotalea frisia</i> gen. nov., sp. nov., isolated from the southern North Sea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1619-1624.	1.7	34
224	<i>Arthrobacter cryoconiti</i> sp. nov., a psychrophilic bacterium isolated from alpine glacier cryoconite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 397-402.	1.7	38
225	<i>Bacillus iranensis</i> sp. nov., a moderate halophile from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 811-816.	1.7	39
226	<i>Microbacterium amylolyticum</i> sp. nov., isolated from soil from an industrial waste site. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2114-2120.	1.7	24
227	<i>Alteribacillus bidgolensis</i> gen. nov., sp. nov., a moderately halophilic bacterium from a hypersaline lake, and reclassification of <i>Bacillus persepolensis</i> as <i>Alteribacillus persepolensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2691-2697.	1.7	34
228	<i>Thermus composti</i> sp. nov., isolated from oyster mushroom compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1486-1490.	1.7	27
229	<i>Lysinibacillus macroides</i> sp. nov., nom. rev.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1121-1127.	1.7	46
230	<i>Melghirimyces algeriensis</i> gen. nov., sp. nov., a member of the family Thermoactinomycetaceae, isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 1491-1498.	1.7	32
231	<i>Sporosarcina newyorkensis</i> sp. nov. from clinical specimens and raw cow's milk. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 322-329.	1.7	21
232	<i>Nevskia aquatilis</i> sp. nov. and <i>Nevskia persephonica</i> sp. nov., isolated from a mineral water aquifer and the emended description of the genus <i>Nevskia</i> . <i>Systematic and Applied Microbiology</i> , 2012, 35, 297-301.	2.8	25
233	<i>Corynebacterium aquatimens</i> sp. nov., a lipophilic <i>Corynebacterium</i> isolated from blood cultures of a patient with bacteremia. <i>Systematic and Applied Microbiology</i> , 2012, 35, 380-384.	2.8	21
234	<i>Cruoricaptor ignavus</i> gen. nov., sp. nov., a novel bacterium of the family Flavobacteriaceae isolated from blood culture of a man with bacteraemia. <i>Systematic and Applied Microbiology</i> , 2012, 35, 421-426.	2.8	15

#	ARTICLE	IF	CITATIONS
235	<i>Geodermatophilus arenarius</i> sp. nov., a xerophilic actinomycete isolated from Saharan desert sand in Chad. <i>Extremophiles</i> , 2012, 16, 903-909.	2.3	58
236	<i>Actinopolyspora algeriensis</i> sp. nov., a novel halophilic actinomycete isolated from a Saharan soil. <i>Extremophiles</i> , 2012, 16, 771-776.	2.3	25
237	<i>Alpinimonas psychrophila</i> gen. nov., sp. nov., an actinobacterium of the family Microbacteriaceae isolated from alpine glacier cryoconite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2724-2730.	1.7	25
238	<i>Aquipuribacter hungaricus</i> gen. nov., sp. nov., an actinobacterium isolated from the ultrapure water system of a power plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 556-562.	1.7	14
239	<i>Nocardioides alpinus</i> sp. nov., a psychrophilic actinomycete isolated from alpine glacier cryoconite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 445-450.	1.7	46
240	Road map of the phylum Actinobacteria. , 2012, , 1-28.		65
241	Fuel cells for civil aircraft application: On-board production of power, water and inert gas. <i>Chemical Engineering Research and Design</i> , 2012, 90, 3-10.	5.6	40
242	<i>Bifidobacterium reuteri</i> sp. nov., <i>Bifidobacterium callitrichos</i> sp. nov., <i>Bifidobacterium saguini</i> sp. nov., <i>Bifidobacterium stellenboschense</i> sp. nov. and <i>Bifidobacterium biavatii</i> sp. nov. isolated from faeces of common marmoset (<i>Callithrix jacchus</i>) and red-handed tamarin (<i>Saguinus midas</i>). <i>Systematic and Applied Microbiology</i> , 2012, 35, 92-97.	2.8	69
243	Reclassification of <i>Leifsonia ginsengi</i> (Qiu et al. 2007) as <i>Herbiconiux ginsengi</i> gen. nov., comb. nov. and description of <i>Herbiconiux solani</i> sp. nov., an actinobacterium associated with the phyllosphere of <i>Solanum tuberosum</i> L.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1039-1047.	1.7	37
244	<i>Bacillus alkalisediminis</i> sp. nov., an alkaliphilic and moderately halophilic bacterium isolated from sediment of extremely shallow soda ponds. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1880-1886.	1.7	37
245	<i>Cellulomonas phragmiteti</i> sp. nov., a cellulolytic bacterium isolated from reed (<i>Phragmites australis</i>) periphyton in a shallow soda pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1662-1666.	1.7	31
246	<i>Ottowia pentelensis</i> sp. nov., a floc-forming betaproteobacterium isolated from an activated sludge system treating coke plant effluent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2146-2150.	1.7	29
247	Comparative chemotaxonomic and phylogenetic studies on the genus <i>Arcanobacterium</i> Collins et al. 1982 emend. Lehnen et al. 2006: proposal for <i>Trueperella</i> gen. nov. and emended description of the genus <i>Arcanobacterium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1265-1274.	1.7	145
248	<i>Arthrobacter equi</i> sp. nov., isolated from veterinary clinical material. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2089-2094.	1.7	18
249	<i>Agrococcus carbonis</i> sp. nov., isolated from soil of a coal mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1253-1258.	1.7	17
250	<i>Leucobacter chromiirestans</i> sp. nov., a chromate-resistant strain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 956-960.	1.7	43
251	Peptidoglycan Structure. <i>Methods in Microbiology</i> , 2011, 38, 101-129.	0.8	470
252	<i>Rhizobium pusense</i> sp. nov., isolated from the rhizosphere of chickpea (<i>Cicer arietinum</i> L.). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2632-2639.	1.7	86

#	ARTICLE	IF	CITATIONS
253	<i>Tahibacter aquaticus</i> gen. nov., sp. nov., a new gammaproteobacterium isolated from the drinking water supply system of Budapest (Hungary). <i>Systematic and Applied Microbiology</i> , 2011, 34, 110-115.	2.8	22
254	<i>Gaiella occulta</i> gen. nov., sp. nov., a novel representative of a deep branching phylogenetic lineage within the class Actinobacteria and proposal of Gaiellaceae fam. nov. and Gaiellales ord. nov.. <i>Systematic and Applied Microbiology</i> , 2011, 34, 595-599.	2.8	167
255	Relationship of <i>Bacillus amyloliquefaciens</i> clades associated with strains DSM 7T and FZB42T: a proposal for <i>Bacillus amyloliquefaciens</i> subsp. <i>amyloliquefaciens</i> subsp. nov. and <i>Bacillus amyloliquefaciens</i> subsp. <i>plantarum</i> subsp. nov. based on complete genome sequence comparisons. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1786-1801.	1.7	265
256	An alphaproteobacterium capable of both aerobic and anaerobic anoxygenic photosynthesis but incapable of photoautotrophy: <i>Charonomicrobium ambiphototrophicum</i> , gen. nov., sp. nov.. <i>Photosynthesis Research</i> , 2011, 107, 257-268.	2.9	13
257	<i>Chromocurvus halotolerans</i> gen. nov., sp. nov., a gammaproteobacterial obligately aerobic anoxygenic phototroph, isolated from a Canadian hypersaline spring. <i>Archives of Microbiology</i> , 2011, 193, 573-582.	2.2	25
258	<i>Nocardiopsis arvandica</i> sp. nov., isolated from sandy soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1189-1194.	1.7	33
259	<i>Nocardia niwae</i> sp. nov., isolated from human pulmonary sources. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 438-442.	1.7	21
260	<i>Nocardioides hungaricus</i> sp. nov., isolated from a drinking water supply system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 549-553.	1.7	16
261	<i>Calidifontibacter indicus</i> gen. nov., sp. nov., a member of the family Dermacoccaceae isolated from a hot spring, and emended description of the family Dermacoccaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2419-2424.	1.7	29
262	<i>Auritidibacter ignavus</i> gen. nov., sp. nov., of the family Micrococcaceae isolated from an ear swab of a man with otitis externa, transfer of the members of the family Yaniellaceae Li et al. 2008 to the family Micrococcaceae and emended description of the suborder Micrococcineae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 223-230.	1.7	30
263	<i>Bacillus thermolactis</i> sp. nov., isolated from dairy farms, and emended description of <i>Bacillus thermoamyovorans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1954-1961.	1.7	51
264	<i>Peptoniphilus methionivorax</i> sp. nov., a Gram-positive anaerobic coccus isolated from retail ground beef. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1962-1967.	1.7	30
265	<i>Microbacterium arthrosphaerae</i> sp. nov., isolated from the faeces of the pill millipede <i>Arthrosphaera magna</i> Attems. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1334-1337.	1.7	20
266	<i>Kroppenstedtia eburnea</i> gen. nov., sp. nov., a thermoactinomycete isolated by environmental screening, and emended description of the family Thermoactinomycetaceae Matsuo et al. 2006 emend. Yassin et al. 2009. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 2304-2310.	1.7	42
267	<i>Microbacterium lindanitolerans</i> sp. nov., isolated from hexachlorocyclohexane-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2634-2638.	1.7	21
268	Characterization of heterotrophic nitrifying bacteria with respiratory ammonification and denitrification activity – Description of <i>Paenibacillus uliginis</i> sp. nov., an inhabitant of fen peat soil and <i>Paenibacillus purispatii</i> sp. nov., isolated from a spacecraft assembly clean room. <i>Systematic and Applied Microbiology</i> , 2010, 33, 328-336.	2.8	68
269	<i>Yimella lutea</i> gen. nov., sp. nov., a novel actinobacterium of the family Dermacoccaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 659-663.	1.7	30
270	<i>Pseudofulvimonas gallinarii</i> gen. nov., sp. nov., a new member of the family Xanthomonadaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1427-1431.	1.7	21

#	ARTICLE	IF	CITATIONS
271	<i>Nocardiopsis sinuspersici</i> sp. nov., isolated from sandy rhizospheric soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2346-2352.	1.7	27
272	<i>Tsukamurella soli</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1667-1671.	1.7	14
273	<i>Microbacterium agarici</i> sp. nov., <i>Microbacterium humi</i> sp. nov. and <i>Microbacterium pseudoresistens</i> sp. nov., isolated from the base of the mushroom <i>Agaricus blazei</i> . International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 854-860.	1.7	30
274	<i>Paenibacillus hunanensis</i> sp. nov., isolated from rice seeds. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1266-1270.	1.7	46
275	<i>Paenochrobactrum gallinarii</i> gen. nov., sp. nov., isolated from air of a duck barn, and reclassification of <i>Pseudochrobactrum glaciei</i> as <i>Paenochrobactrum glaciei</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1493-1498.	1.7	30
276	<i>Agromyces bauzanensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2341-2345.	1.7	19
277	<i>Terrabacter aeriphilus</i> sp. nov., isolated from an air sample. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1130-1134.	1.7	9
278	<i>Arthrobacter alpinus</i> sp. nov., a psychrophilic bacterium isolated from alpine soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2149-2153.	1.7	48
279	<i>Streptomyces iranensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1504-1509.	1.7	25
280	<i>Georgenia soli</i> sp. nov., isolated from iron-ore-contaminated soil in India. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1027-1030.	1.7	24
281	<i>Psychromonas boydii</i> sp. nov., a gas-vacuolate, psychrophilic bacterium isolated from an Arctic sea-ice core. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 84-92.	1.7	27
282	<i>Microclunatus soli</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 824-827.	1.7	24
283	<i>Staphylococcus microti</i> sp. nov., isolated from the common vole (<i>Microtus arvalis</i>). International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 566-573.	1.7	27
284	<i>Sporosarcina contaminans</i> sp. nov. and <i>Sporosarcina thermotolerans</i> sp. nov., two endospore-forming species. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1353-1357.	1.7	21
285	<i>Nocardia mikamii</i> sp. nov., isolated from human pulmonary infections in the USA. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2272-2276.	1.7	22
286	<i>Ornithinibacillus contaminans</i> sp. nov., an endospore-forming species. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2930-2934.	1.7	36
287	<i>Jeotgalibacillus salarius</i> sp. nov., isolated from a marine saltern, and reclassification of <i>Marinibacillus marinus</i> and <i>Marinibacillus campisalis</i> as <i>Jeotgalibacillus marinus</i> comb. nov. and <i>Jeotgalibacillus campisalis</i> comb. nov., respectively. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 15-20.	1.7	34
288	<i>Ochrobactrum ciceri</i> sp. nov., isolated from nodules of <i>Cicer arietinum</i> . International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 1548-1553.	1.7	72

#	ARTICLE	IF	CITATIONS
289	<i>Leucobacter aerolatus</i> sp. nov., from the air of a duck barn. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2838-2842.	1.7	30
290	<i>Paenibacillus residui</i> sp. nov., isolated from urban waste compost. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2415-2419.	1.7	23
291	<i>Siphonobacter aquaeclarae</i> gen. nov., sp. nov., a novel member of the family "Flexibacteraceae"™, phylum Bacteroidetes. International Journal of Systematic and Evolutionary Microbiology, 2010, 60, 2567-2571.	1.7	16
292	Proposed minimal standards for describing new genera and species of the suborder Micrococccineae. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1823-1849.	1.7	70
293	<i>Flavobacterium rivuli</i> sp. nov., <i>Flavobacterium subsaxonicum</i> sp. nov., <i>Flavobacterium swingsii</i> sp. nov. and <i>Flavobacterium reichenbachii</i> sp. nov., isolated from a hard water rivulet. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2610-2617.	1.7	59
294	<i>Brachymonas chironomi</i> sp. nov., isolated from a chironomid egg mass, and emended description of the genus <i>Brachymonas</i> . International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 3025-3029.	1.7	18
295	<i>Streptococcus merionis</i> sp. nov., isolated from Mongolian jirds (<i>Meriones unguiculatus</i>). International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 766-770.	1.7	15
296	The Peptidoglycan Sacculus of <i>Myxococcus xanthus</i> Has Unusual Structural Features and Is Degraded during Glycerol-Induced Myxospore Development. Journal of Bacteriology, 2009, 191, 494-505.	2.2	89
297	Novel members of the family Micromonosporaceae, <i>Rugosimonospora acidiphila</i> gen. nov., sp. nov. and <i>Rugosimonospora africana</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2752-2758.	1.7	31
298	<i>Desulfovibrio idahonensis</i> sp. nov., sulfate-reducing bacteria isolated from a metal(loid)-contaminated freshwater sediment. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2208-2214.	1.7	34
299	Architecture Analysis, Modelling and Simulation of PEM Fuel Cell Systems for Aircraft Applications. ECS Transactions, 2009, 17, 285-293.	0.5	5
300	<i>Microbacterium invictum</i> sp. nov., isolated from homemade compost. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 2036-2041.	1.7	21
301	<i>Demequina lutea</i> sp. nov., isolated from a high Arctic permafrost soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 649-653.	1.7	26
302	<i>Leucobacter chironomi</i> sp. nov., a chromate-resistant bacterium isolated from a chironomid egg mass. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 665-670.	1.7	59
303	<i>Kytococcus aerolatus</i> sp. nov., isolated from indoor air in a room colonized with moulds. Systematic and Applied Microbiology, 2009, 32, 301-305.	2.8	26
304	<i>Desulfonauticus autotrophicus</i> sp. nov., a novel thermophilic sulfate-reducing bacterium isolated from oil-production water and emended description of the genus <i>Desulfonauticus</i> . Extremophiles, 2009, 13, 247-255.	2.3	36
305	Description of <i>Oxalicibacterium horti</i> sp. nov. and <i>Oxalicibacterium faecigallinarum</i> sp. nov., new aerobic, yellow-pigmented, oxalotrophic bacteria. FEMS Microbiology Letters, 2009, 296, 198-202.	1.8	26
306	<i>Bacillus beijingensis</i> sp. nov. and <i>Bacillus ginsengi</i> sp. nov., isolated from ginseng root. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 729-734.	1.7	24

#	ARTICLE	IF	CITATIONS
307	Description of <i>Paenisporosarcina quisquiliarum</i> gen. nov., sp. nov., and reclassification of <i>Sporosarcina macmurdoensis</i> Reddy et al. 2003 as <i>Paenisporosarcina macmurdoensis</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1364-1370.	1.7	55
308	<i>Microbacterium insulae</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1738-1742.	1.7	16
309	<i>Pseudomonas cedrina</i> subsp. <i>fulgida</i> subsp. nov., a fluorescent bacterium isolated from the phyllosphere of grasses; emended description of <i>Pseudomonas cedrina</i> and description of <i>Pseudomonas cedrina</i> subsp. <i>cedrina</i> subsp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1331-1335.	1.7	18
310	<i>Ureibacillus</i> gen. nov., a new genus to accommodate <i>Bacillus thermosphaericus</i> (Andersson et al.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 International Journal of Systematic and Evolutionary Microbiology, 2009, 59, 1258-1258.	1.7	1
311	Identification of a bacterial strain isolated from the liver of a laboratory mouse as <i>Microbacterium paraoxydans</i> and emended description of the species <i>Microbacterium paraoxydans</i> Laffineur et al 2003. Indian Journal of Microbiology, 2008, 48, 243-251.	2.7	19
312	<i>Salinicoccus iranensis</i> sp. nov., a novel moderate halophile. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 178-183.	1.7	23
313	<i>Agrococcus versicolor</i> sp. nov., an actinobacterium associated with the phyllosphere of potato plants. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2833-2838.	1.7	22
314	<i>Nesterenkonia halophila</i> sp. nov., a moderately halophilic, alkalitolerant actinobacterium isolated from a saline soil. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1359-1363.	1.7	48
315	<i>Phycoccus aerophilus</i> sp. nov., isolated from air. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2389-2392.	1.7	19
316	<i>Pseudoxanthobacter soli</i> gen. nov., sp. nov., a nitrogen-fixing alphaproteobacterium isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1571-1575.	1.7	18
317	<i>Virgibacillus kekensis</i> sp. nov., a moderately halophilic bacterium isolated from a salt lake in China. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 647-653.	1.7	36
318	<i>Salinivibrio proteolyticus</i> sp. nov., a moderately halophilic and proteolytic species from a hypersaline lake in Iran. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1159-1163.	1.7	52
319	<i>Microbacterium luticocti</i> sp. nov., isolated from sewage sludge compost. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1700-1704.	1.7	21
320	<i>Kribbella catacumbae</i> sp. nov. and <i>Kribbella sancticallisti</i> sp. nov., isolated from whitish-grey patinas in the catacombs of St Callistus in Rome, Italy. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2090-2097.	1.7	44
321	Description of <i>Ancylobacter oerskovii</i> sp. nov. and two additional strains of <i>Ancylobacter polymorphus</i> . International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1997-2002.	1.7	21
322	<i>Desulfosporosinus hippei</i> sp. nov., a mesophilic sulfate-reducing bacterium isolated from permafrost. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1228-1232.	1.7	43
323	<i>Phycicola gilvus</i> gen. nov., sp. nov., an actinobacterium isolated from living seaweed. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 1318-1323.	1.7	44
324	<i>Mycetocola reblochoni</i> sp. nov., isolated from the surface microbial flora of Reblochon cheese. International Journal of Systematic and Evolutionary Microbiology, 2008, 58, 2687-2693.	1.7	29

#	ARTICLE	IF	CITATIONS
325	<i>Chryseobacterium hungaricum</i> sp. nov., isolated from hydrocarbon-contaminated soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2748-2754.	1.7	52
326	<i>Chryseobacterium gregarium</i> sp. nov., isolated from decaying plant material. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1069-1074.	1.7	40
327	<i>Leucobacter tardus</i> sp. nov., isolated from the phyllosphere of <i>Solanum tuberosum</i> L.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2574-2578.	1.7	34
328	<i>Bacillus aurantiacus</i> sp. nov., an alkaliphilic and moderately halophilic bacterium isolated from Hungarian soda lakes. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 845-851.	1.7	46
329	<i>Desulfotomaculum alcoholivorax</i> sp. nov., a moderately thermophilic, spore-forming, sulfate-reducer isolated from a fluidized-bed reactor treating acidic metal- and sulfate-containing wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 833-838.	1.7	24
330	<i>Cellulomonas aerilata</i> sp. nov., isolated from an air sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2925-2929.	1.7	26
331	<i>Agromyces terreus</i> sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1308-1312.	1.7	24
332	<i>Humibacter albus</i> gen. nov., sp. nov., isolated from sewage sludge compost. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1014-1018.	1.7	46
333	<i>Brevibacterium album</i> sp. nov., a novel actinobacterium isolated from a saline soil in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 574-577.	1.7	32
334	<i>Nocardioides daphniae</i> sp. nov., isolated from <i>Daphnia cucullata</i> (Crustacea: Cladocera). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 78-83.	1.7	44
335	<i>Wohlfahrtiimonas chitiniclastica</i> gen. nov., sp. nov., a new gammaproteobacterium isolated from <i>Wohlfahrtia magnifica</i> (Diptera: Sarcophagidae). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 976-981.	1.7	126
336	<i>Bacillus aeolius</i> DSM 15084T (=CIP 107628T) is a strain of <i>Bacillus licheniformis</i> .. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1268-1270.	1.7	12
337	<i>Fodinicola feengrottensis</i> gen. nov., sp. nov., an actinomycete isolated from a medieval mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 1529-1536.	1.7	33
338	<i>Micromonospora lupini</i> sp. nov. and <i>Micromonospora saelicesensis</i> sp. nov., isolated from root nodules of <i>Lupinus angustifolius</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2799-2804.	1.7	108
339	<i>Ureibacillus composti</i> sp. nov. and <i>Ureibacillus thermophilus</i> sp. nov., isolated from livestock-manure composts. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2908-2911.	1.7	21
340	<i>Herminiimonas saxobsidens</i> sp. nov., isolated from a lichen-colonized rock. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2618-2622.	1.7	29
341	<i>Deinococcus cellulosityticus</i> sp. nov., isolated from air. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1685-1688.	1.7	47
342	<i>Staphylococcus pettenkoferi</i> sp. nov., a novel coagulase-negative staphylococcal species isolated from human clinical specimens. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1543-1548.	1.7	48

#	ARTICLE	IF	CITATIONS
343	<i>Leucobacter iarius</i> sp. nov., in the family Microbacteriaceae. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 682-686.	1.7	40
344	<i>Demequina aestuarii</i> gen. nov., sp. nov., a novel actinomycete of the suborder Micrococccineae, and reclassification of <i>Cellulomonas fermentans</i> Bagnara et al. 1985 as <i>Actinotalea fermentans</i> gen. nov., comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 151-156.	1.7	90
345	<i>Cellulosimicrobium terreum</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2493-2497.	1.7	42
346	<i>Sporosarcina koreensis</i> sp. nov. and <i>Sporosarcina soli</i> sp. nov., isolated from soil in Korea. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1694-1698.	1.7	39
347	Characterization of <i>Pseudomonas azelaica</i> ™ DSM 9128, leading to emended descriptions of <i>Pseudomonas citronellolis</i> Seubert 1960 (Approved Lists 1980) and <i>Pseudomonas nitroreducens</i> Iizuka and Komagata 1964 (Approved Lists 1980), including <i>Pseudomonas multiresinivorans</i> as its later heterotypic synonym. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 678-682.	1.7	25
348	<i>Chryseobacterium luteum</i> sp. nov., associated with the phyllosphere of grasses. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1881-1885.	1.7	36
349	<i>Knoellia aerolata</i> sp. nov., isolated from an air sample in Korea. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2861-2864.	1.7	25
350	<i>Pseudomonas lurida</i> sp. nov., a fluorescent species associated with the phyllosphere of grasses. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 979-985.	1.7	32
351	Proposal of <i>Viridibacillus</i> gen. nov. and reclassification of <i>Bacillus arvi</i> , <i>Bacillus arenosi</i> and <i>Bacillus neidei</i> as <i>Viridibacillus arvi</i> gen. nov., comb. nov., <i>Viridibacillus arenosi</i> comb. nov. and <i>Viridibacillus neidei</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2729-2737.	1.7	69
352	<i>Zhihengliuella halotolerans</i> gen. nov., sp. nov., a novel member of the family Micrococccaceae. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1018-1023.	1.7	49
353	<i>Desulfurispora thermophila</i> gen. nov., sp. nov., a thermophilic, spore-forming sulfate-reducer isolated from a sulfidogenic fluidized-bed reactor. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1089-1094.	1.7	51
354	<i>Desulfoviregula thermocuniculi</i> gen. nov., sp. nov., a thermophilic sulfate-reducer isolated from a geothermal underground mine in Japan. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 98-102.	1.7	29
355	<i>Granulicoccus phenolivorans</i> gen. nov., sp. nov., a Gram-positive, phenol-degrading coccus isolated from phenol-degrading aerobic granules. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 730-737.	1.7	29
356	<i>Georgenia ruanii</i> sp. nov., a novel actinobacterium isolated from forest soil in Yunnan (China), and emended description of the genus <i>Georgenia</i> . International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 1424-1428.	1.7	770
357	<i>Paenibacillus humicus</i> sp. nov., isolated from poultry litter compost. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2267-2271.	1.7	34
358	Taxonomic characterization of members of the genus <i>Corallococcus</i> : Molecular divergence versus phenotypic coherency. Systematic and Applied Microbiology, 2007, 30, 109-118.	2.8	30
359	<i>Porphyrobacter meromictius</i> sp. nov., an Appendaged Bacterium, That Produces Bacteriochlorophyll a. Current Microbiology, 2007, 55, 356-361.	2.2	18
360	<i>Terrabacter aerolatus</i> sp. nov., isolated from an air sample. International Journal of Systematic and Evolutionary Microbiology, 2007, 57, 2106-2109.	1.7	24

#	ARTICLE	IF	CITATIONS
361	The Family Cellulomonadaceae. , 2006, , 983-1001.		22
362	<i>Pseudomonas moraviensis</i> sp. nov. and <i>Pseudomonas vranovensis</i> sp. nov., soil bacteria isolated on nitroaromatic compounds, and emended description of <i>Pseudomonas asplenii</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2657-2663.	1.7	64
363	<i>Micromonospora coriariae</i> sp. nov., isolated from root nodules of <i>Coriaria myrtifolia</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2381-2385.	1.7	94
364	<i>Kribbella lupini</i> sp. nov., isolated from the roots of <i>Lupinus angustifolius</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 407-411.	1.7	52
365	Sequencing and Staphylococci Identification. Emerging Infectious Diseases, 2006, 12, 333-336.	4.3	158
366	Introduction to the Taxonomy of Actinobacteria. , 2006, , 297-321.		41
367	Metalloid Reducing Bacteria Isolated from Deep Ocean Hydrothermal Vents of the Juan de Fuca Ridge, <i>Pseudoalteromonas telluritireducens</i> sp. nov. and <i>Pseudoalteromonas spiralis</i> sp. nov. Current Microbiology, 2006, 53, 449-456.	2.2	22
368	<i>Exiguobacterium mexicanum</i> sp. nov. and <i>Exiguobacterium artemiae</i> sp. nov., isolated from the brine shrimp <i>Artemia franciscana</i> . Systematic and Applied Microbiology, 2006, 29, 183-190.	2.8	59
369	<i>Desulfurobacterium atlanticum</i> sp. nov., <i>Desulfurobacterium pacificum</i> sp. nov. and <i>Thermovibrio guaymasensis</i> sp. nov., three thermophilic members of the Desulfurobacteriaceae fam. nov., a deep branching lineage within the Bacteria. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2843-2852.	1.7	61
370	<i>Actinoplanes liguriensis</i> sp. nov. and <i>Actinoplanes teichomyceticus</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2125-2130.	1.7	17
371	<i>Desulfotomaculum thermosubterraneum</i> sp. nov., a thermophilic sulfate-reducer isolated from an underground mine located in a geothermally active area. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2603-2608.	1.7	54
372	<i>Isopterocola dokdonensis</i> sp. nov., isolated from soil. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 2893-2897.	1.7	26
373	Novel Thermophilic Sulfate-Reducing Bacteria from a Geothermally Active Underground Mine in Japan. Applied and Environmental Microbiology, 2006, 72, 3759-3762.	3.1	39
374	<i>Myceligenerans crystallogenes</i> sp. nov., isolated from Roman catacombs. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 283-287.	1.7	27
375	<i>Providencia vermicola</i> sp. nov., isolated from infective juveniles of the entomopathogenic nematode <i>Steinernema thermophilum</i> . International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 629-633.	1.7	95
376	<i>Agrococcus lahaulensis</i> sp. nov., isolated from a cold desert of the Indian Himalayas. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1807-1810.	1.7	38
377	<i>Vulcanibacillus modesticaldus</i> gen. nov., sp. nov., a strictly anaerobic, nitrate-reducing bacterium from deep-sea hydrothermal vents. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1047-1053.	1.7	53
378	<i>Sinococcus qinghaiensis</i> gen. nov., sp. nov., a novel member of the order Bacillales from a saline soil in China. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1189-1192.	1.7	27

#	ARTICLE	IF	CITATIONS
379	<i>Yonghaparkia alkaliphila</i> gen. nov., sp. nov., a novel member of the family Microbacteriaceae isolated from an alkaline soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2415-2420.	1.7	52
380	<i>Desulfosporosinus lacus</i> sp. nov., a sulfate-reducing bacterium isolated from pristine freshwater lake sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2729-2736.	1.7	105
381	<i>Catenulispora acidiphila</i> gen. nov., sp. nov., a novel, mycelium-forming actinomycete, and proposal of Catenulisporaceae fam. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1741-1746.	1.7	71
382	<i>Actinospica robiniae</i> gen. nov., sp. nov. and <i>Actinospica acidiphila</i> sp. nov.: proposal for Actinospicaceae fam. nov. and Catenulisporinae subord. nov. in the order Actinomycetales. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1747-1753.	1.7	53
383	<i>Acaricomus phytoseiuli</i> gen. nov., sp. nov., isolated from the predatory mite <i>Phytoseiulus persimilis</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 465-469.	1.7	49
384	<i>Byssovorax cruenta</i> gen. nov., sp. nov., nom. rev., a cellulose-degrading myxobacterium: rediscovery of "Myxococcus cruentus" Thaxter 1897. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2357-2363.	1.7	36
385	<i>Ureibacillus suwonensis</i> sp. nov., isolated from cotton waste composts. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 663-666.	1.7	23
386	Isolates of "Candidatus Nostocoida limicola" Blackall et al. 2000 should be described as three novel species of the genus <i>Tetrasphaera</i> , as <i>Tetrasphaera jenkinsii</i> sp. nov., <i>Tetrasphaera vanveenii</i> sp. nov. and <i>Tetrasphaera veronensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2279-2290.	1.7	56
387	New Lineage of Filamentous, Spore-Forming, Gram-Positive Bacteria from Soil. <i>Applied and Environmental Microbiology</i> , 2006, 72, 4360-4369.	3.1	154
388	<i>Kocuria aegyptia</i> sp. nov., a novel actinobacterium isolated from a saline, alkaline desert soil in Egypt. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 733-737.	1.7	72
389	Description of four novel species of <i>Xenorhabdus</i> , family Enterobacteriaceae: <i>Xenorhabdus budapestensis</i> sp. nov., <i>Xenorhabdus ehlersii</i> sp. nov., <i>Xenorhabdus innexi</i> sp. nov., and <i>Xenorhabdus szentirmaii</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 2005, 28, 115-122.	2.8	81
390	Eight new species of the genus <i>Micromonospora</i> , <i>Micromonospora citrea</i> sp. nov., <i>Micromonospora echinaurantiaca</i> sp. nov., <i>Micromonospora echinofusca</i> sp. nov. <i>Micromonospora fulviviridis</i> sp. nov., <i>Micromonospora inyonensis</i> sp. nov., <i>Micromonospora peucetia</i> sp. nov., <i>Micromonospora sagamiensis</i> sp. nov., and <i>Micromonospora viridifaciens</i> sp. nov.. <i>Systematic and Applied Microbiology</i> , 2005, 28, 328-339.	2.8	73
391	<i>Isopterocola hypogeus</i> sp. nov., isolated from the Roman catacomb of Domitilla. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1715-1719.	1.7	40
392	<i>Malikia granosa</i> gen. nov., sp. nov., a novel polyhydroxyalkanoate- and polyphosphate-accumulating bacterium isolated from activated sludge, and reclassification of <i>Pseudomonas spinosa</i> as <i>Malikia spinosa</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 621-629.	1.7	88
393	Polyphasic taxonomic study of strain CCM 2783 resulting in the description of <i>Arthrobacter stackebrandtii</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 805-808.	1.7	18
394	Reclassification of strain CCM 132, previously classified as <i>Kocuria varians</i> , as <i>Kocuria carniphila</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 139-142.	1.7	44
395	<i>Micromonospora mirobrigensis</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 877-880.	1.7	66
396	<i>Roseicyclus mahoneyensis</i> gen. nov., sp. nov., an aerobic phototrophic bacterium isolated from a meromictic lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005, 55, 1597-1603.	1.7	38

#	ARTICLE	IF	CITATIONS
397	Methanogenium frittonii Harris et al. 1996 is a later synonym of Methanoculleus thermophilus (Rivard) Tj ETQq1 1 Microbiology, 2005, 55, 1097-1099.	0.784314 1.7	rgBT /Over 17
398	Nocardioides oleivorans sp. nov., a novel crude-oil-degrading bacterium. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1501-1504.	1.7	66
399	Chryseobacterium daecheongense sp. nov., isolated from freshwater lake sediment. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 133-138.	1.7	80
400	Quadrisphaera granulorum gen. nov., sp. nov., a Gram-positive polyphosphate-accumulating coccus in tetrads or aggregates isolated from aerobic granules. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1771-1777.	1.7	47
401	Marinobacter bryozorum sp. nov. and Marinobacter sediminum sp. nov., novel bacteria from the marine environment. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 143-148.	1.7	81
402	Isoptericola halotolerans sp. nov., a novel actinobacterium isolated from saline soil from Qinghai Province, north-west China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1867-1870.	1.7	54
403	Cellulomonas bogoriensis sp. nov., an alkaliphilic cellulomonad. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1711-1714.	1.7	50
404	Paenibacillus barcinonensis sp. nov., a xylanase-producing bacterium isolated from a rice field in the Ebro River delta. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 935-939.	1.7	72
405	Toxin-Producing Ability among Bacillus spp. Outside the Bacillus cereus Group. Applied and Environmental Microbiology, 2005, 71, 1178-1183.	3.1	130
406	Psychrobacter vallis sp. nov. and Psychrobacter aquaticus sp. nov., from Antarctica. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 757-762.	1.7	66
407	Six novel Arthrobacter species isolated from deteriorated mural paintings. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1457-1464.	1.7	94
408	Microbacterium oleivorans sp. nov. and Microbacterium hydrocarbonoxydans sp. nov., novel crude-oil-degrading Gram-positive bacteria. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 655-660.	1.7	112
409	Gordonia nitida Yoon et al. 2000 is a later synonym of Gordonia alkanivorans Kummer et al. 1999. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 695-697.	1.7	15
410	Proposal of Yaniaceae fam. nov. and Yania flava sp. nov. and emended description of the genus Yania. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1933-1938.	1.7	33
411	Marinococcus halotolerans sp. nov., isolated from Qinghai, north-west China. International Journal of Systematic and Evolutionary Microbiology, 2005, 55, 1801-1804.	1.7	33
412	Xylanibacterium ulmi gen. nov., sp. nov., a novel xylanolytic member of the family Promicromonosporaceae. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 557-561.	1.7	38
413	Arthrobacter nitroguajacolicus sp. nov., a novel 4-nitroguaiacol-degrading actinobacterium. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 773-777.	1.7	47
414	Marinibacillus campisalis sp. nov., a moderate halophile isolated from a marine solar saltern in Korea, with emended description of the genus Marinibacillus. International Journal of Systematic and Evolutionary Microbiology, 2004, 54, 1317-1321.	1.7	22

#	ARTICLE	IF	CITATIONS
415	<i>Brevibacterium picturae</i> sp. nov., isolated from a damaged mural painting at the Saint-Catherine chapel (Castle Herberstein, Austria). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1537-1541.	1.7	32
416	<i>Arsenicococcus bolidensis</i> gen. nov., sp. nov., a novel actinomycete isolated from contaminated lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 605-608.	1.7	52
417	<i>Arthrobacter psychrophenicus</i> sp. nov., isolated from an alpine ice cave. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2067-2072.	1.7	81
418	<i>Yania halotolerans</i> gen. nov., sp. nov., a novel member of the suborder Micrococccineae from saline soil in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 525-531.	1.7	46
419	<i>Nesterenkonia halotolerans</i> sp. nov. and <i>Nesterenkonia xinjiangensis</i> sp. nov., actinobacteria from saline soils in the west of China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 837-841.	1.7	68
420	<i>Myceligenerans xiligouense</i> gen. nov., sp. nov., a novel hyphae-forming member of the family Promicromonosporaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1287-1293.	1.7	41
421	Reclassification of <i>Promicromonospora pachnodae</i> Cazemier et al. 2004 as <i>Xylanimicrobium pachnodae</i> gen. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1383-1386.	1.7	35
422	<i>Jonesia quinghaiensis</i> sp. nov., a new member of the suborder Micrococccineae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 2181-2184.	1.7	24
423	<i>Serinicoccus marinus</i> gen. nov., sp. nov., a novel actinomycete with l-ornithine and l-serine in the peptidoglycan. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1585-1589.	1.7	84
424	<i>Jeotgalicoccus pinnipedialis</i> sp. nov., from a southern elephant seal (<i>Mirounga leonina</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 745-748.	1.7	23
425	Reclassification of <i>Cellulosimicrobium variabile</i> Bakalidou et al. 2002 as <i>Isoptericola variabilis</i> gen. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 685-688.	1.7	67
426	<i>Nocardiopsis aegyptia</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 453-456.	1.7	51
427	<i>Caminibacter profundus</i> sp. nov., a novel thermophile of Nautiliales ord. nov. within the class ϵ -Proteobacteria TM , isolated from a deep-sea hydrothermal vent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 41-45.	1.7	86
428	<i>Reinekea marinisedimentorum</i> gen. nov., sp. nov., a novel gammaproteobacterium from marine coastal sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 669-673.	1.7	52
429	<i>Blastococcus saxobsidens</i> sp. nov., and emended descriptions of the genus <i>Blastococcus</i> Ahrens and Moll 1970 and <i>Blastococcus aggregatus</i> Ahrens and Moll 1970. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 253-259.	1.7	62
430	<i>Mycobacterium psychrotolerans</i> sp. nov., isolated from pond water near a uranium mine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 1459-1463.	1.7	29
431	Reclassification of <i>Amycolatopsis orientalis</i> subsp. <i>lurida</i> Lechevalier et al. 1986 as <i>Amycolatopsis lurida</i> sp. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 267-268.	1.7	21
432	<i>Thermodesulfator indicus</i> gen. nov., sp. nov., a novel thermophilic chemolithoautotrophic sulfate-reducing bacterium isolated from the Central Indian Ridge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 227-233.	1.7	91

#	ARTICLE	IF	CITATIONS
433	Two new Subspecies of <i>Photorhabdus luminescens</i> , Isolated from <i>Heterorhabditis bacteriophora</i> (Nematoda: Heterorhabditidae): <i>Photorhabdus luminescens</i> subsp. <i>kayaii</i> subsp. nov. and <i>Photorhabdus luminescens</i> subsp. <i>thracensis</i> subsp. nov.. <i>Systematic and Applied Microbiology</i> , 2004, 27, 36-42.	2.8	47
434	<i>Deinococcus frigans</i> sp. nov., <i>Deinococcus saxicola</i> sp. nov., and <i>Deinococcus marmoris</i> sp. nov., Low Temperature and Draught-tolerating, UV-resistant Bacteria from Continental Antarctica. <i>Systematic and Applied Microbiology</i> , 2004, 27, 636-645.	2.8	143
435	<i>Kribbella antibiotica</i> sp. nov., a Novel Nocardioform Actinomycete Strain Isolated from Soil in Yunnan, China. <i>Systematic and Applied Microbiology</i> , 2004, 27, 160-165.	2.8	24
436	Cryptoendolithic Actinomycetes from Antarctic Sandstone Rock Samples: <i>Micromonospora endolithica</i> sp. nov. and two Isolates Related to <i>Micromonospora coerulea</i> Jensen 1932. <i>Systematic and Applied Microbiology</i> , 2004, 27, 166-174.	2.8	84
437	<i>Erysipelothrix inopinata</i> sp. nov., isolated in the course of sterile filtration of vegetable peptone broth, and description of <i>Erysipelotrichaceae</i> fam. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 221-225.	1.7	84
438	<i>Amycolatopsis decaplanina</i> sp. nov., a novel member of the genus with unusual morphology. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 235-239.	1.7	36
439	Psychrophilic pseudomonads from Antarctica: <i>Pseudomonas antarctica</i> sp. nov., <i>Pseudomonas meridiana</i> sp. nov. and <i>Pseudomonas proteolytica</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004, 54, 713-719.	1.7	132
440	Development and Evaluation of a Quality-Controlled Ribosomal Sequence Database for 16S Ribosomal DNA-Based Identification of <i>Staphylococcus</i> Species. <i>Journal of Clinical Microbiology</i> , 2004, 42, 4988-4995.	3.9	205
441	Three New Antibiotic Producing Species of the Genus <i>Amycolatopsis</i> , <i>Amycolatopsis balhimycina</i> sp. nov., <i>A. tolypomycina</i> sp. nov., <i>A. vancoresmycina</i> sp. nov., and Description of <i>Amycolatopsis keratiniphila</i> subsp. <i>keratiniphila</i> subsp. nov. and <i>A. keratiniphila</i> subsp. <i>nogabecina</i> subsp. nov.. <i>Systematic and Applied Microbiology</i> , 2003, 26, 38-46.	2.8	100
442	<i>Methanocaldococcus indicus</i> sp. nov., a novel hyperthermophilic methanogen isolated from the Central Indian Ridge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1931-1935.	1.7	55
443	<i>Agromyces aurantiacus</i> sp. nov., isolated from a Chinese primeval forest. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 303-307.	1.7	37
444	<i>Saccharomonospora paurometabolica</i> sp. nov., a moderately halophilic actinomycete isolated from soil in China. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1591-1594.	1.7	43
445	Fluorescent pseudomonads associated with the phyllosphere of grasses; <i>Pseudomonas trivialis</i> sp. nov., <i>Pseudomonas poae</i> sp. nov. and <i>Pseudomonas congelans</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1461-1469.	1.7	106
446	<i>Oceanisphaera litoralis</i> gen. nov., sp. nov., a novel halophilic bacterium from marine bottom sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1885-1888.	1.7	45
447	<i>Brachybacterium muris</i> sp. nov., isolated from the liver of a laboratory mouse strain. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1955-1960.	1.7	35
448	<i>Paracoccus seriniphilus</i> sp. nov., an l-serine-dehydratase-producing coccus isolated from the marine bryozoan <i>Bugula plumosa</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 443-447.	1.7	55
449	Reclassification of <i>Desulfotomaculum auripigmentum</i> as <i>Desulfosporosinus auripigmenti</i> corrig., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1439-1443.	1.7	53
450	Reclassification of <i>Subtercola pratensis</i> Behrendt et al. 2002 as <i>Agreia pratensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 2041-2044.	1.7	28

#	ARTICLE	IF	CITATIONS
451	<i>Pedobacter cryoconitis</i> sp. nov., a facultative psychrophile from alpine glacier cryoconite. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1291-1296.	1.7	122
452	<i>Conexibacter woesei</i> gen. nov., sp. nov., a novel representative of a deep evolutionary line of descent within the class Actinobacteria. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 569-576.	1.7	115
453	<i>Vulcanithermus mediatlanticus</i> gen. nov., sp. nov., a novel member of the family Thermaceae from a deep-sea hot vent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1143-1148.	1.7	58
454	<i>Nocardia puris</i> sp. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1595-1599.	1.7	37
455	Emended description of <i>Janibacter terrae</i> , including ten dibenzofuran-degrading strains and <i>Janibacter brevis</i> as its later heterotypic synonym. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1999-2005.	1.7	36
456	<i>Aurantimonas coralicida</i> gen. nov., sp. nov., the causative agent of white plague type II on Caribbean scleractinian corals. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1115-1122.	1.7	210
457	<i>Streptomonospora alba</i> sp. nov., a novel halophilic actinomycete, and emended description of the genus <i>Streptomonospora</i> Cui et al. 2001. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1421-1425.	1.7	51
458	<i>Arthrobacter gandavensis</i> sp. nov., for strains of veterinary origin. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1881-1884.	1.7	27
459	<i>Pannonibacter phragmitetus</i> gen. nov., sp. nov., a novel alkalitolerant bacterium isolated from decomposing reed rhizomes in a Hungarian soda lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 555-561.	1.7	55
460	<i>Oceanithermus profundus</i> gen. nov., sp. nov., a thermophilic, microaerophilic, facultatively chemolithoheterotrophic bacterium from a deep-sea hydrothermal vent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 747-752.	1.7	76
461	<i>Halobacillus karajensis</i> sp. nov., a novel moderate halophile. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1059-1063.	1.7	76
462	Prosthetic Valve Endocarditis due to <i>Kytococcus schroeteri</i> . <i>Emerging Infectious Diseases</i> , 2003, 9, 1493-1495.	4.3	33
463	<i>Exiguobacterium undae</i> sp. nov. and <i>Exiguobacterium antarcticum</i> sp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1171-1176.	1.7	34
464	Re-evaluation of the status of the genus <i>Oerskovia</i> , reclassification of <i>Promicromonospora enterophila</i> (Jager et al. 1983) as <i>Oerskovia enterophila</i> comb. nov. and description of <i>Oerskovia jenensis</i> sp. nov. and <i>Oerskovia paurometabola</i> sp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1105-1111.	1.7	43
465	<i>Halomonas halocynthiae</i> sp. nov., isolated from the marine ascidian <i>Halocynthia aurantium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1767-1772.	1.7	38
466	<i>Kytococcus schroeteri</i> sp. nov., a novel Gram-positive actinobacterium isolated from a human clinical source. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1609-1614.	1.7	52
467	<i>Psychrobacter submarinus</i> sp. nov. and <i>Psychrobacter marincola</i> sp. nov., psychrophilic halophiles from marine environments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1291-1297.	1.7	60
468	<i>Agrococcus baldri</i> sp. nov., isolated from the air in the 'Virgilkapelle' in Vienna. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2002, 52, 1211-1216.	1.7	27

#	ARTICLE	IF	CITATIONS
469	<i>Exiguobacterium undae</i> sp. nov. and <i>Exiguobacterium antarcticum</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1171-1176.	1.7	74
470	<i>Agrococcus baldri</i> sp. nov., isolated from the air in the 'Virgilkapelle' in Vienna.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1211-1216.	1.7	40
471	Emended description of the genus <i>Trichococcus</i> , description of <i>Trichococcus collinsii</i> sp. nov., and reclassification of <i>Lactosphaera pasteurii</i> as <i>Trichococcus pasteurii</i> comb. nov. and of <i>Ruminococcus palustris</i> as <i>Trichococcus palustris</i> comb. nov. in the low-G+C Gram-positive bacteria. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1113-1126.	1.7	79
472	<i>Georgenia muralis</i> gen. nov., sp. nov., a novel actinobacterium isolated from a medieval wall painting. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 875-881.	1.7	46
473	<i>Citricoccus muralis</i> gen. nov., sp. nov., a novel actinobacterium isolated from a medieval wall painting. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2095-2100.	1.7	36
474	<i>Propionimicrobium</i> gen. nov., a new genus to accommodate <i>Propionibacterium lymphophilum</i> (Torrey) Tj ETQq0 0 0 rgBT /Overlock 10 T Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1925-1927.	1.7	22
475	<i>Nocardiopsis metallicus</i> sp. nov., a metal-leaching actinomycete isolated from an alkaline slag dump. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2291-2295.	1.7	47
476	Diversity of grass-associated Microbacteriaceae isolated from the phyllosphere and litter layer after mulching the sward; polyphasic characterization of <i>Subtercola pratensis</i> sp. nov., <i>Curtobacterium herbarum</i> sp. nov. and <i>Plantibacter flavus</i> gen. nov., sp. nov. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1441-1454.	1.7	101
477	<i>Microbacterium aerolatum</i> sp. nov., isolated from the air in the 'Virgilkapelle' in Vienna. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1229-1234.	1.7	30
478	<i>Rubritepida flocculans</i> gen. nov., sp. nov., a New Slightly Thermophilic Member of the $\hat{\pm}$ -1 Subclass of the Proteobacteria. Systematic and Applied Microbiology, 2002, 25, 198-206.	2.8	52
479	Enzymes of dimethylsulfone metabolism and the phylogenetic characterization of the facultative methylotrophs <i>Arthrobacter sulfonivorans</i> sp. nov., <i>Arthrobacter methylotrophus</i> sp. nov., and <i>Hyphomicrobium sulfonivorans</i> sp. nov. Archives of Microbiology, 2002, 177, 173-183.	2.2	80
480	<i>Brachybacterium fresconis</i> sp. nov. and <i>Brachybacterium sacelli</i> sp. nov., isolated from deteriorated parts of a medieval wall painting of the chapel of Castle Herberstein (Austria). International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1641-1646.	1.7	30
481	<i>Knoellia sinensis</i> gen. nov., sp. nov. and <i>Knoellia subterranea</i> sp. nov., two novel actinobacteria isolated from a cave.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 77-84.	1.7	79
482	Emended descriptions of the genus <i>Micrococcus</i> , <i>Micrococcus luteus</i> (Cohn 1872) and <i>Micrococcus lylae</i> (Kloos et al. 1974).. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 629-637.	1.7	83
483	<i>Leuconostoc ficulneum</i> sp. nov., a novel lactic acid bacterium isolated from a ripe fig, and reclassification of <i>Lactobacillus fructosus</i> as <i>Leuconostoc fructosum</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 647-655.	1.7	57
484	Re-evaluation of the status of the genus <i>Oerskovia</i> , reclassification of <i>Promicromonospora enterophila</i> (Jäger et al. 1983) as <i>Oerskovia enterophila</i> comb. nov. and description of <i>Oerskovia jenensis</i> sp. nov. and <i>Oerskovia paurometabola</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1105-1111.	1.7	37
485	<i>Microbacterium aerolatum</i> sp. nov., isolated from the air in the 'Virgilkapelle' in Vienna.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1229-1234.	1.7	33
486	<i>Psychrobacter submarinus</i> sp. nov. and <i>Psychrobacter marincola</i> sp. nov., psychrophilic halophiles from marine environments.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1291-1297.	1.7	67

#	ARTICLE	IF	CITATIONS
487	<i>Kytococcus schroeteri</i> sp. nov., a novel Gram-positive actinobacterium isolated from a human clinical source.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 1609-1614.	1.7	41
488	<i>Citricoccus muralis</i> gen. nov., sp. nov., a novel actinobacterium isolated from a medieval wall painting.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2095-2100.	1.7	32
489	<i>Nocardiopsis metallicus</i> sp. nov., a metal-leaching actinomycete isolated from an alkaline slag dump.. International Journal of Systematic and Evolutionary Microbiology, 2002, 52, 2291-2295.	1.7	40
490	Geomicrobiological Study of the Grotta dei Cervi, Porto Badisco, Italy. Geomicrobiology Journal, 2001, 18, 241-258.	2.0	93
491	Evidence for high affinity nickel transporter genes in heavy metal resistant <i>Streptomyces</i> spec.. Journal of Basic Microbiology, 2000, 40, 295-301.	3.3	71
492	Microbiology of the 'G-bacteria' in activated sludge. Minireview. Environmental Microbiology, 2000, 2, 581-593.	3.8	60
493	New LL-diaminopimelic Acid-containing Actinomycetes from Hypersaline, Heliothermal and Meromictic Antarctic Ekho Lake: <i>Nocardioides aquaticus</i> sp. nov. and <i>Friedmanniella lacustris</i> sp. nov.. Systematic and Applied Microbiology, 2000, 23, 219-229.	2.8	82
494	<i>Beutenbergia cavernae</i> gen. nov., sp. nov., an L-lysine-containing actinomycete isolated from a cave. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1733-1740.	1.7	70
495	<i>Gordonia alkanivorans</i> sp. nov., isolated from tar-contaminated soil. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1513-1522.	1.7	80
496	<i>Ornithinococcus hortensis</i> gen. nov., sp. nov., a soil actinomycete which contains L-ornithine. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1717-1724.	1.7	71
497	Polyamine profiles within genera of the class Actinobacteria with ll-diaminopimelic acid in the peptidoglycan. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 179-184.	1.7	44
498	A taxonomic study of bacteria isolated from grasses: a proposed new species <i>Pseudomonas graminis</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 297-308.	1.7	75
499	<i>Roseovarius tolerans</i> gen. nov., sp. nov., a budding bacterium with variable bacteriochlorophyll a production from hypersaline Ekho Lake. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 137-147.	1.7	194
500	<i>Agrococcus citreus</i> sp. nov., isolated from a medieval wall painting of the chapel of Castle Herberstein (Austria). International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1165-1170.	1.7	56
501	<i>Gracilibacillus</i> gen. nov., with description of <i>Gracilibacillus halotolerans</i> gen. nov., sp. nov.; transfer of <i>Bacillus dipsosauri</i> to <i>Gracilibacillus dipsosauri</i> comb. nov., and <i>Bacillus salexigens</i> to the genus <i>Salibacillus</i> gen. nov., as <i>Salibacillus salexigens</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 821-831.	1.7	231
502	<i>Bacillus silvestris</i> sp. nov., a new member of the genus <i>Bacillus</i> that contains lysine in its cell wall. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 795-802.	1.7	67
503	Reclassification of <i>Brevibacterium oxydans</i> (Chatelain and Second 1966) as <i>Microbacterium oxydans</i> comb. nov.. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 175-177.	1.7	52
504	<i>Kocuria palustris</i> sp. nov. and <i>Kocuria rhizophila</i> sp. nov., isolated from the rhizoplane of the narrow-leaved cattail (<i>Typha angustifolia</i>). International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 167-173.	1.7	123

#	ARTICLE	IF	CITATIONS
505	Actinomycetes in Karstic caves of northern Spain (Altamira and Tito Bustillo). <i>Journal of Microbiological Methods</i> , 1999, 36, 115-122.	1.6	145
506	Reclassification of the species <i>Kocuria erythromyxa</i> (Brooks and Murray 1981) as <i>Kocuria rosea</i> (Flörke 1886). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 393-396.	1.7	15
507	Reclassification of <i>Brevibacterium incertum</i> (Breed 1953) as <i>Desemzia incerta</i> gen. nov., comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 1999, 49, 185-188.	1.7	35
508	Polyamine Profiles of Gram-positive Catalase Positive Cocci. <i>Systematic and Applied Microbiology</i> , 1998, 21, 279-284.	2.8	10
509	<i>Sporichthya polymorpha</i> represents a novel line of descent within the order Actinomycetales. <i>FEMS Microbiology Letters</i> , 1993, 109, 263-267.	1.8	29