

# MarÃ-a Luisa GarcÃ-a-MartÃ-n

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3476458/publications.pdf>

Version: 2024-02-01

69  
papers

2,716  
citations

172457

29  
h-index

189892

50  
g-index

70  
all docs

70  
docs citations

70  
times ranked

4140  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ironâ€“Gold Nanoflowers: A Promising Tool for Multimodal Imaging and Hyperthermia Therapy. <i>Pharmaceutics</i> , 2022, 14, 636.	4.5	13
2	Biological Implications of a Stroke Therapy Based in Neuroglobin Hyaluronate Nanoparticles. Neuroprotective Role and Molecular Bases. <i>International Journal of Molecular Sciences</i> , 2022, 23, 247.	4.1	3
3	Holmium phosphate nanoparticles as negative contrast agents for high-field magnetic resonance imaging: Synthesis, magnetic relaxivity study and in vivo evaluation. <i>Journal of Colloid and Interface Science</i> , 2021, 587, 131-140.	9.4	15
4	Dysprosium and Holmium Vanadate Nanoprobes as High-Performance Contrast Agents for High-Field Magnetic Resonance and Computed Tomography Imaging. <i>Inorganic Chemistry</i> , 2021, 60, 152-160.	4.0	12
5	Fe <sub>3</sub> O <sub>4</sub> -Au Core-Shell Nanoparticles as a Multimodal Platform for In Vivo Imaging and Focused Photothermal Therapy. <i>Pharmaceutics</i> , 2021, 13, 416.	4.5	34
6	PEGylated Terbium-Based Nanorods as Multimodal Bioimaging Contrast Agents. <i>ACS Applied Nano Materials</i> , 2021, 4, 4199-4207.	5.0	7
7	Surface architected black phosphorous nanoconstructs based smart and versatile platform for cancer theranostics. <i>Coordination Chemistry Reviews</i> , 2021, 435, 213826.	18.8	29
8	Paired maternal and fetal metabolomics reveal a differential fingerprint in preeclampsia versus fetal growth restriction. <i>Scientific Reports</i> , 2021, 11, 14422.	3.3	16
9	Engineering of stealth (maghemite/PLGA)/chitosan (core/shell)/shell nanocomposites with potential applications for combined MRI and hyperthermia against cancer. <i>Journal of Materials Chemistry B</i> , 2021, 9, 4963-4980.	5.8	15
10	Passive targeting of high-grade gliomas <i>via</i> the EPR effect: a closed path for metallic nanoparticles?. <i>Biomaterials Science</i> , 2021, 9, 7984-7995.	5.4	31
11	Magnetic Nanoparticles as MRI Contrast Agents. <i>Topics in Current Chemistry</i> , 2020, 378, 40.	5.8	127
12	Bi-Magnetic Core-Shell CoFe <sub>2</sub> O <sub>4</sub> @MnFe <sub>2</sub> O <sub>4</sub> Nanoparticles for In Vivo Theranostics. <i>Nanomaterials</i> , 2020, 10, 907.	4.1	33
13	Neocortical tissue recovery in severe congenital obstructive hydrocephalus after intraventricular administration of bone marrow-derived mesenchymal stem cells. <i>Stem Cell Research and Therapy</i> , 2020, 11, 121.	5.5	6
14	Clickable iron oxide NPs based on catechol derived ligands: synthesis and characterization. <i>Soft Matter</i> , 2020, 16, 3257-3266.	2.7	14
15	Heterogeneous surface architected metal-organic frameworks for cancer therapy, imaging, and biosensing: A state-of-the-art review. <i>Coordination Chemistry Reviews</i> , 2020, 409, 213212.	18.8	93
16	Design of a nanoprobe for high field magnetic resonance imaging, dual energy X-ray computed tomography and luminescent imaging. <i>Journal of Colloid and Interface Science</i> , 2020, 573, 278-286.	9.4	7
17	Inorganic Nitrogen Form Determines Nutrient Allocation and Metabolic Responses in Maritime Pine Seedlings. <i>Plants</i> , 2020, 9, 481.	3.5	10
18	A new metabolic disorder in human cationic amino acid transporterâ€“2 that mimics arginase 1 deficiency in newborn screening. <i>Journal of Inherited Metabolic Disease</i> , 2019, 42, 407-413.	3.6	7

#	ARTICLE	IF	CITATIONS
19	208: Metabolic profiling and targeted lipidomics in small for gestational age and fetal growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, S150-S151.	1.3	0
20	Comprehensive Toxicity Assessment of PEGylated Magnetic Nanoparticles for in vivo applications. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 177, 253-259.	5.0	33
21	The extracellular matrix protects <i>Bacillus subtilis</i> colonies from <i>Pseudomonas</i> invasion and modulates plant co-colonization. <i>Nature Communications</i> , 2019, 10, 1919.	12.8	102
22	Synthesis and Characterization of Elongated-Shaped Silver Nanoparticles as a Biocompatible Anisotropic SERS Probe for Intracellular Imaging: Theoretical Modeling and Experimental Verification. <i>Nanomaterials</i> , 2019, 9, 256.	4.1	27
23	In Vivo Pharmacokinetics of Magnetic Nanoparticles. <i>Methods in Molecular Biology</i> , 2018, 1718, 409-419.	0.9	18
24	In Vivo <sup>1</sup> H Magnetic Resonance Spectroscopy. <i>Methods in Molecular Biology</i> , 2018, 1718, 151-167.	0.9	8
25	Bacteria-Carried Iron Oxide Nanoparticles for Treatment of Anemia. <i>Bioconjugate Chemistry</i> , 2018, 29, 1785-1791.	3.6	36
26	A Distinct Metabolite Profile Correlates with Neurodegenerative Conditions and the Severity of Congenital Hydrocephalus. <i>Journal of Neuropathology and Experimental Neurology</i> , 2018, 77, 1122-1136.	1.7	4
27	Metabolic profiling and targeted lipidomics reveals a disturbed lipid profile in mothers and fetuses with intrauterine growth restriction. <i>Scientific Reports</i> , 2018, 8, 13614.	3.3	34
28	Spatially Resolved Bioenergetic and Genetic Reprogramming Through the Brain of Rats Bearing Implanted C6 Gliomas As Detected by Multinuclear High-Resolution Magic Angle Spinning and Genomic Analysis. <i>Journal of Proteome Research</i> , 2018, 17, 2953-2962.	3.7	5
29	<scp>ARALAR</scp>/<scp>AGC</scp>1 deficiency, a neurodevelopmental disorder with severe impairment of neuronal mitochondrial respiration, does not produce a primary increase in brain lactate. <i>Journal of Neurochemistry</i> , 2017, 142, 132-139.	3.9	20
30	Highly water-stable rare ternary Agâ€“Auâ€“Se nanocomposites as long blood circulation time X-ray computed tomography contrast agents. <i>Nanoscale</i> , 2017, 9, 7242-7251.	5.6	22
31	Shedding light on zwitterionic magnetic nanoparticles: limitations for in vivo applications. <i>Nanoscale</i> , 2017, 9, 8176-8184.	5.6	26
32	Manganese-Based Nanogels as pH Switches for Magnetic Resonance Imaging. <i>Biomacromolecules</i> , 2017, 18, 1617-1623.	5.4	30
33	Multifunctional Magnetic and Upconverting Nanobeads as Dual Modal Imaging Tools. <i>Bioconjugate Chemistry</i> , 2017, 28, 2707-2714.	3.6	13
34	HoF<sub>3</sub> and DyF<sub>3</sub> Nanoparticles as Contrast Agents for High-Field Magnetic Resonance Imaging. <i>Particle and Particle Systems Characterization</i> , 2017, 34, 1700116.	2.3	38
35	Multifunctional Eu-doped NaGd(MoO<sub>4</sub>)<sub>2</sub> nanoparticles functionalized with poly(<scp>l</scp>-lysine) for optical and MRI imaging. <i>Dalton Transactions</i> , 2016, 45, 16354-16365.	3.3	21
36	The â€“Omicsâ€™ of Amyotrophic Lateral Sclerosis. <i>Trends in Molecular Medicine</i> , 2016, 22, 53-67.	6.7	33

#	ARTICLE	IF	CITATIONS
37	Iron oxide nanoparticles as magnetic relaxation switching (MRSw) sensors: Current applications in nanomedicine. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2016, 12, 1253-1262.	3.3	62
38	Understanding developmental and adaptive cues in pine through metabolite profiling and co-expression network analysis. <i>Journal of Experimental Botany</i> , 2015, 66, 3113-3127.	4.8	34
39	In vivo pharmacokinetics of T <sub>2</sub> contrast agents based on iron oxide nanoparticles: optimization of blood circulation times. <i>RSC Advances</i> , 2015, 5, 76883-76891.	3.6	26
40	Long-circulating PEGylated manganese ferrite nanoparticles for MRI-based molecular imaging. <i>Nanoscale</i> , 2015, 7, 2050-2059.	5.6	101
41	Effect of acute hyperglycemia on moderately hypothermic GL261 mouse glioma monitored by T1-weighted DCE MRI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2015, 28, 119-126.	2.0	0
42	Molecular imaging of breast cancer: present and future directions. <i>Frontiers in Chemistry</i> , 2014, 2, 112.	3.6	21
43	Increased levels of tumour necrosis factor alpha ( $\text{TNF-}\alpha$ ) but not transforming growth factor $\beta$ 1 ( $\text{TGF-}\beta$ 1) are associated with the severity of congenital hydrocephalus in the hyh mouse. <i>Neuropathology and Applied Neurobiology</i> , 2014, 40, 911-932.	3.2	21
44	Influence of a Silica Interlayer on the Structural and Magnetic Properties of Sol-Gel TiO <sub>2</sub> -Coated Magnetic Nanoparticles. <i>Langmuir</i> , 2014, 30, 5238-5247.	3.5	13
45	Imaging hypothalamic activity using diffusion weighted magnetic resonance imaging in the mouse and human brain. <i>NeuroImage</i> , 2013, 64, 448-457.	4.2	23
46	Application of Inorganic Nanoparticles for Diagnosis Based on MRI. <i>Frontiers of Nanoscience</i> , 2012, 4, 233-245.	0.6	23
47	Quantitative <sup>1</sup> H MR spectroscopic imaging of the prostate gland using LCModel and a dedicated basis set: Correlation with histologic findings. <i>Magnetic Resonance in Medicine</i> , 2011, 65, 329-339.	3.0	28
48	Imaging the extracellular pH of tumors by MRI after injection of a single cocktail of <sup>1</sup> T and <sup>2</sup> T contrast agents. <i>NMR in Biomedicine</i> , 2011, 24, 1380-1391.	2.8	73
49	Engineering biofunctional magnetic nanoparticles for biotechnological applications. <i>Nanoscale</i> , 2010, 2, 1746.	5.6	96
50	<sup>1</sup> H HR-MAS and genomic analysis of human tumor biopsies discriminate between high and low grade astrocytomas. <i>NMR in Biomedicine</i> , 2009, 22, 629-637.	2.8	78
51	Paramagnetic Gd-based gold glyconanoparticles as probes for MRI: tuning relaxivities with sugars. <i>Chemical Communications</i> , 2009, , 3922.	4.1	77
52	Perturbation of mouse glioma MRS pattern by induced acute hyperglycemia. <i>NMR in Biomedicine</i> , 2008, 21, 251-264.	2.8	39
53	Gd(III)-EPTAC <sub>16</sub> , a new self-assembling potential liver MRI contrast agent: <i>in vitro</i> characterization and <i>in vivo</i> animal imaging studies. <i>NMR in Biomedicine</i> , 2008, 21, 322-336.	2.8	14
54	Longitudinal diffusion tensor imaging in a rat brain glioma model. <i>NMR in Biomedicine</i> , 2008, 21, 799-808.	2.8	44

#	ARTICLE	IF	CITATIONS
55	Serial In vivo Spectroscopic Nuclear Magnetic Resonance Imaging of Lactate and Extracellular pH in Rat Gliomas Shows Redistribution of Protons Away from Sites of Glycolysis. <i>Cancer Research</i> , 2007, 67, 7638-7645.	0.9	72
56	Kinetic properties of the redox switch/redox coupling mechanism as determined in primary cultures of cortical neurons and astrocytes from rat brain. <i>Journal of Neuroscience Research</i> , 2007, 85, 3244-3253.	2.9	25
57	A method to measure lactate recycling in cultured cells by edited 1H nuclear magnetic resonance spectroscopy. <i>Analytical Biochemistry</i> , 2007, 370, 246-248.	2.4	3
58	An iron-based T 1 contrast agent made of iron-phosphate complexes: In vitro and in vivo studies. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2007, 20, 27-37.	2.0	15
59	The redox switch/redox coupling hypothesis. <i>Neurochemistry International</i> , 2006, 48, 523-530.	3.8	131
60	Targeting of lanthanide(III) chelates of DOTA-type glycoconjugates to the hepatic asialoglycoprotein receptor: cell internalization and animal imaging studies. <i>Contrast Media and Molecular Imaging</i> , 2006, 1, 246-258.	0.8	31
61	High resolution pHe imaging of rat glioma using pH-dependent relaxivity. <i>Magnetic Resonance in Medicine</i> , 2006, 55, 309-315.	3.0	156
62	pH imaging. <i>IEEE Engineering in Medicine and Biology Magazine</i> , 2004, 23, 57-64.	0.8	321
63	Cerebral glucose metabolism and the glutamine cycle as detected by in vivo and in vitro 13C NMR spectroscopy. <i>Neurochemistry International</i> , 2004, 45, 297-303.	3.8	65
64	Role of glial metabolism in diabetic encephalopathy as detected by high resolution 13C NMR. <i>NMR in Biomedicine</i> , 2003, 16, 440-449.	2.8	35
65	Hydrogen Turnover and Subcellular Compartmentation of Hepatic [2-13C]Glutamate and [3-13C]Aspartate as Detected by 13C NMR. <i>Journal of Biological Chemistry</i> , 2002, 277, 7799-7807.	3.4	25
66	The metabolism of water in cells and tissues as detected by NMR methods. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2001, 39, 41-77.	7.5	34
67	Intracellular water motion decreases in apoptotic macrophages after caspase activation. <i>Cell Death and Differentiation</i> , 2001, 8, 1022-1028.	11.2	34
68	Metabolism of (1-13C) glucose and (2-13C, 2-2H3) acetate in the neuronal and glial compartments of the adult rat brain as detected by 13C, 2H? NMR spectroscopy. <i>Neurochemistry International</i> , 2000, 37, 217-228.	3.8	54
69	Structural Studies of 5-Ethyl-2-Deoxyuridine by Selective Pulse <sup>1</sup> H DPGSE NOE Spectroscopy and PM3 Calculations. <i>Nucleosides &amp; Nucleotides</i> , 1999, 18, 1067-1068.	0.5	0