

Nadezda Chernyavskaya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3479526/publications.pdf>

Version: 2024-02-01

71
papers

2,264
citations

201674

27
h-index

223800

46
g-index

74
all docs

74
docs citations

74
times ranked

5712
citing authors

#	ARTICLE	IF	CITATIONS
1	Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s}=13$, $\text{ext } \{V\}$ TeV. European Physical Journal C, 2019, 79, 421.	3.9	355
2	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
3	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$, $\text{hbox } \{TeV\}$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
4	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
5	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	1.2	84
6	Search for narrow and broad dijet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	4.7	82
7	Search for additional neutral MSSM Higgs bosons in the \tilde{l}, \tilde{l} , final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73
8	Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s}=13$, $\text{ext } \{V\}$ TeV. European Physical Journal C, 2020, 80, 3.	3.9	70
9	Measurement of the $\overline{\text{t}}\text{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68
10	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in $p\bar{p}$ collisions at $\sqrt{s}=8$, $\text{ext } \{TeV\}$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
11	Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s}=13$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
12	Search for new physics in dijet angular distributions using proton-proton collisions at $\sqrt{s}=13$, $\text{hbox } \{TeV\}$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
13	Measurement of the top quark mass in the all-jets final state at $\sqrt{s}=13$, $\text{ext } \{TeV\}$ $s = 13$ TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
14	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13$, $\text{ext } \{V\}$ TeV. European Physical Journal C, 2021, 81, 378.	3.9	40
15	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying \tilde{l} , leptons at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
16	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
17	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13$, $\text{ext } \{TeV\}$ TeV. European Physical Journal C, 2021, 81, 488.	3.9	35
18	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two \tilde{l} , leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34

#	ARTICLE	IF	CITATIONS
19	Measurement of the top quark mass with lepton+jets final states using \mathcal{P} collisions at $\sqrt{s}=13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2018, 78, 891.	3.9	34
20	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
21	Search for single production of vector-like quarks decaying to a top quark and a W boson in proton-proton collisions at $\sqrt{s} = 13, \text{ext } \{\text{TeV}\}$ $s = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 90.	3.9	34
22	Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\sqrt{s}=13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2021, 81, 13.	3.9	33
23	Search for top squark pair production using dilepton final states in pp collision data collected at $\sqrt{s}=13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2021, 81, 3.	3.9	33
24	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
25	A multi-dimensional search for new heavy resonances decaying to boosted W , WZ , or ZZ boson pairs in the dijet final state at $\sqrt{s}=13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2020, 80, 237.	3.9	31
26	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s}=13, \text{ext } \{\text{TeV}\}$ $s = 13 \text{ Te}$. European Physical Journal C, 2019, 79, 280.	3.9	29
27	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
28	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
29	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
30	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
31	Search for beyond the standard model Higgs bosons decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
32	Search for $t\bar{t}H$ production in the all-jet final state in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
33	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
34	MUSIC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2021, 81, 629.	3.9	18
35	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2021, 81, 970.	3.9	18
36	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at $\sqrt{s}=13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2022, 82, 290.	3.9	18

#	ARTICLE	IF	CITATIONS
37	Charged-particle nuclear modification factors in XeXe collisions at $\sqrt{s_{\mathrm{NN}}} = 5.44$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
38	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
39	Electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
40	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 886.	3.9	16
41	Studies of B_s^0 and B_s^-		

#	ARTICLE	IF	CITATIONS
55	Hydrodynamic extension of a two-component model for hadroproduction in heavy-ion collisions. Physical Review C, 2014, 90, .	2.9	8
56	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
57	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
58	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s} = 8$, ext {Te}ext {V} with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
59	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
60	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
61	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
62	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
63	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
64	Measurement of the inclusive $\overline{\text{t}}\text{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
65	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
66	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
67	Observation of $B^0 \rightarrow \psi(2S) K^0_{\text{S}}$ and $B^0_{\text{S}} \rightarrow \psi(2S) K^0_{\text{S}}$ decays. European Physical Journal C, 2022, 82, .	3.9	1
68	Search for the standard model Higgs boson produced in vector boson fusion and decaying to bottom quarks using the Run1 and 2015 Run2 data samples. , 2016, , .		0
69	Studies of heavy-ion collisions with a two-component model.. , 2017, , .		0
70	Electroweak and QCD aspects in vector boson plus jets associated production with CMS. , 2017, , .		0
71	Searching for the standard model Higgs boson produced by vector boson fusion in the fully hadronic four-jet topology with CMS. , 2018, , .		0