## Sandra Vitolo

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3480708/publications.pdf

Version: 2024-02-01

279798 189892 2,610 53 23 50 h-index citations g-index papers 53 53 53 2997 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Aryl hydrocarbon reporter gene bioassay for screening polyhalogenated dibenzo-p-dioxins/furans and dioxin-like polychlorinated biphenyls in hydrochar and sewage sludge. Journal of Hazardous Materials, 2022, 428, 128256.	12.4	7
2	Li4SiO4 breeder pebbles fabrication by a sol-gel supported drip casting method. Fusion Engineering and Design, 2022, 175, 113014.	1.9	4
3	Effects of different blanching treatments on colour and microbiological profile of Tenebrio molitor and Zophobas morio larvae. LWT - Food Science and Technology, 2022, 157, 113112.	5.2	13
4	The zebrafish (Danio rerio) embryo-larval contact assay combined with biochemical biomarkers and swimming performance in sewage sludge and hydrochar hazard assessment. Environmental Pollution, 2022, 302, 119053.	<b>7.</b> 5	5
5	Chlorpyrifos removal: Nb/boron-doped diamond anode coupled with solid polymer electrolyte and ultrasound irradiation. Journal of Environmental Health Science & Engineering, 2020, 18, 1391-1399.	3.0	8
6	Hydrothermal Carbonization of Sewage Sludge: Analysis of Process Severity and Solid Content. Chemical Engineering and Technology, 2020, 43, 2382-2392.	1.5	24
7	Investigating the activation of hydrochar from sewage sludge for the removal of terbuthylazine from aqueous solutions. Journal of Material Cycles and Waste Management, 2020, 22, 1539-1551.	3.0	16
8	Phosphorus recovery from sewage sludge hydrochar: process optimization by response surface methodology. Water Science and Technology, 2020, 82, 2331-2343.	2.5	13
9	Hydrothermal carbonization of sewage sludge: A critical analysis of process severity, hydrochar properties and environmental implications. Waste Management, 2019, 93, 1-13.	7.4	120
10	Hydrothermal Carbonization of Municipal Woody and Herbaceous Prunings: Hydrochar Valorisation as Soil Amendment and Growth Medium for Horticulture. Sustainability, 2018, 10, 846.	3.2	46
11	An insight into the molecular mechanism of the masking process in titanium tanning. Clean Technologies and Environmental Policy, 2017, 19, 259-267.	4.1	9
12	In-depth characterization of valuable char obtained from hydrothermal conversion of hazelnut shells to levulinic acid. Bioresource Technology, 2017, 244, 880-888.	9.6	48
13	New Bio-Composites Based on Polyhydroxyalkanoates and Posidonia oceanica Fibres for Applications in a Marine Environment. Materials, 2017, 10, 326.	2.9	57
14	Biodegradability of Polyethylene/Hydrolyzed Collagen Blends in Terrestrial and Marine Environmental Conditions. Journal of Renewable Materials, 2017, 5, 117-123.	2.2	6
15	Pilot-Scale Study on Masking Agents for Titanium Tanning. Advanced Materials Research, 2015, 1120-1121, 203-207.	0.3	O
16	Municipal wastewater reclamation and reuse in the leather industry. Desalination and Water Treatment, 2014, 52, 1647-1653.	1.0	5
17	Properties of Thermoplastic Blends with Polypropylene and Collagen Hydrolizate. Advanced Materials Research, 2014, 893, 235-240.	0.3	4
18	Liquid fuel production from waste tyre pyrolysis and its utilisation in a Diesel engine. Fuel, 2014, 116, 399-408.	6.4	172

#	Article	IF	CITATIONS
19	Eco-friendly titanium tanning for the manufacture of bovine upper leathers: pilot-scale studies. Clean Technologies and Environmental Policy, 2014, 16, 1795-1803.	4.1	20
20	Improving the environmental performance of vegetable oil processing through LCA. Journal of Cleaner Production, 2014, 64, 310-322.	9.3	27
21	Alkali promoted lithium orthosilicate for CO2 capture at high temperature and low concentration. International Journal of Greenhouse Gas Control, 2013, 17, 25-31.	4.6	153
22	Novel Thermoplastic Materials from Wastes of the Leather Industry. Applied Mechanics and Materials, 2013, 467, 41-48.	0.2	7
23	Utilization of Tannery Wastewaters Sludge Ash in Waterproofing Membrane: A Technical and Environmental Feasibility Study. Advanced Materials Research, 2013, 849, 397-404.	0.3	0
24	Effect of sewage sludge content on gas quality and solid residues produced by cogasification in an updraft gasifier. Waste Management, 2012, 32, 1826-1834.	7.4	67
25	Bioethanol–gasoline fuel blends: Exhaust emissions and morphological characterization of particulate from a moped engine. Journal of the Air and Waste Management Association, 2012, 62, 888-897.	1.9	17
26	Cogasification of sewage sludge in an updraft gasifier. Fuel, 2012, 93, 486-491.	6.4	94
27	High-temperature and low concentration CO2 sorption on Li4SiO4 based sorbents: Study of the used silica and doping method effects. International Journal of Greenhouse Gas Control, 2011, 5, 741-748.	4.6	118
28	Experimental and Modeling Studies on High-Temperature Capture of CO <sub>2</sub> Using Lithium Zirconate Based Sorbents. Industrial & Engineering Chemistry Research, 2007, 46, 6696-6706.	3.7	73
29	Combustion reactivity of different oil-fired fly ashes as received and leached. Fuel, 2007, 86, 1885-1891.	6.4	23
30	Recovery of nickel from Orimulsion fly ash by iminodiacetic acid chelating resin. Hydrometallurgy, 2006, 81, 9-14.	4.3	46
31	Effect of pre-oxidation on the porosity development in a heavy oil fly ash by CO activation. Fuel, 2005, 84, 1593-1593.	6.4	5
32	Effect of pre-oxidation on the porosity development in a heavy oil fly ash by CO2 activation. Fuel, 2005, 84, 1854-1857.	6.4	11
33	Brassica carinata as an alternative oil crop for the production of biodiesel in Italy: agronomic evaluation, fuel production by transesterification and characterization. Biomass and Bioenergy, 2003, 25, 623-636.	5.7	241
34	Preparation of activated carbons from heavy-oil fly ashes. Waste Management, 2003, 23, 345-351.	7.4	24
35	Recovery of silica gel from blast furnace slag. Resources, Conservation and Recycling, 2003, 40, 71-80.	10.8	25
36	Investigation on the porosity development by CO2 activation in heavy oil fly ashesâ <sup>†</sup> t. Fuel, 2003, 82, 1441-1450.	6.4	12

#	Article	IF	Citations
37	Brassica carinataas an Alternative Oil Crop for the Production of Biodiesel in Italy:Â Engine Performance and Regulated and Unregulated Exhaust Emissions. Environmental Science & Emp; Technology, 2002, 36, 4656-4662.	10.0	174
38	Mercury removal from geothermal exhaust gas by sulfur-impregnated and virgin activated carbons. Geothermics, 2002, 31, 431-442.	3.4	39
39	Investigation on the combustion of heavy-oil fly-ashes. Fuel, 2002, 81, 1711-1715.	6.4	4
40	Recovery of vanadium from a previously burned heavy oil fly ash. Hydrometallurgy, 2001, 62, 145-150.	4.3	48
41	Catalytic upgrading of pyrolytic oils over HZSM-5 zeolite: behaviour of the catalyst when used in repeated upgrading–regenerating cycles. Fuel, 2001, 80, 17-26.	6.4	260
42	A re-examination of the diffuse interface model for gas–solid reaction. Chemical Engineering Science, 2000, 55, 713-716.	3.8	1
43	Prediction of fly-ash size distribution: a correlation between the char transition radius and coal properties. Fuel, 2000, 79, 999-1002.	6.4	9
44	Recovery of vanadium from heavy oil and Orimulsion fly ashes. Hydrometallurgy, 2000, 57, 141-149.	4.3	102
45	Treatment of olive oil industry wastes. Bioresource Technology, 1999, 67, 129-137.	9.6	117
46	Deposition of sulfur from H2S on porous adsorbents and effect on their mercury adsorption capacity. Geothermics, 1999, 28, 341-354.	3.4	22
47	Catalytic upgrading of pyrolytic oils to fuel over different zeolites. Fuel, 1999, 78, 1147-1159.	6.4	252
48	Rheology of coal-water mixutures containing petroleum coke. Fuel, 1996, 75, 259-261.	6.4	15
49	Treatment of cooling water in the glass industry. Resources, Conservation and Recycling, 1996, 17, 27-35.	10.8	1
50	Silica separation from reinjection brines at monte amiata geothermal plants, Italy. Geothermics, 1994, 23, 257-266.	3.4	11
51	Collagen-based bioartificial materials?evaluation as membranes for extracorporeal blood purification. Journal of Materials Science: Materials in Medicine, 1994, 5, 868-871.	3.6	6
52	Physical and combustion characterization of pyrolytic oils derived from biomass material upgraded by catalytic hydrogenation. Fuel, 1994, 73, 1810-1812.	6.4	27
53	Use of Tannery Sludge Ash as Filler in Waterproofing Membranes. Applied Mechanics and Materials, 0, 467, 240-246.	0.2	2