

Thomas F Gajewski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/348113/publications.pdf>

Version: 2024-02-01

144
papers

40,656
citations

10070

75
h-index

16791

127
g-index

149
all docs

149
docs citations

149
times ranked

47256
citing authors

#	ARTICLE	IF	CITATIONS
1	Insights from a Rapidly Implemented COVID-19 Biobank Using Electronic Consent and Informatics Tools. Biopreservation and Biobanking, 2023, 21, 166-175.	0.5	0
2	Dietary modulation of the gut microbiome as an immunoregulatory intervention. Cancer Cell, 2022, 40, 246-248.	7.7	8
3	Cancer and the Microbiome—Influence of the Commensal Microbiota on Cancer, Immune Responses, and Immunotherapy. Gastroenterology, 2021, 160, 600-613.	0.6	167
4	COVIDOSE: A Phase II Clinical Trial of Low-Dose Tocilizumab in the Treatment of Noncritical COVID-19 Pneumonia. Clinical Pharmacology and Therapeutics, 2021, 109, 688-696.	2.3	42
5	Sensitive detection and quantification of SARS-CoV-2 in saliva. Scientific Reports, 2021, 11, 12425.	1.6	24
6	Cost-Effectiveness Analysis of Adjuvant Therapy for BRAF-Mutant Resected Stage III Melanoma in Medicare Patients. Annals of Surgical Oncology, 2021, 28, 9039-9047.	0.7	4
7	Immunogenomic determinants of tumor microenvironment correlate with superior survival in high-risk neuroblastoma. , 2021, 9, e002417.		21
8	ASO Visual Abstract: Cost-Effectiveness Analysis of Adjuvant Therapy for BRAF-Mutant Resected Stage 3 Melanoma in Medicare Patients. Annals of Surgical Oncology, 2021, 28, 576-576.	0.7	0
9	Immune cell and tumor cell-derived CXCL10 is indicative of immunotherapy response in metastatic melanoma. , 2021, 9, e003521.		56
10	cDC1 dysregulation in cancer: An opportunity for intervention. Journal of Experimental Medicine, 2020, 217, .	4.2	8
11	Perspectives in melanoma: meeting report from the “Melanoma Bridge” (December 5th–7th, 2019,) Tj ETQq1.1 0.784314 rgBT / 1.8 5	1.8	5
12	Immunotherapy with a sting. Science, 2020, 369, 921-922.	6.0	41
13	PAK4 as a cancer immune-evasion target. Nature Cancer, 2020, 1, 18-19.	5.7	13
14	ACCELERATE and European Medicines Agency Paediatric Strategy Forum for medicinal product development of checkpoint inhibitors for use in combination therapy in paediatric patients. European Journal of Cancer, 2020, 127, 52-66.	1.3	52
15	Tumor heterogeneity and clonal cooperation influence the immune selection of IFN- γ -signaling mutant cancer cells. Nature Communications, 2020, 11, 602.	5.8	81
16	Insights from immuno-oncology: the Society for Immunotherapy of Cancer Statement on access to IL-6-targeting therapies for COVID-19. , 2020, 8, e000878.		63
17	Epigenetic Control of <i>Cdkn2a</i> Protects Tumor-Infiltrating Lymphocytes from Metabolic Exhaustion. Cancer Research, 2020, 80, 4707-4719.	0.4	19
18	STING pathway agonism as a cancer therapeutic. Immunological Reviews, 2019, 290, 24-38.	2.8	204

#	ARTICLE	IF	CITATIONS
19	Secondary resistance to immunotherapy associated with β -catenin pathway activation or PTEN loss in metastatic melanoma. , 2019, 7, 295.		98
20	Epacadostat plus pembrolizumab versus placebo plus pembrolizumab in patients with unresectable or metastatic melanoma (ECHO-301/KEYNOTE-252): a phase 3, randomised, double-blind study. Lancet Oncology, The, 2019, 20, 1083-1097.	5.1	611
21	Exploring the emerging role of the microbiome in cancer immunotherapy. , 2019, 7, 108.		217
22	Phase 1/2 study of epacadostat in combination with ipilimumab in patients with unresectable or metastatic melanoma. , 2019, 7, 80.		65
23	Brain Tumor Microenvironment and Host State: Implications for Immunotherapy. Clinical Cancer Research, 2019, 25, 4202-4210.	3.2	207
24	High-Throughput Stability Screening of Neoantigen/HLA Complexes Improves Immunogenicity Predictions. Cancer Immunology Research, 2019, 7, 50-61.	1.6	36
25	WNT/ β -catenin Pathway Activation Correlates with Immune Exclusion across Human Cancers. Clinical Cancer Research, 2019, 25, 3074-3083.	3.2	435
26	Back from the dead: TIL apoptosis in cancer immune evasion. British Journal of Cancer, 2018, 118, 309-311.	2.9	8
27	Impact of oncogenic pathways on evasion of antitumour immune responses. Nature Reviews Cancer, 2018, 18, 139-147.	12.8	506
28	The commensal microbiome is associated with anti-PD-1 efficacy in metastatic melanoma patients. Science, 2018, 359, 104-108.	6.0	2,027
29	The microbiome in cancer immunotherapy: Diagnostic tools and therapeutic strategies. Science, 2018, 359, 1366-1370.	6.0	525
30	Intratumoral CD8+ T-cell Apoptosis Is a Major Component of T-cell Dysfunction and Impedes Antitumor Immunity. Cancer Immunology Research, 2018, 6, 14-24.	1.6	129
31	Mechanisms of Tumor Cell Intrinsic Immune Evasion. Annual Review of Cancer Biology, 2018, 2, 213-228.	2.3	65
32	Safety and Clinical Activity of Pembrolizumab and Multisite Stereotactic Body Radiotherapy in Patients With Advanced Solid Tumors. Journal of Clinical Oncology, 2018, 36, 1611-1618.	0.8	448
33	Epacadostat Plus Pembrolizumab in Patients With Advanced Solid Tumors: Phase I Results From a Multicenter, Open-Label Phase I/II Trial (ECHO-202/KEYNOTE-037). Journal of Clinical Oncology, 2018, 36, 3223-3230.	0.8	267
34	Fast Forward " Neoadjuvant Cancer Immunotherapy. New England Journal of Medicine, 2018, 378, 2034-2035.	13.9	9
35	A pharmacodynamic study of sirolimus and metformin in patients with advanced solid tumors. Cancer Chemotherapy and Pharmacology, 2018, 82, 309-317.	1.1	12
36	Severe hemophagocytic lymphohistiocytosis in a melanoma patient treated with ipilimumab + nivolumab. , 2018, 6, 73.		46

#	ARTICLE	IF	CITATIONS
37	Distinct Graft-Specific TCR Avidity Profiles during Acute Rejection and Tolerance. <i>Cell Reports</i> , 2018, 24, 2112-2126.	2.9	17
38	Improving Efficacy and Safety of Agonistic Anti-CD40 Antibody Through Extracellular Matrix Affinity. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 2399-2411.	1.9	34
39	The EGR2 targets LAG-3 and 4-1BB describe and regulate dysfunctional antigen-specific CD8+ T cells in the tumor microenvironment. <i>Journal of Experimental Medicine</i> , 2017, 214, 381-400.	4.2	154
40	Tumor-Residing Batf3 Dendritic Cells Are Required for Effector T Cell Trafficking and Adoptive T Cell Therapy. <i>Cancer Cell</i> , 2017, 31, 711-723.e4.	7.7	1,011
41	The Microbiota: A New Variable Impacting Cancer Treatment Outcomes. <i>Clinical Cancer Research</i> , 2017, 23, 3229-3231.	3.2	18
42	First-in-Human Phase I Study of the Oral Inhibitor of Indoleamine 2,3-Dioxygenase-1 Epacadostat (INCB024360) in Patients with Advanced Solid Malignancies. <i>Clinical Cancer Research</i> , 2017, 23, 3269-3276.	3.2	244
43	Innate immune signaling and regulation in cancer immunotherapy. <i>Cell Research</i> , 2017, 27, 96-108.	5.7	291
44	Tumor and Microenvironment Evolution during Immunotherapy with Nivolumab. <i>Cell</i> , 2017, 171, 934-949.e16.	13.5	1,515
45	Cancer Immunotherapy Targets Based on Understanding the T Cell-Inflamed Versus Non-T Cell-Inflamed Tumor Microenvironment. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1036, 19-31.	0.8	212
46	Human melanomas and ovarian cancers overexpressing mechanical barrier molecule genes lack immune signatures and have increased patient mortality risk. <i>Oncolmmunology</i> , 2016, 5, e1240857.	2.1	56
47	Molecular Drivers of the Non-“T-cell-Inflamed Tumor Microenvironment in Urothelial Bladder Cancer. <i>Cancer Immunology Research</i> , 2016, 4, 563-568.	1.6	293
48	MYC “a thorn in the side of cancer immunity. <i>Cell Research</i> , 2016, 26, 639-640.	5.7	7
49	Density of immunogenic antigens does not explain the presence or absence of the T-cell“inflamed tumor microenvironment in melanoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E7759-E7768.	3.3	328
50	Single dose denileukin diftitox does not enhance vaccine-induced T cell responses or effectively deplete Tregs in advanced melanoma: immune monitoring and clinical results of a randomized phase II trial. , 2016, 4, 35.		21
51	NK Cells Restrain Spontaneous Antitumor CD8+ T Cell Priming through PD-1/PD-L1 Interactions with Dendritic Cells. <i>Journal of Immunology</i> , 2016, 197, 953-961.	0.4	93
52	Loss of PTEN Promotes Resistance to T Cell“Mediated Immunotherapy. <i>Cancer Discovery</i> , 2016, 6, 202-216.	7.7	1,158
53	Unlocking tumor vascular barriers with CXCR3: Implications for cancer immunotherapy. <i>Oncolmmunology</i> , 2016, 5, e1116675.	2.1	9
54	Cutting Edge: Engineering Active IKK ² in T Cells Drives Tumor Rejection. <i>Journal of Immunology</i> , 2016, 196, 2933-2938.	0.4	18

#	ARTICLE	IF	CITATIONS
55	Antagonism of the STING Pathway via Activation of the AIM2 Inflammasome by Intracellular DNA. <i>Journal of Immunology</i> , 2016, 196, 3191-3198.	0.4	107
56	Tumor-intrinsic oncogene pathways mediating immune avoidance. <i>OncImmunology</i> , 2016, 5, e1086862.	2.1	120
57	Endogenous and pharmacologic targeting of the STING pathway in cancer immunotherapy. <i>Cytokine</i> , 2016, 77, 245-247.	1.4	35
58	Lymphatic vessels regulate immune microenvironments in human and murine melanoma. <i>Journal of Clinical Investigation</i> , 2016, 126, 3389-3402.	3.9	157
59	The host STING pathway at the interface of cancer and immunity. <i>Journal of Clinical Investigation</i> , 2016, 126, 2404-2411.	3.9	327
60	Innate Immune Recognition of Cancer. <i>Annual Review of Immunology</i> , 2015, 33, 445-474.	9.5	431
61	New perspectives on type I IFNs in cancer. <i>Cytokine and Growth Factor Reviews</i> , 2015, 26, 175-178.	3.2	50
62	Phase II Study of Nilotinib in Melanoma Harboring KIT Alterations Following Progression to Prior KIT Inhibition. <i>Clinical Cancer Research</i> , 2015, 21, 2289-2296.	3.2	128
63	T cell-NF- κ B activation is required for tumor control in vivo. , 2015, 3, 1.		64
64	Direct Activation of STING in the Tumor Microenvironment Leads to Potent and Systemic Tumor Regression and Immunity. <i>Cell Reports</i> , 2015, 11, 1018-1030.	2.9	1,083
65	Melanoma-intrinsic β -catenin signalling prevents anti-tumour immunity. <i>Nature</i> , 2015, 523, 231-235.	13.7	2,130
66	The STING pathway and the T cell-inflamed tumor microenvironment. <i>Trends in Immunology</i> , 2015, 36, 250-256.	2.9	190
67	Molecular Pathways: Targeting the Stimulator of Interferon Genes (STING) in the Immunotherapy of Cancer. <i>Clinical Cancer Research</i> , 2015, 21, 4774-4779.	3.2	145
68	Commensal <i>Bifidobacterium</i> promotes antitumor immunity and facilitates anti-PD-L1 efficacy. <i>Science</i> , 2015, 350, 1084-1089.	6.0	2,782
69	The Next Hurdle in Cancer Immunotherapy: Overcoming the Non-T-Cell-Inflamed Tumor Microenvironment. <i>Seminars in Oncology</i> , 2015, 42, 663-671.	0.8	388
70	Primary Murine CD4 ⁺ T Cells Fail to Acquire the Ability to Produce Effector Cytokines When Active Ras Is Present during Th1/Th2 Differentiation. <i>PLoS ONE</i> , 2014, 9, e112831.	1.1	2
71	Therapeutic Activity of High-Dose Intratumoral IFN- β Requires Direct Effect on the Tumor Vasculature. <i>Journal of Immunology</i> , 2014, 193, 4254-4260.	0.4	79
72	STING-Dependent Cytosolic DNA Sensing Promotes Radiation-Induced Type I Interferon-Dependent Antitumor Immunity in Immunogenic Tumors. <i>Immunity</i> , 2014, 41, 843-852.	6.6	1,468

#	ARTICLE	IF	CITATIONS
73	Effect of Selumetinib vs Chemotherapy on Progression-Free Survival in Uveal Melanoma. JAMA - Journal of the American Medical Association, 2014, 311, 2397.	3.8	359
74	STING-Dependent Cytosolic DNA Sensing Mediates Innate Immune Recognition of Immunogenic Tumors. Immunity, 2014, 41, 830-842.	6.6	1,325
75	Combination of vemurafenib and cobimetinib in patients with advanced BRAFV600-mutated melanoma: a phase 1b study. Lancet Oncology, The, 2014, 15, 954-965.	5.1	225
76	Mechanism of tumor rejection with doublets of CTLA-4, PD-1/PD-L1, or IDO blockade involves restored IL-2 production and proliferation of CD8+ T cells directly within the tumor microenvironment. , 2014, 2, 3.		460
77	Targeting the Tumor Microenvironment with Interferon- γ Bridges Innate and Adaptive Immune Responses. Cancer Cell, 2014, 25, 37-48.	7.7	236
78	A randomized pilot phase I study of modified carcinoembryonic antigen (CEA) peptide (CAP1-6D)/montanide/GM-CSF-vaccine in patients with pancreatic adenocarcinoma. , 2013, 1, 8.		30
79	Up-Regulation of PD-L1, IDO, and T _{regs} in the Melanoma Tumor Microenvironment Is Driven by CD8 ⁺ T Cells. Science Translational Medicine, 2013, 5, 200ra116.	5.8	1,447
80	Rational combinations of immunotherapeutics that target discrete pathways. , 2013, 1, 16.		62
81	Innate and adaptive immune cells in the tumor microenvironment. Nature Immunology, 2013, 14, 1014-1022.	7.0	3,109
82	The Society for Immunotherapy of Cancer consensus statement on tumour immunotherapy for the treatment of cutaneous melanoma. Nature Reviews Clinical Oncology, 2013, 10, 588-598.	12.5	177
83	Cancer immunotherapy strategies based on overcoming barriers within the tumor microenvironment. Current Opinion in Immunology, 2013, 25, 268-276.	2.4	352
84	Egr2-dependent gene expression profiling and ChIP-Seq reveal novel biologic targets in T cell anergy. Molecular Immunology, 2013, 55, 283-291.	1.0	37
85	Imatinib for Melanomas Harboring Mutationally Activated or Amplified <i>KIT</i> Arising on Mucosal, Acral, and Chronically Sun-Damaged Skin. Journal of Clinical Oncology, 2013, 31, 3182-3190.	0.8	530
86	CD40 ligation reverses T cell tolerance in acute myeloid leukemia. Journal of Clinical Investigation, 2013, 123, 1999-2010.	3.9	60
87	Transcriptional regulator early growth response gene 2 (Egr2) is required for T cell anergy in vitro and in vivo. Journal of Experimental Medicine, 2012, 209, 2157-2163.	4.2	91
88	Cellular and Molecular Requirements for Rejection of B16 Melanoma in the Setting of Regulatory T Cell Depletion and Homeostatic Proliferation. Journal of Immunology, 2012, 188, 2630-2642.	0.4	45
89	Innate immune sensing of cancer: clues from an identified role for type I IFNs. Cancer Immunology, Immunotherapy, 2012, 61, 1343-1347.	2.0	44
90	Phase II study of the farnesyltransferase inhibitor R115777 in advanced melanoma (CALGB 500104). Journal of Translational Medicine, 2012, 10, 246.	1.8	74

#	ARTICLE	IF	CITATIONS
91	Cancer immunotherapy. <i>Molecular Oncology</i> , 2012, 6, 242-250.	2.1	71
92	The immune score as a new possible approach for the classification of cancer. <i>Journal of Translational Medicine</i> , 2012, 10, 1.	1.8	656
93	Predictive Biomarkers as a Guide to Future Therapy Selection in Melanoma. , 2012, , 27-40.		0
94	Host type I IFN signals are required for antitumor CD8+ T cell responses through CD8 ⁺ dendritic cells. <i>Journal of Experimental Medicine</i> , 2011, 208, 2005-2016.	4.2	959
95	Molecular Profiling of Melanoma and the Evolution of Patient-Specific Therapy. <i>Seminars in Oncology</i> , 2011, 38, 236-242.	0.8	28
96	Molecular profiling to identify relevant immune resistance mechanisms in the tumor microenvironment. <i>Current Opinion in Immunology</i> , 2011, 23, 286-292.	2.4	134
97	Î²-Catenin Inhibits T Cell Activation by Selective Interference with Linker for Activation of T Cellsâ€™ Phospholipase C-Î³1 Phosphorylation. <i>Journal of Immunology</i> , 2011, 186, 784-790.	0.4	50
98	Transcriptional Profiling of Melanoma as a Potential Predictive Biomarker for Response to Immunotherapy. , 2011, , 229-238.		1
99	Gene Signature in Melanoma Associated With Clinical Activity. <i>Cancer Journal (Sudbury, Mass)</i> , 2010, 16, 399-403.	1.0	232
100	Improved melanoma survival at last! Ipilimumab and a paradigm shift for immunotherapy. <i>Pigment Cell and Melanoma Research</i> , 2010, 23, 580-581.	1.5	6
101	CARMA1 Controls an Early Checkpoint in the Thymic Development of FoxP3+ Regulatory T Cells. <i>Journal of Immunology</i> , 2009, 182, 6736-6743.	0.4	99
102	Costimulatory and coinhibitory receptors in anti-tumor immunity. <i>Immunological Reviews</i> , 2009, 229, 126-144.	2.8	246
103	Chemokine Expression in Melanoma Metastases Associated with CD8+ T-Cell Recruitment. <i>Cancer Research</i> , 2009, 69, 3077-3085.	0.4	911
104	PD-1/PD-L1 interactions inhibit antitumor immune responses in a murine acute myeloid leukemia model. <i>Blood</i> , 2009, 114, 1545-1552.	0.6	354
105	Glucose deprivation inhibits multiple key gene expression events and effector functions in CD8 ⁺ T cells. <i>European Journal of Immunology</i> , 2008, 38, 2438-2450.	1.6	312
106	Molecular regulation of T cell energy. <i>EMBO Reports</i> , 2008, 9, 50-55.	2.0	101
107	Homeostatic Proliferation Plus Regulatory T-Cell Depletion Promotes Potent Rejection of B16 Melanoma. <i>Clinical Cancer Research</i> , 2008, 14, 3156-3167.	3.2	79
108	Melanoma presenting as circulating tumor cells associated with failed angiogenesis. <i>Melanoma Research</i> , 2008, 18, 289-294.	0.6	5

#	ARTICLE	IF	CITATIONS
109	Insights into Mechanisms of Immune Resistance in the Tumor Microenvironment through Molecular Profiling. , 2008, , 77-89.		1
110	Failure at the Effector Phase: Immune Barriers at the Level of the Melanoma Tumor Microenvironment. Clinical Cancer Research, 2007, 13, 5256-5261.	3.2	210
111	The Expanding Universe of Regulatory T Cell Subsets in Cancer. Immunity, 2007, 27, 185-187.	6.6	20
112	Immune Suppression in the Tumor Microenvironment. Journal of Immunotherapy, 2006, 29, 233-240.	1.2	242
113	Immune resistance orchestrated by the tumor microenvironment. Immunological Reviews, 2006, 213, 131-145.	2.8	409
114	T cell anergy is reversed by active Ras and is regulated by diacylglycerol kinase- β . Nature Immunology, 2006, 7, 1166-1173.	7.0	252
115	Tumor progression despite massive influx of activated CD8+ T cells in a patient with malignant melanoma ascites. Cancer Immunology, Immunotherapy, 2006, 55, 1185-1197.	2.0	127
116	Cross-priming of T cells to intracranial tumor antigens elicits an immune response that fails in the effector phase but can be augmented with local immunotherapy. Journal of Neuroimmunology, 2006, 174, 74-81.	1.1	12
117	Blockade of PD-L1 (B7-H1) augments human tumor-specific T cell responses in vitro. International Journal of Cancer, 2006, 119, 317-327.	2.3	276
118	Homeostatic Proliferation as an Isolated Variable Reverses CD8+ T Cell Anergy and Promotes Tumor Rejection. Journal of Immunology, 2006, 177, 4521-4529.	0.4	75
119	Identifying and Overcoming Immune Resistance Mechanisms in the Melanoma Tumor Microenvironment. Clinical Cancer Research, 2006, 12, 2326s-2330s.	3.2	85
120	Induction of Cytotoxic Granules in Human Memory CD8+ T Cell Subsets Requires Cell Cycle Progression. Journal of Immunology, 2006, 177, 1981-1987.	0.4	29
121	Metabolic Mechanisms of Tumor Resistance to T Cell Effector Function. Immunologic Research, 2005, 31, 107-118.	1.3	19
122	Interaction of PD-L1 on tumor cells with PD-1 on tumor-specific T cells as a mechanism of immune evasion: implications for tumor immunotherapy. Cancer Immunology, Immunotherapy, 2005, 54, 307-314.	2.0	509
123	ICAM-1 Contributes to but Is Not Essential for Tumor Antigen Cross-Priming and CD8+ T Cell-Mediated Tumor Rejection In Vivo. Journal of Immunology, 2005, 174, 3416-3420.	0.4	25
124	Phase II Trial of the O6-Alkylguanine DNA Alkyltransferase Inhibitor O6-Benzylguanine and 1,3-Bis(2-Chloroethyl)-1-Nitrosourea in Advanced Melanoma. Clinical Cancer Research, 2005, 11, 7861-7865.	3.2	61
125	Glucose Availability Regulates IFN- γ Production and p70S6 Kinase Activation in CD8+ Effector T Cells. Journal of Immunology, 2005, 174, 4670-4677.	0.4	292
126	PD-L1/B7H-1 Inhibits the Effector Phase of Tumor Rejection by T Cell Receptor (TCR) Transgenic CD8+ T Cells. Cancer Research, 2004, 64, 1140-1145.	0.4	679

#	ARTICLE	IF	CITATIONS
127	Prospective Study of Immunomodulation with GM-CSF, IL-2, and Rituximab Following Autologous Stem Cell Transplant (SCT) in Patients with Relapsed Lymphomas.. <i>Blood</i> , 2004, 104, 918-918.	0.6	2
128	Negative Regulation of T-Cell Function by PD-1. <i>Critical Reviews in Immunology</i> , 2004, 24, 229-238.	1.0	82
129	Overcoming immune resistance in the tumor microenvironment by blockade of indoleamine 2,3-dioxygenase and programmed death ligand 1. <i>Current Opinion in Investigational Drugs</i> , 2004, 5, 1279-83.	2.3	3
130	B7DC/PDL2 Promotes Tumor Immunity by a PD-1-independent Mechanism. <i>Journal of Experimental Medicine</i> , 2003, 197, 1721-1730.	4.2	130
131	Gene Array and Protein Expression Profiles Suggest Post-transcriptional Regulation during CD8+ T Cell Differentiation. <i>Journal of Biological Chemistry</i> , 2003, 278, 17044-17052.	1.6	29
132	Immunization With Melan-A Peptide-Pulsed Peripheral Blood Mononuclear Cells Plus Recombinant Human Interleukin-12 Induces Clinical Activity and T-Cell Responses in Advanced Melanoma. <i>Journal of Clinical Oncology</i> , 2003, 21, 2342-2348.	0.8	148
133	Absence of Programmed Death Receptor 1 Alters Thymic Development and Enhances Generation of CD4/CD8 Double-Negative TCR-Transgenic T Cells. <i>Journal of Immunology</i> , 2003, 171, 4574-4581.	0.4	99
134	Allogeneic Stem-Cell Transplantation of Renal Cell Cancer After Nonmyeloablative Chemotherapy: Feasibility, Engraftment, and Clinical Results. <i>Journal of Clinical Oncology</i> , 2002, 20, 2017-2024.	0.8	169
135	Increasing Tumor Antigen Expression Overcomes Ignorance to Solid Tumors via Crosspresentation by Bone Marrow-Derived Stromal Cells. <i>Immunity</i> , 2002, 17, 737-747.	6.6	216
136	Integrating IL-12 into therapeutic cancer vaccines. <i>Cancer Chemotherapy and Biological Response Modifiers</i> , 2002, 20, 343-9.	0.5	4
137	CD28 Is Not Required for c-Jun N-Terminal Kinase Activation in T Cells. <i>Journal of Immunology</i> , 2001, 167, 3123-3128.	0.4	24
138	Improved efficacy of dendritic cell vaccines and successful immunization with tumor antigen peptide-pulsed peripheral blood mononuclear cells by coadministration of recombinant murine interleukin-12. , 1999, 80, 324-333.		57
139	Interleukin-12-secreting human papillomavirus type 16-transformed cells provide a potent cancer vaccine that generates E7-directed immunity. , 1999, 81, 428-437.		42
140	Helper T Cell Differentiation Is Controlled by the Cell Cycle. <i>Immunity</i> , 1998, 9, 229-237.	6.6	786
141	B7-1 Engagement of Cytotoxic T Lymphocyte Antigen 4 Inhibits T Cell Activation in the Absence of CD28. <i>Journal of Experimental Medicine</i> , 1998, 188, 205-210.	4.2	160
142	Apoptosis Meets Signal Transduction: Elimination of a BAD Influence. <i>Cell</i> , 1996, 87, 589-592.	13.5	341
143	Induction of the increased Fyn kinase activity in anergic T helper type 1 clones requires calcium and protein synthesis and is sensitive to cyclosporin A. <i>European Journal of Immunology</i> , 1995, 25, 1836-1842.	1.6	46
144	A peptide encoded by human gene MAGE-3 and presented by HLA-A2 induces cytolytic T lymphocytes that recognize tumor cells expressing MAGE-3. <i>European Journal of Immunology</i> , 1994, 24, 3038-3043.	1.6	339