
## **Philippe Golay**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3483930/publications.pdf Version: 2024-02-01



DHILIDDE COLAV

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | N-acetylcysteine in a Double-Blind Randomized Placebo-Controlled Trial: Toward Biomarker-Guided<br>Treatment in Early Psychosis. Schizophrenia Bulletin, 2018, 44, 317-327.   | 4.3 | 121       |
| 2  | Further insights on the French WISC–IV factor structure through Bayesian structural equation<br>modeling Psychological Assessment, 2013, 25, 496-508.   | 1.5 | 70        |
| 3  | Orthogonal higher order structure and confirmatory factor analysis of the French Wechsler Adult<br>Intelligence Scale (WAIS-III) Psychological Assessment, 2011, 23, 143-152.   | 1.5 | 62        |
| 4  | Improving Pleasure and Motivation in Schizophrenia: A Randomized Controlled Clinical Trial.<br>Psychotherapy and Psychosomatics, 2019, 88, 84-95.   | 8.8 | 45        |
| 5  | Factors associated with involuntary hospitalisation for psychiatric patients in Switzerland: a retrospective study. BMC Psychiatry, 2018, 18, 401.  | 2.6 | 42        |
| 6  | Development of the Positive Emotions Program for Schizophrenia: An Intervention to Improve Pleasure and Motivation in Schizophrenia. Frontiers in Psychiatry, 2016, 7, 13.  | 2.6 | 37        |
| 7  | Mild Depressive Symptoms Mediate the Impact of Childhood Trauma on Long-Term Functional Outcome<br>in Early Psychosis Patients. Schizophrenia Bulletin, 2017, 43, 1027-1035.  | 4.3 | 37        |
| 8  | Age at the Time of Exposure to Trauma Modulates the Psychopathological Profile in Patients With<br>Early Psychosis. Journal of Clinical Psychiatry, 2016, 77, e612-e618.  | 2.2 | 37        |
| 9  | Duration of untreated psychosis: Impact of the definition of treatment onset on its predictive value over three years of treatment. Journal of Psychiatric Research, 2016, 77, 15-21.   | 3.1 | 34        |
| 10 | Impaired fornix–hippocampus integrity is linked to peripheral glutathione peroxidase in early<br>psychosis. Translational Psychiatry, 2016, 6, e859-e859.   | 4.8 | 32        |
| 11 | Impulsivity in early psychosis: A complex link with violent behaviour and a target for intervention.<br>European Psychiatry, 2018, 49, 30-36.   | 0.2 | 30        |
| 12 | The relationship between self-stigma and depression among people with schizophrenia-spectrum disorders: A longitudinal study Psychiatry Research, 2019, 275, 115-119.   | 3.3 | 28        |
| 13 | The implementation and first insights of the French-speaking Swiss programme for monitoring self-harm. Swiss Medical Weekly, 2019, 149, w20016.   | 1.6 | 27        |
| 14 | Violent behaviour in early psychosis patients: Can we identify clinical risk profiles?. Microbial<br>Biotechnology, 2019, 13, 517-524.  | 1.7 | 22        |
| 15 | Insight as a social identity process in the evolution of psychosocial functioning in the early phase of psychosis. Psychological Medicine, 2017, 47, 718-729.   | 4.5 | 20        |
| 16 | Investigating the theoretical structure of the DASâ€II core battery at school age using Bayesian structural equation modeling. Psychology in the Schools, 2018, 55, 190-207.  | 1.8 | 20        |
| 17 | Identifying patterns in psychiatric hospital stays with statistical methods: towards a typology of post-deinstitutionalization hospitalization trajectories. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1411-1417. | 3.1 | 20        |
| 18 | Validation of the French Version of the Experiences in Close Relationships– Revised (ECR-R) Adult<br>Romantic Attachment Questionnaire. Swiss Journal of Psychology, 2016, 75, 113-121.   | 0.9 | 20        |

PHILIPPE GOLAY

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Assertive outreach for "difficult to engage―patients: A useful tool for a subgroup of patients in specialized early psychosis intervention programs. Psychiatry Research, 2016, 239, 212-219.  | 3.3 | 19        |
| 20 | Internal and Predictive Validity of the French Health of the Nation Outcome Scales: Need for Future Directions. PLoS ONE, 2016, 11, e0160360.  | 2.5 | 18        |
| 21 | French Translation and Validation of Three Scales Evaluating Stigma in Mental Health. Frontiers in Psychiatry, 2017, 8, 290.   | 2.6 | 18        |
| 22 | Mental health professionals' feelings and attitudes towards coercion. International Journal of Law and Psychiatry, 2021, 74, 101665.   | 0.9 | 18        |
| 23 | Feasibility and Accessibility of a Tailored Intervention for Informal Caregivers of People with Severe Psychiatric Disorders: a Pilot Study. Frontiers in Psychiatry, 2017, 8, 178.  | 2.6 | 17        |
| 24 | Urban remediation: a new recovery-oriented strategy to manage urban stress after first-episode psychosis. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 273-283.   | 3.1 | 17        |
| 25 | Linking Primary and Secondary Care after Psychiatric Hospitalization: Comparison between<br>Transitional Case Management Setting and Routine Care for Common Mental Disorders. Frontiers in<br>Psychiatry, 2016, 7, 96.  | 2.6 | 16        |
| 26 | Perceptions of schizophrenia and coping styles in caregivers: comparison between India and<br>Switzerland. Journal of Psychiatric and Mental Health Nursing, 2016, 23, 585-594.  | 2.1 | 16        |
| 27 | Multicomponent Intervention for Patients Admitted to an Emergency Unit for Suicide Attempt: An<br>Exploratory Study. Frontiers in Psychiatry, 2017, 8, 188.  | 2.6 | 15        |
| 28 | Feeling coerced during psychiatric hospitalization: Impact of perceived status of admission and perceived usefulness of hospitalization. International Journal of Law and Psychiatry, 2019, 67, 101512.  | 0.9 | 15        |
| 29 | Intensive Case Management for Addiction to promote engagement with care of people with severe mental and substance use disorders: an observational study. Substance Abuse Treatment, Prevention, and Policy, 2017, 12, 26.                                     | 2.2 | 14        |
| 30 | Migration in patients with early psychosis: A 3-year prospective follow-up study. Psychiatry Research, 2019, 275, 108-114.   | 3.3 | 13        |
| 31 | The Joint Crisis Plan: A Powerful Tool to Promote Mental Health. Frontiers in Psychiatry, 2021, 12, 621436.  | 2.6 | 13        |
| 32 | Perceived coercion in psychiatric hospital admission: validation of the French-language version of<br>the MacArthur Admission Experience Survey. BMC Psychiatry, 2017, 17, 357.  | 2.6 | 12        |
| 33 | Testing for multigroup invariance of the WISC-IV structure across France and Switzerland: Standard and CHC models. Learning and Individual Differences, 2015, 40, 127-133.   | 2.7 | 11        |
| 34 | Confirmatory Factor Analysis of the French Version of the Anticipatory and Consummatory<br>Interpersonal Pleasure Scale. Frontiers in Psychology, 2017, 8, 1296.   | 2.1 | 11        |
| 35 | Psychometric investigation of the French version of the Aberrant Salience Inventory (ASI):<br>differentiating patients with psychosis, patients with other psychiatric diagnoses and non-clinical<br>participants. Annals of General Psychiatry, 2020, 19, 58. | 2.7 | 11        |
| 36 | Against coefficient of variation for estimation of intraindividual variability with accuracy measures.<br>Tutorials in Quantitative Methods for Psychology, 2013, 9, 6-14.   | 2.8 | 11        |

Philippe Golay

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Scores composites CHC pour le WISC-IVÂ: normes francophones. Pratiques Psychologiques, 2012, 18,<br>37-50.  | 0.4 | 10        |
| 38 | Age at the time of onset of psychosis: A marker of specific needs rather than a determinant of outcome?. European Psychiatry, 2017, 45, 20-26.  | 0.2 | 10        |
| 39 | Exploring the clinical relevance of a dichotomy between affective and nonâ€affective psychosis: Results<br>from a firstâ€episode psychosis cohort study. Microbial Biotechnology, 2022, 16, 168-177.                  | 1.7 | 10        |
| 40 | Psychological trauma occurring during adolescence is associated with an increased risk of greater waist circumference in Early Psychosis patients treated with psychotropic medication. PLoS ONE, 2020, 15, e0242569. | 2.5 | 10        |
| 41 | Structural validity of the Wechsler Intelligence Scale for Children (WISC-IV) in a French-speaking<br>Swiss sample. Learning and Individual Differences, 2014, 29, 114-119.   | 2.7 | 9         |
| 42 | Internal validity of the French version of the Family Coping Questionnaire (FCQ): A confirmatory factor analysis. Psychiatry Research, 2018, 269, 337-344.  | 3.3 | 9         |
| 43 | Evidence of mediation of severity of anxiety and depressive symptoms between abuse and positive symptoms of psychosis. Journal of Psychiatric Research, 2022, 150, 353-359.   | 3.1 | 9         |
| 44 | Community Treatment Order: Identifying the need for more evidence based justification of its use in first episode psychosis patients. Schizophrenia Research, 2017, 185, 67-72.                                       | 2.0 | 8         |
| 45 | Measuring the paradox of self-stigma: psychometric properties of a brief scale. Annals of General<br>Psychiatry, 2021, 20, 5.   | 2.7 | 8         |
| 46 | Predicting involuntary hospitalization in psychiatry: A machine learning investigation. European<br>Psychiatry, 2021, 64, e48.  | 0.2 | 8         |
| 47 | Patients' Needs for Care in Public Mental Health: Unity and Diversity of Self-Assessed Needs for Care.<br>Frontiers in Public Health, 2016, 4, 22.  | 2.7 | 7         |
| 48 | Confirmatory Factor Analysis of the French Version of the Savoring Beliefs Inventory. Frontiers in Psychology, 2018, 9, 181.  | 2.1 | 7         |
| 49 | Psychometric properties of the French-language version of the Coercion Experience Scale (CES).<br>Annals of General Psychiatry, 2019, 18, 4.  | 2.7 | 7         |
| 50 | Increasing Tips in Less Than Two Hours: Impact of a Training Intervention on the Amount of Tips<br>Received by Restaurant Employees. Cornell Hospitality Quarterly, 2020, 61, 98-107.                                 | 3.8 | 6         |
| 51 | Moderating role of cannabis use between insight and depression in early psychosis. Schizophrenia<br>Research, 2020, 215, 61-65.   | 2.0 | 6         |
| 52 | A narrative review of intervention in first-episode affective psychoses. Journal of Psychiatric Research, 2021, 143, 123-137.   | 3.1 | 6         |
| 53 | Factorial structure and long-term stability of the Autonomy Preference Index Psychological Assessment, 2017, 29, 110-115.   | 1.5 | 6         |
| 54 | Ability to Care for an Ill Loved One During the First COVID-19 Lockdown: Mediators of Informal<br>Caregivers' Stress in Europe. Frontiers in Psychiatry, 2022, 13, 852712.  | 2.6 | 6         |

PHILIPPE GOLAY

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Which are your resources and how do they contribute to your recovery?. Revue Europeenne De<br>Psychologie Appliquee, 2018, 68, 215-226.   | 0.8 | 5         |
| 56 | Rate and predictors of disengagement in an early psychosis program with time limited intensification of treatment. Journal of Psychiatric Research, 2020, 131, 33-38.   | 3.1 | 5         |
| 57 | Protective Factor Assessments: What Are We Measuring?—An Investigation of the Internal Validity of the Structured Assessment of Protective Factors for Violence Risk. Criminal Justice and Behavior, 2020, 47, 383-398. | 1.8 | 5         |
| 58 | French Adaptation of the Coparenting Relationship Scale. European Journal of Psychological Assessment, 2021, 37, 433-439.   | 3.0 | 5         |
| 59 | Patients participating to neurobiological research in early psychosis: A selected subgroup?.<br>Schizophrenia Research, 2018, 201, 249-253.   | 2.0 | 4         |
| 60 | City Avoidance in the Early Phase of Psychosis: A Neglected Domain of Assessment and a Potential Target for Recovery Strategies. Frontiers in Psychiatry, 2019, 10, 342.  | 2.6 | 4         |
| 61 | Community treatment orders in Western Switzerland: A retrospective epidemiological study.<br>International Journal of Law and Psychiatry, 2019, 67, 101509.   | 0.9 | 4         |
| 62 | Ensemble programme for early intervention in informal caregivers of psychiatric adult patients: a protocol for a randomised controlled trial. BMJ Open, 2020, 10, e038781.  | 1.9 | 4         |
| 63 | Topology predicts long-term functional outcome in early psychosis. Molecular Psychiatry, 2020, 26, 5335-5346.   | 7.9 | 4         |
| 64 | L'évaluation desÂdifficultés etÂdesÂbesoins desÂpatients psychiatriques. Information Psychiatrique, 2008,<br>Volume 84, 895-902.  | 0.0 | 4         |
| 65 | Perceived fairness as main determinant of patients' satisfaction with care during psychiatric hospitalisation: An observational study. International Journal of Law and Psychiatry, 2022, 82, 101793.                   | 0.9 | 4         |
| 66 | Work-related burnout among personnel at a university hospital: identifying quantitative and qualitative differences using latent class analysis. Journal of Mental Health, 2021, 30, 388-399.                           | 1.9 | 3         |
| 67 | Patients with first versus multiple episodes of self-harm: how do their profiles differ?. Annals of<br>General Psychiatry, 2021, 20, 30.  | 2.7 | 3         |
| 68 | Six months functional response to early psychosis intervention program best predicts outcome after three years. Schizophrenia Research, 2021, 238, 62-69.   | 2.0 | 3         |
| 69 | N-acetyl-cysteine in a double-blind randomized placebo-controlled trial: Towards biomarker guided treatment in early psychosis. European Psychiatry, 2017, 41, s806-s806.   | 0.2 | 2         |
| 70 | Latent class analysis of the health of the nation outcome scales: A comparison of Swiss and English profiles and exploration of their predictive utility. European Psychiatry, 2018, 48, 1-5.                           | 0.2 | 2         |
| 71 | Subtyping based on premorbid profile: A strategy to personalize treatment in firstâ€episode affective psychosis. Microbial Biotechnology, 2022, 16, 51-60.  | 1.7 | 2         |
| 72 | Frontal cortical thickness correlates positively with impulsivity in early psychosis male patients.<br>Microbial Biotechnology, 2019, 13, 848-852.  | 1.7 | 1         |

Philippe Golay

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Propensity to decide on involuntary hospitalisation in primary medical care: Dispositional or situational determinants?. International Journal of Law and Psychiatry, 2020, 69, 101552.   | 0.9 | 1         |
| 74 | Engager dans les soins les personnes ayant des troubles psychiques et des problèmes d'emploi. Swiss<br>Archives of Neurology, Psychiatry and Psychotherapy, 2017, 168, 107-112.   | 0.1 | 1         |
| 75 | Evolution of impulsivity levels in relation to early cannabis use in violent patients in the early phase of psychosis. Psychological Medicine, 2022, , 1-10.  | 4.5 | 1         |
| 76 | The differential impact of duration of untreated psychosis on functioning and quality of life: A threshold analysis. Microbial Biotechnology, 2023, 17, 354-360.  | 1.7 | 1         |
| 77 | Symptom dimensions stability over time in recent onset psychosis: A prospective study. Schizophrenia<br>Research, 2022, 246, 126-131.   | 2.0 | 1         |
| 78 | Could cannabis use moderate the association between insight and depression in psychosis: a prospective study. European Neuropsychopharmacology, 2016, 26, S504.   | 0.7 | 0         |
| 79 | SA19. N-Acetyl-Cysteine in a Double-Blind Randomized Placebo-Controlled Trial: Toward<br>Biomarker-Guided Treatment in Early Psychosis. Schizophrenia Bulletin, 2017, 43, S119-S120.  | 4.3 | 0         |
| 80 | SU19. Effects of N-Acetyl-Cysteine as an Add-on to Standard Treatment on Neurocognition in Early<br>Psychosis. Schizophrenia Bulletin, 2017, 43, S167-S168.   | 4.3 | 0         |
| 81 | Qui a besoin de suivi intensif dans le milieu dans un programme spécialisé pour les psychoses<br>émergentes�. Annales Medico-Psychologiques, 2018, 176, 74-79.  | 0.4 | 0         |
| 82 | F44. AN ADD-ON TRIAL WITH N-ACETYL-CYSTEINE (NAC) IN EARLY PSYCHOSIS PATIENTS: TOWARDS BIOMARKER GUIDED TREATMENT. Schizophrenia Bulletin, 2018, 44, S236-S236.   | 4.3 | 0         |
| 83 | F227. PSYCHOLOGICAL TRAUMA OCCURRING DURING ADOLESCENCE IS ASSOCIATED WITH AN INCREASED<br>RISK OF GREATER WAIST CIRCUMFERENCE IN EARLY PSYCHOSIS PATIENTS INDEPENDENTLY OF MEDICATION.<br>Schizophrenia Bulletin, 2018, 44, S310-S310. | 4.3 | 0         |
| 84 | S180. MICROSTRUCTURE COMPLEXITY OF THE THALAMUS IN SCHIZOPHRENIA: A NODDI STUDY.<br>Schizophrenia Bulletin, 2018, 44, S395-S395.  | 4.3 | 0         |
| 85 | M16. PROFILING GLUTAMATE AND D-SERINE PATHWAYS IN TREATMENT RESISTANT EARLY PSYCHOSIS PATIENTS. Schizophrenia Bulletin, 2020, 46, S139-S139.  | 4.3 | 0         |
| 86 | Specific aspects of aberrant salience:Âcomparison between patients with or without psychosisÂand<br>healthy participants. Swiss Archives of Neurology, Psychiatry and Psychotherapy, 0, , .   | 0.1 | 0         |
| 87 | Analyse factorielle confirmatoireÂ: approche bayésienne. , 2015, , 265-284.   |     | 0         |
| 88 | Cannabis Use as a Moderator of the Association Between Insight and Depression in Early Psychosis:<br>Results From a Prospective Study. SSRN Electronic Journal, 0, , .  | 0.4 | 0         |
| 89 | Recovering the Capacity to Live outside of a Psychiatric Hospital: Impact of a Specialized Inpatient<br>Program. Psychiatric Quarterly, 2021, 92, 751-759.  | 2.1 | 0         |
|    |   |     |           |

| #  | Article  | IF              | CITATIONS |
|----|--|-----------------|-----------|
| 91 | Title is missing!. , 2016, 11, e0160360.   |                 | 0         |
| 92 | Title is missing!. , 2016, 11, e0160360.   |                 | 0         |
| 93 | « Chez soi d'abord » : se rétablir chez soi d'un trouble psychique sévère. Revue Medicale Suisse, 20<br>1605-1609.   | 017, 13,<br>0.0 | 0         |
| 94 | Restaurer la compétence à vivre hors de l'hôpital psychiatrique : résultats d'un programme spécial<br>Revue Medicale Suisse, 2017, 13, 1610-1613.                              | isé.<br>0.0     | 0         |
| 95 | Patterns of Service Use in Intensive Case Management: A Six Year Longitudinal Study. Administration and Policy in Mental Health and Mental Health Services Research, 2022, , . | 2.1             | 0         |
| 96 | Grouping affective psychoses in early intervention: Justification for specific treatment guidelines.<br>Psychiatry Research, 2022, 314, 114690.                                | 3.3             | 0         |