

Philippe Golay

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3483930/publications.pdf>

Version: 2024-02-01

96
papers

1,202
citations

430874

18
h-index

477307

29
g-index

107
all docs

107
docs citations

107
times ranked

1377
citing authors

#	ARTICLE	IF	CITATIONS
1	The differential impact of duration of untreated psychosis on functioning and quality of life: A threshold analysis. <i>Microbial Biotechnology</i> , 2023, 17, 354-360.	1.7	1
2	Subtyping based on premorbid profile: A strategy to personalize treatment in first-episode affective psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 51-60.	1.7	2
3	Exploring the clinical relevance of a dichotomy between affective and non-affective psychosis: Results from a first-episode psychosis cohort study. <i>Microbial Biotechnology</i> , 2022, 16, 168-177.	1.7	10
4	Evidence of mediation of severity of anxiety and depressive symptoms between abuse and positive symptoms of psychosis. <i>Journal of Psychiatric Research</i> , 2022, 150, 353-359.	3.1	9
5	Evolution of impulsivity levels in relation to early cannabis use in violent patients in the early phase of psychosis. <i>Psychological Medicine</i> , 2022, , 1-10.	4.5	1
6	Ability to Care for an Ill Loved One During the First COVID-19 Lockdown: Mediators of Informal Caregivers' Stress in Europe. <i>Frontiers in Psychiatry</i> , 2022, 13, 852712.	2.6	6
7	Perceived fairness as main determinant of patients' satisfaction with care during psychiatric hospitalisation: An observational study. <i>International Journal of Law and Psychiatry</i> , 2022, 82, 101793.	0.9	4
8	Patterns of Service Use in Intensive Case Management: A Six Year Longitudinal Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2022, , .	2.1	0
9	Grouping affective psychoses in early intervention: Justification for specific treatment guidelines. <i>Psychiatry Research</i> , 2022, 314, 114690.	3.3	0
10	Symptom dimensions stability over time in recent onset psychosis: A prospective study. <i>Schizophrenia Research</i> , 2022, 246, 126-131.	2.0	1
11	French Adaptation of the Coparenting Relationship Scale. <i>European Journal of Psychological Assessment</i> , 2021, 37, 433-439.	3.0	5
12	The Joint Crisis Plan: A Powerful Tool to Promote Mental Health. <i>Frontiers in Psychiatry</i> , 2021, 12, 621436.	2.6	13
13	Work-related burnout among personnel at a university hospital: identifying quantitative and qualitative differences using latent class analysis. <i>Journal of Mental Health</i> , 2021, 30, 388-399.	1.9	3
14	Patients with first versus multiple episodes of self-harm: how do their profiles differ?. <i>Annals of General Psychiatry</i> , 2021, 20, 30.	2.7	3
15	A narrative review of intervention in first-episode affective psychoses. <i>Journal of Psychiatric Research</i> , 2021, 143, 123-137.	3.1	6
16	Measuring the paradox of self-stigma: psychometric properties of a brief scale. <i>Annals of General Psychiatry</i> , 2021, 20, 5.	2.7	8
17	Mental health professionals' feelings and attitudes towards coercion. <i>International Journal of Law and Psychiatry</i> , 2021, 74, 101665.	0.9	18
18	Predicting involuntary hospitalization in psychiatry: A machine learning investigation. <i>European Psychiatry</i> , 2021, 64, e48.	0.2	8

#	ARTICLE	IF	CITATIONS
19	Six months functional response to early psychosis intervention program best predicts outcome after three years. <i>Schizophrenia Research</i> , 2021, 238, 62-69.	2.0	3
20	Recovering the Capacity to Live outside of a Psychiatric Hospital: Impact of a Specialized Inpatient Program. <i>Psychiatric Quarterly</i> , 2021, 92, 751-759.	2.1	0
21	Increasing Tips in Less Than Two Hours: Impact of a Training Intervention on the Amount of Tips Received by Restaurant Employees. <i>Cornell Hospitality Quarterly</i> , 2020, 61, 98-107.	3.8	6
22	Urban remediation: a new recovery-oriented strategy to manage urban stress after first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 273-283.	3.1	17
23	Moderating role of cannabis use between insight and depression in early psychosis. <i>Schizophrenia Research</i> , 2020, 215, 61-65.	2.0	6
24	Psychometric investigation of the French version of the Aberrant Salience Inventory (ASI): differentiating patients with psychosis, patients with other psychiatric diagnoses and non-clinical participants. <i>Annals of General Psychiatry</i> , 2020, 19, 58.	2.7	11
25	Rate and predictors of disengagement in an early psychosis program with time limited intensification of treatment. <i>Journal of Psychiatric Research</i> , 2020, 131, 33-38.	3.1	5
26	Ensemble programme for early intervention in informal caregivers of psychiatric adult patients: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e038781.	1.9	4
27	M16. PROFILING GLUTAMATE AND D-SERINE PATHWAYS IN TREATMENT RESISTANT EARLY PSYCHOSIS PATIENTS. <i>Schizophrenia Bulletin</i> , 2020, 46, S139-S139.	4.3	0
28	Topology predicts long-term functional outcome in early psychosis. <i>Molecular Psychiatry</i> , 2020, 26, 5335-5346.	7.9	4
29	Propensity to decide on involuntary hospitalisation in primary medical care: Dispositional or situational determinants?. <i>International Journal of Law and Psychiatry</i> , 2020, 69, 101552.	0.9	1
30	Protective Factor Assessments: What Are We Measuring? An Investigation of the Internal Validity of the Structured Assessment of Protective Factors for Violence Risk. <i>Criminal Justice and Behavior</i> , 2020, 47, 383-398.	1.8	5
31	Psychological trauma occurring during adolescence is associated with an increased risk of greater waist circumference in Early Psychosis patients treated with psychotropic medication. <i>PLoS ONE</i> , 2020, 15, e0242569.	2.5	10
32	Frontal cortical thickness correlates positively with impulsivity in early psychosis male patients. <i>Microbial Biotechnology</i> , 2019, 13, 848-852.	1.7	1
33	City Avoidance in the Early Phase of Psychosis: A Neglected Domain of Assessment and a Potential Target for Recovery Strategies. <i>Frontiers in Psychiatry</i> , 2019, 10, 342.	2.6	4
34	Feeling coerced during psychiatric hospitalization: Impact of perceived status of admission and perceived usefulness of hospitalization. <i>International Journal of Law and Psychiatry</i> , 2019, 67, 101512.	0.9	15
35	Psychometric properties of the French-language version of the Coercion Experience Scale (CES). <i>Annals of General Psychiatry</i> , 2019, 18, 4.	2.7	7
36	Migration in patients with early psychosis: A 3-year prospective follow-up study. <i>Psychiatry Research</i> , 2019, 275, 108-114.	3.3	13

#	ARTICLE	IF	CITATIONS
37	Identifying patterns in psychiatric hospital stays with statistical methods: towards a typology of post-deinstitutionalization hospitalization trajectories. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 1411-1417.	3.1	20
38	The relationship between self-stigma and depression among people with schizophrenia-spectrum disorders: A longitudinal study.. <i>Psychiatry Research</i> , 2019, 275, 115-119.	3.3	28
39	Improving Pleasure and Motivation in Schizophrenia: A Randomized Controlled Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 84-95.	8.8	45
40	Community treatment orders in Western Switzerland: A retrospective epidemiological study. <i>International Journal of Law and Psychiatry</i> , 2019, 67, 101509.	0.9	4
41	Violent behaviour in early psychosis patients: Can we identify clinical risk profiles?. <i>Microbial Biotechnology</i> , 2019, 13, 517-524.	1.7	22
42	The implementation and first insights of the French-speaking Swiss programme for monitoring self-harm. <i>Swiss Medical Weekly</i> , 2019, 149, w20016.	1.6	27
43	Impulsivity in early psychosis: A complex link with violent behaviour and a target for intervention. <i>European Psychiatry</i> , 2018, 49, 30-36.	0.2	30
44	Investigating the theoretical structure of the DAS-III core battery at school age using Bayesian structural equation modeling. <i>Psychology in the Schools</i> , 2018, 55, 190-207.	1.8	20
45	Qui a besoin de suivi intensif dans le milieu dans un programme sp�cialis� pour les psychoses �mergentes?. <i>Annales Medico-Psychologiques</i> , 2018, 176, 74-79.	0.4	0
46	Patients participating to neurobiological research in early psychosis: A selected subgroup?. <i>Schizophrenia Research</i> , 2018, 201, 249-253.	2.0	4
47	F44. AN ADD-ON TRIAL WITH N-ACETYL-CYSTEINE (NAC) IN EARLY PSYCHOSIS PATIENTS: TOWARDS BIOMARKER GUIDED TREATMENT. <i>Schizophrenia Bulletin</i> , 2018, 44, S236-S236.	4.3	0
48	Latent class analysis of the health of the nation outcome scales: A comparison of Swiss and English profiles and exploration of their predictive utility. <i>European Psychiatry</i> , 2018, 48, 1-5.	0.2	2
49	N-acetylcysteine in a Double-Blind Randomized Placebo-Controlled Trial: Toward Biomarker-Guided Treatment in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 317-327.	4.3	121
50	Factors associated with involuntary hospitalisation for psychiatric patients in Switzerland: a retrospective study. <i>BMC Psychiatry</i> , 2018, 18, 401.	2.6	42
51	F227. PSYCHOLOGICAL TRAUMA OCCURRING DURING ADOLESCENCE IS ASSOCIATED WITH AN INCREASED RISK OF GREATER WAIST CIRCUMFERENCE IN EARLY PSYCHOSIS PATIENTS INDEPENDENTLY OF MEDICATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S310-S310.	4.3	0
52	S180. MICROSTRUCTURE COMPLEXITY OF THE THALAMUS IN SCHIZOPHRENIA: A NODDI STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S395-S395.	4.3	0
53	Which are your resources and how do they contribute to your recovery?. <i>Revue Europeenne De Psychologie Appliquee</i> , 2018, 68, 215-226.	0.8	5
54	Confirmatory Factor Analysis of the French Version of the Savoring Beliefs Inventory. <i>Frontiers in Psychology</i> , 2018, 9, 181.	2.1	7

#	ARTICLE	IF	CITATIONS
55	Internal validity of the French version of the Family Coping Questionnaire (FCQ): A confirmatory factor analysis. <i>Psychiatry Research</i> , 2018, 269, 337-344.	3.3	9
56	Community Treatment Order: Identifying the need for more evidence based justification of its use in first episode psychosis patients. <i>Schizophrenia Research</i> , 2017, 185, 67-72.	2.0	8
57	Mild Depressive Symptoms Mediate the Impact of Childhood Trauma on Long-Term Functional Outcome in Early Psychosis Patients. <i>Schizophrenia Bulletin</i> , 2017, 43, 1027-1035.	4.3	37
58	Insight as a social identity process in the evolution of psychosocial functioning in the early phase of psychosis. <i>Psychological Medicine</i> , 2017, 47, 718-729.	4.5	20
59	SA19. N-Acetyl-Cysteine in a Double-Blind Randomized Placebo-Controlled Trial: Toward Biomarker-Guided Treatment in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, S119-S120.	4.3	0
60	N-acetyl-cysteine in a double-blind randomized placebo-controlled trial: Towards biomarker guided treatment in early psychosis. <i>European Psychiatry</i> , 2017, 41, s806-s806.	0.2	2
61	Intensive Case Management for Addiction to promote engagement with care of people with severe mental and substance use disorders: an observational study. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2017, 12, 26.	2.2	14
62	Age at the time of onset of psychosis: A marker of specific needs rather than a determinant of outcome?. <i>European Psychiatry</i> , 2017, 45, 20-26.	0.2	10
63	Confirmatory Factor Analysis of the French Version of the Anticipatory and Consummatory Interpersonal Pleasure Scale. <i>Frontiers in Psychology</i> , 2017, 8, 1296.	2.1	11
64	Feasibility and Accessibility of a Tailored Intervention for Informal Caregivers of People with Severe Psychiatric Disorders: a Pilot Study. <i>Frontiers in Psychiatry</i> , 2017, 8, 178.	2.6	17
65	Multicomponent Intervention for Patients Admitted to an Emergency Unit for Suicide Attempt: An Exploratory Study. <i>Frontiers in Psychiatry</i> , 2017, 8, 188.	2.6	15
66	French Translation and Validation of Three Scales Evaluating Stigma in Mental Health. <i>Frontiers in Psychiatry</i> , 2017, 8, 290.	2.6	18
67	Perceived coercion in psychiatric hospital admission: validation of the French-language version of the MacArthur Admission Experience Survey. <i>BMC Psychiatry</i> , 2017, 17, 357.	2.6	12
68	SU19. Effects of N-Acetyl-Cysteine as an Add-on to Standard Treatment on Neurocognition in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, S167-S168.	4.3	0
69	Factorial structure and long-term stability of the Autonomy Preference Index.. <i>Psychological Assessment</i> , 2017, 29, 110-115.	1.5	6
70	Engager dans les soins les personnes ayant des troubles psychiques et des probl�mes d'emploi. <i>Swiss Archives of Neurology, Psychiatry and Psychotherapy</i> , 2017, 168, 107-112.	0.1	1
71	�« Chez soi d'abord � » : se r�tablir chez soi d'un trouble psychique s�v�re. <i>Revue Medicale Suisse</i> , 2017, 13, 1605-1609.	0.0	0
72	Restaurer la comp�tence � vivre hors de l'h�pital psychiatrique : r�sultats d'un programme sp�cialis�. <i>Revue Medicale Suisse</i> , 2017, 13, 1610-1613.	0.0	0

#	ARTICLE	IF	CITATIONS
73	Internal and Predictive Validity of the French Health of the Nation Outcome Scales: Need for Future Directions. PLoS ONE, 2016, 11, e0160360.	2.5	18
74	Development of the Positive Emotions Program for Schizophrenia: An Intervention to Improve Pleasure and Motivation in Schizophrenia. Frontiers in Psychiatry, 2016, 7, 13.	2.6	37
75	Linking Primary and Secondary Care after Psychiatric Hospitalization: Comparison between Transitional Case Management Setting and Routine Care for Common Mental Disorders. Frontiers in Psychiatry, 2016, 7, 96.	2.6	16
76	Patients' Needs for Care in Public Mental Health: Unity and Diversity of Self-Assessed Needs for Care. Frontiers in Public Health, 2016, 4, 22.	2.7	7
77	Could cannabis use moderate the association between insight and depression in psychosis: a prospective study. European Neuropsychopharmacology, 2016, 26, S504.	0.7	0
78	Assertive outreach for "difficult to engage" patients: A useful tool for a subgroup of patients in specialized early psychosis intervention programs. Psychiatry Research, 2016, 239, 212-219.	3.3	19
79	Impaired fornix "hippocampus integrity is linked to peripheral glutathione peroxidase in early psychosis. Translational Psychiatry, 2016, 6, e859-e859.	4.8	32
80	Perceptions of schizophrenia and coping styles in caregivers: comparison between India and Switzerland. Journal of Psychiatric and Mental Health Nursing, 2016, 23, 585-594.	2.1	16
81	Duration of untreated psychosis: Impact of the definition of treatment onset on its predictive value over three years of treatment. Journal of Psychiatric Research, 2016, 77, 15-21.	3.1	34
82	Validation of the French Version of the Experiences in Close Relationships " Revised (ECR-R) Adult Romantic Attachment Questionnaire. Swiss Journal of Psychology, 2016, 75, 113-121.	0.9	20
83	Age at the Time of Exposure to Trauma Modulates the Psychopathological Profile in Patients With Early Psychosis. Journal of Clinical Psychiatry, 2016, 77, e612-e618.	2.2	37
84	Title is missing!. , 2016, 11, e0160360.		0
85	Title is missing!. , 2016, 11, e0160360.		0
86	Title is missing!. , 2016, 11, e0160360.		0
87	Testing for multigroup invariance of the WISC-IV structure across France and Switzerland: Standard and CHC models. Learning and Individual Differences, 2015, 40, 127-133.	2.7	11
88	Analyse factorielle confirmatoire: approche bayésienne. , 2015, , 265-284.		0
89	Structural validity of the Wechsler Intelligence Scale for Children (WISC-IV) in a French-speaking Swiss sample. Learning and Individual Differences, 2014, 29, 114-119.	2.7	9
90	Further insights on the French WISC "IV factor structure through Bayesian structural equation modeling.. Psychological Assessment, 2013, 25, 496-508.	1.5	70

#	ARTICLE	IF	CITATIONS
91	Against coefficient of variation for estimation of intraindividual variability with accuracy measures. Tutorials in Quantitative Methods for Psychology, 2013, 9, 6-14.	2.8	11
92	Scores composites CHC pour le WISC-IVÂ: normes francophones. Pratiques Psychologiques, 2012, 18, 37-50.	0.4	10
93	Orthogonal higher order structure and confirmatory factor analysis of the French Wechsler Adult Intelligence Scale (WAIS-III).. Psychological Assessment, 2011, 23, 143-152.	1.5	62
94	L'Ã©valuation desÂdifficultÃ©s etÂdesÂbesoins desÂpatients psychiatriques. Information Psychiatrique, 2008, Volume 84, 895-902.	0.0	4
95	Specific aspects of aberrant salience:Âcomparaison between patients with or without psychosisÂand healthy participants. Swiss Archives of Neurology, Psychiatry and Psychotherapy, 0, , .	0.1	0
96	Cannabis Use as a Moderator of the Association Between Insight and Depression in Early Psychosis: Results From a Prospective Study. SSRN Electronic Journal, 0, , .	0.4	0