
Nada Pejnović

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3486953/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Modulation of Intestinal ILC3 for the Treatment of Type 1 Diabetes. Frontiers in Immunology, 2021, 12, 653560.	4.8	7
2	Transgenic Overexpression of Galectin-3 in Pancreatic β Cells Attenuates Hyperglycemia in Mice: Synergistic Antidiabetic Effect With Exogenous IL-33. Frontiers in Pharmacology, 2021, 12, 714683.	3.5	2
3	Immunomodulatory activity and protective effects of chokeberry fruit extract on <i>Listeria monocytogenes</i> infection in mice. Food and Function, 2020, 11, 7793-7803.	4.6	5
4	Ethyl Pyruvate Promotes Proliferation of Regulatory T Cells by Increasing Glycolysis. Molecules, 2020, 25, 4112.	3.8	7
5	Chemosensory dysfunction, Oral disorders and Oral health-related quality of life in patients with primary Sjögren's syndrome: comparative cross-sectional study. BMC Oral Health, 2020, 20, 187.	2.3	15
6	Overexpression of Galectin 3 in Pancreatic β Cells Amplifies β-Cell Apoptosis and Islet Inflammation in Type-2 Diabetes in Mice. Frontiers in Endocrinology, 2020, 11, 30.	3.5	14
7	Orally delivered all-trans-retinoic acid- and transforming growth factor-β-loaded microparticles ameliorate type 1 diabetes in mice. European Journal of Pharmacology, 2019, 864, 172721.	3.5	17
8	IL-33/IL-33R in various types of carotid artery atherosclerotic lesions. Cytokine, 2019, 120, 242-250.	3.2	19
9	Galectin-3 deficiency enhances type 2 immune cell-mediated myocarditis in mice. Immunologic Research, 2018, 66, 491-502.	2.9	12
10	Galectin-3 Deletion Enhances Visceral Adipose Tissue Inflammation and Dysregulates Glucose Metabolism in Mice on a High-Fat Diet. Serbian Journal of Experimental and Clinical Research, 2016, 17, 231-240.	0.1	1
11	Expression of interleukinâ€33 and its receptor <scp>ST</scp> 2 in periapical granulomas and radicular cysts. Journal of Oral Pathology and Medicine, 2016, 45, 70-76.	2.7	11
12	Galectin-3 and IL-33/ST2 axis roles and interplay in diet-induced steatohepatitis. World Journal of Gastroenterology, 2016, 22, 9706.	3.3	47
13	ST2 Deficiency Ameliorates High Fat Diet-Induced Liver Steatosis In BALB/c Mice. Serbian Journal of Experimental and Clinical Research, 2015, 16, 9-20.	0.1	1
14	Differential Immunometabolic Phenotype in Th1 and Th2 Dominant Mouse Strains in Response to High-Fat Feeding. PLoS ONE, 2015, 10, e0134089.	2.5	81
15	Galectin-3 Ablation Enhances Liver Steatosis, but Attenuates Inflammation and IL-33-Dependent Fibrosis in Obesogenic Mouse Model of Nonalcoholic Steatohepatitis. Molecular Medicine, 2015, 21, 453-465.	4.4	70
16	Galectin-3 In Obesity And Type 2 Diabetes. Serbian Journal of Experimental and Clinical Research, 2015, 16, 273-280.	0.1	3
17	ST2 Deletion Increases Inflammatory Bone Destruction inÂExperimentally Induced Periapical Lesions in Mice. Journal of Endodontics, 2015, 41, 369-375.	3.1	11
18	Innate Lymphoid Cells: Roles In Tumour Genesis And Progression. Serbian Journal of Experimental and Clinical Research, 2015, 16, 85-91.	0.1	0

Nada Pejnović

#	Article	IF	CITATIONS
19	New Insight Into Early Events in Type 1 Diabetes: Role for Islet Stem Cell Exosomes. Diabetes, 2014, 63, 835-837.	0.6	14
20	ST2 gene-deletion reveals a role of Foxp3+ regulatory TÂcells in diabetes modulation in BALB/c mice. Translational Research, 2013, 161, 118-129.	5.0	10
21	Lack of ST2 enhances high-fat diet-induced visceral adiposity and inflammation in BALB/c mice. Serbian Journal of Experimental and Clinical Research, 2013, 14, 155-160.	0.1	1
22	The Role of Galectin-3 in Malignant Melanoma. ACS Symposium Series, 2012, , 155-169.	0.5	0
23	Effects of TNF inhibitor on innate inflammatory and Th17 cytokines in stimulated whole blood from rheumatoid arthritis patients. Inflammopharmacology, 2012, 20, 323-330.	3.9	9
24	Protective role of IL-33/ST2 axis in Con A-induced hepatitis. Journal of Hepatology, 2012, 56, 26-33.	3.7	130
25	Galectin-3 deficiency prevents concanavalin A-induced hepatitis in mice. Hepatology, 2012, 55, 1954-1964.	7.3	93
26	IL-33/ST2 axis in inflammation and immunopathology. Immunologic Research, 2012, 52, 89-99.	2.9	230
27	The roles of Galectin-3 in autoimmunity and tumor progression. Immunologic Research, 2012, 52, 100-110.	2.9	111
28	Pregnancy-associated spinal osteoporosis treated with bisphosphonates: long-term follow-up of maternal and infants outcome. Rheumatology International, 2012, 32, 819-823.	3.0	27
29	Longitudinal study of 16 patients with Takayasu's arteritis: clinical features and therapeutic management. Clinical Rheumatology, 2009, 28, 179-185.	2.2	34
30	Increased atherosclerotic lesions and Th17 in interleukin-18 deficient apolipoprotein E-knockout mice fed high-fat diet. Molecular Immunology, 2009, 47, 37-45.	2.2	53
31	Influence of rituximab–CHOP therapy on clinical course and autoimmune parameters in rheumatoid arthritis associated with diffuse large B cell non-Hodgkin lymphoma. Annals of Hematology, 2008, 87, 767-769.	1.8	1
32	Refractory rapidly progressive Takayasu's arteritis successfully treated with surgery. Clinical Rheumatology, 2007, 26, 1787-1789.	2.2	3
33	Clinical significance of IL-18, IL-15, IL-12 and TNF-α measurement in rheumatoid arthritis. Clinical Rheumatology, 2006, 25, 448-452.	2.2	135
34	Atherosclerotic Abdominal Aortic Aneurysm and the Interaction Between Autologous Human Plaque-Derived Vascular Smooth Muscle Cells, Type 1 NKT, and Helper T Cells. Circulation Research, 2005, 96, 675-683.	4.5	82
35	Predominance of Th2 response in human abdominal aortic aneurysm: Mistaken identity for IL-4-producing NK and NKT cells?. Cellular Immunology, 2005, 233, 109-114.	3.0	31
36	Inflammatory response in rheumatoid arthritis. Journal of Medical Biochemistry, 2004, 23, 375-380.	0.1	1

Nada Pejnović

#	Article	IF	CITATIONS
37	Long-term follow-up and prognosis of chronic granulomatous disease in Yugoslavia: is there a role for early bone marrow transplantation?. Journal of Clinical Immunology, 2003, 23, 55-61.	3.8	10
38	NKT cell subsets in infection and inflammation. Immunology Letters, 2003, 85, 159-163.	2.5	42
39	Human IL-18 Receptor and ST2L Are Stable and Selective Markers for the Respective Type 1 and Type 2 Circulating Lymphocytes. Journal of Immunology, 2001, 167, 1238-1244.	0.8	78
40	Increased activity of lymph node cells in experimental thermal injury: changes in accessory cells in injured area-draining lymph nodes. Burns, 2000, 26, 525-534.	1.9	2
41	Recognizing, Scoring, and Predicting Blast Injuries RID="" ID="" This International Association for the Surgery of Trauma and Surgical Intensive Care (IATSIC) article was presented at the 37th World Congress of Surgery International Surgical Week (ISW97), Acapulco, Mexico, August 24–30, 1997 World Iournal of Surgery. 1999. 23. 44-53.	1.6	40
42	IL-1, TNF and IL-6 Release by Wound- inflammatory Cells During the Healing Process in Two Strains of Rats. , 1997, , 339-346.		0
43	A Monoclonal Antibody R-MC 46 Induces Homotypic Adhesion and Activation of Rat Peripheral Blood Neutrophils. , 1997, , 95-101.		0
44	Aberrant Levels of Cytokines Within the Healing Wound After Burn Injury. Archives of Surgery, 1995, 130, 999.	2.2	33
45	A novel anti-rat CD18 monoclonal antibody triggers lymphocyte homotypic aggregation and granulocyte adhesion to plastic: Different intracellular signaling pathways in resting versus activated thymocytes. European Journal of Immunology, 1994, 24, 1640-1648.	2.9	12
46	Interferon Gamma Alters the Phenotype of Rat Thymic Epithelial Cells in Culture and Increases Interleukin-6 Production. Autoimmunity, 1992, 2, 151-160.	0.6	9
47	Rat thymic epithelial cells in culture constitutively secrete IL-1 and IL-6. International Immunology,	4.0	29