

Jannicke Iglund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3491381/publications.pdf>

Version: 2024-02-01

79
papers

1,503
citations

361413
20
h-index

377865
34
g-index

79
all docs

79
docs citations

79
times ranked

2568
citing authors

#	ARTICLE	IF	CITATIONS
1	Seasonality of cardiovascular risk factors: an analysis including over 230 000 participants in 15 countries. <i>Heart</i> , 2014, 100, 1517-1523.	2.9	113
2	Association of Prenatal Exposure to Antiseizure Medication With Risk of Autism and Intellectual Disability. <i>JAMA Neurology</i> , 2022, 79, 672.	9.0	87
3	Association Between Gestational Hypertension and Risk of Cardiovascular Disease Among 617 589 Norwegian Women. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	85
4	Incident Coronary Heart Disease After Preeclampsia: Role of Reduced Fetal Growth, Preterm Delivery, and Parity. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	77
5	Gender differences in psychiatric comorbidity: a population-based study of 40 000 adults with attention deficit hyperactivity disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 176-186.	4.5	77
6	Heart Failure Complicating Acute Myocardial Infarction; Burden and Timing of Occurrence: A Nationwide Analysis Including 86 771 Patients From the Cardiovascular Disease in Norway (CVDNOR) Project. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	69
7	Impact of age on excess risk of coronary heart disease in patients with familial hypercholesterolaemia. <i>Heart</i> , 2018, 104, 1600-1607.	2.9	49
8	Heart Failure in Women With Hypertensive Disorders of Pregnancy. <i>Hypertension</i> , 2020, 76, 1506-1513.	2.7	48
9	Trends in incident acute myocardial infarction in Norway: An updated analysis to 2014 using national data from the CVDNOR project. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1031-1039.	1.8	46
10	NORRISK 2: A Norwegian risk model for acute cerebral stroke and myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 773-782.	1.8	42
11	Hypertensive pregnancy disorders increase the risk of maternal cardiovascular disease after adjustment for cardiovascular risk factors. <i>International Journal of Cardiology</i> , 2019, 282, 81-87.	1.7	39
12	Ethnic inequalities in acute myocardial infarction and stroke rates in Norway 1994-2009: a nationwide cohort study (CVDNOR). <i>BMC Public Health</i> , 2015, 15, 1073.	2.9	34
13	Stage 1 hypertension, sex, and acute coronary syndromes during midlife: the Hordaland Health Study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 147-154.	1.8	30
14	Trends in Acute Myocardial Infarction Event Rates and Risk of Recurrences After an Incident Event in Norway 1994 to 2009 (from a Cardiovascular Disease in Norway Project). <i>American Journal of Cardiology</i> , 2014, 113, 1777-1781.	1.6	29
15	Health status and use of medication and their association with migration related exposures among Syrian refugees in Lebanon and Norway: a cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 341.	2.9	28
16	Validation of maternal reported pregnancy and birth characteristics against the Medical Birth Registry of Norway. <i>PLoS ONE</i> , 2017, 12, e0181794.	2.5	28
17	Educational Inequalities in Acute Myocardial Infarction Incidence in Norway: A Nationwide Cohort Study. <i>PLoS ONE</i> , 2014, 9, e106898.	2.5	26
18	Prognostic Impact of In-Hospital and Postdischarge Heart Failure in Patients With Acute Myocardial Infarction: A Nationwide Analysis Using Data From the Cardiovascular Disease in Norway (CVDNOR) Project. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	25

#	ARTICLE	IF	CITATIONS
19	Body silhouettes as a tool to reflect obesity in the past. PLoS ONE, 2018, 13, e0195697.	2.5	25
20	Trends in 28-day and 1-year mortality rates in patients hospitalized for a first acute myocardial infarction in Norway during 2001-2009: a Cardiovascular disease in Norway (CVDNOR) project. Journal of Internal Medicine, 2015, 277, 353-361.	6.0	24
21	Prevalence and incidence rates of atrial fibrillation in Norway 2004-2014. Heart, 2021, 107, 201-207.	2.9	23
22	Zoonotic helminth exposure and risk of allergic diseases: A study of two generations in Norway. Clinical and Experimental Allergy, 2018, 48, 66-77.	2.9	22
23	Educational inequalities in 28 day and 1-year mortality after hospitalisation for incident acute myocardial infarction - A nationwide cohort study. International Journal of Cardiology, 2014, 177, 874-880.	1.7	21
24	Association of dietary vitamin K and risk of coronary heart disease in middle-age adults: the Hordaland Health Study Cohort. BMJ Open, 2020, 10, e035953.	1.9	21
25	Maternal preconception occupational exposure to cleaning products and disinfectants and offspring asthma. Journal of Allergy and Clinical Immunology, 2022, 149, 422-431.e5.	2.9	21
26	Non-fasting triglycerides predict incident acute myocardial infarction among those with favourable HDL-cholesterol: Cohort Norway. European Journal of Preventive Cardiology, 2015, 22, 872-881.	1.8	19
27	Smoking, plasma cotinine and risk of atrial fibrillation: the Hordaland Health Study. Journal of Internal Medicine, 2018, 283, 73-82.	6.0	19
28	Heart failure in Norway, 2000-2014: analysing incident, total and readmission rates using data from the Cardiovascular Disease in Norway (CVDNOR) Project. European Journal of Heart Failure, 2020, 22, 241-248.	7.1	19
29	Changes in health among Syrian refugees along their migration trajectories from Lebanon to Norway: a prospective cohort study. Public Health, 2020, 186, 240-245.	2.9	18
30	Effect of the Lookback Period's Length Used to Identify Incident Acute Myocardial Infarction on the Observed Trends on Incidence Rates and Survival. Circulation: Cardiovascular Quality and Outcomes, 2015, 8, 376-382.	2.2	17
31	Coronary angiography and myocardial revascularization following the first acute myocardial infarction in Norway during 2001-2009: Analyzing time trends and educational inequalities using data from the CVDNOR project. International Journal of Cardiology, 2016, 212, 122-128.	1.7	17
32	Periodontal health status and lung function in two Norwegian cohorts. PLoS ONE, 2018, 13, e0191410.	2.5	17
33	2.5-fold increased risk of recurrent acute myocardial infarction with familial hypercholesterolemia. Atherosclerosis, 2021, 319, 28-34.	0.8	17
34	Increased risk of heart failure and atrial fibrillation in heterozygous familial hypercholesterolemia. Atherosclerosis, 2017, 266, 69-73.	0.8	16
35	Factors associated with increase in blood pressure and incident hypertension in early midlife: the Hordaland Health Study. Blood Pressure, 2020, 29, 267-275.	1.5	15
36	Effect of an Intervention in General Practice to Increase the Participation of Immigrants in Cervical Cancer Screening. JAMA Network Open, 2020, 3, e201903.	5.9	15

#	ARTICLE	IF	CITATIONS
37	High population attributable fractions of myocardial infarction associated with waist-hip ratio. <i>Obesity</i> , 2016, 24, 1162-1169.	3.0	14
38	Effects of Candesartan in Acute Stroke on Vascular Events during Long-Term Follow-up: Results from the Scandinavian Candesartan Acute Stroke Trial (SCAST). <i>International Journal of Stroke</i> , 2015, 10, 830-835.	5.9	13
39	Trends in the risk of early and late-onset heart failure as an adverse outcome of acute myocardial infarction: A Cardiovascular Disease in Norway project. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 971-980.	1.8	13
40	Mortality following first-time hospitalization with acute myocardial infarction in Norway, 2001-2014: Time trends, underlying causes and place of death. <i>International Journal of Cardiology</i> , 2019, 294, 6-12.	1.7	13
41	Changes in self-rated health and quality of life among Syrian refugees migrating to Norway: a prospective longitudinal study. <i>International Journal for Equity in Health</i> , 2020, 19, 188.	3.5	13
42	Diabetes knowledge in nursing homes and home-based care services: a validation study of the Michigan Diabetes Knowledge Test adapted for use among nursing personnel. <i>BMC Nursing</i> , 2016, 15, 40.	2.5	12
43	Educational inequalities in mortality of patients with atrial fibrillation in Norway. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 82-87.	1.2	12
44	Folic Acid and Risk of Preterm Birth, Preeclampsia, and Fetal Growth Restriction Among Women With Epilepsy. <i>Neurology</i> , 2022, 99, .	1.1	12
45	Can traditional risk factors explain the higher risk of cardiovascular disease in South Asians compared to Europeans in Norway and New Zealand? Two cohort studies. <i>BMJ Open</i> , 2017, 7, e016819.	1.9	10
46	Economic evaluation of lipid lowering with PCSK9 inhibitors in patients with familial hypercholesterolemia: Methodological aspects. <i>Atherosclerosis</i> , 2019, 287, 140-146.	0.8	9
47	Lower risk of smoking-related cancer in individuals with familial hypercholesterolemia compared with controls: a prospective matched cohort study. <i>Scientific Reports</i> , 2019, 9, 19273.	3.3	9
48	The universal 2012 definition of myocardial infarction compared to the 2007 definition. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 201-205.	1.2	8
49	Chronic pain and mental health problems among Syrian refugees: associations, predictors and use of medication over time: a prospective cohort study. <i>BMJ Open</i> , 2021, 11, e046454.	1.9	8
50	The educational gradient in coronary heart disease: the association with cognition in a cohort of 57-279 male conscripts. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 322-329.	3.7	7
51	Higher education is associated with reduced risk of heart failure among patients with acute myocardial infarction: A nationwide analysis using data from the CVDNOR project. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1743-1750.	1.8	7
52	The Effect of Physiotherapy Group Intervention in Reducing Pain Disorders and Mental Health Symptoms among Syrian Refugees: A Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9468.	2.6	6
53	Use of health care services among Syrian refugees migrating to Norway: a prospective longitudinal study. <i>BMC Health Services Research</i> , 2021, 21, 572.	2.2	6
54	Two interventions to treat pain disorders and post-traumatic symptoms among Syrian refugees: protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 784.	1.6	5

#	ARTICLE	IF	CITATIONS
55	Socioeconomic Gradients in Mortality Following HF Hospitalization in a Country With Universal Health Care Coverage. <i>JACC: Heart Failure</i> , 2020, 8, 917-927.	4.1	5
56	Effect of a community-based intervention to increase participation in cervical cancer screening among Pakistani and Somali women in Norway. <i>BMC Public Health</i> , 2021, 21, 1271.	2.9	5
57	Time Trends and Educational Inequalities in Out-of-Hospital Coronary Deaths in Norway 1995-2009: A Cardiovascular Disease in Norway (CVDNOR) Project. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	4
58	Intake of carbohydrates and SFA and risk of CHD in middle-age adults: the Hordaland Health Study (HUSK). <i>Public Health Nutrition</i> , 2022, 25, 634-648.	2.2	4
59	Higher levels of bodily pain in people with long-term type 1 diabetes: associations with quality of life, depressive symptoms, fatigue and glycaemic control - the Dialong study. <i>Diabetic Medicine</i> , 2020, 37, 1569-1577.	2.3	4
60	Trends in the occurrence of ischaemic heart disease over time in rheumatoid arthritis: 1821 patients from 1972 to 2017. <i>Scandinavian Journal of Rheumatology</i> , 2023, 52, 233-242.	1.1	4
61	Relative importance of risk factors for coronary heart disease - The Hordaland Homocysteine Study. <i>Scandinavian Cardiovascular Journal</i> , 2012, 46, 316-323.	1.2	3
62	Validation of the cardiovascular risk model NORRISK 2 in South Asians and people with diabetes. <i>Scandinavian Cardiovascular Journal</i> , 2021, 55, 56-62.	1.2	3
63	Casual blood glucose and subsequent cardiovascular disease and all-cause mortality among 159,731 participants in Cohort of Norway (CONOR). <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e001928.	2.8	3
64	Excess Aortic Pathology Risk in Patients with Genetically Verified Familial Hypercholesterolaemia: A Prospective Norwegian Registry Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 61, 712-713.	1.5	3
65	Association of sweetened carbonated beverage consumption during pregnancy and ADHD symptoms in the offspring: a study from the Norwegian Mother, Father and Child Cohort Study (MoBa). <i>European Journal of Nutrition</i> , 2022, 61, 2153-2166.	3.9	3
66	Association between pregravid physical activity and family history of stroke and risk of stillbirth: population-based cohort study. <i>BMJ Open</i> , 2017, 7, e017034.	1.9	2
67	Pharmacologically treated diabetes and hospitalization among older Norwegians receiving homecare services from 2009 to 2014: a nationwide register study. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002000.	2.8	2
68	Association of Familial Hypercholesterolemia and Statin Use With Risk of Dementia in Norway. <i>JAMA Network Open</i> , 2022, 5, e227715.	5.9	2
69	Prevalence and incidence rates of atrial fibrillation in Denmark 2004-2018. <i>European Heart Journal</i> , 2021, 42, .	2.2	1
70	P6563 Time trends in incidence rates of atrial fibrillation in Norway 2004-2014. A CVDNOR project. <i>European Heart Journal</i> , 2019, 40, .	2.2	0
71	P818 Incidence of coronary heart disease in patients with familiar hypercholesterolemia compared to age- and sex- matched controls. <i>European Heart Journal</i> , 2019, 40, .	2.2	0
72	Effect of group treatment on physical inactivity among Syrian refugees. Randomized controlled trial. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0

#	ARTICLE	IF	CITATIONS
73	OUP accepted manuscript. European Journal of Preventive Cardiology, 2021, , .	1.8	0
74	Access to healthcare and self-rated health among refugees in transit and after arrival in Norway. European Journal of Public Health, 2020, 30, .	0.3	0
75	Individuals with familial hypercholesterolemia have increased risk of re-hospitalization after acute myocardial infarction compared with controls. European Heart Journal, 2020, 41, .	2.2	0
76	Is high-normal blood pressure a more important risk factor for cardiovascular disease in women than in men? The Hordaland Health study. European Heart Journal, 2020, 41, .	2.2	0
77	Time trends in incidence rates of atrial fibrillation-related strokes in Norway 2001â€“2014: a nationwide analysis using data from the cardiovascular disease in Norway (CVDNOR) project. European Heart Journal, 2020, 41, .	2.2	0
78	Association of markers of vascular inflammation with blood pressure in midlife: the Hordaland Health Study. European Heart Journal, 2021, 42, .	2.2	0
79	Is the risk of cardiovascular disease in women with pre-eclampsia modified by very low or very high offspring birth weight? A nationwide cohort study in Norway. BMJ Open, 2022, 12, e055467.	1.9	0