

Henrik G Smith

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3491756/publications.pdf>

Version: 2024-02-01

213
papers

16,986
citations

14655

66
h-index

18130

120
g-index

214
all docs

214
docs citations

214
times ranked

13802
citing authors

#	ARTICLE	IF	CITATIONS
1	Does agri-environment scheme participation in England increase pollinator populations and crop pollination services?. <i>Agriculture, Ecosystems and Environment</i> , 2022, 325, 107755.	5.3	14
2	<scp>CropPol</scp>: A dynamic, open and global database on crop pollination. <i>Ecology</i> , 2022, 103, e3614.	3.2	19
3	A trophic cascade causes unexpected ecological interactions across the aquaticâ€”terrestrial interface under extreme weather. <i>Oikos</i> , 2022, 2022, .	2.7	1
4	Arthropod populations in a subâ€”arctic environment facing climate change over a halfâ€”century: variability but no general trend. <i>Insect Conservation and Diversity</i> , 2022, 15, 534-542.	3.0	2
5	Archetype models upscale understanding of natural pest control response to landâ€”use change. <i>Ecological Applications</i> , 2022, 32, .	3.8	11
6	The potential and realized foraging movements of bees are differentially determined by body size and sociality. <i>Ecology</i> , 2022, 103, .	3.2	34
7	Evaluating predictive performance of statistical models explaining wild bee abundance in a massâ€”flowering crop. <i>Ecography</i> , 2021, 44, 525-536.	4.5	11
8	Wild insect diversity increases inter-annual stability in global crop pollinator communities. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20210212.	2.6	43
9	Efficient, automated and robust pollen analysis using deep learning. <i>Methods in Ecology and Evolution</i> , 2021, 12, 850-862.	5.2	22
10	Effects of farm type on food production, landscape openness, grassland biodiversity, and greenhouse gas emissions in mixed agricultural-forestry regions. <i>Agricultural Systems</i> , 2021, 189, 103071.	6.1	14
11	Reduced crop density increases floral resources to pollinators without affecting crop yield in organic and conventional fields. <i>Journal of Applied Ecology</i> , 2021, 58, 1421-1430.	4.0	12
12	Field boundary features can stabilise bee populations and the pollination of massâ€”flowering crops in rotational systems. <i>Journal of Applied Ecology</i> , 2021, 58, 2287-2304.	4.0	10
13	Scientific note: Imidacloprid found in wild plants downstream permanent greenhouses in Sweden. <i>Apidologie</i> , 2021, 52, 946-949.	2.0	8
14	Fallows and permanent grasslands conserve the species composition and functional diversity of carabid beetles and linyphiid spiders in agricultural landscapes. <i>Insect Conservation and Diversity</i> , 2021, 14, 825-836.	3.0	12
15	Effects of crop and non-crop resources and competition: High importance of trees and oilseed rape for solitary bee reproduction. <i>Biological Conservation</i> , 2021, 261, 109249.	4.1	14
16	Land sharing versus land sparingâ€”What outcomes are compared between which land uses?. <i>Conservation Science and Practice</i> , 2021, 3, e530.	2.0	8
17	Biodiversity decline with increasing crop productivity in agricultural fields revealed by satellite remote sensing. <i>Ecological Indicators</i> , 2021, 130, 108098.	6.3	24
18	Models of natural pest control: Towards predictions across agricultural landscapes. <i>Biological Control</i> , 2021, 163, 104761.	3.0	22

#	ARTICLE	IF	CITATIONS
19	Bees increase seed set of wild plants while the proportion of arable land has a variable effect on pollination in European agricultural landscapes. <i>Plant Ecology and Evolution</i> , 2021, 154, 341-350.	0.7	11
20	High land-use intensity in grasslands constrains wild bee species richness in Europe. <i>Biological Conservation</i> , 2020, 241, 108255.	4.1	35
21	Wild bees and hoverflies respond differently to urbanisation, human population density and urban form. <i>Landscape and Urban Planning</i> , 2020, 204, 103901.	7.5	42
22	Annual flowers strips benefit bumble bee colony growth and reproduction. <i>Biological Conservation</i> , 2020, 252, 108814.	4.1	24
23	Direct and indirect selection on mate choice during pollen competition: Effects of male and female sexual traits on offspring performance following two donor crosses. <i>Journal of Evolutionary Biology</i> , 2020, 33, 1452-1467.	1.7	5
24	Crop diversity benefits carabid and pollinator communities in landscapes with semi-natural habitats. <i>Journal of Applied Ecology</i> , 2020, 57, 2170-2179.	4.0	83
25	Reliably predicting pollinator abundance: Challenges of calibrating process-based ecological models. <i>Methods in Ecology and Evolution</i> , 2020, 11, 1673-1689.	5.2	22
26	Farmland birds occupying forest clear-cuts respond to both local and landscape features. <i>Forest Ecology and Management</i> , 2020, 478, 118519.	3.2	7
27	Woody elements benefit bird diversity to a larger extent than semi-natural grasslands in cereal-dominated landscapes. <i>Basic and Applied Ecology</i> , 2020, 46, 15-23.	2.7	11
28	Socio-ecological factors determine crop performance in agricultural systems. <i>Scientific Reports</i> , 2020, 10, 4232.	3.3	12
29	Effects of organic farming on plant and butterfly functional diversity in mosaic landscapes. <i>Agriculture, Ecosystems and Environment</i> , 2019, 284, 106600.	5.3	10
30	A global synthesis reveals biodiversity-mediated benefits for crop production. <i>Science Advances</i> , 2019, 5, eaax0121.	10.3	524
31	Effects of eucalyptus plantations on avian and herb species richness and composition in North-West Spain. <i>Global Ecology and Conservation</i> , 2019, 19, e00690.	2.1	33
32	Competition, seed dispersal and hunting: what drives germination and seedling survival in an Afrotropical forest?. <i>AoB PLANTS</i> , 2019, 11, plz018.	2.3	7
33	A suboptimal array of options erodes the value of CAP ecological focus areas. <i>Land Use Policy</i> , 2019, 85, 407-418.	5.6	22
34	The interplay of landscape composition and configuration: new pathways to manage functional biodiversity and agroecosystem services across Europe. <i>Ecology Letters</i> , 2019, 22, 1083-1094.	6.4	364
35	Meta-analysis reveals that pollinator functional diversity and abundance enhance crop pollination and yield. <i>Nature Communications</i> , 2019, 10, 1481.	12.8	150
36	Estimating effects of arable land use intensity on farmland birds using joint species modeling. <i>Ecological Applications</i> , 2019, 29, e01875.	3.8	17

#	ARTICLE	IF	CITATIONS
37	Grasslands are more important for ecosystem services than you might think. <i>Ecosphere</i> , 2019, 10, e02582.	2.2	476
38	Clothianidin seed-treatment has no detectable negative impact on honeybee colonies and their pathogens. <i>Nature Communications</i> , 2019, 10, 692.	12.8	57
39	Pollination treatment affects fruit set and modifies marketable and storable fruit quality of commercial apples. <i>Royal Society Open Science</i> , 2019, 6, 190326.	2.4	24
40	Flowering resources distract pollinators from crops: Model predictions from landscape simulations. <i>Journal of Applied Ecology</i> , 2019, 56, 618-628.	4.0	44
41	Policy design for the Anthropocene. <i>Nature Sustainability</i> , 2019, 2, 14-21.	23.7	176
42	A framework to identify indicator species for ecosystem services in agricultural landscapes. <i>Ecological Indicators</i> , 2018, 91, 278-286.	6.3	21
43	Effects of organic farming on bird diversity in North-West Spain. <i>Agriculture, Ecosystems and Environment</i> , 2018, 257, 60-67.	5.3	15
44	The contribution of CAP greening measures to conservation biological control at two spatial scales. <i>Agriculture, Ecosystems and Environment</i> , 2018, 255, 84-94.	5.3	21
45	Relationships between multiple biodiversity components and ecosystem services along a landscape complexity gradient. <i>Biological Conservation</i> , 2018, 218, 247-253.	4.1	68
46	The impact of sown flower strips on plant reproductive success in Southern Sweden varies with landscape context. <i>Agriculture, Ecosystems and Environment</i> , 2018, 259, 127-134.	5.3	10
47	Plant-pollinator networks in semi-natural grasslands are resistant to the loss of pollinators during blooming of mass-flowering crops. <i>Ecography</i> , 2018, 41, 62-74.	4.5	29
48	The value of small arable habitats in the agricultural landscape: Importance for vascular plants and the provisioning of floral resources for bees. <i>Ecological Indicators</i> , 2018, 84, 553-563.	6.3	9
49	Crop management affects pollinator attractiveness and visitation in oilseed rape. <i>Basic and Applied Ecology</i> , 2018, 26, 82-88.	2.7	18
50	Field-level clothianidin exposure affects bumblebees but generally not their pathogens. <i>Nature Communications</i> , 2018, 9, 5446.	12.8	45
51	Evolution of resident bird breeding phenology in a landscape with heterogeneous resource phenology and carryover effects. <i>Evolutionary Ecology</i> , 2018, 32, 509-528.	1.2	1
52	Rodents, not birds, dominate predation-related ecosystem services and disservices in vertebrate communities of agricultural landscapes. <i>Oecologia</i> , 2018, 188, 863-873.	2.0	31
53	Organic farming supports spatiotemporal stability in species richness of bumblebees and butterflies. <i>Biological Conservation</i> , 2018, 227, 48-55.	4.1	32
54	Predation-mediated ecosystem services and disservices in agricultural landscapes. <i>Ecological Applications</i> , 2018, 28, 2109-2118.	3.8	33

#	ARTICLE	IF	CITATIONS
55	Scale-dependent foraging tradeoff allows competitive coexistence. <i>Oikos</i> , 2018, 127, 1575-1585.	2.7	13
56	When beggars are choosers—How nesting of a solitary bee is affected by temporal dynamics of pollen plants in the landscape. <i>Ecology and Evolution</i> , 2018, 8, 5777-5791.	1.9	28
57	Improving agricultural pollution abatement through result-based payment schemes. <i>Land Use Policy</i> , 2018, 77, 209-219.	5.6	42
58	Carryover effects from natal habitat type upon competitive ability lead to trait divergence or source-sink dynamics. <i>Ecology Letters</i> , 2018, 21, 1341-1352.	6.4	2
59	Crop pests and predators exhibit inconsistent responses to surrounding landscape composition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E7863-E7870.	7.1	401
60	Land-use type and intensity differentially filter traits in above- and below-ground arthropod communities. <i>Journal of Animal Ecology</i> , 2017, 86, 511-520.	2.8	62
61	Variation in laying date in relation to spring temperature in three species of tits (<i>Paridae</i>) and pied flycatchers (<i>Ficedula hypoleuca</i>) in southernmost Sweden. <i>Journal of Avian Biology</i> , 2017, 48, 83-90.	1.2	20
62	How spatial scale shapes the generation and management of multiple ecosystem services. <i>Ecosphere</i> , 2017, 8, e01741.	2.2	60
63	What drives current population trends in forest birds—forest quantity, quality or climate? A large-scale analysis from northern Europe. <i>Forest Ecology and Management</i> , 2017, 385, 177-188.	3.2	42
64	Combined effects of agrochemicals and ecosystem services on crop yield across Europe. <i>Ecology Letters</i> , 2017, 20, 1427-1436.	6.4	70
65	Pollinator population size and pollination ecosystem service responses to enhancing floral and nesting resources. <i>Ecology and Evolution</i> , 2017, 7, 1898-1908.	1.9	58
66	The relation between oilseed rape and pollination of later flowering plants varies across plant species and landscape contexts. <i>Basic and Applied Ecology</i> , 2017, 24, 77-85.	2.7	9
67	Agricultural land use affects abundance and dispersal tendency of predatory arthropods. <i>Basic and Applied Ecology</i> , 2017, 18, 40-49.	2.7	27
68	Embedding Evidence on Conservation Interventions Within a Context of Multilevel Governance. <i>Conservation Letters</i> , 2017, 10, 139-145.	5.7	21
69	Ecosystem services across the aquatic-terrestrial boundary: Linking ponds to pollination. <i>Basic and Applied Ecology</i> , 2017, 18, 13-20.	2.7	43
70	Weak functional response to agricultural landscape homogenisation among plants, butterflies and birds. <i>Ecography</i> , 2017, 40, 1221-1230.	4.5	17
71	A model to account for data dependency when estimating floral cover in different land use types over a season. <i>Environmental and Ecological Statistics</i> , 2017, 24, 505-527.	3.5	3
72	Daily Evolution of the Insect Biomass Spectrum in an Agricultural Landscape Accessed with Lidar. <i>EPJ Web of Conferences</i> , 2016, 119, 22004.	0.3	24

#	ARTICLE	IF	CITATIONS
73	Agricultural Land Use Determines the Trait Composition of Ground Beetle Communities. PLoS ONE, 2016, 11, e0146329.	2.5	53
74	Contrasting effects of field boundary management on three pollinator groups. Insect Conservation and Diversity, 2016, 9, 427-437.	3.0	10
75	Cost-effectiveness of conservation payment schemes for species with different range sizes. Conservation Biology, 2016, 30, 894-899.	4.7	39
76	Regional variation in climate change winners and losers highlights the rapid loss of cold-dwelling species. Diversity and Distributions, 2016, 22, 468-480.	4.1	70
77	Optimizing intermediate ecosystem services in agriculture using rules based on landscape composition and configuration indices. Ecological Economics, 2016, 128, 214-223.	5.7	44
78	Selection on pollen and pistil traits during pollen competition is affected by both sexual conflict and mixed mating in a self-compatible herb. American Journal of Botany, 2016, 103, 541-552.	1.7	28
79	Historical change and drivers of insect pest abundances in red clover seed production. Agriculture, Ecosystems and Environment, 2016, 233, 318-324.	5.3	5
80	Mass-flowering crops dilute pollinator abundance in agricultural landscapes across Europe. Ecology Letters, 2016, 19, 1228-1236.	6.4	195
81	Experimental evidence that honeybees depress wild insect densities in a flowering crop. Proceedings of the Royal Society B: Biological Sciences, 2016, 283, 20161641.	2.6	94
82	Competition between managed honeybees and wild bumblebees depends on landscape context. Basic and Applied Ecology, 2016, 17, 609-616.	2.7	88
83	Large-scale pollination experiment demonstrates the importance of insect pollination in winter oilseed rape. Oecologia, 2016, 180, 759-769.	2.0	51
84	Non-bee insects are important contributors to global crop pollination. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 146-151.	7.1	618
85	Organic farming affects the biological control of hemipteran pests and yields in spring barley independent of landscape complexity. Landscape Ecology, 2016, 31, 567-579.	4.2	53
86	Local and landscape-level floral resources explain effects of wildflower strips on wild bees across four European countries. Journal of Applied Ecology, 2015, 52, 1165-1175.	4.0	208
87	House sparrow <i>Passer domesticus</i> survival is not associated with MHC diversity, but possibly with specific MHC alleles. Journal of Avian Biology, 2015, 46, 167-174.	1.2	3
88	The role of food retailers in improving resilience in global food supply. Global Food Security, 2015, 7, 1-8.	8.1	54
89	Long-term population dynamics of a migrant bird suggests interaction of climate change and competition with resident species. Oikos, 2015, 124, 1151-1159.	2.7	41
90	Sown flower strips in southern Sweden increase abundances of wild bees and hoverflies in the wider landscape. Biological Conservation, 2015, 184, 51-58.	4.1	92

#	ARTICLE	IF	CITATIONS
91	Land-use effects on the functional distinctness of arthropod communities. <i>Ecography</i> , 2015, 38, 889-900.	4.5	67
92	Effects on rural House Sparrow and Tree Sparrow populations by experimental nest-site addition. <i>Journal of Ornithology</i> , 2015, 156, 231-237.	1.1	14
93	Enhanced science-stakeholder communication to improve ecosystem model performances for climate change impact assessments. <i>Ambio</i> , 2015, 44, 249-255.	5.5	16
94	Removal of woody vegetation from uncultivated field margins is insufficient to promote non-woody vascular plant diversity. <i>Agriculture, Ecosystems and Environment</i> , 2015, 201, 1-10.	5.3	4
95	Delivery of crop pollination services is an insufficient argument for wild pollinator conservation. <i>Nature Communications</i> , 2015, 6, 7414.	12.8	656
96	Pollinator communities in strawberry crops - variation at multiple spatial scales. <i>Bulletin of Entomological Research</i> , 2015, 105, 497-506.	1.0	12
97	Agricultural management reduces emergence of pollen beetle parasitoids. <i>Agriculture, Ecosystems and Environment</i> , 2015, 205, 9-14.	5.3	10
98	Seed coating with a neonicotinoid insecticide negatively affects wild bees. <i>Nature</i> , 2015, 521, 77-80.	27.8	816
99	Swedish birds are tracking temperature but not rainfall: evidence from a decade of abundance changes. <i>Global Ecology and Biogeography</i> , 2015, 24, 859-872.	5.8	49
100	Predator body sizes and habitat preferences predict predation rates in an agroecosystem. <i>Basic and Applied Ecology</i> , 2015, 16, 250-259.	2.7	100
101	Bumble bees show trait-dependent vulnerability to landscape simplification. <i>Biodiversity and Conservation</i> , 2015, 24, 3469-3489.	2.6	50
102	Modeling pollinating bee visitation rates in heterogeneous landscapes from foraging theory. <i>Ecological Modelling</i> , 2015, 316, 133-143.	2.5	73
103	Effects of landscape composition and configuration on pollination in a native herb: a field experiment. <i>Oecologia</i> , 2015, 179, 509-518.	2.0	14
104	Neonicotinoid Insecticides and Their Impacts on Bees: A Systematic Review of Research Approaches and Identification of Knowledge Gaps. <i>PLoS ONE</i> , 2015, 10, e0136928.	2.5	236
105	Contrasting effects of habitat area and connectivity on evenness of pollinator communities. <i>Ecography</i> , 2014, 37, 544-551.	4.5	30
106	The potential for indirect effects between co-flowering plants via shared pollinators depends on resource abundance, accessibility and relatedness. <i>Ecology Letters</i> , 2014, 17, 1389-1399.	6.4	172
107	Managing ecosystem services for agriculture: Will landscape-scale management pay?. <i>Ecological Economics</i> , 2014, 99, 53-62.	5.7	86
108	Adaptation of reproductive phenology to climate change with ecological feedback via dominance hierarchies. <i>Journal of Animal Ecology</i> , 2014, 83, 440-449.	2.8	11

#	ARTICLE	IF	CITATIONS
109	Optimizing agri-environment schemes for biodiversity, ecosystem services or both?. <i>Biological Conservation</i> , 2014, 172, 65-71.	4.1	162
110	Management intensity at field and landscape levels affects the structure of generalist predator communities. <i>Oecologia</i> , 2014, 175, 971-983.	2.0	51
111	Changes of community composition at multiple trophic levels due to hunting in Nigerian tropical forests. <i>Ecography</i> , 2014, 37, 367-377.	4.5	28
112	Land Sparing Versus Land Sharing: Moving Forward. <i>Conservation Letters</i> , 2014, 7, 149-157.	5.7	422
113	Density of insect-pollinated grassland plants decreases with increasing surrounding land-use intensity. <i>Ecology Letters</i> , 2014, 17, 1168-1177.	6.4	87
114	Organic farming and heterogeneous landscapes positively affect different measures of plant diversity. <i>Journal of Applied Ecology</i> , 2014, 51, 1544-1553.	4.0	28
115	Late-season mass-flowering red clover increases bumble bee queen and male densities. <i>Biological Conservation</i> , 2014, 172, 138-145.	4.1	163
116	Ecological production functions for biological control services in agricultural landscapes. <i>Methods in Ecology and Evolution</i> , 2014, 5, 243-252.	5.2	60
117	Landscape-scale crop diversity interacts with local management to determine ground beetle diversity. <i>Basic and Applied Ecology</i> , 2014, 15, 241-249.	2.7	37
118	Effects of farming intensity, crop rotation and landscape heterogeneity on field bean pollination. <i>Agriculture, Ecosystems and Environment</i> , 2014, 184, 145-148.	5.3	51
119	A Transparent Process for 'Evidence-Informed' Policy Making. <i>Conservation Letters</i> , 2014, 7, 119-125.	5.7	97
120	Trait-dependent responses of flower-visiting insects to distance to semi-natural grasslands and landscape heterogeneity. <i>Landscape Ecology</i> , 2013, 28, 1283-1292.	4.2	69
121	Landscape simplification promotes weed seed predation by carabid beetles (Coleoptera: Carabidae). <i>Landscape Ecology</i> , 2013, 28, 487-494.	4.2	68
122	Combined effects of global change pressures on animal-mediated pollination. <i>Trends in Ecology and Evolution</i> , 2013, 28, 524-530.	8.7	320
123	Landscape heterogeneity and farming practice alter the species composition and taxonomic breadth of pollinator communities. <i>Basic and Applied Ecology</i> , 2013, 14, 540-546.	2.7	55
124	Habitat-specific bird trends and their effect on the Farmland Bird Index. <i>Ecological Indicators</i> , 2013, 24, 382-391.	6.3	17
125	Seasonal persistence of bumblebee populations is affected by landscape context. <i>Agriculture, Ecosystems and Environment</i> , 2013, 165, 201-209.	5.3	87
126	Impact of climate change on communities: revealing species' contribution. <i>Journal of Animal Ecology</i> , 2013, 82, 551-561.	2.8	57

#	ARTICLE	IF	CITATIONS
127	Rapid changes in bird community composition at multiple temporal and spatial scales in response to recent climate change. <i>Ecography</i> , 2013, 36, 313-322.	4.5	96
128	Environmental factors driving the effectiveness of European agricultural environmental measures in mitigating pollinator loss – a meta-analysis. <i>Ecology Letters</i> , 2013, 16, 912-920.	6.4	378
129	Flow and stability of natural pest control services depend on complexity and crop rotation at the landscape scale. <i>Journal of Applied Ecology</i> , 2013, 50, 345-354.	4.0	172
130	Effects of supplemental winter feeding on House Sparrows (<i>Passer domesticus</i>) in relation to landscape structure and farming systems in southern Sweden. <i>Bird Study</i> , 2013, 60, 238-246.	1.0	3
131	When ecosystem services interact: crop pollination benefits depend on the level of pest control. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20122243.	2.6	81
132	Bushmeat hunting changes regeneration of African rainforests. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20130246.	2.6	193
133	Drastic historic shifts in bumble-bee community composition in Sweden. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 309-315.	2.6	198
134	Towards Integrated Pest Management in Red Clover Seed Production. <i>Journal of Economic Entomology</i> , 2012, 105, 1620-1628.	1.8	22
135	Organic Farming Improves Pollination Success in Strawberries. <i>PLoS ONE</i> , 2012, 7, e31599.	2.5	69
136	Is the large-scale decline of the starling related to local changes in demography?. <i>Ecography</i> , 2012, 35, 741-748.	4.5	10
137	Assessing habitat quality of farm-dwelling house sparrows in different agricultural landscapes. <i>Oecologia</i> , 2012, 168, 959-966.	2.0	8
138	Field scale organic farming does not counteract landscape effects on butterfly trait composition. <i>Agriculture, Ecosystems and Environment</i> , 2012, 158, 66-71.	5.3	12
139	The landscape matrix modifies the effect of habitat fragmentation in grassland butterflies. <i>Landscape Ecology</i> , 2012, 27, 121-131.	4.2	78
140	Gardens benefit bees and enhance pollination in intensively managed farmland. <i>Biological Conservation</i> , 2011, 144, 2602-2606.	4.1	112
141	Does conservation on farmland contribute to halting the biodiversity decline?. <i>Trends in Ecology and Evolution</i> , 2011, 26, 474-481.	8.7	522
142	A benefit analysis of screening for invasive species – base rate uncertainty and the value of information. <i>Methods in Ecology and Evolution</i> , 2011, 2, 500-508.	5.2	9
143	Assessing the effect of the time since transition to organic farming on plants and butterflies. <i>Journal of Applied Ecology</i> , 2011, 48, 543-550.	4.0	64
144	Developing European conservation and mitigation tools for pollination services: approaches of the STEP (Status and Trends of European Pollinators) project. <i>Journal of Apicultural Research</i> , 2011, 50, 152-164.	1.5	64

#	ARTICLE	IF	CITATIONS
145	Land use intensity and landscape complexity—Analysis of landscape characteristics in an agricultural region in Southern Sweden. <i>Agriculture, Ecosystems and Environment</i> , 2010, 136, 169-176.	5.3	87
146	Short- and long-term consequences of prenatal testosterone for immune function: an experimental study in the zebra finch. <i>Behavioral Ecology and Sociobiology</i> , 2010, 64, 717-727.	1.4	34
147	Body mass changes in a biparental incubator: the Redshank <i>Tringa totanus</i> . <i>Journal of Ornithology</i> , 2010, 151, 179.	1.1	4
148	Consequences of organic farming and landscape heterogeneity for species richness and abundance of farmland birds. <i>Oecologia</i> , 2010, 162, 1071-1079.	2.0	96
149	Farmland as stopover habitat for migrating birds - effects of organic farming and landscape structure. <i>Oikos</i> , 2010, 119, 1114-1125.	2.7	43
150	Picking personalities apart: estimating the influence of predation, sex and body size on boldness in the guppy <i>Poecilia reticulata</i> . <i>Oikos</i> , 2010, 119, 1711-1718.	2.7	180
151	Time to establishment success for introduced signal crayfish in Sweden — a statistical evaluation when success is partially known. <i>Journal of Applied Ecology</i> , 2010, 47, 1044-1052.	4.0	14
152	Mother—offspring conflicts, hormone signaling, and asymmetric ownership of information. <i>Behavioral Ecology</i> , 2010, 21, 893-897.	2.2	11
153	The Design of Artificial Nestboxes for the Study of Secondary Hole-Nesting Birds: A Review of Methodological Inconsistencies and Potential Biases. <i>Acta Ornithologica</i> , 2010, 45, 1-26.	0.5	274
154	Mobility-dependent effects on species richness in fragmented landscapes. <i>Basic and Applied Ecology</i> , 2009, 10, 573-578.	2.7	39
155	The importance of fragmentation and habitat quality of urban grasslands for butterfly diversity. <i>Landscape and Urban Planning</i> , 2009, 93, 31-37.	7.5	131
156	Local and landscape effects of organic farming on butterfly species richness and abundance. <i>Journal of Applied Ecology</i> , 2008, 45, 813-820.	4.0	160
157	Restricted dispersal in a flying beetle assessed by telemetry. <i>Biodiversity and Conservation</i> , 2008, 17, 675-684.	2.6	78
158	Do corridors promote dispersal in grassland butterflies and other insects?. <i>Landscape Ecology</i> , 2008, 23, 27-40.	4.2	75
159	Displacement of a native by an alien bumblebee: lower pollinator efficiency overcome by overwhelmingly higher visitation frequency. <i>Oecologia</i> , 2008, 156, 835-845.	2.0	61
160	Interacting effects of farming practice and landscape context on bumble bees. <i>Biological Conservation</i> , 2008, 141, 417-426.	4.1	208
161	Quantitative estimates of tree species selectivity by moose (<i>Alces alces</i>) in a forest landscape. <i>Scandinavian Journal of Forest Research</i> , 2007, 22, 407-414.	1.4	74
162	Carotenoid and protein supplementation have differential effects on pheasant ornamentation and immunity. <i>Journal of Evolutionary Biology</i> , 2007, 20, 310-319.	1.7	48

#	ARTICLE	IF	CITATIONS
163	The relationship between local extinctions of grassland butterflies and increased soil nitrogen levels. <i>Biological Conservation</i> , 2006, 128, 564-573.	4.1	104
164	Effects of grassland abandonment, restoration and management on butterflies and vascular plants. <i>Biological Conservation</i> , 2006, 133, 291-300.	4.1	194
165	Food Limitation During Breeding in a Heterogeneous Landscape. <i>Auk</i> , 2006, 123, 97-107.	1.4	23
166	The effect of organic farming on butterfly diversity depends on landscape context. <i>Journal of Applied Ecology</i> , 2006, 43, 1121-1127.	4.0	244
167	Semi-natural grasslands as population sources for pollinating insects in agricultural landscapes. <i>Journal of Applied Ecology</i> , 2006, 44, 50-59.	4.0	347
168	Effects of an agri-environment scheme on wader populations of coastal meadows of southern Sweden. <i>Agriculture, Ecosystems and Environment</i> , 2006, 113, 264-271.	5.3	35
169	Landscape composition and habitat area affects butterfly species richness in semi-natural grasslands. <i>Oecologia</i> , 2006, 149, 526-534.	2.0	123
170	FOOD LIMITATION DURING BREEDING IN A HETEROGENEOUS LANDSCAPE. <i>Auk</i> , 2006, 123, 97.	1.4	20
171	Transgenerational priming of immunity: maternal exposure to a bacterial antigen enhances offspring humoral immunity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006, 273, 2551-2557.	2.6	127
172	The Starling Mating System as an Outcome of the Sexual Conflict. <i>Evolutionary Ecology</i> , 2005, 19, 151-165.	1.2	14
173	Antagonistic Coevolution Under Sexual Conflict. <i>Evolutionary Ecology</i> , 2005, 19, 137-150.	1.2	18
174	Introduction: Evolutionary Processes in Sexual Conflicts. <i>Evolutionary Ecology</i> , 2005, 19, 109-110.	1.2	1
175	Brood parasitic European starlings do not lay high-quality eggs. <i>Behavioral Ecology</i> , 2005, 16, 507-513.	2.2	19
176	The spatial and temporal repeatability of PHA-responses. <i>Behavioral Ecology</i> , 2005, 16, 497-498.	2.2	13
177	Nesting success in Redshank <i>Tringa totanus</i> breeding on coastal meadows and the importance of habitat features used as perches by avian predators. <i>Bird Study</i> , 2005, 52, 289-296.	1.0	14
178	Egg yolk androgen levels increase with breeding density in the European Starling, <i>Sturnus vulgaris</i> . <i>Functional Ecology</i> , 2004, 18, 58-66.	3.6	87
179	Selection for synchronous breeding in the European starling. <i>Oikos</i> , 2004, 105, 301-311.	2.7	32
180	Specific floater home ranges and prospective behaviour in the European starling, <i>Sturnus vulgaris</i> . <i>Die Naturwissenschaften</i> , 2004, 91, 85-89.	1.6	25

#	ARTICLE	IF	CITATIONS
181	Interfemale variation in egg yolk androgen allocation in the European starling: do high-quality females invest more?. <i>Animal Behaviour</i> , 2003, 65, 841-850.	1.9	120
182	Landscape composition affects habitat use and foraging flight distances in breeding European starlings. <i>Biological Conservation</i> , 2003, 114, 179-187.	4.1	68
183	Starling foraging success in relation to agricultural land-use. <i>Ecography</i> , 2002, 25, 363-371.	4.5	20
184	Long- and short-term state-dependent foraging under predation risk: an indication of habitat quality. <i>Animal Behaviour</i> , 2002, 63, 981-989.	1.9	85
185	Nest-attenders in the Pied Flycatcher (<i>Ficedula hypoleuca</i>) During Nestling Rearing: A Possible Case of Prospective Resource Exploration. <i>Auk</i> , 2001, 118, 1069-1072.	1.4	27
186	Early Nutrition Causes Persistent Effects on Pheasant Morphology. <i>Physiological and Biochemical Zoology</i> , 2001, 74, 212-218.	1.5	51
187	Clutch size evolution under sexual conflict enhances the stability of mating systems. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2000, 267, 2163-2170.	2.6	39
188	The effect of egg size and habitat on starling nestling growth and survival. <i>Oecologia</i> , 1998, 115, 59-63.	2.0	79
189	Female aggression in the European starling during the breeding season. <i>Animal Behaviour</i> , 1997, 53, 13-23.	1.9	91
190	Polygynous male starlings allocate parental effort according to relative hatching date. <i>Animal Behaviour</i> , 1997, 54, 73-79.	1.9	13
191	Begging affects parental effort in the pied flycatcher, <i>Ficedula hypoleuca</i> . <i>Behavioral Ecology and Sociobiology</i> , 1997, 41, 381-384.	1.4	113
192	Adoption or infanticide: options of replacement males in the European starling. <i>Behavioral Ecology and Sociobiology</i> , 1996, 38, 191-197.	1.4	22
193	Paternal care in the European starling, <i>Sturnus vulgaris</i> : nestling provisioning. <i>Behavioral Ecology and Sociobiology</i> , 1996, 39, 301-309.	1.4	39
194	Adaptive Significance of Egg Size in the European Starling: Experimental Tests. <i>Ecology</i> , 1995, 76, 1-7.	3.2	61
195	Paternal care in the European starling, <i>Sturnus vulgaris</i> : incubation. <i>Animal Behaviour</i> , 1995, 50, 323-331.	1.9	37
196	Heritability of nestling growth in cross-fostered European Starlings <i>Sturnus vulgaris</i> .. <i>Genetics</i> , 1995, 141, 657-665.	2.9	47
197	Intrasexual competition among polygynously mated female starlings (<i>Sturnus vulgaris</i>). <i>Behavioral Ecology</i> , 1994, 5, 57-63.	2.2	64
198	Parent-Offspring Conflicts over Reproductive Efforts: Variations upon a Theme by Charnov. <i>Journal of Theoretical Biology</i> , 1994, 170, 215-218.	1.7	9

#	ARTICLE	IF	CITATIONS
199	Heritability of tarsus length in cross-fostered broods of the European starling (<i>Sturnus vulgaris</i>). <i>Heredity</i> , 1993, 71, 318-322.	2.6	46
200	Seasonal Decline in Clutch Size of the Marsh Tit (<i>Parus palustris</i>) in Relation to Date-Specific Survival of Offspring. <i>Auk</i> , 1993, 110, 889-899.	1.4	30
201	Extra-Pair Paternity in the European Starling: The Effect of Polygyny. <i>Condor</i> , 1993, 95, 1006-1015.	1.6	49
202	Parental age and reproduction in the Marsh Tit <i>Parus palustris</i> . <i>Ibis</i> , 1993, 135, 196-201.	1.9	23
203	Male Incubation in Barn Swallows: The Influence of Nest Temperature and Sexual Selection. <i>Condor</i> , 1992, 94, 750-759.	1.6	53
204	DNA fingerprinting reveals relation between tail ornaments and cuckoldry in barn swallows, <i>Hirundo rustica</i> . <i>Behavioral Ecology</i> , 1991, 2, 90-98.	2.2	115
205	Nestling American robins compete with siblings by begging. <i>Behavioral Ecology and Sociobiology</i> , 1991, 29, 307-312.	1.4	177
206	Dominance, prior occupancy, and winter residency in the great tit (<i>Parus major</i>). <i>Behavioral Ecology and Sociobiology</i> , 1991, 29, 147-152.	1.4	123
207	VÄlkommen till Ornis Svecica!. <i>Ornis Svecica</i> , 1991, 1, 1-2.	0.1	2
208	Female nutritional state affects the rate of male incubation feeding in the pied flycatcher <i>Ficedula hypoleuca</i> . <i>Behavioral Ecology and Sociobiology</i> , 1989, 24, 417-420.	1.4	48
209	The significance of clutch overlap in Great Tits <i>Parus major</i> . <i>Ibis</i> , 1989, 131, 589-600.	1.9	21
210	Feeding frequency and parental division of labour in the double-brooded great tit <i>Parus major</i> . <i>Behavioral Ecology and Sociobiology</i> , 1988, 22, 447-453.	1.4	89
211	Incubation feeding as a male tactic for early hatching. <i>Animal Behaviour</i> , 1988, 36, 641-647.	1.9	115
212	Intraspecific Variation in Migratory Pattern of a Partial Migrant, the Blue Tit (<i>Parus caeruleus</i>): An Evaluation of Different Hypotheses. <i>Auk</i> , 1987, 104, 109-115.	1.4	146
213	Effect of Experimentally Altered Brood Size on Frequency and Timing of Second Clutches in the Great Tit. <i>Auk</i> , 1987, 104, 700-706.	1.4	83