Takehiro Michikawa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3495909/publications.pdf

Version: 2024-02-01

142 papers

4,474 citations

147801 31 h-index 60 g-index

147 all docs

147 docs citations

times ranked

147

5077 citing authors

#	Article	IF	Citations
1	Exposure to chemical components of fine particulate matter and ozone, and placenta-mediated pregnancy complications in Tokyo: a register-based study. Journal of Exposure Science and Environmental Epidemiology, 2022, 32, 135-145.	3.9	16
2	The impact of diabetes mellitus on spinal fracture with diffuse idiopathic skeletal hyperostosis: A multicenter retrospective study. Journal of Orthopaedic Science, 2022, 27, 582-587.	1.1	3
3	Can Postoperative Distal Adding-On be Predicted in Lenke Type 1B and 1C Curves with Intraoperative Radiographs?. Spine, 2022, 47, E215-E221.	2.0	1
4	Maternal exposure to fine particulate matter over the first trimester and umbilical cord insertion abnormalities. International Journal of Epidemiology, 2022, 51, 191-201.	1.9	5
5	Study Design and Participants' Profile in the Sub-Cohort Study in the Japan Environment and Children's Study (JECS). Journal of Epidemiology, 2022, 32, 228-236.	2.4	29
6	Baseline Complete Blood Count and Chemistry Panel Profile from the Japan Environment and Children's Study (JECS). International Journal of Environmental Research and Public Health, 2022, 19, 3277.	2.6	2
7	Association of maternal hemoglobin levels during pregnancy with sleep and developmental problems in 1â€yearâ€old infants: A cohort study. Health Science Reports, 2022, 5, e552.	1.5	2
8	Association of physical activity and sleep habits during pregnancy with autistic spectrum disorder in 3-year-old infants. Communications Medicine, 2022, 2, .	4.2	4
9	Prescription drug survey of elderly patients with degenerative musculoskeletal disorders. Geriatrics and Gerontology International, 2022, 22, 121-126.	1.5	4
10	A Case-Crossover Analysis of the Association between Exposure to Total PM _{2.5} and Its Chemical Components and Emergency Ambulance Dispatches in Tokyo. Environmental Science & Emp; Technology, 2022, 56, 7319-7327.	10.0	5
11	Effects of exposure to chemical components of fine particulate matter on mortality in Tokyo: A case-crossover study. Science of the Total Environment, 2021, 755, 142489.	8.0	14
12	Residual lumbar curvature that developed during adolescence accelerates intervertebral disc degeneration in adulthood. Spine Deformity, 2021, 9, 711-720.	1.5	2
13	Exposure to heavy metals modifies optimal gestational weight gain: A large nationally representative cohort of the Japan Environment and Children's Study. Environment International, 2021, 146, 106276.	10.0	8
14	Characterization of Patients with Poor Risk for Clinical Outcomes in Adult Symptomatic Lumbar Deformity Surgery. Spine, 2021, 46, 813-821.	2.0	3
15	Fine particulate matter and out-of-hospital cardiac arrest of respiratory origin. European Respiratory Journal, 2021, 57, 2004299.	6.7	3
16	Extreme Prematurity and Pulmonary Outcomes Program in Saitama: Protocol for a Prospective Multicenter Cohort Study in Japan. JMIR Research Protocols, 2021, 10, e22948.	1.0	0
17	Comparison of Simultaneous Quantitative Analysis of Methylmercury and Inorganic Mercury in Cord Blood Using LC-ICP-MS and LC-CVAFS: The Pilot Study of the Japan Environment and Children's Study. Toxics, 2021, 9, 82.	3.7	2
18	Influence of physical activity before and during pregnancy on infant's sleep and neurodevelopment at 1-year-old. Scientific Reports, 2021, 11, 8099.	3.3	10

#	Article	IF	CITATIONS
19	Urinary Metabolites of Organophosphate Pesticides among Pregnant Women Participating in the Japan Environment and Children's Study (JECS). International Journal of Environmental Research and Public Health, 2021, 18, 5929.	2.6	8
20	Trimester-Specific Association of Maternal Exposure to Fine Particulate Matter and its Components With Birth and Placental Weight in Japan. Journal of Occupational and Environmental Medicine, 2021, 63, 771-778.	1.7	1
21	Comment on "Novel Perfluoroalkyl Ether Carboxylic Acids (PFECAs) and Sulfonic Acids (PFESAs)― Overlooked Interactions with Perfluorooctanoic Acid. Environmental Science & Eamp; Technology, 2021, 55, 7755-7756.	10.0	1
22	Preoperative prevalence of deep vein thrombosis in patients scheduled to have surgery for degenerative musculoskeletal disorders. BMC Musculoskeletal Disorders, 2021, 22, 513.	1.9	8
23	Association of maternal sleep before and during pregnancy with sleep and developmental problems in 1-year-old infants. Scientific Reports, 2021, 11, 11834.	3.3	12
24	Indoor air quality of 5,000 households and its determinants. Part B: Volatile organic compounds and inorganic gaseous pollutants in the Japan Environment and Children's study. Environmental Research, 2021, 197, 111135.	7.5	26
25	Maternal blood count parameters of chronic inflammation by gestational age and their associations with risk of preterm delivery in the Japan Environment and Children's Study. Scientific Reports, 2021, 11, 15522.	3.3	5
26	Indoor air quality of 5,000 households and its determinants. Part A: Particulate matter (PM2.5 and) Tj ETQq0 0 0 2021, 198, 111196.	rgBT /Ove 7.5	erlock 10 Tf 50 20
27	Fetoplacental weight ratio in relation to PM2.5 exposure during the gestation in Tokyo, Japan. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
28	P15â€Exposure to PM _{2.5} in early pregnancy was associated with abnormal cord insertion in a Japanese pregnant population. , 2021, , .		0
29	Estimating monthly concentrations of ambient key air pollutants in Japan during 2010–2015 for a national-scale birth cohort. Environmental Pollution, 2021, 284, 117483.	7.5	6
30	Female-dominant estrogen production in healthy children before adrenarche. Endocrine Connections, 2021, 10, 1221-1226.	1.9	3
31	Association of prenatal exposure to cadmium with neurodevelopment in children at 2Âyears of age: The Japan Environment and Children's Study. Environment International, 2021, 156, 106762.	10.0	27
32	Future Cardiovascular Risk may Vary by Fetal Presentation at Delivery. Journal of Atherosclerosis and Thrombosis, 2020, 27, 199-200.	2.0	0
33	Lumbar spinal surgery improves locomotive syndrome in elderly patients with lumbar spinal canal stenosis: A multicenter prospective study. Journal of Orthopaedic Science, 2020, 25, 213-218.	1.1	23
34	Exposure to Asian dust within a few days of delivery is associated with placental abruption in Japan: a caseâ€crossover study. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 335-342.	2.3	4
35	Potential association of metabolic and musculoskeletal disorders with lumbar intervertebral disc degeneration: Cross-sectional study using medical checkup data. Journal of Orthopaedic Science, 2020, 25, 384-388.	1.1	13
36	Health effects of PM2.5 sources on children's allergic and respiratory symptoms in Fukuoka, Japan. Science of the Total Environment, 2020, 709, 136023.	8.0	50

#	Article	IF	Citations
37	Risk Factors for Postoperative Distal Adding-on in Lenke Type 1B and 1C and its Influence on Residual Lumbar Curve. Journal of Pediatric Orthopaedics, 2020, 40, e77-e83.	1.2	5
38	Association of maternal sleep before and during pregnancy with preterm birth and early infant sleep and temperament. Scientific Reports, 2020, 10, 11084.	3.3	17
39	Association of blood cadmium levels in pregnant women with infant birth size and small for gestational age infants: The Japan Environment and Children's study. Environmental Research, 2020, 191, 110007.	7.5	16
40	Determination of Urinary Cotinine Cut-Off Concentrations for Pregnant Women in the Japan Environment and Children's Study (JECS). International Journal of Environmental Research and Public Health, 2020, 17, 5537.	2.6	28
41	Non-reassuring foetal status and sleep problems in 1-year-old infants in the Japan Environment and Children's Study: a cohort study. Scientific Reports, 2020, 10, 11432.	3.3	3
42	Awareness of Locomotive Syndrome and Factors Associated with Awareness: A Community-Based Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2020, 17, 7272.	2.6	2
43	Associations of dog and cat ownership with wheezing and asthma in children: Pilot study of the Japan Environment and children's study. PLoS ONE, 2020, 15, e0232604.	2.5	5
44	Maternal intake of one-carbon metabolism-related B vitamins and anorectal malformations in the Japan Environment and Children's Study. British Journal of Nutrition, 2020, 124, 865-873.	2.3	1
45	Hourly association between ambient PM2.5 and emergency ambulance dispatches in 11 cities in Japan. Environmental Research, 2020, 185, 109448.	7.5	4
46	Vitamin D Status in Japanese Adults: Relationship of Serum 25-Hydroxyvitamin D with Simultaneously Measured Dietary Vitamin D Intake and Ultraviolet Ray Exposure. Nutrients, 2020, 12, 743.	4.1	32
47	Knee pain and future decline in higher-level functional competence in community-dwelling older Japanese: the Kurabuchi cohort study. Age and Ageing, 2020, 49, 592-598.	1.6	4
48	Poly- and perfluoroalkyl substances in maternal serum: Method development and application in Pilot Study of the Japan Environment and Children's Study. Journal of Chromatography A, 2020, 1618, 460933.	3.7	17
49	Does overweight before pregnancy reduce the occurrence of gastroschisis?: the Japan Environment and Children's Study. BMC Research Notes, 2020, 13, 47.	1.4	0
50	Association of Fine Particulate Matter Exposure With Bystander-Witnessed Out-of-Hospital Cardiac Arrest of Cardiac Origin in Japan. JAMA Network Open, 2020, 3, e203043.	5.9	16
51	Spinal epidural lipomatosis is a previously unrecognized manifestation of metabolic syndrome. Spine Journal, 2019, 19, 493-500.	1.3	30
52	Negative impact of spinal epidural lipomatosis on the surgical outcome of posterior lumbar spinous-splitting decompression surgery: a multicenter retrospective study. Spine Journal, 2019, 19, 1977-1985.	1.3	14
53	Maternal dietary intake of vitamin A during pregnancy was inversely associated with congenital diaphragmatic hernia: the Japan Environment and Children's Study. British Journal of Nutrition, 2019, 122, 1295-1302.	2.3	12
54	Dietary Habits Had No Relationship with Adolescent Idiopathic Scoliosis: Analysis Utilizing Quantitative Data about Dietary Intakes. Nutrients, 2019, 11, 2327.	4.1	4

#	Article	IF	CITATIONS
55	Association between visual classification of kyphosis and future ADL decline in community-dwelling elderly people: the Kurabuchi study. Archives of Osteoporosis, 2019, 14, 3.	2.4	5
56	Impact of fusion for adolescent idiopathic scoliosis on lung volume measured with computed tomography. European Spine Journal, 2019, 28, 2034-2041.	2.2	9
57	Association Between Muscle Strength, Mobility, and the Progression of Hyperkyphosis in the Elderly: The Kurabuchi Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1987-1992.	3.6	8
58	Blood mercury, lead, cadmium, manganese and selenium levels in pregnant women and their determinants: the Japan Environment and Children's Study (JECS). Journal of Exposure Science and Environmental Epidemiology, 2019, 29, 633-647.	3.9	60
59	Treatment for Frailty Does Not Improve Complication Rates in Corrective Surgery for Adult Spinal Deformity. Spine, 2019, 44, 723-731.	2.0	27
60	Egg antigen was more abundant than mite antigen in children's bedding: Findings of the pilot study of the Japan Environment and Children's Study (JECS). Allergology International, 2019, 68, 391-393.	3.3	17
61	Japanese Nationwide Study on the Association Between Short-term Exposure to Particulate Matter and Mortality. Journal of Epidemiology, 2019, 29, 471-477.	2.4	19
62	Stride length of elderly patients with lumbar spinal stenosis: Multi-center study using the Two-Step test. Journal of Orthopaedic Science, 2019, 24, 787-792.	1.1	13
63	Risk, Recovery, and Clinical Impact of Neurological Complications in Adult Spinal Deformity Surgery. Spine, 2019, 44, 1364-1370.	2.0	16
64	The 5-Item Modified Frailty Index Is Predictive of Severe Adverse Events in Patients Undergoing Surgery for Adult Spinal Deformity. Spine, 2019, 44, E1083-E1091.	2.0	79
65	Isoflavone Intake in Early Pregnancy and Hypospadias in the Japan Environment and Children's Study. Urology, 2019, 124, 229-236.	1.0	11
66	Fish consumption in early pregnancy and congenital gastrointestinal tract atresia in the Japan Environment and Children's Study. British Journal of Nutrition, 2019, 121, 100-108.	2.3	5
67	Impact of lumbar hypolordosis on the incidence of symptomatic postoperative spinal epidural hematoma after decompression surgery for lumbar spinal canal stenosis. European Spine Journal, 2019, 28, 87-93.	2.2	16
68	Lumbar spinal canal stenosis leads to locomotive syndrome in elderly patients. Journal of Orthopaedic Science, 2019, 24, 19-23.	1.1	25
69	Japan Environment and Children's Study (JECS): Concept, Protocol and Current Status. , 2019, , 720-728.		1
70	Association Between Knee Pain, Impaired Function, and Development of Depressive Symptoms. Journal of the American Geriatrics Society, 2018, 66, 570-576.	2.6	25
71	Idiopathic Spinal Epidural Fat Accumulation Is Associated With Hyperlipidemia. Spine, 2018, 43, E468-E473.	2.0	15
72	Regional differences in infant 25â∈Hydroxyvitamin D: Pilot study of the Japan Environment and Childrenâ∈™s Study. Pediatrics International, 2018, 60, 30-34.	0.5	10

#	Article	IF	Citations
73	Baseline Profile of Participants in the Japan Environment and Children's Study (JECS). Journal of Epidemiology, 2018, 28, 99-104.	2.4	380
74	Non-reassuring foetal status and neonatal irritability in the Japan Environment and Children's Study: A cohort study. Scientific Reports, 2018, 8, 15853.	3.3	7
75	Haemoglobin A1c and hearing impairment: longitudinal analysis using a large occupational health check-up data of Japan. BMJ Open, 2018, 8, e023220.	1.9	12
76	Questionnaire results on exposure characteristics of pregnant women participating in the Japan Environment and Children Study (JECS). Environmental Health and Preventive Medicine, 2018, 23, 45.	3.4	51
77	Health impact assessment of PM2.5-related mitigation scenarios using local risk coefficient estimates in 9 Japanese cities. Environment International, 2018, 120, 525-534.	10.0	10
78	Acute Effects of Ambient PM2.5 on All-Cause and Cause-Specific Emergency Ambulance Dispatches in Japan. International Journal of Environmental Research and Public Health, 2018, 15, 307.	2.6	27
79	Physical Activities and Lifestyle Factors Related to Adolescent Idiopathic Scoliosis. Journal of Bone and Joint Surgery - Series A, 2017, 99, 284-294.	3.0	42
80	Association between exposure to air pollution during pregnancy and false positives in fetal heart rate monitoring. Scientific Reports, 2017, 7, 12421.	3.3	4
81	Relationship Between Depressive Symptoms and Activity of Daily Living Dependence in Older Japanese: The Kurabuchi Study. Journal of the American Geriatrics Society, 2017, 65, 2639-2645.	2.6	27
82	The association of kyphosis assessed in supine and standing positions with future activities of daily living dependence: the Kurabuchi Study. Archives of Osteoporosis, 2017, 12, 105.	2.4	6
83	Maternal exposure to air pollutants during the first trimester and foetal growth in Japanese term infants. Environmental Pollution, 2017, 230, 387-393.	7.5	29
84	Air Pollutant Exposure Within a Few Days of Delivery and Placental Abruption in Japan. Epidemiology, 2017, 28, 190-196.	2.7	19
85	Comparison between air pollution concentrations measured at the nearest monitoring station to the delivery hospital and those measured at stations nearest the residential postal code regions of pregnant women in Fukuoka. Environmental Health and Preventive Medicine, 2017, 22, 55.	3.4	6
86	Asian dust exposure triggers acute myocardial infarction. European Heart Journal, 2017, 38, 3202-3208.	2.2	43
87	Association between high and low ambient temperature and out-of-hospital cardiac arrest with cardiac etiology in Japan: a case-crossover study. Environmental Health and Preventive Medicine, 2017, 22, 60.	3.4	13
88	Is Childhood Exposure to Parental Smoking a Risk Factor for Future Cardiovascular Disease?. Journal of Atherosclerosis and Thrombosis, 2017, 24, 1204-1205.	2.0	0
89	Relationships of Community and Individual Level Social Capital with Activities of Daily Living and Death by Gender. International Journal of Environmental Research and Public Health, 2016, 13, 860.	2.6	19
90	Markers of Overall Nutritional Status and Incident Hearing Impairment in Communityâ€Dwelling Older Japanese: The Kurabuchi Study. Journal of the American Geriatrics Society, 2016, 64, 1480-1485.	2.6	9

#	Article	IF	Citations
91	Prevalence, adverse health, and risk factors in association with sensory impairments: data from a prospective cohort study of older Japanese. Environmental Health and Preventive Medicine, 2016, 21, 403-409.	3.4	5
92	Cross-sectional association between exposure to particulate matter and inflammatory markers in the Japanese general population: NIPPON DATA2010. Environmental Pollution, 2016, 213, 460-467.	7. 5	16
93	Exposure to air pollutants during the early weeks of pregnancy, and placenta praevia and placenta accreta in the western part of Japan. Environment International, 2016, 92-93, 464-470.	10.0	24
94	Short-term exposure to ambient particulate matter and emergency ambulance dispatch for acute illness in Japan. Science of the Total Environment, 2016, 566-567, 528-535.	8.0	20
95	Augmenting effects of gestational arsenite exposure of C3H mice on the hepatic tumors of the F ₂ male offspring via the F ₁ male offspring. Journal of Applied Toxicology, 2016, 36, 105-112.	2.8	14
96	Short-Term Exposure to Fine Particulate Matter and Risk of Ischemic Stroke. Stroke, 2016, 47, 3032-3034.	2.0	33
97	A register-based study of the association between air pollutants and hypertensive disorders in pregnancy among the Japanese population. Environmental Research, 2015, 142, 644-650.	7.5	19
98	The Japan Environment and Children's Study (JECS): A Preliminary Report on Selected Characteristics of Approximately 10 000 Pregnant Women Recruited During the First Year of the Study. Journal of Epidemiology, 2015, 25, 452-458.	2.4	95
99	Relieving pain and distress during venipuncture: Pilot study of the Japan Environment and Children's Study (JECS). Pediatrics International, 2015, 57, 1044-1047.	0.5	11
100	Plasma Isoflavones and Risk of Primary Liver Cancer in Japanese Women and Men with Hepatitis Virus Infection: A Nested Caseâ€"Control Study. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 532-537.	2.5	17
101	Coarse particulate matter and emergency ambulance dispatches in Fukuoka, Japan: a time-stratified case-crossover study. Environmental Health and Preventive Medicine, 2015, 20, 130-136.	3.4	19
102	Impact of short-term exposure to fine particulate matter on emergency ambulance dispatches in Japan. Journal of Epidemiology and Community Health, 2015, 69, 86-91.	3.7	35
103	Effects of Diesel Engine Exhaust Origin Secondary Organic Aerosols on Novel Object Recognition Ability and Maternal Behavior in BALB/C Mice. International Journal of Environmental Research and Public Health, 2014, 11, 11286-11307.	2.6	39
104	Desert Dust Is a Risk Factor for the Incidence of Acute Myocardial Infarction in Western Japan. Circulation: Cardiovascular Quality and Outcomes, 2014, 7, 743-748.	2.2	31
105	Five-Year Cohort Study. Chest, 2014, 146, 1166-1175.	0.8	33
106	Glycosylated Hemoglobin Level Is Associated with Hearing Impairment in Older Japanese: The Kurabuchi Study. Journal of the American Geriatrics Society, 2014, 62, 1231-1237.	2.6	16
107	Rationale and study design of the Japan environment and children's study (JECS). BMC Public Health, 2014, 14, 25.	2.9	574
108	Validity of using annual mean particulate matter concentrations as measured at fixed site in assessing personal exposure: An exposure assessment study in Japan. Science of the Total Environment, 2014, 466-467, 673-680.	8.0	17

#	Article	IF	CITATIONS
109	Higher Serum Dehydroepiandrosterone Sulfate Levels Are Protectively Associated with Depressive Symptoms in Men, But NotÂin Women: A Community-Based CohortÂStudy of Older Japanese. American Journal of Geriatric Psychiatry, 2013, 21, 1154-1163.	1.2	16
110	Tinnitus preceded depressive symptoms in community-dwelling older Japanese: A prospective cohort study. Preventive Medicine, 2013, 56, 333-336.	3.4	16
111	Spinal Posture in the Sagittal Plane Is Associated With Future Dependence in Activities of Daily Living: A Community-Based Cohort Study of Older Adults in Japan. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 869-875.	3.6	15
112	Sunlight Exposure May Be a Risk Factor of Hearing Impairment: A Community-Based Study in Japanese Older Men and Women. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 96-103.	3.6	13
113	Plasma Levels of Adiponectin and Primary Liver Cancer Risk in Middle-Aged Japanese Adults with Hepatitis Virus Infection: A Nested Case–Control Study. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2250-2257.	2.5	13
114	Genomeâ€wide analysis of <scp>DNA</scp> methylation changes induced by gestational arsenic exposure in liver tumors. Cancer Science, 2013, 104, 1575-1585.	3.9	22
115	Long-Term Exposure to Particulate Matter in Relation to Mortality and Incidence of Cardiovascular Disease: The JPHC Study. Journal of Atherosclerosis and Thrombosis, 2013, 20, 296-309.	2.0	29
116	Age-Related Hearing Loss and the Factors Determining Continued Usage of Hearing Aids among Elderly Community-Dwelling Residents. PLoS ONE, 2013, 8, e73622.	2.5	21
117	Seaweed consumption and the risk of thyroid cancer in women. European Journal of Cancer Prevention, 2012, 21, 254-260.	1.3	64
118	Development of a prediction model for 10-year risk of hepatocellular carcinoma in middle-aged Japanese: The Japan Public Health Center-based Prospective Study Cohort II. Preventive Medicine, 2012, 55, 137-143.	3.4	41
119	Selfâ€Reported Hearing Loss in Older Adults Is Associated with Future Decline in Instrumental Activities of Daily Living but Not in Social Participation. Journal of the American Geriatrics Society, 2012, 60, 1304-1309.	2.6	35
120	Higher Serum Dehydroepiandrosterone Sulfate Levels Are Protectively Associated With Depressive Symptoms in Men, But Not in Women. American Journal of Geriatric Psychiatry, 2012, , 1.	1.2	1
121	Prevalence and Risk Factors of Dry Eye Disease in Japan: Koumi Study. Ophthalmology, 2011, 118, 2361-2367.	5.2	237
122	Knee Pain and Future Self-Reliance in Older Adults: Evidence From a Community-Based 3-Year Cohort Study in Japan. Journal of Epidemiology, 2011, 21, 184-190.	2.4	17
123	ARE YOU CONSCIOUS OF ANY AGE-RELATED TASTE IMPAIRMENT? PREVALENCE OF AND FACTORS ASSOCIATED WITH TASTE IMPAIRMENT IN JAPAN. Journal of the American Geriatrics Society, 2011, 59, 951-953.	2.6	14
124	Green tea and coffee consumption and its association with thyroid cancer risk: a population-based cohort study in Japan. Cancer Causes and Control, 2011, 22, 985-993.	1.8	22
125	Impact of hearing difficulty on dependence in activities of daily living (ADL) and mortality: A 3-year cohort study of community-dwelling Japanese older adults. Archives of Gerontology and Geriatrics, 2011, 52, 245-249.	3.0	31
126	Body Mass Index Misclassification Due to Kyphotic Posture in Japanese Community-Dwelling Adults Aged 65 Years and Older. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 326-331.	3.6	23

#	Article	IF	CITATIONS
127	Prevalence and Factors Associated with Tinnitus: A Community-Based Study of Japanese Elders. Journal of Epidemiology, 2010, 20, 271-276.	2.4	93
128	Hearing Handicap Predicts the Development of Depressive Symptoms After 3 Years in Older Communityâ€Dwelling Japanese. Journal of the American Geriatrics Society, 2010, 58, 93-97.	2.6	82
129	The taste of salt measured by a simple test and blood pressure in Japanese women and men. Hypertension Research, 2009, 32, 399-403.	2.7	36
130	Serum Levels of Retinol and Other Antioxidants for Hearing Impairment Among Japanese Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2009, 64A, 910-915.	3.6	34
131	One-leg standing test for elderly populations. Journal of Orthopaedic Science, 2009, 14, 675-685.	1.1	242
132	Gender-specific associations of vision and hearing impairments with adverse health outcomes in older Japanese: a population-based cohort study. BMC Geriatrics, 2009, 9, 50.	2.7	27
133	Causal Relationship between Indium Compound Inhalation and Effects on the Lungs. Journal of Occupational Health, 2009, 51, 513-521.	2.1	88
134	Effects of SO ₂ on Respiratory System of Adult Miyakejima Resident 2 Years after Returning to the Island. Journal of Occupational Health, 2009, 51, 38-47.	2.1	131
135	Lifestyle Factors and Visible Skin Aging in a Population of Japanese Elders. Journal of Epidemiology, 2009, 19, 251-259.	2.4	36
136	Nocturnal Leg Cramps. Spine, 2009, 34, E189-E194.	2.0	38
137	Serum antioxidants and age-related macular degeneration among older Japanese. Asia Pacific Journal of Clinical Nutrition, 2009, 18, 1-7.	0.4	63
138	Gender difference in the relationships between vision and hearing impairments and negative well-being. Preventive Medicine, 2008, 47, 433-437.	3.4	93
139	Does Early Orchidopexy Prevent Morphological Changes in Undescended Testes? A Perioperative Assessment Using Ultrasonography. Urologia Internationalis, 2008, 81, 210-214.	1.3	10
140	Job strain and arteriosclerosis in three different types of arteries among male Japanese factory workers. Scandinavian Journal of Work, Environment and Health, 2008, 34, 48-54.	3.4	17
141	Creating coordination in the Cerebellum. Cerebellum, 2004, 3, 39-64.	2.5	0
142	Calmodulin Mediates Calcium-Dependent Inactivation of the Cerebellar Type 1 Inositol 1,4,5-Trisphosphate Receptor. Neuron, 1999, 23, 799-808.	8.1	162