

Anthony Romieu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3496831/publications.pdf>

Version: 2024-02-01

110
papers

6,920
citations

126907

33
h-index

60623

81
g-index

124
all docs

124
docs citations

124
times ranked

10892
citing authors

#	ARTICLE	IF	CITATIONS
1	Accurate whole human genome sequencing using reversible terminator chemistry. <i>Nature</i> , 2008, 456, 53-59.	27.8	3,118
2	Removal of oxygen free-radical-induced 5',8-purine cyclodeoxynucleosides from DNA by the nucleotide excision-repair pathway in human cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 3832-3837.	7.1	332
3	BTA, a novel reagent for DNA attachment on glass and efficient generation of solid-phase amplified DNA colonies. <i>Nucleic Acids Research</i> , 2006, 34, e22-e22.	14.5	184
4	Water-Soluble BODIPY Derivatives. <i>Organic Letters</i> , 2009, 11, 2049-2052.	4.6	170
5	A new class of cleavable fluorescent nucleotides: synthesis and optimization as reversible terminators for DNA sequencing by synthesis. <i>Nucleic Acids Research</i> , 2008, 36, e25-e25.	14.5	124
6	Oxidative base damage to DNA: specificity of base excision repair enzymes. <i>Mutation Research - Reviews in Mutation Research</i> , 2000, 462, 121-128.	5.5	102
7	7-Hydroxycoumarin-Hemicyanine Hybrids: A New Class of Far-Red Emitting Fluorogenic Dyes. <i>Organic Letters</i> , 2008, 10, 4175-4178.	4.6	102
8	Excision of 5,6-Dihydroxy-5,6-dihydrothymine, 5,6-Dihydrothymine, and 5-Hydroxycytosine from Defined Sequence Oligonucleotides by <i>Escherichia coli</i> Endonuclease III and Fpg Proteins: A Kinetic and Mechanistic Aspects. <i>Biochemistry</i> , 1999, 38, 3335-3344.	2.5	98
9	Synthesis and UV Photolysis of Oligodeoxynucleotides That Contain 5-(Phenylthiomethyl)-2-deoxyuridine: A Specific Photolabile Precursor of 5-(2-deoxyuridyl)methyl Radical. <i>Organic Letters</i> , 2000, 2, 1085-1088.	4.6	97
10	Radiation-Induced DNA Damage: Formation, Measurement, and Biochemical Features. <i>Journal of Environmental Pathology, Toxicology and Oncology</i> , 2004, 23, 33-44.	1.2	96
11	Azo-Based Fluorogenic Probes for Biosensing and Bioimaging: Recent Advances and Upcoming Challenges. <i>Chemistry - an Asian Journal</i> , 2017, 12, 2008-2028.	3.3	90
12	Synthesis and Characterization of Oligonucleotides Containing 5,8-Cyclopurine 2-deoxyribonucleosides: (5S)-5,8-Cyclo-2-deoxyadenosine, (5S)-5,8-Cyclo-2-deoxyguanosine, and (5R)-5,8-Cyclo-2-deoxyguanosine. <i>Chemical Research in Toxicology</i> , 1999, 12, 412-421.	3.3	88
13	Water-Soluble Red-Emitting Distyryl-Borondipyrromethene (BODIPY) Dyes for Biolabeling. <i>Chemistry - A European Journal</i> , 2012, 18, 7229-7242.	3.3	87
14	Novel Water-Soluble Near-Infrared Cyanine Dyes: Synthesis, Spectral Properties, and Use in the Preparation of Internally Quenched Fluorescent Probes. <i>Bioconjugate Chemistry</i> , 2007, 18, 1303-1317.	3.6	86
15	Site-Specific Introduction of (5S)-5,8-Cyclo-2-deoxyadenosine into Oligodeoxyribonucleotides. <i>Journal of Organic Chemistry</i> , 1998, 63, 5245-5249.	3.2	80
16	Water-solubilisation and bio-conjugation of a red-emitting BODIPY marker. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 66-69.	2.8	68
17	AND-luminescent reactive-molecular logic gates: a gateway to multi-analyte bioimaging and biosensing. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 1294-1306.	2.8	68
18	Development of a New Nonpeptidic Self-Immolative Spacer. Application to the Design of Protease Sensing Fluorogenic Probes. <i>Organic Letters</i> , 2008, 10, 1517-1520.	4.6	60

#	ARTICLE	IF	CITATIONS
19	Chemiluminescent Probe for the in Vitro Detection of Protease Activity. <i>Organic Letters</i> , 2007, 9, 4853-4855.	4.6	56
20	A comparative study of the self-immolation of para-aminobenzylalcohol and hemithioaminal-based linkers in the context of protease-sensitive fluorogenic probes. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 1777.	2.8	54
21	The first latent green fluorophores for the detection of azoreductase activity in bacterial cultures. <i>Chemical Communications</i> , 2013, 49, 8815.	4.1	54
22	Highly Fluorescent and Water-Soluble Diketopyrrolopyrrole Dyes for Bioconjugation. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2995-2999.	13.8	54
23	Latent Fluorophores Based on a Self-Immolative Linker Strategy and Suitable for Protease Sensing. <i>Bioconjugate Chemistry</i> , 2008, 19, 1707-1718.	3.6	52
24	A HTS Assay for the Detection of Organophosphorus Nerve Agent Scavengers. <i>Chemistry - A European Journal</i> , 2010, 16, 3510-3523.	3.3	52
25	Postsynthetic Derivatization of Fluorophores with β -Sulfo- β -alanine Dipeptide Linker. Application to the Preparation of Water-Soluble Cyanine and Rhodamine Dyes. <i>Bioconjugate Chemistry</i> , 2008, 19, 279-289.	3.6	46
26	The first comparative study of the ability of different hydrophilic groups to water-solubilise fluorescent BODIPY dyes. <i>New Journal of Chemistry</i> , 2013, 37, 1016.	2.8	46
27	Repair and replication of oxidized DNA bases using modified oligodeoxyribonucleotides. <i>Biochimie</i> , 2000, 82, 19-24.	2.6	42
28	Synthesis and structure-activity relationship of Huprine derivatives as human acetylcholinesterase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 4523-4536.	3.0	41
29	Self-cleavable chemiluminescent probes suitable for protease sensing. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 2941.	2.8	41
30	Bioconjugatable Azo-Based Dark-Quencher Dyes: Synthesis and Application to Protease-Activatable Far-Red Fluorescent Probes. <i>Chemistry - A European Journal</i> , 2013, 19, 1686-1699.	3.3	37
31	Straightforward Access to Water-Soluble Unsymmetrical Sulfoxanthene Dyes: Application to the Preparation of Far-Red Fluorescent Dyes with Large Stokes Shifts. <i>Chemistry - A European Journal</i> , 2014, 20, 8330-8337.	3.3	36
32	Aryldithioethoxycarbonyl (Ardec): A New Family of Amine Protecting Groups Removable under Mild Reducing Conditions and Their Applications to Peptide Synthesis. <i>Chemistry - A European Journal</i> , 2006, 12, 3655-3671.	3.3	34
33	On the synthesis of functionalized porphyrins and porphyrin conjugates via β -aminoporphyrins. <i>New Journal of Chemistry</i> , 2016, 40, 5758-5774.	2.8	34
34	Synthesis and post-synthetic derivatization of a cyanine-based amino acid. Application to the preparation of a novel water-soluble NIR dye. <i>Tetrahedron Letters</i> , 2006, 47, 8279-8284.	1.4	33
35	Dual enzyme-responsive α -turn-on-fluorescence sensing systems based on in situ formation of 7-hydroxy-2-iminocoumarin scaffolds. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 10348-10361.	2.8	32
36	Water solubilization of xanthene dyes by post-synthetic sulfonation in organic media. <i>Tetrahedron Letters</i> , 2010, 51, 3304-3308.	1.4	31

#	ARTICLE	IF	CITATIONS
37	The first metal-free water-soluble cryptophane-111. <i>Chemical Communications</i> , 2011, 47, 9702.	4.1	31
38	Site-specific near-infrared fluorescent labelling of proteins on cysteine residues with <i>meso</i> -chloro-substituted heptamethine cyanine dyes. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 8831-8836.	2.8	31
39	A universal and ready-to-use heterotrifunctional cross-linking reagent for facile synthetic access to sophisticated bioconjugates. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 4329.	2.8	30
40	The first "ready-to-use" benzene-based heterotrifunctional cross-linker for multiple bioconjugation. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 2693.	2.8	30
41	A FRET-based probe for fluorescence sensing of sulfide/sulfite analytes, using a novel long-wavelength water-soluble 7-hydroxycoumarin as reporter fluorophore. <i>Tetrahedron Letters</i> , 2015, 56, 1015-1019.	1.4	30
42	Divergent Synthesis of Dihydroxanthene-Hemicyanine Fused Near-Infrared Fluorophores through the Late-Stage Amination of a Bifunctional Precursor. <i>Organic Letters</i> , 2016, 18, 5122-5125.	4.6	30
43	A novel heterotrifunctional peptide-based cross-linking reagent for facile access to bioconjugates. Applications to peptide fluorescent labelling and immobilisation. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 3065.	2.8	29
44	A Convenient Synthesis of 5-Hydroxy-2'-Deoxycytidine Phosphoramidite and its Incorporation into Oligonucleotides. <i>Tetrahedron Letters</i> , 1997, 38, 7531-7534.	1.4	28
45	Aminopropargyl derivative of terpyridine-bis(methyl-enamine) tetraacetic acid chelate of europium (Eu) Tj ETQq1 1 0.784314 rgBT /Ow... <i>Biomolecular Chemistry</i> , 2006, 4, 4165.	2.8	28
46	New insights into the water-solubilisation of fluorophores by post-synthetic "click" and Sonogashira reactions. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 4330.	2.8	26
47	Azobenzene-caged sulforhodamine dyes: a novel class of "turn-on" reactive probes for hypoxic tumor cell imaging. <i>Methods and Applications in Fluorescence</i> , 2015, 3, 044004.	2.3	26
48	Synthesis and characterization of oligodeoxynucleotides containing the two 5R and 5S diastereomers of (5 ² S,6 ⁵ S)-5 ² ,6-cyclo-5,6-dihydrothymidine; radiation-induced tandem lesions of thymidine. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, , 1257-1264.	0.9	25
49	Chemical and Biochemical Properties of Oligonucleotides that Contain (5 ² S,6 ⁵ S)-Cyclo-5,6-dihydro-2'-deoxyuridine and (5 ² S,6 ⁵ S)-Cyclo-5,6-dihydrothymidine, Two Main Radiation-Induced Degradation Products of Pyrimidine 2'-Deoxyribonucleosides. <i>Tetrahedron</i> , 2000, 56, 8689-8701.	1.9	25
50	Kondrat'eva Ligation: Diels-Alder-Based Irreversible Reaction for Bioconjugation. <i>Journal of Organic Chemistry</i> , 2014, 79, 10353-10366.	3.2	24
51	A Novel Bio-Orthogonal Cross-Linker for Improved Protein/Protein Interaction Analysis. <i>Analytical Chemistry</i> , 2015, 87, 1853-1860.	6.5	24
52	Reaction site-driven regioselective synthesis of AChE inhibitors. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 156-161.	2.8	23
53	Azo-Sulforhodamine Dyes: A Novel Class of Broad Spectrum Dark Quenchers. <i>Organic Letters</i> , 2014, 16, 3946-3949.	4.6	23
54	A novel sulfonated prosthetic group for [¹⁸ F]-radiolabelling and imparting water solubility of biomolecules and cyanine fluorophores. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 469-479.	2.8	22

#	ARTICLE	IF	CITATIONS
55	A Synthetic Route to 3-(Heteroaryl)-7-Hydroxycoumarins Designed for Biosensing Applications. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 166.	2.4	22
56	In situ formation of pyronin dyes for fluorescence protease sensing. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 2575-2584.	2.8	22
57	N-Fmoc- β -sulfo- β -alanine: a versatile building block for the water solubilisation of chromophores and fluorophores by solid-phase strategy. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 5337.	2.8	21
58	New insights into the water-solubilization of thiol-sensitive fluorogenic probes based on long-wavelength 7-hydroxycoumarin scaffolds. <i>Dyes and Pigments</i> , 2014, 110, 270-284.	3.7	21
59	Universal Dark Quencher Based on α -Clicked-Spectrally Distinct Azo Dyes. <i>Organic Letters</i> , 2013, 15, 6082-6085.	4.6	20
60	Oxidative C-N fusion of pyridinyl-substituted porphyrins. <i>Chemical Communications</i> , 2018, 54, 5414-5417.	4.1	20
61	Radiation-induced damage to DNA: mechanistic aspects and measurement of base lesions. <i>Nuclear Instruments & Methods in Physics Research B</i> , 1999, 151, 1-7.	1.4	19
62	A novel and unusually long-lived chemiluminophore based on the 7-hydroxycoumarin scaffold. <i>Chemical Communications</i> , 2011, 47, 6713.	4.1	19
63	An expedient synthesis of N,N-dialkylamino-dihydroxanthene-pyrylium conjugated near-infrared fluorescent dyes. <i>Tetrahedron Letters</i> , 2016, 57, 317-320.	1.4	19
64	Synthesis of N,N-Dialkylamino-Nor-Dihydroxanthene-Hemicyanine Fused Near-Infrared Fluorophores and Their First Water-Soluble and/or Bioconjugatable Analogues. <i>Chemistry - an Asian Journal</i> , 2017, 12, 936-946.	3.3	19
65	Synthesis, stability and spectral behavior of fluorogenic sulfone-pyronin and sulfone-rosamine dyes. <i>Dyes and Pigments</i> , 2018, 159, 262-274.	3.7	18
66	Deeper insight into protease-sensitive covalent-assembly fluorescent probes for practical biosensing applications. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 8918-8932.	2.8	18
67	Highly Fluorescent and Water-Soluble Diketopyrrolopyrrole Dyes for Bioconjugation. <i>Angewandte Chemie</i> , 2015, 127, 3038-3042.	2.0	17
68	Functionalization of theranostic Au@Ag nanoparticles for PET/MRI/optical imaging. <i>RSC Advances</i> , 2019, 9, 24811-24815.	3.6	16
69	Specificity and effect on apoptosis of Tat antibodies from vaccinated and SHIV-infected rhesus macaques and HIV-infected individuals. <i>Vaccine</i> , 2003, 21, 3186-3199.	3.8	15
70	Latent fluorophores based on a Mannich cyclisation trigger. <i>Tetrahedron Letters</i> , 2006, 47, 6229-6233.	1.4	15
71	Near-infrared emissive bacteriochlorin-diketopyrrolopyrrole triads: Synthesis and photophysical properties. <i>Dyes and Pigments</i> , 2019, 160, 747-756.	3.7	15
72	Synthesis of Oligonucleotides Containing the (4R) and (4S) Diastereoisomers of 4,8-Dihydro-4-hydroxy-8-oxo-2-deoxyguanosine. <i>European Journal of Organic Chemistry</i> , 1999, 1999, 49-56.	2.4	14

#	ARTICLE	IF	CITATIONS
73	5-(PHENYLTHIOMETHYL)-2-DEOXYURIDINE AS AN EFFICIENT PHOTOREACTIVE PRECURSOR TO GENERATE SINGLE AND MULTIPLE LESIONS WITHIN DNA FRAGMENTS. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2001, 20, 967-971.	1.1	14
74	Synthesis and luminescence properties of new red-shifted absorption lanthanide(III) chelates suitable for peptide and protein labelling. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 2357.	2.8	14
75	New (Heteroaryl)-aminocoumarin-based Borate Complexes: Synthesis, Photophysical Properties, and Rational Functionalization for Biosensing/Biolabeling Applications. <i>Chemistry - A European Journal</i> , 2015, 21, 14589-14601.	3.3	14
76	The Scope of Application of Macrocyclic Polyamines Beyond Metal Chelation. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 6146-6157.	2.4	13
77	Highly sensitive and selective fluorescence assays for rapid screening of endothelin-converting enzyme inhibitors. <i>Biochemical Journal</i> , 2001, 356, 813.	3.7	12
78	Total direct chemical synthesis and biological activities of human group IIA secretory phospholipase A2. <i>Biochemical Journal</i> , 2002, 365, 505-511.	3.7	12
79	A Labeled Neutral Endopeptidase Inhibitor as a Potential Tool for Tumor Diagnosis and Prognosis. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 4058-4061.	13.8	12
80	A versatile access to new halogenated 7-azidocoumarins for photoaffinity labeling: Synthesis and photophysical properties. <i>Dyes and Pigments</i> , 2011, 91, 427-434.	3.7	12
81	Kinetics improvement of protease-mediated formation of pyronin dyes. <i>Tetrahedron Letters</i> , 2018, 59, 1940-1944.	1.4	12
82	Synthesis and reactivity of a bis-sultone cross-linker for peptide conjugation and [¹⁸ F]-radiolabelling via unusual "double click" approach. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 1068-1078.	2.8	10
83	Rational Design of Latent Fluorophores from Water-Soluble Hydroxyphenyltriazine Dyes Suitable for Lipase Sensing. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 1664-1669.	2.4	10
84	Synthesis, Biological Evaluation, and <i>in Vivo</i> Imaging of the first Camptothecin-Fluorescein Conjugate. <i>Bioconjugate Chemistry</i> , 2013, 24, 1119-1133.	3.6	9
85	Straightforward synthesis of bioconjugatable azo dyes. Part 2: Black Hole Quencher-2 (BHQ-2) and BlackBerry Quencher 650 (BBQ-650) scaffolds. <i>Tetrahedron Letters</i> , 2014, 55, 6764-6768.	1.4	9
86	Rapid Synthesis of Unsymmetrical Sulforhodamines Through Nucleophilic Amination of a Monobrominated Sulfoxanthene Dye. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 152-165.	2.4	9
87	Facile and rapid access to linear and truncated microcystin analogues for the implementation of immunoassays. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 676-690.	2.8	8
88	Quest for novel fluorogenic xanthene dyes: Synthesis, spectral properties and stability of 3-imino-3H-xanthen-6-amine (pyronin) and its silicon analog. <i>Tetrahedron Letters</i> , 2018, 59, 4574-4581.	1.4	8
89	Reinvestigation of the synthesis of covalent-assembly-type probes for fluoride ion detection. Identification of novel 7-(diethylamino)coumarins with aggregation-induced emission properties. <i>Tetrahedron Letters</i> , 2019, 60, 151279.	1.4	8
90	Straightforward synthesis of bioconjugatable azo dyes. Part 1: Black Hole Quencher-1 (BHQ-1) scaffold. <i>Tetrahedron Letters</i> , 2014, 55, 6759-6763.	1.4	7

#	ARTICLE	IF	CITATIONS
91	Fluorogenic Enzyme-Triggered Domino Reactions Producing Quinoxalin-2(1H)-one-based Heterocycles. <i>Organic Letters</i> , 2020, 22, 6494-6499.	4.6	7
92	Reappraising Schmidpeter's bis(iminophosphoranyl)phosphides: coordination to transition metals and bonding analysis. <i>Chemical Science</i> , 2021, 12, 253-269.	7.4	7
93	Divergent synthesis of 5,7-difluorinated dihydroxanthene-hemicyanine fused near-infrared fluorophores. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 4291-4300.	2.8	6
94	Using Native Chemical Ligation for Site-Specific Synthesis of Hetero-bis-alkylanthranide Peptide Conjugates: Application to Ratiometric Visible or Near-Infrared Detection of Zn ²⁺ . <i>Chemistry - A European Journal</i> , 2020, 26, 13476-13483.	3.3	6
95	Biochemical Characterization of a Caspase-3 Far-red Fluorescent Probe for Non-invasive Optical Imaging of Neuronal Apoptosis. <i>Journal of Molecular Neuroscience</i> , 2014, 54, 451-462.	2.3	5
96	Synthesis and photophysical properties of iron-carbonyl complex-coumarin conjugates as potential bimodal IR-fluorescent probes. <i>Tetrahedron Letters</i> , 2016, 57, 4991-4996.	1.4	5
97	A bacteriochlorin-diketopyrrolopyrrole triad as a donor for solution-processed bulk heterojunction organic solar cells. <i>Journal of Materials Chemistry C</i> , 2019, 7, 9655-9664.	5.5	5
98	Real-time molecular optical micro-imaging of EGFR mutations using a fluorescent erlotinib based tracer. <i>BMC Pulmonary Medicine</i> , 2019, 19, 3.	2.0	5
99	N-Alkylation of 2-methoxy-10H-phenothiazine revisited. A facile entry to diversely N-substituted phenothiazine-coumarin hybrid dyes. <i>Tetrahedron Letters</i> , 2020, 61, 152582.	1.4	5
100	A novel water-soluble BODIPY dye as red fluorescent probe for imaging hypoxic status of human cancer cells. <i>Mendeleev Communications</i> , 2020, 30, 750-752.	1.6	5
101	In Situ Synthesis of Phenoxazine Dyes in Water: Application for "Turn-On" Fluorogenic and Chromogenic Detection of Nitric Oxide. <i>ChemPhotoChem</i> , 0, , .	3.0	5
102	Regioselective C-H amination of free base porphyrins <i>via</i> electrogenerated pyridinium-porphyrins and stabilization of easily oxidized amino-porphyrins by protonation. <i>Chemical Communications</i> , 2020, 56, 884-887.	4.1	4
103	Design, synthesis and evaluation of enzyme-responsive fluorogenic probes based on pyridine-flanked diketopyrrolopyrrole dyes. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 248, 119179.	3.9	4
104	Corrigendum to "Synthesis and post-synthetic derivatization of a cyanine-based amino acid. Application to the preparation of a novel water-soluble NIR dye". <i>Tetrahedron Letters</i> , 2007, 48, 501.	1.4	3
105	Rationalisation of the optical signatures of <i>nor</i>-dihydroxanthene-hemicyanine fused near-infrared fluorophores by first-principle tools. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 12120-12128.	2.8	3
106	Synthesis and spectral properties of 6-triazolyl-dihydroxanthene-hemicyanine fused near-infrared dyes. <i>New Journal of Chemistry</i> , 2020, 44, 12208-12215.	2.8	3
107	Synthetic routes to novel fluorogenic pyronins and silicon analogs with far-red spectral properties and enhanced aqueous stability. <i>Dyes and Pigments</i> , 2020, 180, 108496.	3.7	3
108	Synthesis and Characterization of Oligodeoxynucleotides Containing 5,8-Cyclopurine-2-Deoxyribonucleosides. <i>Nucleosides & Nucleotides</i> , 1999, 18, 1331-1333.	0.5	2

#	ARTICLE	IF	CITATIONS
109	Coumarinâ€Pyronin Hybrid Dyes: Synthesis, Fluorescence Properties and Theoretical Calculations**. ChemPhotoChem, 2021, 5, 822-838.	3.0	2
110	Thiocarbamate-Linked Polysulfonateâ€Peptide Conjugates As Selective Hepatocyte Growth Factor Receptor Binders. Bioconjugate Chemistry, 2014, 25, 1000-1010.	3.6	1