

# Joseph P Michael

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3500360/publications.pdf>

Version: 2024-02-01

180  
papers

7,979  
citations

87888  
38  
h-index

51608  
86  
g-index

212  
all docs

212  
docs citations

212  
times ranked

5962  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cyclization of enaminones derived from N-phenacylpyrrolidin-2-ones to pyrrolizines under acidic conditions. <i>Arkivoc</i> , 2021, 2020, 4-23.	0.5	2
2	Silica gel and microwave-promoted synthesis of dihydropyrrolizines and tetrahydroindolizines from enaminones. <i>Beilstein Journal of Organic Chemistry</i> , 2021, 17, 2543-2552.	2.2	3
3	Demethylative Lactonization Provides a Shortcut to High-Yielding Syntheses of Lamellarins. <i>Journal of Organic Chemistry</i> , 2020, 85, 1054-1061.	3.2	25
4	Practical Decagramâ€¢Scale Synthesis of a Lamellarin Analogue and Deprotection of Lamellarin Isopropyl Ethers. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 3860-3871.	2.4	11
5	A Xylochemically Inspired Synthesis of Lamellarin G Trimethyl Ether via an Enaminone Intermediate. <i>Journal of Organic Chemistry</i> , 2019, 84, 11025-11031.	3.2	22
6	Baseâ€¢Mediated Cyclization of 3â€¢[2â€¢(2â€¢Oxoâ€¢2â€¢phenylethyl)â€¢1â€¢Pyrrolidinyl]propanenitrile to 7â€¢Phenylâ€¢1,2,3,7,8,8aâ€¢hexahydroindolizineâ€¢6â€¢carbonitrile: What Lies Between?. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 1902-1909.	2.4	4
7	Supramolecular packing and polymorph screening of N-isonicotinoyl arylketone hydrazones with phenol and amino modifications. <i>Journal of Molecular Structure</i> , 2018, 1157, 693-707.	3.6	5
8	Binary polymorphic cocrystals: an update on the available literature in the Cambridge Structural Database, including a new polymorph of the pharmaceutical 1:1 cocrystal theophyllineâ€¢3,4-dihydroxybenzoic acid. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018, 74, 715-720.	0.5	18
9	Observations concerning the synthesis of heteroatom-containing 9-membered benzo-fused rings by ring-closing metathesis. <i>Tetrahedron</i> , 2017, 73, 4671-4683.	1.9	8
10	Acridone Alkaloids. <i>The Alkaloids Chemistry and Biology</i> , 2017, 78, 1-108.	2.0	9
11	New syntheses of (Â±)-tashiromine and (Â±)-epitashiromine via enaminone intermediates. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 2609-2613.	2.2	11
12	Simple Indolizidine and Quinolizidine Alkaloids. <i>The Alkaloids Chemistry and Biology</i> , 2016, 75, 1-498.	2.0	48
13	Double Sonogashira reactions on dihalogenated aminopyridines for the assembly of an array of 7-azaindoles bearing triazole and quinoxaline substituents at C-5: Inhibitory bioactivity against Giardia duodenalis trophozoites. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 4943-4951.	3.0	15
14	Structural insights into the hexamorphic system of an isoniazid derivative. <i>CrystEngComm</i> , 2015, 17, 5143-5153.	2.6	11
15	The kinetics of the substitution of coordinated H <sub>2</sub> O on Co(III) by cyanide in aquacobalamin (vitamin B <sub>12</sub> ) and its ligand substitution reactions. <i>Inorganic Chemistry</i> , 2014, 53, 4418-4429.	4.0	9
16	The Synthesis of a Corrole Analogue of Aquacobalamin (Vitamin B <sub>12a</sub> ) and Its Ligand Substitution Reactions. <i>Inorganic Chemistry</i> , 2014, 53, 4418-4429.	2.8	34
17	The acid-catalysed synthesis of 7-azaindoles from 3-alkynyl-2-aminopyridines and their antimicrobial activity. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 307-315.	3.0	15
18	Polymorphic Diversity: <i>N</i> -Phenylbenzamide as a Possible Polymorphophore. <i>Crystal Growth and Design</i> , 2013, 13, 3463-3474.	3.0	15

#	ARTICLE	IF	CITATIONS
19	A ring-closing metathesis approach to eight-membered benzannelated scaffolds and subsequent internal alkene isomerizations. <i>Tetrahedron</i> , 2013, 69, 2038-2047.	1.9	13
20	1-(2-Hydroxy-4,5-dimethoxyphenyl)ethanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o139-o139.	0.2	3
21	3-Hydroxy-1-(4-methoxybenzyl)piperidin-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o51-o51.	0.2	0
22	( $\bar{A}\pm$ )-3-Benzoyloxy-1-(4-methoxybenzyl)piperidine-2-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2013, 69, o21-o21.	0.2	0
23	( $\bar{A}\pm$ )-(rel-3R,3 $\bar{E}$ R)-1,1 $\bar{E}$ -Dimethyl-3,3 $\bar{E}$ -bipyrrolidine-2,2 $\bar{E}$ -dithione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o3211-o3211.	0.2	0
24	(2E)-1-Phenyl-2-[1-(2-phenylprop-2-en-1-yl)pyrrolidin-2-ylidene]ethanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o3281-o3281.	0.2	0
25	(2-Aminophenyl)methanol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o174-o174.	0.2	2
26	4-(Dimethoxymethyl)phenyl 2,3,4,6-tetra-O-acetyl- $\beta$ -D-glucopyranoside. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o1202-o1202.	0.2	0
27	2-[(2 <i>i</i> Z <i>i</i> )-Azepan-2-ylidene]-1-(4-nitrophenyl)ethanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o2479-o2479.	0.2	0
28	2,3-Dihydro-1H-pyrrolo[1,2-a]indole-9-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o3306-o3306.	0.2	0
29	Formation of an unexpected rearrangement product using Grubbsâ€™ second generation catalyst: 2-allyl-3,4-dihydro-2H-1,4-benzothiazines from diene precursors. <i>Tetrahedron Letters</i> , 2012, 53, 2384-2387.	1.4	10
30	Polymorphs of <i>i</i> N <i>i</i> -[2-(Hydroxymethyl)phenyl]benzamide: Structural Characterization and Analysis of Molecule- $\cdot$ Molecule Interactions by Means of Atomâ”Atom Potentials and DFT. <i>Crystal Growth and Design</i> , 2011, 11, 1431-1436.	3.0	7
31	Extensive hydrogen and halogen bonding, and absence of intramolecular hydrogen bonding between alcohol and nitro groups in a series of <i>i</i> endo- <i>i</i> -nitronorbornanol compounds. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2011, 67, o288-o293.	0.4	2
32	Application of an isomerization-ring-closing metathesis strategy to the synthesis of unsaturated seven-membered, benzo-fused heterocycles containing two heteroatoms. <i>Tetrahedron</i> , 2011, 67, 2991-2997.	1.9	21
33	<i>i</i> rac <i>i</i> -(< <i>i</i> rel <i>i</i> -1 <i>i</i> R <i>i</i> ,2 <i>i</i> R <i>i</i> ,4 <i>i</i> S <i>i</i> ) <i>-Spiro</i> [bicyclo[2.2.1]heptane-2,3â€²-indol]-2â€²-amine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o394-o394.	0.2	3
34	Cyclohexanecarboxamide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2009, 65, o553-o554.	0.4	2
35	The synthesis of 2- and 3-aryl indoles and 1,3,4,5-tetrahydropyrano[4,3-b]indoles and their antibacterial and antifungal activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 4948-4951.	2.2	85
36	Synthesis of unsaturated 1,4-heteroatom-containing benzo-fused heterocycles using a sequential isomerizationâ€“ring-closing metathesis strategy. <i>Tetrahedron</i> , 2009, 65, 10650-10659.	1.9	36

#	ARTICLE	IF	CITATIONS
37	Formal Synthesis of (5R,8R,8aS)-Indolizidine 209I via Enaminones Incorporating Weinreb Amides. <i>Heterocycles</i> , 2009, 79, 935.	0.7	20
38	Ring-closing metathesis for the synthesis of novel 9- and 10-membered silicon-containing benzo-fused heterocycles. <i>Tetrahedron Letters</i> , 2008, 49, 7403-7405.	1.4	20
39	Tetralones as precursors for the synthesis of 2,2â€¢-disubstituted 1,1â€¢-binaphthyls and related compounds. <i>Tetrahedron</i> , 2008, 64, 10573-10580.	1.9	7
40	Quinoline, quinazoline and acridone alkaloids. <i>Natural Product Reports</i> , 2008, 25, 166-187.	10.3	1,089
41	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 2008, 25, 139-165.	10.3	764
42	Hydrogen bonding patterns in a series of 1-arylcy cloalkanecarboxamides. <i>CrystEngComm</i> , 2008, 10, 95-102.	2.6	6
43	Analogues of amphibian alkaloids: total synthesis of (5 <i>i</i> R,8 <i>i</i> S,8 <i>a</i> iS)-8-methyl-5-pentyloctahydroindolizine (8- <i>i</i> epi <i>i</i> -indolizidine) Tj ETQq1 1 0,784314 rgBT /Overl Beilstein Journal of Organic Chemistry, 2008, 4, 5.	2.2	10
44	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 2007, 24, 191.	10.3	243
45	Alternatives to N,Nâ€Diethylâ€2,4â€dimethoxybenzamide as a Precursor for the Synthesis of 6,8â€Dimethoxyâ€3â€methylâ€3,4â€dihydroâ€1Hâ€isochromenâ€1â€one. <i>Synthetic Communications</i> , 2007, 37, 3611-3621.	2.1	1
46	Indolizidines and quinolizidines: natural products and beyond. <i>Beilstein Journal of Organic Chemistry</i> , 2007, 3, 27.	2.2	24
47	2-{[(4-Methylphenyl)sulfonyl]amino}phenyl 4-methylbenzenesulfonate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, o309-o311.	0.4	1
48	Hydrogen-bonding patterns in enaminones: (2Z)-1-(4-bromophenyl)-2-(pyrrolidin-2-ylidene)ethanone and its piperidin-2-ylidene and azepan-2-ylidene analogues. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, o734-o738.	0.4	1
49	(2E)-2-(1-Methylpiperidin-2-ylidene)-1-phenylethanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o98-o99.	0.2	2
50	1-(2-Chlorophenyl)cyclohexanecarbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o916-o917.	0.2	0
51	1-(2-Bromophenyl)cyclohexanecarbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o918-o919.	0.2	0
52	Ethyl (2E)-3-oxo-2-(pyrrolidin-2-ylidene)butanoate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o2380-o2382.	0.2	3
53	Ethyl (2E)-[1-(4-methoxyphenyl)pyrrolidin-2-ylidene]acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3139-o3140.	0.2	0
54	Î²-Amyrin benzoate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3032-o3033.	0.2	0

#	ARTICLE	IF	CITATIONS
55	Quinoline, quinazoline and acridone alkaloids. <i>Natural Product Reports</i> , 2007, 24, 223.	10.3	431
56	Total synthesis of two novel 5,6,7,8-tetrahydroindolizine alkaloids, polygonatines A and B. <i>Organic and Biomolecular Chemistry</i> , 2006, 4, 1032.	2.8	42
57	1-[3,5-Bis(bromomethyl)-2,4,6-trimethoxybenzyl]-3,5-bis(bromomethyl)-2,4,6-trimethoxybenzene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o168-o170.	0.2	1
58	1-(p-Tolylsulfonyl)propan-2-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o5630-o5631.	0.2	1
59	A concise synthesis of novel naphtho[a]carbazoles and benzo[c]carbazoles. <i>Tetrahedron</i> , 2006, 62, 2820-2830.	1.9	51
60	Methodology for the synthesis of 1,2-disubstituted arylnaphthalenes from $\hat{\pm}$ -tetralones. <i>Tetrahedron</i> , 2006, 62, 2831-2844.	1.9	35
61	Indolizidine and Quinolizidine Alkaloids. <i>ChemInform</i> , 2006, 37, no.	0.0	0
62	Quinoline, Quinazoline and Acridone Alkaloids. <i>ChemInform</i> , 2006, 37, no.	0.0	0
63	Formal Asymmetric Synthesis of a 7-Methoxyaziridinomitosene. <i>Synlett</i> , 2006, 2006, 3284-3288.	1.8	12
64	A Versatile Synthesis of ( $\hat{A}\pm$ )-Deoxyfebrifugine, an Antimalarial Alkaloid Analogue, and Related Compounds. <i>Synlett</i> , 2006, 2006, 0383-0386.	1.8	24
65	Base- and light-assisted synthesis of anthracenes from 3-allylnaphthalene-2-carbaldehydes. <i>Tetrahedron</i> , 2005, 61, 555-564.	1.9	12
66	Indolizidine and Quinolizidine Alkaloids.. <i>ChemInform</i> , 2005, 36, no.	0.0	1
67	Quinoline, Quinazoline and Acridone Alkaloids.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
68	Isomerization and Ring-Closing Metathesis for the Synthesis of 6-, 7- and 8-Membered Benzo- and Pyrido-Fused N,N-, N,O- and N,S-Heterocycles.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
69	Preparation and Reductive Transformations of Vinyllogous Sulfonamides (?-Sulfonyl Enamines), and Application to the Synthesis of Indolizidines.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
70	Base- and Light-Assisted Synthesis of Anthracenes from 3-Allylnaphthalene-2-carbaldehydes.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
71	(1R,2R)-Ethyl 1-azido-2-hydroxy-2,3-dihydro-1H-pyrrolo[1,2-a]indole-9-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o269-o271.	0.2	1
72	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 2005, 22, 603.	10.3	218

#	ARTICLE	IF	CITATIONS
73	Studies towards the enantioselective synthesis of 5,6,8-trisubstituted amphibian indolizidine alkaloids via enaminone intermediates. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 836.	2.8	23
74	Quinoline, quinazoline and acridone alkaloids. <i>Natural Product Reports</i> , 2005, 22, 627.	10.3	570
75	The synthesis of angularly fused polycyclic aromatic compounds by using a light-assisted, base-mediated cyclization reaction. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 3504.	2.8	32
76	Quinoline, quinazoline and acridone alkaloids. <i>Natural Product Reports</i> , 2004, 21, 650.	10.3	260
77	Preparation and reductive transformations of vinylogous sulfonamides ( $\beta^2$ -sulfonyl enamines), and application to the synthesis of indolizidines. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 3510-3517.	2.8	13
78	1-(2-Pyridyl)pyrrolidine-2-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o2298-o2300.	0.2	0
79	Indolizidine and Quinolizidine Alkaloids. <i>ChemInform</i> , 2004, 35, no.	0.0	0
80	Quinoline, Quinazoline and Acridone Alkaloids. <i>ChemInform</i> , 2004, 35, no.	0.0	1
81	The Synthesis of Indolo- and Pyrrolo[2,1-a]isoquinolines.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
82	Magnesiation Employing Grignard Reagents and Catalytic Amine. Application to the Functionalization of N-Phenylsulfonylpyrrole.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
83	The synthesis of indolo- and pyrrolo[2,1-a]isoquinolines. <i>Tetrahedron Letters</i> , 2004, 45, 1117-1119.	1.4	29
84	Unforeseen formation of 2-bromo-3-hydroxybenzaldehyde by bromination of 3-hydroxybenzaldehyde. <i>Tetrahedron Letters</i> , 2004, 45, 5091-5094.	1.4	14
85	Isomerization and ring-closing metathesis for the synthesis of 6-, 7- and 8-membered benzo- and pyrido-fused N,N-, N,O- and N,S-heterocycles. <i>Tetrahedron Letters</i> , 2004, 45, 9171-9175.	1.4	72
86	The synthesis of ventiloquinone L, the monomer of cardinalin 3. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 2461.	2.8	36
87	Magnesiation Employing Grignard Reagents and Catalytic Amine. Application to the Functionalization of N-Phenylsulfonylpyrrole. <i>Organic Letters</i> , 2004, 6, 293-296.	4.6	28
88	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 2004, 21, 625.	10.3	214
89	Amide rotamers of N-acetyl-1,3-dimethyltetrahydroisoquinolines: synthesis, variable temperature NMR spectroscopy and molecular modelling. <i>Tetrahedron</i> , 2003, 59, 8337-8345.	1.9	37
90	Indolizidine and Quinolizidine Alkaloids. <i>ChemInform</i> , 2003, 34, no.	0.0	0

#	ARTICLE	IF	CITATIONS
91	Quinoline, Quinazoline and Acridone Alkaloids. <i>ChemInform</i> , 2003, 34, no.	0.0	0
92	The Synthesis of Naphtho[a]carbazoles and Benzo[c]carbazoles.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
93	5,8-Dimethoxy-3-methylisochroman. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o992-o993.	0.2	0
94	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 2003, 20, 458.	10.3	86
95	Quinoline, quinazoline and acridone alkaloids. <i>Natural Product Reports</i> , 2003, 20, 476.	10.3	217
96	The Synthesis of Naphtho[a]carbazoles and Benzo[c]carbazoles. <i>Synlett</i> , 2003, 2003, 0705-0707.	1.8	25
97	Influence of ring size on the reduction of vinylogous urethanes. Applications to the synthesis of lupinine and epilupinin. <i>Arkivoc</i> , 2003, 2002, 62-77.	0.5	10
98	Synthesis of N-Acetyl-1,3-dimethyltetrahydroisoquinolines by Intramolecular Amidomercuration: Stereochemical Aspects. <i>Synlett</i> , 2002, 2002, 2065-2067.	1.8	12
99	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 2002, 19, 719-741.	10.3	80
100	Quinoline, quinazoline and acridone alkaloids. <i>Natural Product Reports</i> , 2002, 19, 742-760.	10.3	255
101	6,8-Dimethoxy-1,3-trans-dimethylisochroman-5-yl diethyl phosphate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002, 58, o440-o441.	0.2	1
102	Simple indolizidine and quinolizidine alkaloids. <i>The Alkaloids Chemistry and Biology</i> , 2001, 55, 91-258.	2.0	79
103	Influence of ring size on the outcome of sulfide contraction reactions with thiolactams. Isolation of bicyclic ketene S,N-acetals and thioisomeric nchones. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2001, , 2055-2062.	1.3	19
104	Indolizidine and quinolizidine alkaloids (July 1999 to June 2000). <i>Natural Product Reports</i> , 2001, 18, 520-542.	10.3	115
105	Quinoline, quinazoline and acridone alkaloids (July 1999 to June 2000). <i>Natural Product Reports</i> , 2001, 18, 543-559.	10.3	138
106	Asymmetric synthesis of a tetracyclic model for the aziridinomitosenes. <i>Tetrahedron Letters</i> , 2001, 42, 7513-7516.	1.4	29
107	The synthesis of isochroman-4-ols and isochroman-3-ols: models for naturally occurring benzo[g]isochromanols. <i>Tetrahedron</i> , 2001, 57, 9623-9634.	1.9	30
108	Reformatsky reactions with N-arylpyrrolidine-2-thiones: synthesis of tricyclic analogues of quinolone antibacterial agents. <i>Tetrahedron</i> , 2001, 57, 9635-9648.	1.9	87

#	ARTICLE	IF	CITATIONS
109	A versatile and convenient method for the synthesis of substituted benzo[a]carbazoles and pyrido[2,3-a]carbazoles. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 1705-1713.	1.3	33
110	Quinoline, quinazoline and acridone alkaloids. <i>Natural Product Reports</i> , 2000, 17, 603-620.	10.3	112
111	A novel method for the synthesis of substituted naphthalenes and phenanthrenes. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 787-797.	1.3	57
112	Syntheses of isochromane analogues of the michellamines and korupensamines. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 799-811.	1.3	28
113	Vinylogous urethanes in alkaloid synthesis. Applications to the synthesis of racemic indolizidine 209B and its (5R*,8S*,8aS*)-( $\bar{\Delta}$ ) diastereomer, and to ( $\bar{\alpha}^*$ )-indolizidine 209B. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 1919-1928.	1.3	36
114	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 2000, 17, 579-602.	10.3	70
115	Synthesis of the bisbenzannelated spiroketal core of the $\beta$ -rubromycins. The use of a novel Nef-type reaction mediated by Pearlman's catalyst. <i>Journal of the Chemical Society, Perkin Transactions 1</i> , 2000, , 2681-2688.	1.3	55
116	Synthesis of an isochroman analogue of the michellamines. <i>Tetrahedron Letters</i> , 1999, 40, 3037-3040.	1.4	31
117	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 1999, 16, 675-696.	10.3	120
118	Quinoline, quinazoline and acridone alkaloids. <i>Natural Product Reports</i> , 1999, 16, 697-709.	10.3	121
119	An Expedited Synthesis of the Dendrobatid Indolizidine Alkaloid 167B. <i>European Journal of Organic Chemistry</i> , 1998, 1998, 865-870.	2.4	27
120	Nitroalkenes as precursors to the aromatic spiroketal skeleton of $\beta$ -rubromycin. A Nef-type reaction mediated by Pearlman's catalyst. <i>Tetrahedron Letters</i> , 1998, 39, 5429-5432.	1.4	42
121	A novel method for the synthesis of phenanthrenes and benzo[a]carbazoles. <i>Tetrahedron Letters</i> , 1998, 39, 8725-8728.	1.4	20
122	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 1998, 15, 571.	10.3	42
123	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 1997, 14, 21.	10.3	43
124	Indolizidine and quinolizidine alkaloids. <i>Natural Product Reports</i> , 1997, 14, 619.	10.3	94
125	A novel synthesis of substituted naphthalenes. <i>Tetrahedron Letters</i> , 1997, 38, 893-896.	1.4	38
126	A novel synthesis of substituted 4-hydroxybenzo[c]pyran quinones. <i>Tetrahedron Letters</i> , 1997, 38, 5055-5056.	1.4	11

#	ARTICLE	IF	CITATIONS
127	Chemosselective reactions of vinylogous amides, and the synthesis of two peripentadenia alkaloids. Tetrahedron, 1996, 52, 2199-2216.	1.9	16
128	A versatile synthesis of tricyclic analogues of quinolone antibacterial agents: Use of a novel reformatsky reaction. Tetrahedron Letters, 1996, 37, 9403-9406.	1.4	23
129	Synthesis of ( $\Delta\pm$ )-Indolizidine 209B and a New 209B Diastereoisomer. Synlett, 1996, 1996, 981-982.	1.8	24
130	Crystalline Phlorin from <i>Viscum rotundifolium</i> : A Novel Extraction Procedure. Planta Medica, 1995, 61, 296-296.	1.3	1
131	Crystal and molecular structure of 6-exo-methyl-6-endo-nitro-2-exo-phenylbicyclo[2.2.1]heptan-2-endo-ol. Journal of Chemical Crystallography, 1994, 24, 311-314.	1.1	3
132	Regioselective allylation of enol silyl ethers with $\beta^3$ -heterosubstituted vinylthionium ions. Tetrahedron Letters, 1994, 35, 5481-5484.	1.4	8
133	Allylation using allyborates. Tetrahedron, 1994, 50, 871-888.	1.9	22
134	Allylation with Pummerer-generated substituted vinylthionium ions. Tetrahedron, 1994, 50, 9365-9376.	1.9	10
135	Allylation with substituted vinylthionium ions from $\text{SnCl}_4$ ionisation of 1,3- and 3,3-bis(alkyl/phenylthio) propenes. Tetrahedron, 1994, 50, 9377-9398.	1.9	6
136	NMR parameters as steric probes for arylcyclopentadienyl iron complexes. Inorganica Chimica Acta, 1994, 215, 139-149.	2.4	3
137	Marine Metabolites and Metal Ion Chelation: The Facts and the Fantasies. Angewandte Chemie International Edition in English, 1993, 32, 1-23.	4.4	163
138	Synthesis of pyrrolo[1,2-a]indoles by intramolecular heck reaction of N-(2-bromoaryl) enaminones. Tetrahedron Letters, 1993, 34, 8365-8368.	1.4	44
139	New syntheses of ( $\Delta\pm$ )-Lamprolobine and ( $\Delta\pm$ )-epilamprolobine. Tetrahedron, 1992, 48, 10211-10220.	1.9	20
140	Formal syntheses of ( $\Delta\pm$ )-mesembrine and ( $\Delta\pm$ )-dihydromaritidine. Tetrahedron Letters, 1992, 33, 6023-6024.	1.4	21
141	Synthesis of hexahydroindol-6-ones by cycloacetylation of vinylogous urethanes. Tetrahedron Letters, 1992, 33, 4751-4754.	1.4	9
142	Synthesis of hexahydroindol-6-ones by reaction of 2-methylthiopyrrolinium salts with Nazarov reagents. Tetrahedron Letters, 1992, 33, 4755-4758.	1.4	7
143	Alkylation of enol silyl ethers with vinylthionium ions generated from 1,1- and 1,3-bis(phenylthio)propenes.. Tetrahedron Letters, 1992, 33, 5413-5416.	1.4	11
144	Nitrobicyclo[2.2.1]heptanes. Part 8. Neighbouring-group participation by nitro groups during the reaction of endo-nitrobicyclo[2.2.1]heptenes with electrophiles. Journal of the Chemical Society Perkin Transactions 1, 1991, , 1855.	0.9	9

#	ARTICLE	IF	CITATIONS
145	Effect of cyclohexylene bridges on the metal ion size based selectivity of ligands in aqueous solution. Inorganic Chemistry, 1991, 30, 3525-3529.	4.0	45
146	The quinoline alkaloids. , 1991, , 423-482.		2
147	Structure of ( $\text{A}\pm$ )-exo-6-methyl-endo-6-nitrobicyclo[2.2.1]heptan-exo-2-ol. Acta Crystallographica Section C: Crystal Structure Communications, 1991, 47, 2680-2682.	0.4	1
148	Conformational analysis of rotational barriers in N-arylpyrrolidin-2-ones. Acta Crystallographica Section B: Structural Science, 1991, 47, 284-288.	1.8	8
149	Reduction of activated ketals with borane-dimethyl sulphide. Tetrahedron Letters, 1991, 32, 1095-1098.	1.4	23
150	The acridine alkaloids. , 1991, , 483-506.		0
151	The structure and conformation of [1,1 $\alpha$ -bipyrrolidine]-2,2 $\beta$ -dithione. Journal of Molecular Structure, 1990, 238, 391-401.	3.6	3
152	Synthesis of 2-(2-oxopyrrolidin-1-yl)-1,4-quinones and a hydrogen-bonded 2-alkylamino-1,4-naphthoquinone. Tetrahedron, 1990, 46, 7923-7932.	1.9	14
153	Heterocyclisations induced by thallium(III) acetate. Effect of varying the internal nucleophile. Tetrahedron, 1990, 46, 2549-2560.	1.9	17
154	Synthesis of two pyrrolidine alkaloids, peripentadenine and dinorperipentadenine. Tetrahedron Letters, 1989, 30, 4879-4880.	1.4	12
155	exo to endo Isomerisation of the nitrite group in 3-nitrobicyclo[2.2.1]hept-5-ene-2-carbonitrile. Journal of the Chemical Society Perkin Transactions 1, 1989, , 623.	0.9	4
156	Alkylation of enol silyl ethers by Pummerer-generated vinylthionium ions: a novel masked Michael reaction. Journal of the Chemical Society Perkin Transactions 1, 1989, , 1631.	0.9	13
157	Nitrobicyclo[2.2.1]heptanes. Part 7. The synthesis of eight isomeric nitrobicyclo[2.2.1]heptan-2-ols and of four isomeric nitrobicyclo[2.2.1]heptan-2-ones. Journal of the Chemical Society Perkin Transactions 1, 1989, , 2389.	0.9	3
158	Syntheses of alkyl (E)-(1-aryl-2-pyrrolidinylidene)acetates. Tetrahedron, 1988, 44, 3025-3036.	1.9	24
159	The structure of leudrin, and the nucleophilic substitution of its primary hydroxy group by bromine. Journal of the Chemical Society Perkin Transactions 1, 1988, , 881.	0.9	6
160	Oxygen $\text{Se}$ exchange using phenylselenophosphonic dichloride [ $\text{PhP}(\text{Se})\text{Cl}_2$ ]: conversion of $\text{C}\equiv\text{O}$ into $\text{C}\equiv\text{Se}$ . Journal of the Chemical Society Chemical Communications, 1988, .	2.0	31
161	Control of metal ion selectivity in ligands containing neutral oxygen and pyridyl groups. Inorganic Chemistry, 1986, 25, 3879-3883.	4.0	45
162	Two new oxindole syntheses. Journal of the Chemical Society Perkin Transactions 1, 1986, , 349.	0.9	45

#	ARTICLE	IF	CITATIONS
163	Chapter 3 Simple Indolizidine and Quinolizidine Alkaloids. <i>Alkaloids: Chemistry and Pharmacology</i> , 1986, , 183-308.	0.2	11
164	Stereocontrolled synthesis of tetrahydrofurans and tetrahydropyrans using thallium(III)-induced cyclizations. <i>Journal of Organic Chemistry</i> , 1985, 50, 2416-2423.	3.2	48
165	The application of the sulphide contraction to the synthesis of some simple pyrrolidine alkaloids. <i>Tetrahedron</i> , 1984, 40, 2879-2884.	1.9	22
166	X-Ray crystallographic evidence for intermolecular hydrogen bonding, including a bifurcated hydrogen bond, between nitro and hydroxy groups in two 3-chloro-6-nitrobicyclo[2.2.1]heptan-2-ols. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1984, , 1569.	0.9	5
167	Intramolecular hydrogen bonding between nitro and hydroxy groups in a norbornyl system: a crystallographic and spectroscopic investigation. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1984, , 767.	0.9	5
168	N,N',N'',N'''-Tetrabis(2-hydroxyethyl)cyclam a nitrogen-donor macrocycle with rapid metalation reactions. <i>Inorganic Chemistry</i> , 1984, 23, 1487-1489.	4.0	66
169	Rearrangement and participation reactions occurring during the bromination of 7-trimethylsilylnitronorbornenes. Evidence for a discrete carbocation ? to silicon. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1984, , 1739.	0.9	7
170	Thiolactams in alkaloid synthesis: A particularly short synthesis of -l"7 -mesembrenone. <i>Tetrahedron Letters</i> , 1983, 24, 829-830.	1.4	21
171	Synthesis and metal binding properties of the novel ligand N,N,N'-tris(2-hydroxyethyl)-1,4,7-triazacyclononane. <i>Inorganica Chimica Acta</i> , 1983, 77, L63-L64.	2.4	22
172	Stability, electronic spectra, and structure of transition-metal ion complexes of a novel mixed-donor (nitrogen-sulphur) macrocycle, 1-thia-4,7-diazacyclononane. <i>Journal of the Chemical Society Dalton Transactions</i> , 1983, , 1601-1606.	1.1	28
173	Two new stereochemically complementary oxindole synthesis. <i>Tetrahedron Letters</i> , 1982, 23, 2053-2056.	1.4	29
174	Synthetic studies with 7-functionalised norbornenes, and their synthesis by a silicon-controlled carbocation rearrangement. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1981, , 1549.	0.9	17
175	The nitro group as an intramolecular nucleophile. <i>Journal of the Chemical Society Chemical Communications</i> , 1980, , 1240.	2.0	5
176	Use of vinylogous urethanes in alkaloid synthesis: formal synthesis of ipalbidine. <i>Journal of Organic Chemistry</i> , 1980, 45, 1713-1715.	3.2	31
177	Synthesis of 1,3-diketones from lithium enolates and acyl cyanides. <i>Tetrahedron Letters</i> , 1979, 20, 1339-1340.	1.4	10
178	Bromine-initiated, silicon-assisted rearrangement in the norbornene series: crystal and molecular structure of 3-endo,5-endo-dibromotricyclo[2.2.1.0]heptane-7-carboxylic acid. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1979, , 808.	0.9	5
179	How important is secondary overlap in determining the regioselectivity of Diels-Alder reactions?. <i>Tetrahedron Letters</i> , 1978, 19, 1313-1314.	1.4	23
180	Carbonium ion rearrangements in the norbornyl series controlled by a silyl group. <i>Journal of the Chemical Society Chemical Communications</i> , 1978, , 245.	2.0	18