

Yusuke Nakamura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3501473/publications.pdf>

Version: 2024-02-01

431
papers

26,956
citations

8208

78
h-index

10955

142
g-index

441
all docs

441
docs citations

441
times ranked

38847
citing authors

#	ARTICLE	IF	CITATIONS
1	Contribution of pre-existing neoantigen-specific T cells to a durable complete response after tumor-pulsed dendritic cell vaccine plus nivolumab therapy in a patient with metastatic salivary duct carcinoma. <i>Immunological Investigations</i> , 2022, 51, 1498-1514.	1.0	8
2	Identification of cytotoxic T cells and their T cell receptor sequences targeting COVID-19 using MHC class I-binding peptides. <i>Journal of Human Genetics</i> , 2022, 67, 411-419.	1.1	5
3	Serial circulating tumor DNA monitoring of CDK4/6 inhibitors response in metastatic breast cancer. <i>Cancer Science</i> , 2022, 113, 1808-1820.	1.7	10
4	Two polymorphic gene loci associated with treprostinil dose in pulmonary arterial hypertension. <i>Pharmacogenetics and Genomics</i> , 2022, Publish Ahead of Print, .	0.7	1
5	FZD10-targeted β -radioimmunotherapy with ²²⁵ Ac-labeled OTSA101 achieves complete remission in a synovial sarcoma model. <i>Cancer Science</i> , 2022, 113, 721-732.	1.7	11
6	Lymph Nodes as Anti-Tumor Immunotherapeutic Tools: Intranodal-Tumor-Specific Antigen-Pulsed Dendritic Cell Vaccine Immunotherapy. <i>Cancers</i> , 2022, 14, 2438.	1.7	6
7	Lymphocytes in tumor-draining lymph nodes co-cultured with autologous tumor cells for adoptive cell therapy. <i>Journal of Translational Medicine</i> , 2022, 20, .	1.8	7
8	Intranodal Administration of Neoantigen Peptide-loaded Dendritic Cell Vaccine Elicits Epitope-specific T Cell Responses and Clinical Effects in a Patient with Chemorefractory Ovarian Cancer with Malignant Ascites. <i>Immunological Investigations</i> , 2021, 50, 562-579.	1.0	29
9	Ultradeep targeted sequencing of circulating tumor DNA in plasma of early and advanced breast cancer. <i>Cancer Science</i> , 2021, 112, 454-464.	1.7	15
10	Genome-wide association study of epilepsy in a Japanese population identified an associated region at chromosome 12q24. <i>Epilepsia</i> , 2021, 62, 1391-1400.	2.6	9
11	Diversity in immunogenomics: the value and the challenge. <i>Nature Methods</i> , 2021, 18, 588-591.	9.0	40
12	Application of targeted nanopore sequencing for the screening and determination of structural variants in patients with Lynch syndrome. <i>Journal of Human Genetics</i> , 2021, 66, 1053-1060.	1.1	12
13	Genetic variations in medical research in the past, at present and in the future. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2021, 97, 324-335.	1.6	4
14	Amplification of mutant <i>KRAS</i> ^{G12D} in a patient with advanced metastatic pancreatic adenocarcinoma detected by liquid biopsy: A case report. <i>Molecular and Clinical Oncology</i> , 2021, 15, 172.	0.4	3
15	Neoantigens elicit T cell responses in breast cancer. <i>Scientific Reports</i> , 2021, 11, 13590.	1.6	17
16	Immunogenomics in personalized cancer treatments. <i>Journal of Human Genetics</i> , 2021, 66, 901-907.	1.1	10
17	Clinical implementation and current advancement of blood liquid biopsy in cancer. <i>Journal of Human Genetics</i> , 2021, 66, 909-926.	1.1	16
18	Efficacy of Intranodal Neoantigen Peptide-pulsed Dendritic Cell Vaccine Monotherapy in Patients With Advanced Solid Tumors: A Retrospective Analysis. <i>Anticancer Research</i> , 2021, 41, 4101-4115.	0.5	3

#	ARTICLE	IF	CITATIONS
19	Functional genomics for breast cancer drug target discovery. <i>Journal of Human Genetics</i> , 2021, 66, 927-935.	1.1	9
20	Integrative cancer genomics in the era of precision cancer medicine. <i>Journal of Human Genetics</i> , 2021, 66, 843-843.	1.1	0
21	A cross-population atlas of genetic associations for 220 human phenotypes. <i>Nature Genetics</i> , 2021, 53, 1415-1424.	9.4	560
22	Precision Medicine for Colorectal Cancer with Liquid Biopsy and Immunotherapy. <i>Cancers</i> , 2021, 13, 4803.	1.7	6
23	Generation of neoantigen-specific T cells for adoptive cell transfer for treating head and neck squamous cell carcinoma. <i>OncoImmunology</i> , 2021, 10, 1929726.	2.1	22
24	Personalized immunotherapy in cancer precision medicine. <i>Cancer Biology and Medicine</i> , 2021, 18, 0-0.	1.4	20
25	Potent anti- μ myeloma activity of the TOPK inhibitor OTS514 in pre-clinical models. <i>Cancer Medicine</i> , 2020, 9, 324-334.	1.3	14
26	Clinicopathologic significance of protein lysine methyltransferases in cancer. <i>Clinical Epigenetics</i> , 2020, 12, 146.	1.8	13
27	Anti-cancer immunotherapy using cancer-derived multiple epitope-peptides cocktail vaccination clinical studies in patients with refractory/persistent disease of uterine cervical cancer and ovarian cancer [phase 2]. <i>OncoImmunology</i> , 2020, 9, 1838189.	2.1	8
28	SARS-CoV-2 genomic variations associated with mortality rate of COVID-19. <i>Journal of Human Genetics</i> , 2020, 65, 1075-1082.	1.1	316
29	Clonal Hematopoiesis in Liquid Biopsy: From Biological Noise to Valuable Clinical Implications. <i>Cancers</i> , 2020, 12, 2277.	1.7	83
30	Enhancement of Migration and Invasion of Gastric Cancer Cells by IQGAP3. <i>Biomolecules</i> , 2020, 10, 1194.	1.8	16
31	Bioinformatic prediction of potential T cell epitopes for SARS-Cov-2. <i>Journal of Human Genetics</i> , 2020, 65, 569-575.	1.1	123
32	WHSC1 monomethylates histone H1 and induces stem-cell like features in squamous cell carcinoma of the head and neck. <i>Neoplasia</i> , 2020, 22, 283-293.	2.3	8
33	Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. <i>Nature Genetics</i> , 2020, 52, 669-679.	9.4	304
34	Plasma or Serum: Which Is Preferable for Mutation Detection in Liquid Biopsy?. <i>Clinical Chemistry</i> , 2020, 66, 946-957.	1.5	40
35	Cooperation of genes in HPV16 <i>E6/E7</i> -dependent cervicovaginal carcinogenesis trackable by endoscopy and independent of exogenous estrogens or carcinogens. <i>Carcinogenesis</i> , 2020, 41, 1605-1615.	1.3	8
36	Dose escalation prophylactic donor lymphocyte infusion after T-cell depleted matched related donor allogeneic hematopoietic cell transplantation is feasible and results in higher donor chimerism, faster immune re-constitution, and prolonged progression-free survival. <i>Bone Marrow Transplantation</i> , 2020, 55, 1161-1168.	1.3	11

#	ARTICLE	IF	CITATIONS
37	Clinical significance of gene mutation in ctDNA analysis for hormone receptor-positive metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020, 180, 331-341.	1.1	17
38	Clinical significance of clonal hematopoiesis in the interpretation of blood liquid biopsy. <i>Molecular Oncology</i> , 2020, 14, 1719-1730.	2.1	62
39	Evaluation of Genexus system that automates specimen-to-report for cancer genomic profiling within a day using liquid biopsy.. <i>Journal of Clinical Oncology</i> , 2020, 38, 3538-3538.	0.8	20
40	Detection of circulating tumor DNA in patients of operative colorectal and gastric cancers. <i>Oncotarget</i> , 2020, 11, 3198-3207.	0.8	12
41	The GALNT6-GLGALS3BP axis promotes breast cancer cell growth. <i>International Journal of Oncology</i> , 2020, 56, 581-595.	1.4	9
42	The potential target of double negative T cells in cancer immunotherapy.. <i>Journal of Clinical Oncology</i> , 2020, 38, e15180-e15180.	0.8	0
43	The application of dynamic monitoring of circulating tumor DNA for detecting minimal residual disease and predicting recurrence in colorectal cancer patients.. <i>Journal of Clinical Oncology</i> , 2020, 38, e15531-e15531.	0.8	0
44	Cancer genomics-based screening of new therapeutic targets and biomarkers for esophageal cancer.. <i>Journal of Clinical Oncology</i> , 2020, 38, e16514-e16514.	0.8	0
45	Assessment of mutation burden after clinical intervention in pancreatic ductal adenocarcinomas (PDAC), and biliary tract cancers (BTC) via profiling circulating tumor DNA (ctDNA).. <i>Journal of Clinical Oncology</i> , 2020, 38, e15529-e15529.	0.8	0
46	Monitoring of therapeutic efficacy to CDK4/6 inhibitors and early detection of metastatic relapse in breast cancer by ultra-deep sequencing of plasma cell-free DNA.. <i>Journal of Clinical Oncology</i> , 2020, 38, e15544-e15544.	0.8	0
47	High expression of maternal embryonic leucine-zipper kinase (MELK) impacts clinical outcomes in patients with ovarian cancer and its inhibition suppresses ovarian cancer cells growth ex vivo. <i>Journal of Gynecologic Oncology</i> , 2020, 31, e93.	1.0	8
48	Correction: Preclinical evaluation of biomarkers associated with antitumor activity of MELK inhibitor. <i>Oncotarget</i> , 2020, 11, 3749-3750.	0.8	0
49	Immune profiles in primary squamous cell carcinoma of the head and neck. <i>Oral Oncology</i> , 2019, 96, 77-88.	0.8	57
50	Importance of gastric cancer for the diagnosis and surveillance of Japanese Lynch syndrome patients. <i>Journal of Human Genetics</i> , 2019, 64, 1187-1194.	1.1	16
51	Maternal Embryonic Leucine Zipper Kinase (MELK), a Potential Therapeutic Target for Neuroblastoma. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 507-516.	1.9	22
52	The road map of cancer precision medicine with the innovation of advanced cancer detection technology and personalized immunotherapy. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 596-603.	0.6	10
53	TCR sequencing analysis of cancer tissues and tumor draining lymph nodes in colorectal cancer patients. <i>Oncolimmunology</i> , 2019, 8, e1588085.	2.1	17
54	MELK inhibition targets cancer stem cells through downregulation of SOX2 expression in head and neck cancer cells. <i>Oncology Reports</i> , 2019, 41, 2540-2548.	1.2	12

#	ARTICLE	IF	CITATIONS
55	Significant differences in T cell receptor repertoires in lung adenocarcinomas with and without epidermal growth factor receptor mutations. <i>Cancer Science</i> , 2019, 110, 867-874.	1.7	17
56	Identification of neoantigen-specific T cells and their targets: implications for immunotherapy of head and neck squamous cell carcinoma. <i>Oncolimmunology</i> , 2019, 8, e1568813.	2.1	31
57	Identification of two novel breast cancer loci through large-scale genome-wide association study in the Japanese population. <i>Scientific Reports</i> , 2019, 9, 17332.	1.6	9
58	Integrated genomics-based approach to identify new therapeutic targets and cancer biomarkers for lung cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, e13019-e13019.	0.8	0
59	CWAS identifies two novel colorectal cancer loci at 16q24.1 and 20q13.12. <i>Carcinogenesis</i> , 2018, 39, 652-660.	1.3	52
60	Immunopharmacogenomics towards personalized cancer immunotherapy targeting neoantigens. <i>Cancer Science</i> , 2018, 109, 542-549.	1.7	45
61	Phase I Study of Multiple Epitope Peptide Vaccination in Patients With Recurrent or Persistent Cervical Cancer. <i>Journal of Immunotherapy</i> , 2018, 41, 201-207.	1.2	21
62	Citrullination of RGG Motifs in FET Proteins by PAD4 Regulates Protein Aggregation and ALS Susceptibility. <i>Cell Reports</i> , 2018, 22, 1473-1483.	2.9	85
63	Breast cancer: The translation of big genomic data to cancer precision medicine. <i>Cancer Science</i> , 2018, 109, 497-506.	1.7	92
64	Characterization of the B-cell receptor repertoires in peanut allergic subjects undergoing oral immunotherapy. <i>Journal of Human Genetics</i> , 2018, 63, 239-248.	1.1	24
65	Beta-defensin 1, aryl hydrocarbon receptor and plasma kynurenine in major depressive disorder: metabolomics-informed genomics. <i>Translational Psychiatry</i> , 2018, 8, 10.	2.4	59
66	Induction of Neoantigen-Specific Cytotoxic T Cells and Construction of T-cell Receptor-Engineered T Cells for Ovarian Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 5357-5367.	3.2	70
67	<scp>CD8</scp> lymphocytes in tumors and nonsynonymous mutational load correlate with prognosis of bladder cancer patients treated with immune checkpoint inhibitors. <i>Cancer Reports</i> , 2018, 1, e1002.	0.6	8
68	Development of novel SUV39H2 inhibitors that exhibit growth suppressive effects in mouse xenograft models and regulate the phosphorylation of H2AX. <i>Oncotarget</i> , 2018, 9, 31820-31831.	0.8	17
69	Effective screening of T cells recognizing neoantigens and construction of T-cell receptor-engineered T cells. <i>Oncotarget</i> , 2018, 9, 11009-11019.	0.8	44
70	Genome-wide association study identifies gastric cancer susceptibility loci at 12q24.11 and 20q11.21. <i>Cancer Science</i> , 2018, 109, 4015-4024.	1.7	39
71	A prospective study to examine the accuracies and efficacies of prediction systems for response to neoadjuvant chemotherapy for muscle invasive bladder cancer. <i>Oncology Letters</i> , 2018, 16, 5775-5784.	0.8	2
72	Impact of support agreement between municipalities and convenience store chain companies on store staff's support activities for older adults. <i>Health Policy</i> , 2018, 122, 1377-1383.	1.4	6

#	ARTICLE	IF	CITATIONS
73	Critical Role of Estrogen Receptor Alpha O-Glycosylation by N-Acetylgalactosaminyltransferase 6 (GALNT6) in Its Nuclear Localization in Breast Cancer Cells. <i>Neoplasia</i> , 2018, 20, 1038-1044.	2.3	15
74	The role of protein methyltransferases as potential novel therapeutic targets in squamous cell carcinoma of the head and neck. <i>Oral Oncology</i> , 2018, 81, 100-108.	0.8	25
75	Immunoglobulin profiling identifies unique signatures in patients with Kawasaki disease during intravenous immunoglobulin treatment. <i>Human Molecular Genetics</i> , 2018, 27, 2671-2677.	1.4	11
76	The era of immunogenomics/immunopharmacogenomics. <i>Journal of Human Genetics</i> , 2018, 63, 865-875.	1.1	15
77	Immunotherapy with cancer peptides in combination with intravesical bacillus Calmette-Guérin for patients with non-muscle invasive bladder cancer. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 1371-1380.	2.0	13
78	125I-particle therapy for synovial sarcoma in the mouse using an astatine-211-labeled antibody against frizzled homolog 10. <i>Cancer Science</i> , 2018, 109, 2302-2309.	1.7	31
79	A first-in-human study investigating biodistribution, safety and recommended dose of a new radiolabeled MAb targeting FZD10 in metastatic synovial sarcoma patients. <i>BMC Cancer</i> , 2018, 18, 646.	1.1	42
80	WT1 peptide vaccine in Montanide in contrast to poly ICLC, is able to induce WT1-specific immune response with TCR clonal enrichment in myeloid leukemia. <i>Experimental Hematology and Oncology</i> , 2018, 7, 1.	2.0	24
81	Activation of Th1 Immunity within the Tumor Microenvironment Is Associated with Clinical Response to Lenalidomide in Chronic Lymphocytic Leukemia. <i>Journal of Immunology</i> , 2018, 201, 1967-1974.	0.4	22
82	A phase I clinical trial of RNF43 peptide-related immune cell therapy combined with low-dose cyclophosphamide in patients with advanced solid tumors. <i>PLoS ONE</i> , 2018, 13, e0187878.	1.1	12
83	Similarity and difference in tumor-infiltrating lymphocytes in original tumor tissues and those of <i>in vitro</i> expanded populations in head and neck cancer. <i>Oncotarget</i> , 2018, 9, 3805-3814.	0.8	6
84	A pilot study of durvalumab and tremelimumab and immunogenomic dynamics in metastatic breast cancer. <i>Oncotarget</i> , 2018, 9, 18985-18996.	0.8	83
85	Cancer genomics-based screening of new therapeutic targets and biomarkers for lung cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 12078-12078.	0.8	0
86	Cancer Precision Medicine; Where We Should Go?. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2018, 107, 1688-1695.	0.0	0
87	WHSC1L1-mediated EGFR mono-methylation enhances the cytoplasmic and nuclear oncogenic activity of EGFR in head and neck cancer. <i>Scientific Reports</i> , 2017, 7, 40664.	1.6	36
88	Phase II clinical trial of peptide cocktail therapy for patients with advanced pancreatic cancer: VENUStudy. <i>Cancer Science</i> , 2017, 108, 73-80.	1.7	54
89	Risk prediction models for mortality in patients with cardiovascular disease: The BioBank Japan project. <i>Journal of Epidemiology</i> , 2017, 27, S71-S76.	1.1	11
90	Integrated analysis of somatic mutations and immune microenvironment in malignant pleural mesothelioma. <i>Oncolmmunology</i> , 2017, 6, e1278330.	2.1	54

#	ARTICLE	IF	CITATIONS
91	GALNT6 Stabilizes GRP78 Protein by O-glycosylation and Enhances its Activity to Suppress Apoptosis Under Stress Condition. <i>Neoplasia</i> , 2017, 19, 43-53.	2.3	23
92	Characteristics and prognosis of Japanese colorectal cancer patients: The BioBank Japan Project. <i>Journal of Epidemiology</i> , 2017, 27, S36-S42.	1.1	38
93	Characteristics of patients with liver cancer in the BioBank Japan project. <i>Journal of Epidemiology</i> , 2017, 27, S43-S48.	1.1	17
94	Survival of macrovascular disease, chronic kidney disease, chronic respiratory disease, cancer and smoking in patients with type 2 diabetes: BioBank Japan cohort. <i>Journal of Epidemiology</i> , 2017, 27, S98-S106.	1.1	20
95	Statin use and all-cause and cancer mortality: BioBank Japan cohort. <i>Journal of Epidemiology</i> , 2017, 27, S84-S91.	1.1	25
96	Characteristics and prognosis of Japanese female breast cancer patients: The BioBank Japan project. <i>Journal of Epidemiology</i> , 2017, 27, S58-S64.	1.1	27
97	Demographic and lifestyle factors and survival among patients with esophageal and gastric cancer: The Biobank Japan Project. <i>Journal of Epidemiology</i> , 2017, 27, S29-S35.	1.1	32
98	Cross-sectional analysis of BioBank Japan clinical data: A large cohort of 200,000 patients with 47 common diseases. <i>Journal of Epidemiology</i> , 2017, 27, S9-S21.	1.1	133
99	SLCO1B1 polymorphisms and plasma estrone conjugates in postmenopausal women with ER+ breast cancer: genome-wide association studies of the estrone pathway. <i>Breast Cancer Research and Treatment</i> , 2017, 164, 189-199.	1.1	17
100	Clinical significance of T cell clonality and expression levels of immune-related genes in endometrial cancer. <i>Oncology Reports</i> , 2017, 37, 2603-2610.	1.2	38
101	Characterization of the T-Cell Receptor Repertoire and Immune Microenvironment in Patients with Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck. <i>Clinical Cancer Research</i> , 2017, 23, 4897-4907.	3.2	21
102	Characterization of the cryoablation-induced immune response in kidney cancer patients. <i>Oncolimmunology</i> , 2017, 6, e1326441.	2.1	34
103	Protein lysine methyltransferase <sc>SMYD</sc>3 is involved in tumorigenesis through regulation of <sc>HER</sc>2 homodimerization. <i>Cancer Medicine</i> , 2017, 6, 1665-1672.	1.3	25
104	The Transcriptional Landscape of p53 Signalling Pathway. <i>EBioMedicine</i> , 2017, 20, 109-119.	2.7	47
105	<sc>TOPK</sc> (Tâ€œ<sc>LAK</sc> cellâ€œoriginated protein kinase) inhibitor exhibits growth suppressive effect on small cell lung cancer. <i>Cancer Science</i> , 2017, 108, 488-496.	1.7	28
106	Overview of the BioBank Japan Project: Study design and profile. <i>Journal of Epidemiology</i> , 2017, 27, S2-S8.	1.1	451
107	Overview of BioBank Japan follow-up data in 32 diseases. <i>Journal of Epidemiology</i> , 2017, 27, S22-S28.	1.1	47
108	Cholesterol levels of Japanese dyslipidaemic patients with various comorbidities: BioBank Japan. <i>Journal of Epidemiology</i> , 2017, 27, S77-S83.	1.1	3

#	ARTICLE	IF	CITATIONS
109	Clinical and histopathological characteristics of patients with prostate cancer in the BioBank Japan project. <i>Journal of Epidemiology</i> , 2017, 27, S65-S70.	1.1	11
110	Characteristics and prognosis of Japanese male and female lung cancer patients: The BioBank Japan Project. <i>Journal of Epidemiology</i> , 2017, 27, S49-S57.	1.1	17
111	Effective induction of cytotoxic T cells recognizing an epitope peptide derived from hypoxia-inducible protein 2 (HIG2) in patients with metastatic renal cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 17-24.	2.0	12
112	Loss of BRCA1 in the Cells of Origin of Ovarian Cancer Induces Glycolysis: A Window of Opportunity for Ovarian Cancer Chemoprevention. <i>Cancer Prevention Research</i> , 2017, 10, 255-266.	0.7	18
113	Significant Effect of Polymorphisms in <i>CYP2D6</i> on Response to Tamoxifen Therapy for Breast Cancer: A Prospective Multicenter Study. <i>Clinical Cancer Research</i> , 2017, 23, 2019-2026.	3.2	33
114	miR-125b and miR-378a are predictive biomarkers for the efficacy of vaccine treatment against colorectal cancer. <i>Cancer Science</i> , 2017, 108, 2229-2238.	1.7	33
115	Quantitative analysis and clonal characterization of T-cell receptor $\hat{1}^2$ repertoires in patients with advanced non-small cell lung cancer treated with cancer vaccine. <i>Oncology Letters</i> , 2017, 14, 283-292.	0.8	6
116	Phase I clinical trial of cell division associated 1 (<i>CDCA1</i>) peptide vaccination for castration resistant prostate cancer. <i>Cancer Science</i> , 2017, 108, 1452-1457.	1.7	37
117	miR-196b, miR-378a and miR-486 are predictive biomarkers for the efficacy of vaccine treatment in colorectal cancer. <i>Oncology Letters</i> , 2017, 14, 1355-1362.	0.8	22
118	Critical roles of protein methyltransferases and demethylases in the regulation of embryonic stem cell fate. <i>Epigenetics</i> , 2017, 12, 1015-1027.	1.3	12
119	Effects of <i>SMYD2</i> -mediated <i>EML4</i> - <i>ALK</i> methylation on the signaling pathway and growth in non-small cell lung cancer cells. <i>Cancer Science</i> , 2017, 108, 1203-1209.	1.7	38
120	Serum glucose, cholesterol and blood pressure levels in Japanese type 1 and 2 diabetic patients: BioBank Japan. <i>Journal of Epidemiology</i> , 2017, 27, S92-S97.	1.1	12
121	Predictive biomarkers for the efficacy of peptide vaccine treatment: based on the results of a phase II study on advanced pancreatic cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017, 36, 36.	3.5	24
122	Cancer Precision Medicine: From Cancer Screening to Drug Selection and Personalized Immunotherapy. <i>Trends in Pharmacological Sciences</i> , 2017, 38, 15-24.	4.0	70
123	Development of small molecular compounds targeting cancer stem cells. <i>MedChemComm</i> , 2017, 8, 73-80.	3.5	14
124	Diagnostic evaluation of RNA sequencing for the detection of genetic abnormalities associated with Ph-like acute lymphoblastic leukemia (ALL). <i>Leukemia and Lymphoma</i> , 2017, 58, 950-958.	0.6	18
125	Sex- and age-dependent gene expression in human liver: An implication for drug-metabolizing enzymes. <i>Drug Metabolism and Pharmacokinetics</i> , 2017, 32, 100-107.	1.1	20
126	Comparison of exome-based HLA class I genotyping tools: identification of platform-specific genotyping errors. <i>Journal of Human Genetics</i> , 2017, 62, 397-405.	1.1	55

#	ARTICLE	IF	CITATIONS
127	Overexpression of C16orf74 is involved in aggressive pancreatic cancers. <i>Oncotarget</i> , 2017, 8, 50460-50475.	0.8	12
128	p53-independent p21 induction by MELK inhibition. <i>Oncotarget</i> , 2017, 8, 57938-57947.	0.8	35
129	Integrated analysis of somatic mutations and immune microenvironment of multiple regions in breast cancers. <i>Oncotarget</i> , 2017, 8, 62029-62038.	0.8	28
130	Critical roles of SMYD2-mediated β -catenin methylation for nuclear translocation and activation of Wnt signaling. <i>Oncotarget</i> , 2017, 8, 55837-55847.	0.8	37
131	Molecular targeting of cell-permeable peptide inhibits pancreatic ductal adenocarcinoma cell proliferation. <i>Oncotarget</i> , 2017, 8, 113662-113672.	0.8	5
132	Protein methyltransferases and demethylases dictate CD8+ T-cell exclusion in squamous cell carcinoma of the head and neck. <i>Oncotarget</i> , 2017, 8, 112797-112808.	0.8	9
133	Integrated genomics-based discovery of new druggable kinases as a therapeutic target and cancer biomarker for lung cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, e23144-e23144.	0.8	0
134	Characterization of T-cell Receptor Repertoire in Inflamed Tissues of Patients with Crohn's Disease Through Deep Sequencing. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1275-1285.	0.9	40
135	Integrated pathway analysis of nasopharyngeal carcinoma implicates the axonemal dynein complex in the Malaysian cohort. <i>International Journal of Cancer</i> , 2016, 139, 1731-1739.	2.3	8
136	Intratumoral expression levels of <i>PD-L1</i> , <i>GZMA</i> , and <i>HLA-A</i> along with oligoclonal T cell expansion associate with response to nivolumab in metastatic melanoma. <i>Oncology</i> , 2016, 5, e1204507.	2.1	107
137	Myasthenic crisis and polymyositis induced by one dose of nivolumab. <i>Cancer Science</i> , 2016, 107, 1055-1058.	1.7	176
138	PS01.05: Early and Persistent Oligoclonal T Cell Expansion Correlates with Durable Response to Anti-PD1 Therapy in NSCLC. <i>Journal of Thoracic Oncology</i> , 2016, 11, S272.	0.5	1
139	Morphological Changes, Cadherin Switching, and Growth Suppression in Pancreatic Cancer by GALNT6 Knockdown. <i>Neoplasia</i> , 2016, 18, 265-272.	2.3	27
140	Afatinib Activity in Platinum-Refractory Metastatic Urothelial Carcinoma in Patients With <i>ERBB</i> Alterations. <i>Journal of Clinical Oncology</i> , 2016, 34, 2165-2171.	0.8	134
141	Phase I clinical trial of a five-peptide cancer vaccine combined with cyclophosphamide in advanced solid tumors. <i>Clinical Immunology</i> , 2016, 166-167, 48-58.	1.4	45
142	Pharmacogenetic Discovery in CALGB (Alliance) 90401 and Mechanistic Validation of a <i>VAC14</i> Polymorphism that Increases Risk of Docetaxel-Induced Neuropathy. <i>Clinical Cancer Research</i> , 2016, 22, 4890-4900.	3.2	46
143	Phosphatidylinositol glycan anchor biosynthesis, class X containing complex promotes cancer cell proliferation through suppression of EHD2 and ZIC1, putative tumor suppressors. <i>International Journal of Oncology</i> , 2016, 49, 868-876.	1.4	30
144	Importance of immunopharmacogenomics in cancer treatment: Patient selection and monitoring for immune checkpoint antibodies. <i>Cancer Science</i> , 2016, 107, 107-115.	1.7	28

#	ARTICLE	IF	CITATIONS
145	Cystatin C as a p53-inducible apoptotic mediator that regulates cathepsin L activity. <i>Cancer Science</i> , 2016, 107, 298-306.	1.7	38
146	Quantitative characterization of T-cell repertoire and biomarkers in kidney transplant rejection. <i>BMC Nephrology</i> , 2016, 17, 181.	0.8	33
147	Shared Genetic Risk Factors of Intracranial, Abdominal, and Thoracic Aneurysms. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	45
148	Association of variations in HLA class II and other loci with susceptibility to EGFR-mutated lung adenocarcinoma. <i>Nature Communications</i> , 2016, 7, 12451.	5.8	49
149	Low T-cell Receptor Diversity, High Somatic Mutation Burden, and High Neoantigen Load as Predictors of Clinical Outcome in Muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2016, 2, 445-452.	1.6	63
150	Characterization of the T cell repertoire by deep T cell receptor sequencing in tissues and blood from patients with advanced colorectal cancer. <i>Oncology Letters</i> , 2016, 11, 3643-3649.	0.8	39
151	T-LAK Cell-Originated Protein Kinase (TOPK) as a Prognostic Factor and a Potential Therapeutic Target in Ovarian Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 6110-6117.	3.2	63
152	Clonal expansion of antitumor T cells in breast cancer correlates with response to neoadjuvant chemotherapy. <i>International Journal of Oncology</i> , 2016, 49, 471-478.	1.4	32
153	Dysregulation of protein methyltransferases in human cancer: An emerging target class for anticancer therapy. <i>Cancer Science</i> , 2016, 107, 377-384.	1.7	67
154	Germline PARP4 mutations in patients with primary thyroid and breast cancers. <i>Endocrine-Related Cancer</i> , 2016, 23, 171-179.	1.6	39
155	Eradication of Large Solid Tumors by Gene Therapy with a T-Cell Receptor Targeting a Single Cancer-Specific Point Mutation. <i>Clinical Cancer Research</i> , 2016, 22, 2734-2743.	3.2	68
156	WT1 Peptide Vaccine Is Able to Induce WT1-Specific Immune Response with TCR Clonal Enrichment to Control Minimal Residual Disease in Patients with Myeloid Leukemia. <i>Blood</i> , 2016, 128, 3984-3984.	0.6	1
157	SMYD3-mediated lysine methylation in the PH domain is critical for activation of AKT1. <i>Oncotarget</i> , 2016, 7, 75023-75037.	0.8	39
158	Effective growth-suppressive activity of maternal embryonic leucine-zipper kinase (MELK) inhibitor against small cell lung cancer. <i>Oncotarget</i> , 2016, 7, 13621-13633.	0.8	41
159	Preclinical evaluation of biomarkers associated with antitumor activity of MELK inhibitor. <i>Oncotarget</i> , 2016, 7, 18171-18182.	0.8	28
160	Oncogenic roles of TOPK and MELK, and effective growth suppression by small molecular inhibitors in kidney cancer cells. <i>Oncotarget</i> , 2016, 7, 17652-17664.	0.8	44
161	Automethylation of SUV39H2, an oncogenic histone lysine methyltransferase, regulates its binding affinity to substrate proteins. <i>Oncotarget</i> , 2016, 7, 22846-22856.	0.8	20
162	Integrated analysis of somatic genetic alterations and immune microenvironment in malignant pleural mesothelioma. <i>Journal of Clinical Oncology</i> , 2016, 34, e20080-e20080.	0.8	0

#	ARTICLE	IF	CITATIONS
163	Characterization of LASEP3 as a serological and prognostic biomarker and a therapeutic target for lung cancer.. Journal of Clinical Oncology, 2016, 34, e23278-e23278.	0.8	0
164	Regulation of iron homeostasis by the p53-ISCU pathway. Scientific Reports, 2015, 5, 16497.	1.6	68
165	Targeting Suppressor of Variegation 3-9 Homologue 2 (SUV39H2) in Acute Lymphoblastic Leukemia (ALL). Translational Oncology, 2015, 8, 368-375.	1.7	19
166	T-LAK cell-originated protein kinase presents a novel therapeutic target in FLT3-ITD mutated acute myeloid leukemia. Oncotarget, 2015, 6, 33410-33425.	0.8	22
167	A clinical trial of multiple peptides vaccination for advanced head and neck cancer patients induced immune responses and prolonged OS. Oncoimmunology, 2015, 4, e1022307.	2.1	5
168	Identification of novel epigenetically inactivated gene PAMR1 in breast carcinoma. Oncology Reports, 2015, 33, 267-273.	1.2	31
169	Deep-sequencing of the T-cell receptor repertoire in patients with haplo-cord and matched-donor transplants. Chimerism, 2015, 6, 47-49.	0.7	8
170	A genome-wide association study identifies PLCL2 and AP3D1-DOT1L-SF3A2 as new susceptibility loci for myocardial infarction in Japanese. European Journal of Human Genetics, 2015, 23, 374-380.	1.4	48
171	Critical roles of non-histone protein lysine methylation in human tumorigenesis. Nature Reviews Cancer, 2015, 15, 110-124.	12.8	299
172	Dysregulation of AKT Pathway by SMYD2-Mediated Lysine Methylation on PTEN. Neoplasia, 2015, 17, 367-373.	2.3	75
173	Pharmacoethnicity in Paclitaxel-Induced Sensory Peripheral Neuropathy. Clinical Cancer Research, 2015, 21, 4337-4346.	3.2	39
174	Highly clonal regulatory T-cell population in follicular lymphoma – inverse correlation with the diversity of CD8 ⁺ T cells. Oncoimmunology, 2015, 4, e1002728.	2.1	26
175	WHSC1 Promotes Oncogenesis through Regulation of NIMA-Related Kinase-7 in Squamous Cell Carcinoma of the Head and Neck. Molecular Cancer Research, 2015, 13, 293-304.	1.5	82
176	Comparison of clinical features between suspected familial colorectal cancer type X and Lynch syndrome in Japanese patients with colorectal cancer: a cross-sectional study conducted by the Japanese Society for Cancer of the Colon and Rectum. Japanese Journal of Clinical Oncology, 2015, 45, 153-159.	0.6	28
177	Submicroscopic Deletions at 13q32.1 Cause Congenital Microcoria. American Journal of Human Genetics, 2015, 96, 631-639.	2.6	13
178	A unique hinge binder of extremely selective aminopyridine-based Mps1 (TTK) kinase inhibitors with cellular activity. Bioorganic and Medicinal Chemistry, 2015, 23, 2247-2260.	1.4	15
179	Relationship between smoking and multiple colorectal cancers in patients with Japanese Lynch syndrome: a cross-sectional study conducted by the Japanese Society for Cancer of the Colon and Rectum. Japanese Journal of Clinical Oncology, 2015, 45, 307-310.	0.6	9
180	The NSD family of protein methyltransferases in human cancer. Epigenomics, 2015, 7, 863-874.	1.0	76

#	ARTICLE	IF	CITATIONS
181	Characterization of T cell repertoire of blood, tumor, and ascites in ovarian cancer patients using next generation sequencing. <i>Oncolmmunology</i> , 2015, 4, e1030561.	2.1	52
182	Loss of Heterozygosity at the CYP2D6 Locus in Breast Cancer: Implications for Germline Pharmacogenetic Studies. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	37
183	Phase II Clinical Trial of Multiple Peptide Vaccination for Advanced Head and Neck Cancer Patients Revealed Induction of Immune Responses and Improved OS. <i>Clinical Cancer Research</i> , 2015, 21, 312-321.	3.2	126
184	Genome-wide association study identified SNP on 15q24 associated with bladder cancer risk in Japanese population. <i>Human Molecular Genetics</i> , 2015, 24, 1177-1184.	1.4	38
185	SUV39H2 methylates and stabilizes LSD1 by inhibiting polyubiquitination in human cancer cells. <i>Oncotarget</i> , 2015, 6, 16939-16950.	0.8	44
186	PRMT6 increases cytoplasmic localization of p21CDKN1A in cancer cells through arginine methylation and makes more resistant to cytotoxic agents. <i>Oncotarget</i> , 2015, 6, 30957-30967.	0.8	36
187	PRMT1 promotes mitosis of cancer cells through arginine methylation of INCENP. <i>Oncotarget</i> , 2015, 6, 35173-35182.	0.8	28
188	SUV420H1 enhances the phosphorylation and transcription of ERK1 in cancer cells. <i>Oncotarget</i> , 2015, 6, 43162-43171.	0.8	28
189	Characterization of LASEP3 as a serological and prognostic biomarker and a therapeutic target for lung cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, 11088-11088.	0.8	0
190	Immunogenomics-based development of personalized immunotherapy for lung cancers.. <i>Journal of Clinical Oncology</i> , 2015, 33, 3019-3019.	0.8	0
191	Identification of an HLA-A2-Restricted Epitope Peptide Derived from Hypoxia-Inducible Protein 2 (HIG2). <i>PLoS ONE</i> , 2014, 9, e85267.	1.1	10
192	The Construction of Risk Prediction Models Using GWAS Data and Its Application to a Type 2 Diabetes Prospective Cohort. <i>PLoS ONE</i> , 2014, 9, e92549.	1.1	31
193	Quantitative T cell repertoire analysis by deep cDNA sequencing of T cell receptor α and β chains using next-generation sequencing (NGS). <i>Oncolmmunology</i> , 2014, 3, e968467.	2.1	68
194	Identification of immunogenic LY6K long peptide encompassing both CD4 ⁺ and CD8 ⁺ T-cell epitopes and eliciting CD4 ⁺ T-cell immunity in patients with malignant disease. <i>Oncolmmunology</i> , 2014, 3, e28100.	2.1	17
195	TOPK inhibitor induces complete tumor regression in xenograft models of human cancer through inhibition of cytokinesis. <i>Science Translational Medicine</i> , 2014, 6, 259ra145.	5.8	95
196	Late Cornified Envelope Group I, a Novel Target of p53, Regulates PRMT5 Activity. <i>Neoplasia</i> , 2014, 16, 656-664.	2.3	16
197	Downregulation of the tumor suppressor HSPB7, involved in the p53 pathway, in renal cell carcinoma by hypermethylation. <i>International Journal of Oncology</i> , 2014, 44, 1490-1498.	1.4	25
198	Critical role of lysine 134 methylation on histone H2AX for γ -H2AX production and DNA repair. <i>Nature Communications</i> , 2014, 5, 5691.	5.8	93

#	ARTICLE	IF	CITATIONS
199	A Rare Polymorphic Variant of <i>NBS1</i> Reduces DNA Repair Activity and Elevates Chromosomal Instability. <i>Cancer Research</i> , 2014, 74, 3707-3715.	0.4	5
200	Whole-Exome Sequencing of Muscle-Invasive Bladder Cancer Identifies Recurrent Mutations of <i>UNC5C</i> and Prognostic Importance of DNA Repair Gene Mutations on Survival. <i>Clinical Cancer Research</i> , 2014, 20, 6605-6617.	3.2	77
201	Genome-wide association analysis in East Asians identifies breast cancer susceptibility loci at 1q32.1, 5q14.3 and 15q26.1. <i>Nature Genetics</i> , 2014, 46, 886-890.	9.4	135
202	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. <i>Nature Genetics</i> , 2014, 46, 994-1000.	9.4	294
203	Re: Concordance Between CYP2D6 Genotypes Obtained From Tumor-Derived and Germline DNA. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	4
204	A phase I study of five peptides combination with oxaliplatin-based chemotherapy as a first-line therapy for advanced colorectal cancer (FXV study). <i>Journal of Translational Medicine</i> , 2014, 12, 108.	1.8	75
205	A phase I study of combination vaccine treatment of five therapeutic epitope-peptides for metastatic colorectal cancer; safety, immunological response, and clinical outcome. <i>Journal of Translational Medicine</i> , 2014, 12, 63.	1.8	76
206	Phase I clinical study of multiple epitope peptide vaccine combined with chemoradiation therapy in esophageal cancer patients. <i>Journal of Translational Medicine</i> , 2014, 12, 84.	1.8	70
207	Trans-ethnic meta-analysis of white blood cell phenotypes. <i>Human Molecular Genetics</i> , 2014, 23, 6944-6960.	1.4	60
208	The Histone Methyltransferase SMYD2 Methylates PARP1 and Promotes Poly(ADP-ribosyl)ation Activity in Cancer Cells. <i>Neoplasia</i> , 2014, 16, 257-264.e2.	2.3	88
209	SMYD2-dependent HSP90 methylation promotes cancer cell proliferation by regulating the chaperone complex formation. <i>Cancer Letters</i> , 2014, 351, 126-133.	3.2	79
210	Inhaled corticosteroid treatment modulates ZNF432 gene variant's effect on bronchodilator response in asthmatics. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 723-728.e3.	1.5	21
211	Identification of a nuclear protein, LRRC42, involved in lung carcinogenesis. <i>International Journal of Oncology</i> , 2014, 45, 147-156.	1.4	7
212	Overexpression of Cohesion Establishment Factor DSCC1 through E2F in Colorectal Cancer. <i>PLoS ONE</i> , 2014, 9, e85750.	1.1	21
213	Preclinical efficacy of maternal embryonic leucine-zipper kinase (MELK) inhibition in acute myeloid leukemia. <i>Oncotarget</i> , 2014, 5, 12371-12382.	0.8	56
214	Cancer genomics-based approach for development of new immunotherapeutics for lung cancers.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3036-3036.	0.8	0
215	Identification of a lung cancer growth factor, LASEP1, as a serological and prognostic biomarker and a therapeutic target.. <i>Journal of Clinical Oncology</i> , 2014, 32, 11036-11036.	0.8	0
216	Predictive biomarkers for the outcome of vaccination of five therapeutic epitope peptides for colorectal cancer. <i>Anticancer Research</i> , 2014, 34, 4201-5.	0.5	18

#	ARTICLE	IF	CITATIONS
217	Genome-wide association study of chemotherapeutic agent-induced severe neutropenia/leucopenia for patients in Biobank Japan. <i>Cancer Science</i> , 2013, 104, 1074-1082.	1.7	42
218	Single-nucleotide polymorphisms in GALNT8 are associated with the response to interferon therapy for chronic hepatitis C. <i>Journal of General Virology</i> , 2013, 94, 81-89.	1.3	9
219	The Oncogenic Polycomb Histone Methyltransferase EZH2 Methylates Lysine 120 on Histone H2B and Competes Ubiquitination. <i>Neoplasia</i> , 2013, 15, 1251-IN10.	2.3	36
220	Deregulation of the histone demethylase JMJD2A is involved in human carcinogenesis through regulation of the G1/S transition. <i>Cancer Letters</i> , 2013, 336, 76-84.	3.2	59
221	Important and critical scientific aspects in pharmacogenomics analysis: lessons from controversial results of tamoxifen and CYP2D6 studies. <i>Journal of Human Genetics</i> , 2013, 58, 327-333.	1.1	29
222	Molecular features of triple negative breast cancer cells by genome-wide gene expression profiling analysis. <i>International Journal of Oncology</i> , 2013, 42, 478-506.	1.4	104
223	HLA-DQB1*03 Confers Susceptibility to Chronic Hepatitis C in Japanese: A Genome-Wide Association Study. <i>PLoS ONE</i> , 2013, 8, e84226.	1.1	35
224	Characterization of a lung cancer growth factor, LASEP1, as a serologic and prognostic biomarker and a therapeutic target. <i>Journal of Clinical Oncology</i> , 2013, 31, 11104-11104.	0.8	0
225	A genome-wide association study (GWAS) of docetaxel-induced peripheral neuropathy in CALGB 90401 (Alliance). <i>Journal of Clinical Oncology</i> , 2013, 31, 11053-11053.	0.8	0
226	Systematic approach for development of new immunotherapeutics for lung cancers through cancer genomics analysis. <i>Journal of Clinical Oncology</i> , 2013, 31, 3092-3092.	0.8	0
227	Genome-wide association study for intracranial aneurysm in the Japanese population identifies three candidate susceptible loci and a functional genetic variant at EDNRA. <i>Human Molecular Genetics</i> , 2012, 21, 2102-2110.	1.4	102
228	Histone Lysine Methyltransferase SETD8 Promotes Carcinogenesis by Deregulating PCNA Expression. <i>Cancer Research</i> , 2012, 72, 3217-3227.	0.4	155
229	A genome-wide association study identifies SNP in DCC is associated with gallbladder cancer in the Japanese population. <i>Journal of Human Genetics</i> , 2012, 57, 235-237.	1.1	38
230	Enhanced HSP70 lysine methylation promotes proliferation of cancer cells through activation of Aurora kinase B. <i>Nature Communications</i> , 2012, 3, 1072.	5.8	96
231	A genome-wide association study identifies four genetic markers for hematological toxicities in cancer patients receiving gemcitabine therapy. <i>Pharmacogenetics and Genomics</i> , 2012, 22, 229-235.	0.7	20
232	A genome-wide association study identifies two susceptibility loci for duodenal ulcer in the Japanese population. <i>Nature Genetics</i> , 2012, 44, 430-434.	9.4	114
233	A genome-wide association study identifies a genetic variant in the SIAH2 locus associated with hormonal receptor-positive breast cancer in Japanese. <i>Journal of Human Genetics</i> , 2012, 57, 766-771.	1.1	29
234	Multicenter, phase II clinical trial of cancer vaccination for advanced esophageal cancer with three peptides derived from novel cancer-testis antigens. <i>Journal of Translational Medicine</i> , 2012, 10, 141.	1.8	124

#	ARTICLE	IF	CITATIONS
235	Common variants at 11q12, 10q26 and 3p11.2 are associated with prostate cancer susceptibility in Japanese. <i>Nature Genetics</i> , 2012, 44, 426-429.	9.4	98
236	RB1 Methylation by SMYD2 Enhances Cell Cycle Progression through an Increase of RB1 Phosphorylation. <i>Neoplasia</i> , 2012, 14, 476-IN8.	2.3	169
237	CLCA2 as a p53-Inducible Senescence Mediator. <i>Neoplasia</i> , 2012, 14, 141-IN9.	2.3	32
238	Diaminopyridine-Based Potent and Selective Mps1 Kinase Inhibitors Binding to an Unusual Flipped-Peptide Conformation. <i>ACS Medicinal Chemistry Letters</i> , 2012, 3, 560-564.	1.3	31
239	The JmjC domain-containing histone demethylase KDM3A is a positive regulator of the G ₁ /S transition in cancer cells <i>via</i> transcriptional regulation of the HOXA1 gene. <i>International Journal of Cancer</i> , 2012, 131, E179-89.	2.3	85
240	Dose-adjustment study of tamoxifen based on CYP2D6 genotypes in Japanese breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2012, 131, 137-145.	1.1	86
241	Phase I clinical trial of multi-antigen peptide vaccines therapy using cancer-testis antigens for patients with advanced or recurrent breast cancer.. <i>Journal of Clinical Oncology</i> , 2012, 30, e13037-e13037.	0.8	3
242	Genomics and proteomics-based discovery of novel cancer biomarkers and molecular targets for cell-permeable peptide/small molecule-based drugs.. <i>Journal of Clinical Oncology</i> , 2012, 30, e13552-e13552.	0.8	0
243	Reproducibility, performance, and clinical utility of a genetic risk prediction model for prostate cancer in Japanese patients.. <i>Journal of Clinical Oncology</i> , 2012, 30, 10520-10520.	0.8	0
244	Phase I trial of cancer vaccine with multiple peptides derived from novel onco-antigen and anti-angiogenic antigens for patients with advanced non-small cell lung cancer (NSCLC).. <i>Journal of Clinical Oncology</i> , 2012, 30, e13015-e13015.	0.8	0
245	Identification of LASEP3 as a new serological and prognostic biomarker for lung and various type of cancer.. <i>Journal of Clinical Oncology</i> , 2012, 30, e13565-e13565.	0.8	0
246	Cancer vaccination trial with novel multiple peptides in previously treated advanced non-small cell lung cancer.. <i>Journal of Clinical Oncology</i> , 2012, 30, e13029-e13029.	0.8	0
247	Histone Lysine Methyltransferase Wolf-Hirschhorn Syndrome Candidate 1 Is Involved in Human Carcinogenesis through Regulation of the Wnt Pathway. <i>Neoplasia</i> , 2011, 13, 887-IN11.	2.3	92
248	Variation in the DEPDC5 locus is associated with progression to hepatocellular carcinoma in chronic hepatitis C virus carriers. <i>Nature Genetics</i> , 2011, 43, 797-800.	9.4	156
249	IL-28B predicts response to chronic hepatitis C therapy <i>fine</i> -mapping and replication study in Asian populations. <i>Journal of General Virology</i> , 2011, 92, 1071-1081.	1.3	50
250	Enhanced Expression of EHMT2 Is Involved in the Proliferation of Cancer Cells through Negative Regulation of SIAH1. <i>Neoplasia</i> , 2011, 13, 676-IN10.	2.3	112
251	Polypeptide N-acetylgalactosaminyltransferase 6 Disrupts Mammary Acinar Morphogenesis through O-glycosylation of Fibronectin. <i>Neoplasia</i> , 2011, 13, 320-IN10.	2.3	88
252	Validation of the histone methyltransferase EZH2 as a therapeutic target for various types of human cancer and as a prognostic marker. <i>Cancer Science</i> , 2011, 102, 1298-1305.	1.7	170

#	ARTICLE	IF	CITATIONS
253	Genome-wide association study identifies a susceptibility locus for HCV-induced hepatocellular carcinoma. <i>Nature Genetics</i> , 2011, 43, 455-458.	9.4	332
254	Association between single nucleotide polymorphisms within genes encoding sirtuin families and diabetic nephropathy in Japanese subjects with type 2 diabetes. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 381-390.	0.7	63
255	Association analysis of the NOD2 gene with susceptibility to graft-versus-host disease in a Japanese population. <i>International Journal of Hematology</i> , 2011, 93, 771-778.	0.7	16
256	C12orf48, termed PARP α 1 binding protein, enhances poly(ADP-ribose) polymerase α 1 (PARP α 1) activity and protects pancreatic cancer cells from DNA damage. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 13-24.	1.5	38
257	Overexpression of LSD1 contributes to human carcinogenesis through chromatin regulation in various cancers. <i>International Journal of Cancer</i> , 2011, 128, 574-586.	2.3	420
258	Dysregulation of PRMT1 and PRMT6, Type I arginine methyltransferases, is involved in various types of human cancers. <i>International Journal of Cancer</i> , 2011, 128, 562-573.	2.3	260
259	The Histone Demethylase JMJD2B Plays an Essential Role in Human Carcinogenesis through Positive Regulation of Cyclin-Dependent Kinase 6. <i>Cancer Prevention Research</i> , 2011, 4, 2051-2061.	0.7	62
260	Demethylation of RB Regulator MYPT1 by Histone Demethylase LSD1 Promotes Cell Cycle Progression in Cancer Cells. <i>Cancer Research</i> , 2011, 71, 655-660.	0.4	190
261	Cancer vaccines. <i>Clinical Advances in Hematology and Oncology</i> , 2011, 9, 778-9.	0.3	0
262	Critical roles of LGN/GPSM2 phosphorylation by PBK/TOPK in cell division of breast cancer cells. <i>Genes Chromosomes and Cancer</i> , 2010, 49, 861-872.	1.5	47
263	Critical roles of TAK cell-originated protein kinase in cytokinesis. <i>Cancer Science</i> , 2010, 101, 403-411.	1.7	68
264	Genome-wide association study of hematological and biochemical traits in a Japanese population. <i>Nature Genetics</i> , 2010, 42, 210-215.	9.4	460
265	Genome-wide association study identifies five new susceptibility loci for prostate cancer in the Japanese population. <i>Nature Genetics</i> , 2010, 42, 751-754.	9.4	258
266	Variation in TP63 is associated with lung adenocarcinoma susceptibility in Japanese and Korean populations. <i>Nature Genetics</i> , 2010, 42, 893-896.	9.4	165
267	Critical Roles of Mucin 1 Glycosylation by Transactivated Polypeptide N-Acetylgalactosaminyltransferase 6 in Mammary Carcinogenesis. <i>Cancer Research</i> , 2010, 70, 2759-2769.	0.4	146
268	Overexpression of the JmjC histone demethylase KDM5B in human carcinogenesis: involvement in the proliferation of cancer cells through the E2F/RB pathway. <i>Molecular Cancer</i> , 2010, 9, 59.	7.9	183
269	Genome-Wide Association Study of Pancreatic Cancer in Japanese Population. <i>PLoS ONE</i> , 2010, 5, e11824.	1.1	126
270	Activation of an Estrogen/ Estrogen Receptor Signaling by BIG3 Through Its Inhibitory Effect on Nuclear Transport of PHB2/REA in Breast Cancer. <i>Nature Precedings</i> , 2009, , .	0.1	1

#	ARTICLE	IF	CITATIONS
271	Activation of an estrogen/estrogen receptor signaling by BIG3 through its inhibitory effect on nuclear transport of PHB2/REA in breast cancer. <i>Cancer Science</i> , 2009, 100, 1468-1478.	1.7	54
272	Functional Variants in ADH1B and ALDH2 Coupled With Alcohol and Smoking Synergistically Enhance Esophageal Cancer Risk. <i>Gastroenterology</i> , 2009, 137, 1768-1775.	0.6	277
273	DNA variations in human and medical genetics: 25 years of my experience. <i>Journal of Human Genetics</i> , 2009, 54, 1-8.	1.1	73
274	Identification of a significant association of a single nucleotide polymorphism in TNXB with systemic lupus erythematosus in a Japanese population. <i>Journal of Human Genetics</i> , 2008, 53, 64-73.	1.1	26
275	A functional SNP in the NKX2.5-binding site of ITPR3 promoter is associated with susceptibility to systemic lupus erythematosus in Japanese population. <i>Journal of Human Genetics</i> , 2008, 53, 151-162.	1.1	25
276	Variations in the FTO gene are associated with severe obesity in the Japanese. <i>Journal of Human Genetics</i> , 2008, 53, 546-553.	1.1	219
277	INSIG2 gene rs7566605 polymorphism is associated with severe obesity in Japanese. <i>Journal of Human Genetics</i> , 2008, 53, 857-862.	1.1	43
278	Japanese Population Structure, Based on SNP Genotypes from 7003 Individuals Compared to Other Ethnic Groups: Effects on Population-Based Association Studies. <i>American Journal of Human Genetics</i> , 2008, 83, 445-456.	2.6	327
279	1P-044 Thermodynamic analysis of the hemi-methylated CpG DNA recognition by SRA domain of mouse NP95(The 46th Annual Meeting of the Biophysical Society of Japan). <i>Seibutsu Butsuri</i> , 2008, 48, S27.	0.0	0
280	The Lysine 831 of Vascular Endothelial Growth Factor Receptor 1 Is a Novel Target of Methylation by SMYD3. <i>Cancer Research</i> , 2007, 67, 10759-10765.	0.4	150
281	A novel method for analyzing formalin-fixed paraffin embedded (FFPE) tissue sections by mass spectrometry imaging. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2007, 83, 205-214.	1.6	27
282	Combinational effect of genes for the renin-angiotensin system in conferring susceptibility to diabetic nephropathy. <i>Journal of Human Genetics</i> , 2007, 52, 143-151.	1.1	35
283	A genomewide linkage analysis of Kawasaki disease: evidence for linkage to chromosome 12. <i>Journal of Human Genetics</i> , 2007, 52, 179-190.	1.1	72
284	Association analysis of genetic variants in IL23R, ATG16L1 and 5p13.1 loci with Crohn's disease in Japanese patients. <i>Journal of Human Genetics</i> , 2007, 52, 575-583.	1.1	191
285	High-resolution SNP and haplotype maps of the human gamma-glutamyl carboxylase gene (GGCX) and association study between polymorphisms in GGCX and the warfarin maintenance dose requirement of the Japanese population. <i>Journal of Human Genetics</i> , 2007, 52, 856-864.	1.1	21
286	A novel method for analyzing formalin-fixed paraffin embedded (FFPE) tissue sections by mass spectrometry imaging. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2007, 83, 205-14.	1.6	12
287	The BioBank Japan Project. <i>Clinical Advances in Hematology and Oncology</i> , 2007, 5, 696-7.	0.3	125
288	Enhanced SMYD3 expression is essential for the growth of breast cancer cells. <i>Cancer Science</i> , 2006, 97, 113-118.	1.7	246

#	ARTICLE	IF	CITATIONS
289	High-resolution SNP map of ASPN, a susceptibility gene for osteoarthritis. <i>Journal of Human Genetics</i> , 2006, 51, 151-154.	1.1	23
290	An association study of asthma and related phenotypes with polymorphisms in negative regulator molecules of the TLR signaling pathway. <i>Journal of Human Genetics</i> , 2006, 51, 284-291.	1.1	32
291	PDZ-Binding Kinase/T-LAK Cell-Originated Protein Kinase, a Putative Cancer/Testis Antigen with an Oncogenic Activity in Breast Cancer. <i>Cancer Research</i> , 2006, 66, 9186-9195.	0.4	164
292	Overexpressed P-Cadherin/CDH3 Promotes Motility of Pancreatic Cancer Cells by Interacting with p120ctn and Activating Rho-Family GTPases. <i>Cancer Research</i> , 2005, 65, 3092-3099.	0.4	163
293	A variable number of tandem repeats polymorphism in an E2F-1 binding element in the 5' flanking region of SMYD3 is a risk factor for human cancers. <i>Nature Genetics</i> , 2005, 37, 1104-1107.	9.4	112
294	Association of a single-nucleotide polymorphism in the immunoglobulin λ 4-binding protein 2 gene with immunoglobulin A nephropathy. <i>Journal of Human Genetics</i> , 2005, 50, 30-35.	1.1	27
295	Identification of 156 novel SNPs in 29 genes encoding G-protein coupled receptors. <i>Journal of Human Genetics</i> , 2005, 50, 182-191.	1.1	7
296	Isolation of p53-target genes and their functional analysis. <i>Cancer Science</i> , 2004, 95, 7-11.	1.7	160
297	SMYD3 encodes a histone methyltransferase involved in the proliferation of cancer cells. <i>Nature Cell Biology</i> , 2004, 6, 731-740.	4.6	665
298	Mouse Chromosome 19 and Distal Rat Chromosome 1: a Chromosome Segment Conserved in Evolution. <i>Hereditas</i> , 2004, 134, 23-34.	0.5	3
299	Identification of ALDH4 as a p53-inducible gene and its protective role in cellular stresses. <i>Journal of Human Genetics</i> , 2004, 49, 134-140.	1.1	202
300	Association between genetic variation in the gene for death-associated protein-3 (DAP3) and adult asthma. <i>Journal of Human Genetics</i> , 2004, 49, 370-375.	1.1	10
301	Association analysis of SLC22A4, SLC22A5 and DLG5 in Japanese patients with Crohn disease. <i>Journal of Human Genetics</i> , 2004, 49, 664-668.	1.1	107
302	Validation Study on the Prediction of Response to Imatinib Mesylate in Chronic Myeloid Leukemia (CML) Patients by Genome-Wide cDNA Microarray Analysis. <i>Blood</i> , 2004, 104, 2946-2946.	0.6	0
303	Association of single-nucleotide polymorphisms in the polymeric immunoglobulin receptor gene with immunoglobulin A nephropathy (IgAN) in Japanese patients. <i>Journal of Human Genetics</i> , 2003, 48, 293-299.	1.1	59
304	p53RDL1 regulates p53-dependent apoptosis. <i>Nature Cell Biology</i> , 2003, 5, 216-223.	4.6	150
305	Structural organization, complete genomic sequences and mutational analyses of the Fukuyama-type congenital muscular dystrophy gene, fukutin. <i>FEBS Letters</i> , 2001, 489, 192-196.	1.3	39
306	Single-Allele Correction Of The Dmo1 Locus In Congenic Animals Substantially Attenuates Obesity, Dyslipidaemia And Diabetes Phenotypes Of The Oletf Rat. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001, 28, 28-42.	0.9	10

#	ARTICLE	IF	CITATIONS
307	Identification of target genes within an amplicon at 14q12-q13 in esophageal squamous cell carcinoma. <i>Genes Chromosomes and Cancer</i> , 2001, 32, 112-118.	1.5	29
308	Identification of AXUD1, a novel human gene induced by AXIN1 and its reduced expression in human carcinomas of the lung, liver, colon and kidney. <i>Oncogene</i> , 2001, 20, 5062-5066.	2.6	64
309	Growth-suppressive effects of BPOZ and EGR2, two genes involved in the PTEN signaling pathway. <i>Oncogene</i> , 2001, 20, 4457-4465.	2.6	335
310	Association of Allelic Losses at 3p25.1, 13q12, or 17p13.3 with Poor Prognosis in Breast Cancers with Lymph Node Metastasis. <i>Japanese Journal of Cancer Research</i> , 2001, 92, 1199-1206.	1.7	5
311	Isolation of disease-associated genes through genome analysis and their clinical application.. <i>Keio Journal of Medicine</i> , 2001, 50, 134-140.	0.5	1
312	Allelic loss at the 8p22 region as a prognostic factor in large and estrogen receptor negative breast carcinomas. , 2000, 88, 1410-1416.		20
313	Isolation and mutational analysis of a novel human cDNA,DEC1 (deleted in esophageal cancer 1), derived from the tumor suppressor locus in 9q32. , 2000, 27, 169-176.		38
314	Isolation and characterization of a novel TP53-inducible gene,TP53TG5, which suppresses growth and shows cell cycle-dependent transition of expression. , 2000, 27, 345-352.		4
315	Novel and recurrentEBP mutations in X-linked dominant chondrodysplasia punctata. <i>American Journal of Medical Genetics Part A</i> , 2000, 94, 300-305.	2.4	69
316	Amplification and over-expression of theAIB1 nuclear receptor co-activator gene in primary gastric cancers. <i>International Journal of Cancer</i> , 2000, 89, 217-223.	2.3	146
317	Growth-suppressive effect of non-steroidal anti-inflammatory drugs on 11 colon-cancer cell lines and fluorescence differential display of genes whose expression is influenced by sulindac. <i>International Journal of Cancer</i> , 2000, 88, 873-880.	2.3	31
318	Isolation of a novel gene on 8p21.3 whose expression is reduced significantly in human colorectal cancers with liver metastasis. <i>Genes Chromosomes and Cancer</i> , 2000, 29, 9-15.	1.5	63
319	CD44 is a potential target of amplification within the 11p13 amplicon detected in gastric cancer cell lines. <i>Genes Chromosomes and Cancer</i> , 2000, 29, 315-324.	1.5	44
320	Quantitative Trait Loci For Lipid Metabolism In The Study Of Oletf x (Oletf x Fischer 344) Backcross Rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000, 27, 881-886.	0.9	9
321	AXIN1 mutations in hepatocellular carcinomas, and growth suppression in cancer cells by virus-mediated transfer of AXIN1. <i>Nature Genetics</i> , 2000, 24, 245-250.	9.4	919
322	An autosomal dominant posterior polar cataract locus maps to human chromosome 20p12-q12. <i>European Journal of Human Genetics</i> , 2000, 8, 535-539.	1.4	22
323	A ribonucleotide reductase gene involved in a p53-dependent cell-cycle checkpoint for DNA damage. <i>Nature</i> , 2000, 404, 42-49.	13.7	815
324	Nonrandom Chromosomal Imbalances in Esophageal Squamous Cell Carcinoma Cell Lines: Possible Involvement of theATF3andCENPFGenes in the 1q32 Amplicon. <i>Japanese Journal of Cancer Research</i> , 2000, 91, 1126-1133.	1.7	68

#	ARTICLE	IF	CITATIONS
325	Molecular Cytogenetic Analysis of 17 Renal Cancer Cell Lines: Increased Copy Number at 5q31-33 in Cell Lines from Nonpapillary Carcinomas. Japanese Journal of Cancer Research, 2000, 91, 156-163.	1.7	29
326	Mutations in Zinc-binding Domains of p53 as a Prognostic Marker of Esophageal-cancer Patients. Japanese Journal of Cancer Research, 2000, 91, 190-198.	1.7	39
327	Mapping of Target Regions of Allelic Loss in Primary Breast Cancers to 1-cM Intervals on Genomic Contigs at 6q21 and 6q25.3. Japanese Journal of Cancer Research, 2000, 91, 293-300.	1.7	26
328	Isolation and Characterization of HumanNBL4, a Gene Involved in the β -Catenin/Tcf Signaling Pathway. Japanese Journal of Cancer Research, 2000, 91, 597-603.	1.7	32
329	A Single Nucleotide Polymorphism in the Matrix Metalloproteinase-1 Promoter in Endometrial Carcinomas. Japanese Journal of Cancer Research, 2000, 91, 612-615.	1.7	81
330	Bcl-XL Antisense Sensitizes Human Colon Cancer Cell Line to 5-Fluorouracil. Japanese Journal of Cancer Research, 2000, 91, 825-832.	1.7	31
331	Comparative FISH mapping of the ancestral fusion point of human chromosome 2. Chromosome Research, 2000, 8, 727-735.	1.0	21
332	MHC (Major Histocompatibility Complex)-DRB Genes and Polymorphisms in Common Marmoset. Journal of Molecular Evolution, 2000, 51, 214-222.	0.8	15
333	Characterization of newly developed SLP markers for the rat. Mammalian Genome, 2000, 11, 300-305.	1.0	22
334	A whole-genome radiation hybrid panel and framework map of the rat genome. Mammalian Genome, 2000, 11, 791-795.	1.0	29
335	Association studies of 33 single nucleotide polymorphisms (SNPs) in 29 candidate genes for bronchial asthma: positive association of a T924C polymorphism in the thromboxane A2 receptor gene. Human Genetics, 2000, 106, 440-446.	1.8	83
336	Genomic structure and multiple single-nucleotide polymorphisms (SNPs) of the thiopurine S-methyltransferase (TPMT) gene. Journal of Human Genetics, 2000, 45, 299-302.	1.1	45
337	p53AIP1, a Potential Mediator of p53-Dependent Apoptosis, and Its Regulation by Ser-46-Phosphorylated p53. Cell, 2000, 102, 849-862.	13.5	1,095
338	Characterization of S818L mutation in HERG C-terminus in LQT2. FEBS Letters, 2000, 481, 197-203.	1.3	19
339	Amplification and overexpression of the AIB1 nuclear receptor coactivator gene in primary gastric cancers. International Journal of Cancer, 2000, 89, 217-223.	2.3	2
340	Association of ulcerative colitis with rare VNTR alleles of the human intestinal mucin gene, MUC3. Human Molecular Genetics, 1999, 8, 307-311.	1.4	74
341	Cloning of translocation breakpoints associated with Shwachman syndrome and identification of a candidate gene. Clinical Genetics, 1999, 55, 466-472.	1.0	9
342	Frequent β -Catenin Abnormalities in Bone and Soft-tissue Tumors. Japanese Journal of Cancer Research, 1999, 90, 205-209.	1.7	58

#	ARTICLE	IF	CITATIONS
343	Frameshift Mutation of theSTK11Gene in a Sporadic Gastrointestinal Cancer with Microsatellite Instability. Japanese Journal of Cancer Research, 1999, 90, 633-637.	1.7	11
344	Analysis of APCL, a Brain-specific Adenomatous Polyposis Coli Homologue, for Mutations and Expression in Brain Tumors. Japanese Journal of Cancer Research, 1999, 90, 982-986.	1.7	7
345	A radiation hybrid map of the rat genome containing 5,255 markers. Nature Genetics, 1999, 22, 27-36.	9.4	231
346	Bcl-2/E1B 19kDa-interacting protein 3-like protein (Bnip3L) interacts with Bcl-2/Bcl-xL and induces apoptosis by altering mitochondrial membrane permeability. Oncogene, 1999, 18, 4523-4529.	2.6	151
347	Localization of membrane-associated guanylate kinase (MAGI)-1/BAI-associated protein (BAP) 1 at tight junctions of epithelial cells. Oncogene, 1999, 18, 7810-7815.	2.6	114
348	Correlation of allelic loss with poor postoperative survival in breast cancer. Breast Cancer, 1999, 6, 351-356.	1.3	6
349	Molecular cloning, mapping, and characterization of a novel human gene, MTA1-L1, showing homology to a metastasis-associated gene, MTA1. Journal of Human Genetics, 1999, 44, 52-56.	1.1	36
350	A Gln/Arg polymorphism at codon 349 of the hBUBR1 gene. Journal of Human Genetics, 1999, 44, 131-132.	1.1	3
351	Molecular cloning, expression, and mapping of a novel human cDNA, GRP17, highly homologous to human gadd45 and murine MyD118. Journal of Human Genetics, 1999, 44, 300-303.	1.1	11
352	Complete cDNA sequence and genomic organization of a human pancreas-specific gene homologous to Caenorhabditis elegans sel-1. Journal of Human Genetics, 1999, 44, 330-336.	1.1	33
353	Cloning and characterization of human and mouse PROSC (proline synthetase co-transcribed) genes. Journal of Human Genetics, 1999, 44, 337-342.	1.1	27
354	Gains, losses, and amplifications of genomic materials in primary gastric cancers analyzed by comparative genomic hybridization. , 1999, 24, 299-305.		153
355	Comparative genomic hybridization of squamous cell carcinoma of the esophagus: The possible involvement of theDP1 gene in the 13q34 amplicon. Genes Chromosomes and Cancer, 1999, 24, 337-344.	1.5	99
356	Frequent allelic loss at theTOC locus on 17q25.1 in primary breast cancers. , 1999, 24, 345-350.		24
357	Allelic loss at 1p34, 13q12, 17p13.3, and 17q21.1 correlates with poor postoperative prognosis in breast cancer. , 1999, 26, 134-141.		26
358	Isolation and characterization of a novel TP53-inducible gene,TP53TG3. Genes Chromosomes and Cancer, 1999, 26, 329-335.	1.5	24
359	Localization of a tumor suppressor gene associated with the progression of human breast carcinoma within a 1-cm interval of 8p22-p23.1. , 1999, 85, 447-452.		60
360	Localization of a tumor suppressor gene associated with the progression of human breast carcinoma within a 1-cm interval of 8p22-p23.1. , 1999, 85, 447.		1

#	ARTICLE	IF	CITATIONS
361	Comparative genomic hybridization of squamous cell carcinoma of the esophagus: The possible involvement of the DP1 gene in the 13q34 amplicon. , 1999, 24, 337.		1
362	Comparative genomic hybridization of squamous cell carcinoma of the esophagus: The possible involvement of the DP1 gene in the 13q34 amplicon. , 1999, 24, 337.		3
363	An ancient retrotransposal insertion causes Fukuyama-type congenital muscular dystrophy. Nature, 1998, 394, 388-392.	13.7	758
364	Multiplex Mutation Screening of theBRCA1Gene in 1000 Japanese Breast Cancers. Japanese Journal of Cancer Research, 1998, 89, 12-16.	1.7	22
365	Infrequent Mutations in thePTEN/MMAC1Gene among Primary Breast Cancers. Japanese Journal of Cancer Research, 1998, 89, 17-21.	1.7	47
366	Allelic Loss on Chromosome 9q Is Associated with Lymph Node Metastasis of Primary Breast Cancer. Japanese Journal of Cancer Research, 1998, 89, 916-922.	1.7	21
367	Frequent Allelic Loss at 7p14-15 Associated with Aggressive Histologic Types of Breast Cancer. Japanese Journal of Cancer Research, 1998, 89, 533-538.	1.7	9
368	Positional cloning of the gene for Nijmegen breakage syndrome. Nature Genetics, 1998, 19, 179-181.	9.4	302
369	Mutation in Npps in a mouse model of ossification of the posterior longitudinal ligament of the spine. Nature Genetics, 1998, 19, 271-273.	9.4	392
370	Allelic loss on chromosome 1p is Associated with progression and lymph node metastasis of primary breast carcinoma. , 1998, 82, 317-322.		54
371	Pseudoachondroplasia with de novo deletion [del(11)(q21q22.2)]. , 1998, 77, 356-359.		14
372	Mapping of a new target region of allelic loss to a 2-cM interval at 22q13.1 in primary breast cancer. Genes Chromosomes and Cancer, 1998, 21, 108-112.	1.5	78
373	Multiple possible sites of BRAC2 interacting with DNA repair protein RAD51. , 1998, 21, 217-222.		33
374	Isolation, mapping, and functional analysis of a novel human cDNA (BNIP3L) encoding a protein homologous to human NIP3. , 1998, 21, 230-235.		97
375	Isolation and characterization of a novel human pancreas-specific gene,pancpin, that is down-regulated in pancreatic cancer cells. , 1998, 22, 179-185.		34
376	Isolation of a novel TP53 target gene from a colon cancer cell line carrying a highly regulated wild-type TP53 expression system. , 1998, 23, 1-9.		53
377	Mapping of a new target region of allelic loss to a 6-cM interval at 21q21 in primary breast cancers. Genes Chromosomes and Cancer, 1998, 23, 244-247.	1.5	28
378	Amplification on double-minute chromosomes and partial-tandem duplication of theMILL gene in leukemic cells of a patient with acute myelogenous leukemia. Genes Chromosomes and Cancer, 1998, 23, 267-272.	1.5	44

#	ARTICLE	IF	CITATIONS
379	Genomic organization and mutational analysis of HERG , a gene responsible for familial long QT syndrome. Human Genetics, 1998, 102, 435-439.	1.8	80
380	Genomic organization and mutational analysis of KVLQT1, a gene responsible for familial long QT syndrome. Human Genetics, 1998, 103, 290-294.	1.8	57
381	Founder-haplotype analysis in Fukuyama-type congenital muscular dystrophy (FCMD). Human Genetics, 1998, 103, 323-327.	1.8	38
382	Novel and recurrent COMP (cartilage oligomeric matrix protein) mutations in pseudoachondroplasia and multiple epiphyseal dysplasia. Human Genetics, 1998, 103, 633-638.	1.8	81
383	The gene for mesomelic dysplasia Kantaputra type is mapped to chromosome 2q24-q32. Journal of Human Genetics, 1998, 43, 32-36.	1.1	37
384	Mutational analysis of the RET proto-oncogene in 71 Japanese patients with medullary thyroid carcinoma. Journal of Human Genetics, 1998, 43, 101-106.	1.1	42
385	Expression and chromosomal localization of KIAA0369, a putative kinase structurally related to Doublecortin. Journal of Human Genetics, 1998, 43, 169-177.	1.1	78
386	Isolation and mapping of a novel human kidney- and liver-specific gene homologous to the bacterial acetyltransferases. Journal of Human Genetics, 1998, 43, 255-258.	1.1	11
387	Detection of known missense mutation of hMLH1 in a hereditary non-polyposis colorectal cancer family using DNA extracts from mouthwash samples. International Journal of Clinical Oncology, 1998, 3, 19-26.	1.0	0
388	Frequent Allelic Loss at 6q26-27 in Breast Carcinomas of the Solid-tubular Histologic Type. Breast Cancer, 1998, 5, 127-130.	1.3	2
389	Mapping of a gene responsible for twy (tip-toe walking Yoshimura), a mouse model of ossification of the posterior longitudinal ligament of the spine (OPLL). Mammalian Genome, 1998, 9, 155-156.	1.0	32
390	Genetic dissection of "OLETF", a rat model for non-insulin-dependent diabetes mellitus. Mammalian Genome, 1998, 9, 419-425.	1.0	78
391	Novel Mechanism of HERG Current Suppression in LQT2. Circulation Research, 1998, 83, 415-422.	2.0	105
392	CSR, a scavenger receptor-like protein with a protective role against cellular damage caused by UV irradiation and oxidative stress. Human Molecular Genetics, 1998, 7, 1039-1046.	1.4	88
393	Mapping of a Breast Cancer Tumor Suppressor Gene Locus to a 4-cM Interval on Chromosome 18q21. Japanese Journal of Cancer Research, 1997, 88, 959-964.	1.7	32
394	RAPID COMMUNICATION. Japanese Journal of Cancer Research, 1997, 88, 225-228.	1.7	9
395	Infrequent Mutation of the H-Cadherin Gene on Chromosome 16q24 in Human Breast Cancers. Japanese Journal of Cancer Research, 1997, 88, 701-704.	1.7	12
396	Isolation of a Novel Gene Showing Reduced Expression in Metastatic Colorectal Carcinoma Cell Lines and Carcinomas. Japanese Journal of Cancer Research, 1997, 88, 725-731.	1.7	7

#	ARTICLE	IF	CITATIONS
397	GML sensitizes cancer cells to Taxol by induction of apoptosis. <i>Oncogene</i> , 1997, 15, 1369-1374.	2.6	20
398	A novel brain-specific p53-target gene, BAI1, containing thrombospondin type 1 repeats inhibits experimental angiogenesis. <i>Oncogene</i> , 1997, 15, 2145-2150.	2.6	270
399	A CAG/CTG expansion in the normal population. <i>Nature Genetics</i> , 1997, 17, 385-386.	9.4	64
400	Cleaning up on β -catenin. <i>Nature Medicine</i> , 1997, 3, 499-500.	15.2	37
401	Fish mapping of a translocation breakpoint at 6q21 (or q22) in a patient with heterotaxia. <i>Japanese Journal of Human Genetics</i> , 1997, 42, 525-532.	0.8	10
402	Allelic frequencies of twelve dinucleotide repeat marker loci on chromosome 13 in the normal Japanese population. <i>Japanese Journal of Human Genetics</i> , 1997, 42, 533-537.	0.8	2
403	Correlation of allelic losses and clinicopathological factors in primary breast cancers. <i>Breast Cancer</i> , 1997, 4, 243-246.	1.3	14
404	A complete Not I restriction map covering the entire long arm of human chromosome 11. <i>Genes To Cells</i> , 1997, 2, 345-357.	0.5	12
405	The brain finger protein gene (ZNF179), a member of the RING finger family, maps within the Smith-Magenis syndrome region at 17p11.2. <i>American Journal of Medical Genetics Part A</i> , 1997, 69, 320-324.	2.4	14
406	Congenital scoliosis (hemivertebra) associated with de novo balanced reciprocal translocation, 46,XX,t(13;17)(q34;p11.2). , 1997, 73, 244-246.		20
407	Mutations in the N-terminal globular domain of the type X collagen gene (COL10A1) in patients with Schmid metaphyseal chondrodysplasia. <i>Human Mutation</i> , 1997, 9, 131-135.	1.1	52
408	Mutational analysis of the hMLH1 gene using an automated two-dimensional DNA typing system. , 1997, 9, 164-171.		11
409	Isolation, mapping, and mutation analysis of a human cDNA homologous to the doc-1 gene of the Chinese hamster, a candidate tumor suppressor for oral cancer. , 1997, 20, 204-207.		25
410	Detailed deletion mapping of chromosome arm 3p in breast cancers: A 2-cM region on 3p14.3-21.1 and a 5-cM region on 3p24.3-25.1 commonly deleted in tumors. <i>Genes Chromosomes and Cancer</i> , 1997, 20, 268-274.	1.5	52
411	The brain finger protein gene (ZNF179), a member of the RING finger family, maps within the Smith-Magenis syndrome region at 17p11.2. , 1997, 69, 320.		1
412	Characterization of the human p57KIP2 gene: Alternative splicing, insertion/deletion polymorphisms in VNTR sequences in the coding region, and mutational analysis. <i>Human Genetics</i> , 1996, 97, 625-631.	1.8	67
413	Positional Cloning of Genes Responsible for Diseases through Analysis of Patients with Chromosomal Translocation.. <i>Proceedings of the Japanese Society of Animal Models for Human Diseases</i> , 1996, 12, 13-17.	0.1	0
414	Application of DNA markers to clinical genetics. <i>Japanese Journal of Human Genetics</i> , 1996, 41, 1-10.	0.8	18

#	ARTICLE	IF	CITATIONS
415	Interstitial duplication 8q22-q24: Report of a case proven by FISH with mapped cosmid probes. , 1996, 65, 36-39.		5
416	Analysis of numerical aberrations in specific chromosomes by fluorescent in situ hybridization as a diagnostic tool in breast cancer. , 1996, 77, 2064-2069.		73
417	Mutations in the BRCA1 gene in Japanese breast cancer patients. Human Mutation, 1996, 7, 334-339.	1.1	47
418	Ethnic difference in the pattern of K-ras oncogene mutations in human colorectal cancers. , 1996, 8, 258-261.		15
419	Genetic mechanisms in esophageal carcinogenesis: Frequent deletion of 3p and 17p in premalignant lesions. , 1996, 15, 165-169.		44
420	Mutational Analysis of Mismatch Repair Genes, hMLH1 and hMSH2, in Sporadic Endometrial Carcinomas with Microsatellite Instability. Japanese Journal of Cancer Research, 1996, 87, 141-145.	1.7	66
421	Analysis of numerical aberrations in specific chromosomes by fluorescent in situ hybridization as a diagnostic tool in breast cancer. , 1996, 77, 2064.		6
422	Mutations in the BRCA1 gene in Japanese breast cancer patients. Human Mutation, 1996, 7, 334-339.	1.1	6
423	Ethnic difference in the pattern of K-ras oncogene mutations in human colorectal cancers. Human Mutation, 1996, 8, 258-261.	1.1	2
424	Characterization of the human p57 KIP2 gene: alternative splicing, insertion/deletion polymorphisms in VNTR sequences in the coding region, and mutational analysis. Human Genetics, 1996, 97, 625-631.	1.8	11
425	Microsatellite instability in endometrial carcinomas: Frequent replication errors in tumors of early onset and/or of poorly differentiated type. Genes Chromosomes and Cancer, 1995, 14, 128-132.	1.5	91
426	Frequent deletions of material from chromosome arm 1p in oligodendroglial tumors revealed by double-target fluorescence in situ hybridization and microsatellite analysis. Genes Chromosomes and Cancer, 1995, 14, 295-300.	1.5	35
427	Dinucleotide repeat polymorphism on chromosome 9q32. Japanese Journal of Human Genetics, 1995, 40, 333-334.	0.8	7
428	Two dinucleotide repeat polymorphisms at the D8S1442 and D8S1443 loci. Japanese Journal of Human Genetics, 1995, 40, 281-282.	0.8	0
429	Infrequent Replication Errors at Microsatellite Loci in Tumors of Patients with Multiple Primary Cancers of the Esophagus and Various Other Tissues. Japanese Journal of Cancer Research, 1995, 86, 511-515.	1.7	20
430	Identification of the interferon regulatory factor 5 gene (IRF-5) as a direct target for p53. , 0, .		1
431	WHSC1L1 drives cell cycle progression through transcriptional regulation of CDC6 and CDK2 in squamous cell carcinoma of the head and neck. Oncotarget, 0, 7, 42527-42538.	0.8	33