

Alvaro Moreno-Aspitia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3504922/publications.pdf>

Version: 2024-02-01

33
papers

1,449
citations

430874

18
h-index

434195

31
g-index

35
all docs

35
docs citations

35
times ranked

2738
citing authors

#	ARTICLE	IF	CITATIONS
1	Sequential Versus Concurrent Trastuzumab in Adjuvant Chemotherapy for Breast Cancer. <i>Journal of Clinical Oncology</i> , 2011, 29, 4491-4497.	1.6	228
2	Randomized Phase III Trial of Paclitaxel Once Per Week Compared With Nanoparticle Albumin-Bound Nab-Paclitaxel Once Per Week or Ixabepilone With Bevacizumab As First-Line Chemotherapy for Locally Recurrent or Metastatic Breast Cancer: CALGB 40502/NCCTG N063H (Alliance). <i>Journal of Clinical Oncology</i> , 2015, 33, 2361-2369.	1.6	197
3	Phase II Trial of Sorafenib in Patients With Metastatic Breast Cancer Previously Exposed to Anthracyclines or Taxanes: North Central Cancer Treatment Group and Mayo Clinic Trial N0336. <i>Journal of Clinical Oncology</i> , 2009, 27, 11-15.	1.6	156
4	DNA methyltransferase expression in triple-negative breast cancer predicts sensitivity to decitabine. <i>Journal of Clinical Investigation</i> , 2018, 128, 2376-2388.	8.2	134
5	Folate Receptor-1 (FOLR1) Expression and Function in Triple Negative Tumors. <i>PLoS ONE</i> , 2015, 10, e0122209.	2.5	103
6	Tumor Sequencing and Patient-Derived Xenografts in the Neoadjuvant Treatment of Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2017, 109, .	6.3	61
7	Anthracycline- and/or taxane-resistant breast cancer: Results of a literature review to determine the clinical challenges and current treatment trends. <i>Clinical Therapeutics</i> , 2009, 31, 1619-1640.	2.5	54
8	Establishing and characterizing patient-derived xenografts using pre-chemotherapy percutaneous biopsy and post-chemotherapy surgical samples from a prospective neoadjuvant breast cancer study. <i>Breast Cancer Research</i> , 2017, 19, 130.	5.0	53
9	Adjuvant chemotherapy in breast cancer: To use or not to use, the anthracyclines. <i>World Journal of Clinical Oncology</i> , 2014, 5, 529.	2.3	47
10	Soluble human epidermal growth factor receptor 2 (HER2) levels in patients with HER2-positive breast cancer receiving chemotherapy with or without trastuzumab: Results from North Central Cancer Treatment Group adjuvant trial N9831. <i>Cancer</i> , 2013, 119, 2675-2682.	4.1	46
11	N0436 (Alliance): A Phase II Trial of Irinotecan With Cetuximab in Patients With Metastatic Breast Cancer Previously Exposed to Anthracycline and/or Taxane-Containing Therapy. <i>Clinical Breast Cancer</i> , 2016, 16, 23-30.	2.4	42
12	Thalidomide therapy in adult patients with myelodysplastic syndrome. <i>Cancer</i> , 2006, 107, 767-772.	4.1	38
13	Phase I Study of Panobinostat (LBH589) and Letrozole in Postmenopausal Metastatic Breast Cancer Patients. <i>Clinical Breast Cancer</i> , 2016, 16, 82-86.	2.4	37
14	Treatment options for breast cancer resistant to anthracycline and taxane. <i>Mayo Clinic Proceedings</i> , 2009, 84, 533-45.	3.0	36
15	Current strategies for the prevention of breast cancer. <i>Breast Cancer: Targets and Therapy</i> , 2014, 6, 59.	1.8	30
16	Assessment of Tumor Heterogeneity, as Evidenced by Gene Expression Profiles, Pathway Activation, and Gene Copy Number, in Patients with Multifocal Invasive Lobular Breast Tumors. <i>PLoS ONE</i> , 2016, 11, e0153411.	2.5	30
17	Clinical overview of sorafenib in breast cancer. <i>Future Oncology</i> , 2010, 6, 655-663.	2.4	26
18	North Central Cancer Treatment Group N0531: Phase II Trial of Weekly Albumin-Bound Paclitaxel (ABI-007; Abraxane®) in Combination with Gemcitabine in Patients with Metastatic Breast Cancer. <i>Clinical Breast Cancer</i> , 2005, 6, 361-364.	2.4	21

#	ARTICLE	IF	CITATIONS
19	Neoadjuvant therapy in early-stage breast cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2012, 82, 187-199.	4.4	21
20	RC0639: phase II study of paclitaxel, trastuzumab, and lapatinib as adjuvant therapy for early stage HER2-positive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2013, 138, 427-435.	2.5	17
21	Regional Nodal Irradiation After Breast Conserving Surgery for Early HER2-Positive Breast Cancer: Results of a Subanalysis From the ALTTO Trial. <i>Journal of the National Cancer Institute</i> , 2017, 109, .	6.3	13
22	Updated results from the international phase III ALTTO trial (BIG 2-06/Alliance N063D). <i>European Journal of Cancer</i> , 2021, 148, 287-296.	2.8	11
23	Anastrozole Aromatase Inhibitor Plasma Drug Concentration Genome-Wide Association Study: Functional Epistatic Interaction Between <i>SLC38A7</i> and <i>ALPPL2</i> . <i>Clinical Pharmacology and Therapeutics</i> , 2019, 106, 219-227.	4.7	10
24	Humoral Responses After SARS-CoV-2 mRNA Vaccination and Breakthrough Infection in Cancer Patients. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2022, 6, 120-125.	2.4	10
25	Patient-Derived Xenograft Engraftment and Breast Cancer Outcomes in a Prospective Neoadjuvant Study (BEAUTY). <i>Clinical Cancer Research</i> , 2021, 27, 4696-4699.	7.0	7
26	Effects of Age and Immune Landscape on Outcome in HER2-Positive Breast Cancer in the NCCTG N9831 (Alliance) and NSABP B-31 (NRG) Trials. <i>Clinical Cancer Research</i> , 2019, 25, 4422-4430.	7.0	6
27	Marked Elliptocytosis in Myelodysplastic Syndromes (MDS) Is Associated to Deletion of Chromosome 20q.. <i>Blood</i> , 2005, 106, 4927-4927.	1.4	6
28	Anagrelide-Associated Cardiomyopathy in Polycythemia Vera and Essential Thrombocythemia.. <i>Blood</i> , 2004, 104, 1515-1515.	1.4	4
29	Prognostic role of distant disease-free interval from completion of adjuvant trastuzumab in HER2-positive early breast cancer: analysis from the ALTTO (BIG 2-06) trial. <i>ESMO Open</i> , 2020, 5, e000979.	4.5	2
30	Beta-2 Adrenergic Receptor Gene Expression in HER2-Positive Early-Stage Breast Cancer Patients: A Post-hoc Analysis of the NCCTG-N9831 (Alliance) Trial. <i>Clinical Breast Cancer</i> , 2022, 22, 308-318.	2.4	2
31	Overview of nanoparticle albumin-bound paclitaxel in metastatic breast cancer. <i>Breast Cancer Management</i> , 2013, 2, 221-229.	0.2	0
32	N083E (Alliance): long-term outcomes of patients treated in a pilot phase II study of docetaxel, carboplatin, trastuzumab, and lapatinib as adjuvant therapy for early-stage HER2-positive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020, 182, 613-622.	2.5	0
33	Platelet Count Is a Sensitive Predictor of Bone Marrow Reserve and Autologous Peripheral Blood Progenitor Cell Mobilization.. <i>Blood</i> , 2005, 106, 5280-5280.	1.4	0