André L M Verbeek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3505988/publications.pdf

Version: 2024-02-01

214 papers

13,865 citations

28274 55 h-index 23533 111 g-index

220 all docs 220 docs citations

times ranked

220

17986 citing authors

#	Article	IF	CITATIONS
1	Genome-wide association yields new sequence variants at seven loci that associate with measures of obesity. Nature Genetics, 2009, 41, 18-24.	21.4	1,247
2	Smallest real difference, a link between reproducibility and responsiveness. Quality of Life Research, 2001, 10, 571-578.	3.1	667
3	Many sequence variants affecting diversity of adult human height. Nature Genetics, 2008, 40, 609-615.	21.4	615
4	Extent, distribution, and mammographic/ histological correlations of breast ductal carcinoma in situ. Lancet, The, 1990, 335, 519-522.	13.7	556
5	REDUCTION OF BREAST CANCER MORTALITY THROUGH MASS SCREENING WITH MODERN MAMMOGRAPHY. Lancet, The, 1984, 323, 1222-1224.	13.7	450
6	Visual hallucinations in psychologically normal people: Charles Bonnet's syndrome. Lancet, The, 1996, 347, 794-797.	13.7	420
7	Psychometric properties of the Tampa Scale for kinesiophobia and the fear-avoidance beliefs questionnaire in acute low back pain. Manual Therapy, 2003, 8, 29-36.	1.6	404
8	Age at Menopause, Cause-Specific Mortality and Total Life Expectancy. Epidemiology, 2005, 16, 556-562.	2.7	342
9	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. PLoS Genetics, 2015, 11, e1005378.	3.5	331
10	Initiation of population-based mammography screening in Dutch municipalities and effect on breast-cancer mortality: a systematic review. Lancet, The, 2003, 361, 1411-1417.	13.7	310
11	Local staging of prostate cancer using magnetic resonance imaging: a meta-analysis. European Radiology, 2002, 12, 2294-2302.	4.5	303
12	Population-based incidence and prevalence of facioscapulohumeral dystrophy. Neurology, 2014, 83, 1056-1059.	1.1	278
13	Age-dependent growth rate of primary breast cancer. Cancer, 1993, 71, 3547-3551.	4.1	206
14	Thyroid Function and Prevalence of Anti-Thyroperoxidase Antibodies in a Population with Borderline Sufficient Iodine Intake: Influences of Age and Sex. Clinical Chemistry, 2006, 52, 104-111.	3.2	199
15	Genome-wide association study identifies sequence variants on 6q21 associated with age at menarche. Nature Genetics, 2009, 41, 734-738.	21.4	199
16	The Charles Bonnet Syndrome: A Large Prospective Study in the Netherlands. British Journal of Psychiatry, 1995, 166, 254-257.	2.8	198
17	Predictability of Recurrent and Progressive Disease in Individual Patients with Primary Superficial Bladder Cancer. Journal of Urology, 1993, 150, 60-64.	0.4	191
18	Acute low back pain: pain-related fear and pain catastrophizing influence physical performance and perceived disability. Pain, 2006, 120, 36-43.	4.2	182

#	Article	IF	CITATIONS
19	Executive Functions Are Associated With Gait and Balance in Community-Living Elderly People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2008, 63, 1344-1349.	3.6	175
20	Endogenous Estrogen Exposure and Cardiovascular Mortality Risk in Postmenopausal Women. American Journal of Epidemiology, 2002, 155, 339-345.	3.4	170
21	Identification of Patients With Variants in TPMT and Dose Reduction Reduces Hematologic Events During Thiopurine Treatment of Inflammatory Bowel Disease. Gastroenterology, 2015, 149, 907-917.e7.	1.3	169
22	Fear of movement/(re)injury, disability and participation in acute low back pain. Pain, 2003, 105, 371-379.	4.2	158
23	The current detectability of breast cancer in a mammographic screening program. A review of the previous mammograms of interval and screen-detected cancers. Cancer, 1993, 72, 1933-1938.	4.1	148
24	The validity of the mortality to incidence ratio as a proxy for site-specific cancer survival. European Journal of Public Health, 2011, 21, 573-577.	0.3	148
25	A model for breast cancer screening. Cancer, 1990, 66, 1601-1612.	4.1	139
26	Fear of Movement/(Re)Injury Predicting Chronic Disabling Low Back Pain: A Prospective Inception Cohort Study. Spine, 2006, 31, 658-664.	2.0	137
27	The clinical epidemiology of superficial bladder cancer. British Journal of Cancer, 1993, 67, 806-812.	6.4	126
28	Computer-aided Detection versus Independent Double Reading of Masses on Mammograms. Radiology, 2003, 227, 192-200.	7.3	122
29	Entering a New Era of Body Indices: The Feasibility of a Body Shape Index and Body Roundness Index to Identify Cardiovascular Health Status. PLoS ONE, 2014, 9, e107212.	2.5	122
30	The cost-effectiveness of breast cancer screening. International Journal of Cancer, 1989, 43, 1055-1060.	5.1	110
31	Healthy donor effect: its magnitude in health research among blood donors. Transfusion, 2011, 51, 1820-1828.	1.6	110
32	Nation-wide breast cancer screening in The Netherlands: Results of initial and subsequent screening 1990–1995. , 1998, 75, 694-698.		108
33	Familial aggregation of urothelial cell carcinoma. International Journal of Cancer, 2002, 98, 274-278.	5.1	106
34	Nationwide breast cancer screening programme fully implemented in the Netherlands. Breast, 2001, 10, 6-11.	2.2	101
35	The occurrence of interval cancers in the Nijmegen screening programme. British Journal of Cancer, 1989, 59, 929-932.	6.4	96
36	Value of routine follow-up for patients cured of laryngeal carcinoma. Cancer, 2004, 101, 1382-1389.	4.1	94

#	Article	IF	CITATIONS
37	Mammography Screening and Risk of Breast Cancer Death: A Population-Based Case–Control Study. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 66-73.	2.5	94
38	ROC Curves For the Initial Assessment of New Diagnostic Tests. Family Practice, 1992, 9, 506-511.	1.9	92
39	Effect of Recall Rate on Earlier Screen Detection of Breast Cancers Based on the Dutch Performance Indicators. Journal of the National Cancer Institute, 2005, 97, 748-754.	6.3	91
40	No Justification for Cervical Disk Prostheses in Clinical Practice. Neurosurgery, 2010, 66, 1153-1160.	1.1	89
41	The Epidemiology of Neuromuscular Disorders: A Comprehensive Overview of the Literature. Journal of Neuromuscular Diseases, 2015, 2, 73-85.	2.6	89
42	False negative fecal occult blood tests due to delayed sample return in colorectal cancer screening. International Journal of Cancer, 2009, 125, 746-750.	5.1	84
43	MAMMOGRAPHIC SCREENING AND BREAST CANCER MORTALITY: AGE-SPECIFIC EFFECTS IN NIJMEGEN PROJECT, 1975-82. Lancet, The, 1985, 325, 865-866.	13.7	83
44	Development of a model with which to predict the life expectancy of patients with spinal epidural metastasis. Cancer, 2007, 110, 2042-2049.	4.1	83
45	The Capture-Recapture Method for Estimation of Cancer Registry Completeness: A Useful Tool?. International Journal of Epidemiology, 1994, 23, 1111-1116.	1.9	80
46	An addition to the controversy on sunlight exposure and melanoma risk: A meta-analytical approach. Journal of Clinical Epidemiology, 1995, 48, 1331-1342.	5.0	77
47	Lifelong Exercise Patterns and Cardiovascular Health. Mayo Clinic Proceedings, 2016, 91, 745-754.	3.0	74
48	Nation-wide breast cancer screening in the Netherlands: Support for breast-cancer mortality reduction. International Journal of Cancer, 1995, 60, 777-780.	5.1	73
49	A remarkable reduction of breast cancer deaths in screened versus unscreened women: a case-referent study. Cancer Causes and Control, 2010, 21, 1569-1573.	1.8	66
50	Randomised controlled trial of hydroquinine in muscle cramps. Lancet, The, 1997, 349, 528-532.	13.7	64
51	Dysplasia in normal-looking urothelium increases the risk of tumour progression in primary superficial bladder cancer. European Journal of Cancer, 1994, 30, 1621-1625.	2.8	62
52	Comparing Visually Assessed BI-RADS Breast Density and Automated Volumetric Breast Density Software: A Cross-Sectional Study in a Breast Cancer Screening Setting. PLoS ONE, 2015, 10, e0136667.	2.5	62
53	Use of previous screening mammograms to identify features indicating cases that would have a possible gain in prognosis following earlier detection. European Journal of Cancer, 2003, 39, 1770-1775.	2.8	60
54	Follow-up after curative treatment for oral squamous cell carcinoma. A critical appraisal of the guidelines and a review of the literature. European Journal of Surgical Oncology, 2018, 44, 559-565.	1.0	60

#	Article	IF	CITATIONS
55	Colorectal cancer screening comparing no screening, immunochemical and guaiac fecal occult blood tests: A costâ€effectiveness analysis. International Journal of Cancer, 2011, 128, 1908-1917.	5.1	58
56	Self-rated evaluation of outcome of the implantation of interspinous process distraction (X-Stop) for neurogenic claudication. European Spine Journal, 2008, 17, 200-203.	2.2	56
57	Impressive timeâ€related influence of the Dutch screening programme on breast cancer incidence and mortality, 1975â€2006. International Journal of Cancer, 2008, 123, 1929-1934.	5.1	56
58	Validation of a Translated Version of the Modified Japanese Orthopaedic Association Score to Assess Outcomes in Cervical Spondylotic Myelopathy. Neurosurgery, 2010, 66, 1013-1016.	1.1	53
59	VALIDITY AND REPRODUCIBILITY OF HAND-HELD DYNAMOMETRY IN CHILDREN AGED 4–11 YEARS. Journal of Rehabilitation Medicine, 2006, 38, 57-64.	1.1	52
60	Early Assessment of Thiopurine Metabolites Identifies Patients at Risk of Thiopurine-induced Leukopenia in Inflammatory Bowel Disease. Journal of Crohn's and Colitis, 2017, 11, 175-184.	1.3	52
61	Efficacy of Mammographic Screening of the Elderly: a Case-Referent Study in the Nijmegen Program in The Netherlands. Journal of the National Cancer Institute, 1994, 86, 934-938.	6.3	50
62	Comparison of four serum tumour markers in the diagnosis of colorectal carcinoma. British Journal of Cancer, 1992, 66, 148-154.	6.4	49
63	Caseload as a factor for outcome in aneurysmal subarachnoid hemorrhage: a systematic review and meta-analysis. Journal of Neurosurgery, 2014, 120, 605-611.	1.6	49
64	Fear-Avoidance Beliefs, Disability, and Participation in Workers and Nonworkers With Acute Low Back Pain. Clinical Journal of Pain, 2006, 22, 45-54.	1.9	48
65	Mammographic screening after the age of 65 years: Evidence for a reduction in breast cancer mortality., 1996, 66, 727-731.		47
66	Personality Factors and Breast Cancer Risk: A 13-Year Follow-up. Journal of the National Cancer Institute, 2008, 100, 213-218.	6.3	47
67	The effect of demographic and lifestyle changes on the burden of breast cancer in Iranian women: A projection to 2030. Breast, 2013, 22, 277-281.	2.2	47
68	Digital mammography screening: Weighing reduced mortality against increased overdiagnosis. Preventive Medicine, 2011, 53, 134-140.	3.4	45
69	Validity and reproducibility of the Jamar dynamometer in children aged 4 – 11 years. Disability and Rehabilitation, 2006, 28, 1303-1309.	1.8	44
70	Bladder cancer incidence and survival in the south-eastern part of the Netherlands, 1975–1989. European Journal of Cancer, 1994, 30, 1134-1137.	2.8	42
71	Effectiveness of routine follow-up of patients treated for T1-2NO oral squamous cell carcinomas of the floor of mouth and tongue. Head and Neck, 2006, 28, 1-7.	2.0	42
72	Seventy-five years is an appropriate upper age limit for population-based mammography screening. International Journal of Cancer, 2006, 118, 2020-2025.	5.1	42

#	Article	IF	CITATIONS
73	Time patterns of recurrence and second primary tumors in a large cohort of patients treated for oral cavity cancer. Cancer Medicine, 2019, 8, 5810-5819.	2.8	41
74	Pattern of follow-up care and early relapse detection in breast cancer patients. Breast Cancer Research and Treatment, 2012, 136, 859-868.	2.5	40
75	Aneurysm diameter as a risk factor for pretreatment rebleeding: a meta-analysis. Journal of Neurosurgery, 2015, 122, 921-928.	1.6	39
76	Shortening the duration of treatment for cervical tuberculous lymphadenitis. European Respiratory Journal, 2000, 15, 192-195.	6.7	37
77	A dedicated BI-RADS training programme: Effect on the inter-observer variation among screening radiologists. European Journal of Radiology, 2012, 81, 2184-2188.	2.6	36
78	What's the best surgical treatment for patients with cervical radiculopathy due to single-level degenerative disease? A randomized controlled trial. PLoS ONE, 2017, 12, e0183603.	2.5	35
79	Estimating Lead Time and Sensitivity in a Screening Program without Estimating the Incidence in the Screened Group. Biometrics, 1997, 53, 217.	1.4	34
80	Routine follow-up examinations in breast cancer patients have minimal impact on life expectancy: A simulation study. Annals of Oncology, 2001, 12, 1107-1113.	1.2	34
81	Breast cancer diagnosis and death in the Netherlands: a changing burden. European Journal of Public Health, 2015, 25, 320-324.	0.3	34
82	Quantifying Overdiagnosis in Cancer Screening: A Systematic Review to Evaluate the Methodology. Journal of the National Cancer Institute, 2017, 109, .	6.3	34
83	The 5- or 10-km Marikenloop Run: A Prospective Study of the Etiology of Running-Related Injuries in Women. Journal of Orthopaedic and Sports Physical Therapy, 2016, 46, 462-470.	3.5	33
84	Breast cancer screening effect across breast density strata: A case–control study. International Journal of Cancer, 2017, 140, 41-49.	5.1	33
85	Screening for Second Primary Lung Cancer After Treatment of Laryngeal Cancer. Laryngoscope, 2002, 112, 2002-2008.	2.0	32
86	Prognosis and treatment of T1G3 bladder tumours. A prognostic factor analysis of 121 patients. European Journal of Cancer, 1994, 30, 914-917.	2.8	31
87	Menstrual disorders and month of birth. Annals of Human Biology, 1994, 21, 511-518.	1.0	30
88	Repeated mammographic screening reduces breast cancer mortality along the continuum of age. Journal of Medical Screening, 2002, 9, 163-167.	2.3	30
89	Mass screening on abdominal aortic aneurysm in men aged 60 to 65 years in The Netherlands. Impact on life expectancy and cost-effectiveness using a Markov model. European Journal of Vascular and Endovascular Surgery, 2003, 26, 74-80.	1.5	30
90	Segregation analysis of urothelial cell carcinoma. European Journal of Cancer, 2006, 42, 1428-1433.	2.8	30

#	Article	IF	CITATIONS
91	The Association between Primary Endometrioid Carcinoma of the Ovary and Synchronous Malignancy of the Endometrium. Obstetrics and Gynecology International, 2010, 2010, 1-5.	1.3	30
92	Cohort Profile: The Nijmegen Biomedical Study (NBS). International Journal of Epidemiology, 2017, 46, dyw268.	1.9	30
93	High mammographic breast density and its implications for the early detection of breast cancer. Journal of Medical Screening, 1999, 6, 200-204.	2.3	29
94	Age at Diagnosis and Breast Cancer Survival in Iran. International Journal of Breast Cancer, 2012, 2012, 1-8.	1.2	29
95	A blind review and an informed review of interval breast cancer cases in the Limburg screening programme, the Netherlands. Journal of Medical Screening, 2000, 7, 19-23.	2.3	28
96	The predictive value of positive test results in screening for breast cancer by mammography in the Nijmegen programme. British Journal of Cancer, 1987, 56, 667-671.	6.4	27
97	Radiotherapy or surgery for T2N0M0 glottic carcinoma? A decision-analytic approach. Radiotherapy and Oncology, 1989, 14, 209-217.	0.6	27
98	Trends in mortality from malignant cutaneous melanoma in The Netherlands, 1950–1988. European Journal of Cancer, 1993, 29, 107-111.	2.8	26
99	Effect of routine follow-up after treatment for laryngeal cancer on life expectancy and mortality. Cancer, 2007, 109, 239-247.	4.1	26
100	Evaluation of The Netherlands breast cancer screening programme. Annals of Oncology, 2003, 14, 1203-1205.	1.2	25
101	Breast cancer screening halves the risk of breast cancer death: A case-referent study. Breast, 2014, 23, 439-444.	2.2	24
102	Overdiagnosis by mammographic screening for breast cancer studied in birth cohorts in The Netherlands. International Journal of Cancer, 2015, 137, 921-929.	5.1	24
103	The role of yearly chest radiography in the early detection of lung cancer following oral cancer. International Journal of Oral and Maxillofacial Surgery, 1989, 18, 99-103.	1.5	23
104	Screening for local and regional cancer recurrence in patients curatively treated for laryngeal cancer: Definition of a high-risk group and estimation of the lead time. Head and Neck, 2007, 29, 431-438.	2.0	23
105	Considering Early Detection of Relapsed Ovarian Cancer. International Journal of Gynecological Cancer, 2011, 21, 837-845.	2.5	23
106	Primary hypertension and neurovascular compression: a meta-analysis of magnetic resonance imaging studies. Journal of Neurosurgery, 2012, 116, 147-156.	1.6	23
107	More Dose-dependent Side Effects with Mercaptopurine over Azathioprine in IBD Treatment Due to Relatively Higher Dosing. Inflammatory Bowel Diseases, 2017, 23, 1873-1881.	1.9	23
108	Breast density and breast cancer-specific survival by detection mode. BMC Cancer, 2018, 18, 386.	2.6	23

#	Article	IF	CITATIONS
109	Severity of iron overload of proband determines serum ferritin levels in families with HFE-related hemochromatosis: The HEmochromatosis FAmily Study. Journal of Hepatology, 2009, 50, 174-183.	3.7	22
110	Breast cancer screening case–control study design: impact on breast cancer mortality. Annals of Oncology, 2011, 22, 863-869.	1.2	22
111	Paternal occupational exposure around conception and spina bifida in offspring., 1997, 32, 283-291.		21
112	Increased risk of concurrent primary malignancies in patients diagnosed with a primary malignant epithelial ovarian tumor. Modern Pathology, 2007, 20, 384-388.	5.5	21
113	Minor influence of self-selection bias on the effectiveness of breast cancer screening in case-control studies in the Netherlands. Journal of Medical Screening, 2011, 18, 142-146.	2.3	21
114	Prognosis of younger and older patients with early breast cancer. British Journal of Cancer, 1996, 73, 382-385.	6.4	20
115	Effective biennial mammographic screening in women aged 40–49. European Journal of Cancer, 2010, 46, 3137-3140.	2.8	20
116	Detection and interval cancer rates during the transition from screen-film to digital mammography in population-based screening. BMC Cancer, 2018, 18, 256.	2.6	20
117	Correlates of Total and domain-specific Sedentary behavior: a cross-sectional study in Dutch adults. BMC Public Health, 2020, 20, 220.	2.9	20
118	Results of radiotherapy and surgery for glottic carcinoma. Cancer Treatment Reviews, 1987, 14, 131-141.	7.7	19
119	Cancer recurrence after total laryngectomy: Treatment options, survival, and complications. Head and Neck, 2006, 28, 383-388.	2.0	19
120	The rationale of postoperative radiographs after cervical anterior discectomy with stand-alone cage for radicular pain. Journal of Neurosurgery: Spine, 2010, 12, 275-279.	1.7	19
121	Genotype-Guided Thiopurine Dosing Does not Lead to Additional Costs in Patients With Inflammatory Bowel Disease. Journal of Crohn's and Colitis, 2019, 13, 838-845.	1.3	19
122	Efficacy of hydroquinine in preventing frequent ordinary muscle cramp outlasts actual administration. Journal of the Neurological Sciences, 1994, 122, 157-161.	0.6	18
123	Heterogeneity of spina bifida. , 1997, 55, 224-230.		18
124	Past and current understanding of the pathophysiology of muscle cramps: why treatment of varicose veins does not relieve leg cramps. Journal of the European Academy of Dermatology and Venereology, 1999, 12, 222-229.	2.4	18
125	Adherence to Biochemical Monitoring Recommendations in Patients Starting with Renin Angiotensin System Inhibitors. Drug Safety, 2011, 34, 605-614.	3.2	18
126	Evaluation of cancer service screening: case referent studies recommended. Statistical Methods in Medical Research, 2010, 19, 487-505.	1.5	17

#	Article	IF	CITATIONS
127	The epidemiology of neuromuscular disorders: Age at onset and gender in the Netherlands. Neuromuscular Disorders, 2016, 26, 447-452.	0.6	17
128	An assessment of the most reliable method to estimate the sagittal alignment of the cervical spine: analysis of a prospective cohort of 138 cases. Journal of Neurosurgery: Spine, 2017, 26, 572-576.	1.7	17
129	Absence of Fitness Improvement Is Associated with Outcomes in Heart Failure Patients. Medicine and Science in Sports and Exercise, 2018, 50, 196-203.	0.4	17
130	Normal appearing endometrial cells in cervical smears of asymptomatic postmenopausal women have predictive value for significant endometrial pathology. International Journal of Gynecological Cancer, 2006, 16, 1069-1074.	2.5	16
131	Nutritional indicators for gastrointestinal symptoms in female runners: the 'Marikenloop study'. BMJ Open, 2014, 4, e005780-e005780.	1.9	16
132	Geographic variation in volumetric breast density between screening regions in the Netherlands. European Radiology, 2015, 25, 3328-3337.	4.5	16
133	Ultrasonography versus clinical examination in evaluation of testicular tumors. Journal of Clinical Ultrasound, 1994, 22, 179-182.	0.8	15
134	Risk Assessment of Carcinogenic Chemicals in the Netherlands. Regulatory Toxicology and Pharmacology, 1994, 19, 14-30.	2.7	15
135	Rising incidence of breast cancer after completion of the first prevalent round of the breast cancer screening programme. Journal of Medical Screening, 2002, 9, 120-124.	2.3	15
136	Statistics Anxiety: A Barrier for Education in Research Methodology for Medical Students?. Medical Science Educator, 2013, 23, 377-384.	1.5	15
137	Cervical sagittal alignment after different anterior discectomy procedures for single-level cervical degenerative disc disease: randomized controlled trial. Acta Neurochirurgica, 2017, 159, 2359-2365.	1.7	15
138	Breast cancer risk for women with a false positive screening test. British Journal of Cancer, 1988, 58, 211-212.	6.4	14
139	The feasibility of additive conjoint measurement in measuring utilities in breast cancer patients. Health Policy, 1991, 17, 39-50.	3.0	14
140	Mammographic Screening in Older Women. Drugs and Aging, 1997, 10, 69-79.	2.7	14
141	Early postoperative 30° lateral positioning after coronary artery surgery: influence on cardiac output. Journal of Clinical Nursing, 2007, 16, 654-661.	3.0	14
142	Large increase in a Dutch woman's lifetime risk of developing breast cancer. European Journal of Cancer, 2008, 44, 1485-1487.	2.8	14
143	Life expectancy of screenâ€detected invasive breast cancer patients compared with women invited to the Nijmegen screening program. Cancer, 2010, 116, 586-591.	4.1	14
144	No Supportive Evidence for Clinical Benefit of Routine Follow-Up in Ovarian Cancer: A Dutch Multicenter Study. International Journal of Gynecological Cancer, 2011, 21, 647-653.	2.5	14

#	Article	IF	CITATIONS
145	Likelihood of early detection of breast cancer in relation to false-positive risk in life-time mammographic screening: population-based cohort study. Annals of Oncology, 2013, 24, 2501-2506.	1.2	14
146	Symptomatic Adjacent Segment Disease After Anterior Cervical Discectomy for Single-level Degenerative Disk Disease. Clinical Spine Surgery, 2018, 31, E50-E54.	1.3	14
147	Comparison of 3 instruments to measure muscle strength in children: A prospective study. European Journal of Paediatric Neurology, 2011, 15, 512-518.	1.6	13
148	Test sensitivity of mammography and mean sojourn time over 40 years of breast cancer screening in Nijmegen (The Netherlands). Journal of Medical Screening, 2019, 26, 147-153.	2.3	13
149	Effect on breast cancer mortality of biennial mammographic screening of women under age 50. International Journal of Cancer, 1995, 60, 808-811.	5.1	12
150	A method for estimating within-patient variability in maximal urinary flow rate adjusted for voided volume. Urology, 2002, 59, 368-372.	1.0	12
151	Design of Lamifuse: a randomised, multi-centre controlled trial comparing laminectomy without or with dorsal fusion for cervical myeloradiculopathy. BMC Musculoskeletal Disorders, 2007, 8, 111.	1.9	12
152	Surgery for carpal tunnel syndrome under antiplatelet therapy. Clinical Neurology and Neurosurgery, 2010, 112, 791-793.	1.4	12
153	External validation of a model to predict the survival of patients presenting with a spinal epidural metastasis. Cancer and Metastasis Reviews, 2011, 30, 153-159.	5.9	12
154	Mammographic screening after the age of 65 years: early outcomes in the Nijmegen programme. British Journal of Cancer, 1996, 74, 1838-1842.	6.4	11
155	Spouse controls in family case-control studies: a methodological consideration. Familial Cancer, 2003, 2, 101-108.	1.9	11
156	A philosophical perspective supports the need for patient-outcome studies in diagnostic test evaluation. Journal of Clinical Epidemiology, 2009, 62, 58-61.	5.0	11
157	Design of COSMIC: a randomized, multi-centre controlled trial comparing conservative or early surgical management of incomplete cervical cord syndrome without spinal instability. BMC Musculoskeletal Disorders, 2013, 14, 52.	1.9	11
158	The effect of frequent whole blood donation on ferritin, hepcidin, and subclinical atherosclerosis. Transfusion, 2013, 53, 1468-1474.	1.6	11
159	Cardiovascular risk in 159 934 frequent blood donors while addressing the healthy donor effect. Heart, 2019, 105, 1260-1265.	2.9	11
160	Validity and reproducibility of a new diagnostic motor performance test in children with suspected myopathy. Developmental Medicine and Child Neurology, 2006, 48, 20.	2.1	10
161	League Tables of Breast Cancer Screening Units: Worst-case and Best-case Scenario Ratings Helped in Exposing Real Differences between Performance Ratings. Journal of Medical Screening, 2009, 16, 67-72.	2.3	10
162	Impact of Routine Follow-Up Examinations on Life Expectancy in Ovarian Cancer Patients: A Simulation Study. International Journal of Gynecological Cancer, 2012, 22, 1150-1157.	2.5	10

#	Article	IF	CITATIONS
163	Case–control Studies on the Effectiveness of Breast Cancer Screening. Epidemiology, 2015, 26, 590-596.	2.7	10
164	Patients' beliefs about medicine are associated with early thiopurine discontinuation in patients with inflammatory bowel diseases. European Journal of Gastroenterology and Hepatology, 2018, 30, 167-173.	1.6	10
165	Quantitation of IgG and IgM Human Anti-Mouse Antibodies (HAMA) Interference in CA 125 Measurements Using Affinity Chromatography. Clinical Chemistry and Laboratory Medicine, 1998, 36, 23-8.	2.3	9
166	Estimating life expectancy and related probabilities in screen-detected breast cancer patients with restricted follow-up information. Statistics in Medicine, 2004, 23, 431-448.	1.6	9
167	Mammographic screening only matters in the detectable preclinical period of breast cancer. Journal of Medical Screening, 2005, 12, 107-108.	2.3	9
168	The Qualification of Outcome after Cervical Spine Surgery by Patients Compared to the Neck Disability Index. PLoS ONE, 2016, 11, e0161593.	2.5	9
169	A proposal for short-term quality control in breast cancer screening. British Journal of Cancer, 1991, 63, 261-264.	6.4	8
170	The Efficacy of Different Follow-Up Strategies in Clinical Stage I Non-Seminomatous Germ Cell Cancer: A Markov Simulation Study. European Urology, 2005, 48, 258-268.	1.9	8
171	Dose of Jogging. Journal of the American College of Cardiology, 2015, 65, 2672-2673.	2.8	8
172	Association Between Statin Use and Prevalence of Exercise-Related Injuries: A Cross-Sectional Survey of Amateur Runners in the Netherlands. Sports Medicine, 2017, 47, 1885-1892.	6.5	8
173	Reporting the results of meta-analyses: a plea for incorporating clinical relevance referring to an example. Spine Journal, 2017, 17, 1625-1632.	1.3	8
174	Lower incidence of urothelial cell carcinoma due to the concept of a clonal origin. European Journal of Cancer, 2000, 36, 2385-2389.	2.8	7
175	Timely Assessment of Cardiovascular Risk after Preeclampsia. Women's Health, 2014, 10, 557-559.	1.5	7
176	Physical Activity and Cognitive Function of Long-Distance Walkers: Studying Four Days Marches Participants. Rejuvenation Research, 2017, 20, 367-374.	1.8	7
177	Trends and projections in the incidence of oesophageal cancer in the Netherlands: An ageâ€periodâ€cohort analysis from 1989 to 2041. International Journal of Cancer, 2022, 150, 420-430.	5.1	7
178	Residual confounding after adjustment for age: a minor issue in breast cancer screening effectiveness. European Journal of Epidemiology, 2011, 26, 585-588.	5.7	6
179	Extrapolation of pre-screening trends: Impact of assumptions on overdiagnosis estimates by mammographic screening. Cancer Epidemiology, 2016, 42, 147-153.	1.9	6
180	Immediate Bystander Cardiopulmonary Resuscitation to Sudden Cardiac Arrest During Sports is Associated with Improved Survivalâ€"a Video Analysis. Sports Medicine - Open, 2021, 7, 50.	3.1	6

#	Article	IF	CITATIONS
181	Second primary tumours after squamous cell carcinoma of the oral cavity. European Journal of Surgical Oncology, 2021, 47, 1934-1939.	1.0	6
182	Etiologic and prevented fraction in case-control studies of screening. Journal of Clinical Epidemiology, 1988, 41, 807-808.	5.0	5
183	Breast cancer among women over 75 years: an important public health problem?. European Journal of Public Health, 2012, 22, 422-424.	0.3	5
184	Towards personalized screening: Cumulative risk of breast cancer screening outcomes in women with and without a firstâ€degree relative with a history of breast cancer. International Journal of Cancer, 2016, 138, 1619-1625.	5.1	5
185	Risk factors for incidentally detected and symptomatic angiodysplasias: a case–control study with the general population as reference. European Journal of Gastroenterology and Hepatology, 2019, 31, 458-462.	1.6	5
186	A new motor performance test in a prospective study on children with suspected myopathy. Developmental Medicine and Child Neurology, 2006, 48, 739.	2.1	5
187	Treatment and survival of patients with non-small cell lung cancer Stage IIIA diagnosed in 1989–1994: a study in the region of the Comprehensive Cancer Centre East, The Netherlands. Lung Cancer, 2001, 34, 19-27.	2.0	4
188	A rationale for starting breast cancer screening under age 50. Annals of Oncology, 2008, 19, 1208-1209.	1.2	4
189	Mammography Screening: Keeping Women Alive. Women's Health, 2011, 7, 631-633.	1.5	4
190	The indication area of a diagnostic test. Part l—discounting gain and loss in diagnostic certainty. Journal of Clinical Epidemiology, 2015, 68, 1120-1128.	5.0	4
191	Substantial clinical benefit for Neck Disability Index revisited: establishing the goal for treatment?. European Spine Journal, 2018, 27, 1262-1265.	2.2	4
192	Assessment of medication use during pregnancy by Web-based questionnaires, pharmacy records and serum screening. Reproductive Toxicology, 2019, 84, 93-97.	2.9	4
193	Followâ€up after oral cancer treatment—Transition to a personalized approach. Journal of Oral Pathology and Medicine, 2021, 50, 429-434.	2.7	4
194	Statistics and pain-related fear measures in acute low back pain. Manual Therapy, 2004, 9, 47-48.	1.6	3
195	A Philosophical Approach to Diagnostic Test Evaluation. Annals of Internal Medicine, 2007, 146, 757.	3.9	3
196	Prediction of the Need for an MRI After Surgical Treatment of Symptomatic Lumbar Herniated Disc at Discharge: Evaluation of the Necessity for Regular Visits at the Outpatient Clinic. World Neurosurgery, 2010, 73, 742-746.	1.3	3
197	Epithelial Ovarian Carcinoma Types and the Coexistence of Ovarian Tumor Conditions. ISRN Obstetrics & Gynecology, 2011, 2011, 1-5.	1.2	3
198	The relative effect of mammographic screening on breast cancer mortality by socioeconomic status. Medicine (United States), 2016, 95, e4335.	1.0	3

#	Article	IF	CITATIONS
199	The impact of histological subtype in developing both ovarian and endometrial cancer: A longstanding nationwide incidence study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 221, 17-22.	1.1	3
200	Trends and projections in cutaneous melanoma death in the Netherlands from 1950 to 2045. Medicine (United States), 2021, 100, e27784.	1.0	3
201	Hormone replacement therapy and high incidence of breast cancer between mammographic screens. Lancet, The, 1997, 349, 1104.	13.7	2
202	Screening for second primary melanomas: is it efficient?. British Journal of Dermatology, 2013, 168, 1133-1135.	1.5	2
203	TOWARDS A MORE STANDARDIZED ASSESSMENT OF DIAGNOSTIC TUMOR-MARKERS. International Journal of Oncology, 1993, 3, 979-985.	3.3	1
204	Epithelial Ovarian Cancer and the Occurrence of Skin Cancer in The Netherlands: Histological Type Connotations. ISRN Obstetrics & Gynecology, 2011, 2011, 1-3.	1.2	1
205	Improving mammographic screening test sensitivity. Journal of Medical Screening, 2012, 19, 105-106.	2.3	1
206	Integration of Three Different Medical Research Projects for Medical Students in a Department of Pediatrics. Medical Science Educator, 2013, 23, 648-655.	1.5	1
207	The indication area of a diagnostic test. Part IIâ€"the impact of test dependence, physician's decision strategy, and patient's utility. Journal of Clinical Epidemiology, 2015, 68, 1129-1137.	5. 0	1
208	Randomised controlled trial of hydroquinine in muscle cramps. Lancet, The, 1997, 349, 1326.	13.7	0
209	â€~Blind' review of interval breast cancers. European Journal of Cancer, 1998, 34, S68.	2.8	0
210	Randomized controlled trial of omeprazole or endoscopy in patients with persistent dyspepsia: A cost-effectiveness analysis. Gastroenterology, 1998, 114, A191.	1.3	0
211	VA.4 Is there an upper age limit in screening?. Critical Reviews in Oncology/Hematology, 2007, 64, S18-S19.	4.4	0
212	Using Decision Analysis to Model Cancer Surveillance. , 2013, , 15-29.		0
213	Towards evidence-based follow-up intervals for breast cancer survivors: Estimates of the preclinical detectable phase of contralateral second breast cancer. Breast, 2019, 45, 70-74.	2,2	0
214	Geriatric Falls: A Registry-Based Study in the Netherlands. Journal of Trauma Nursing: the Official Journal of the Society of Trauma Nurses, 2022, 29, 111-118.	0.5	0