Jamel El-Benna

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/350910/publications.pdf

Version: 2024-02-01

66 papers

4,310 citations

30 h-index 64 g-index

67 all docs

67
docs citations

times ranked

67

6720 citing authors

#	Article	IF	CITATIONS
1	Phosphorylation of p47phoxSites by PKC α, βΙΙ, δ, and ζ: Effect on Binding to p22phoxand on NADPH Oxida Activation. Biochemistry, 2002, 41, 7743-7750.	1se 2.5	366
2	p47phox, the phagocyte NADPH oxidase/NOX2 organizer: structure, phosphorylation and implication in diseases. Experimental and Molecular Medicine, 2009, 41, 217.	7.7	361
3	Priming of the neutrophil respiratory burst: role in host defense and inflammation. Immunological Reviews, 2016, 273, 180-193.	6.0	324
4	Priming of the neutrophil NADPH oxidase activation: role of p47phox phosphorylation and NOX2 mobilization to the plasma membrane. Seminars in Immunopathology, 2008, 30, 279-289.	6.1	291
5	A specific p47phox -serine phosphorylated by convergent MAPKs mediates neutrophil NADPH oxidase priming at inflammatory sites. Journal of Clinical Investigation, 2006, 116, 2033-2043.	8.2	283
6	European contribution to the study of ROS: A summary of the findings and prospects for the future from the COST action BM1203 (EU-ROS). Redox Biology, 2017, 13, 94-162.	9.0	242
7	The Mitogen-Activated Protein Kinase Extracellular Signal-Regulated Kinase 1/2 Pathway Is Involved in formyl-Methionyl-Leucyl-Phenylalanine-Induced p47phox Phosphorylation in Human Neutrophils. Journal of Immunology, 2000, 165, 5238-5244.	0.8	186
8	<scp>NADPH</scp> oxidase activation in neutrophils: Role of the phosphorylation of its subunits. European Journal of Clinical Investigation, 2018, 48, e12951.	3.4	162
9	Regulation of the phagocyte NADPH oxidase activity: phosphorylation of gp91 ^{phox} /NOX2 by protein kinase C enhances its diaphorase activity and binding to Rac2, p67 ^{phox} , and p47 ^{phox} . FASEB Journal, 2009, 23, 1011-1022.	0.5	151
10	TNF-α Induces Phosphorylation of p47 <i>phox</i> in Human Neutrophils: Partial Phosphorylation of p47 <i>phox</i> Is a Common Event of Priming of Human Neutrophils by TNF-α and Granulocyte-Macrophage Colony-Stimulating Factor. Journal of Immunology, 2003, 171, 4392-4398.	0.8	144
11	A recessive form of hyper-lgE syndrome by disruption of ZNF341-dependent STAT3 transcription and activity. Science Immunology, 2018, 3, .	11.9	132
12	Antioxidant effect of hydroxytyrosol, a polyphenol from olive oil: scavenging of hydrogen peroxide but not superoxide anion produced by human neutrophils. Biochemical Pharmacology, 2004, 68, 2003-2008.	4.4	114
13	Punicic Acid a Conjugated Linolenic Acid Inhibits TNFα-Induced Neutrophil Hyperactivation and Protects from Experimental Colon Inflammation in Rats. PLoS ONE, 2009, 4, e6458.	2.5	106
14	The prolyl isomerase Pin1 acts as a novel molecular switch for TNF-α–induced priming of the NADPH oxidase in human neutrophils. Blood, 2010, 116, 5795-5802.	1.4	89
15	Phagocyte NADPH oxidase: a multicomponent enzyme essential for host defenses. Archivum Immunologiae Et Therapiae Experimentalis, 2005, 53, 199-206.	2.3	89
16	Zymosan induces NADPH oxidase activation in human neutrophils by inducing the phosphorylation of p47phox and the activation of Rac2: Involvement of protein tyrosine kinases, PI3Kinase, PKC, ERK1/2 and p38MAPkinase. Biochemical Pharmacology, 2013, 85, 92-100.	4.4	80
17	Antiâ€inflammatory effect of interleukinâ€10 on human neutrophil respiratory burst involves inhibition of GMâ€CSFâ€induced p47 PHOX phosphorylation through a decrease in ERK1/2 activity. FASEB Journal, 2006, 20, 1504-1506.	0.5	64
18	Protectin DX, a Double Lipoxygenase Product of DHA, Inhibits Both ROS Production in Human Neutrophils and Cyclooxygenase Activities. Lipids, 2014, 49, 49-57.	1.7	59

#	Article	IF	CITATIONS
19	Phosphorylation of NADPH oxidase activator 1 (NOXA1) on serine 282 by MAP kinases and on serine 172 by protein kinase C and protein kinase A prevents NOX1 hyperactivation. FASEB Journal, 2010, 24, 2077-2092.	0.5	58
20	<i>Francisella</i> Acid Phosphatases Inactivate the NADPH Oxidase in Human Phagocytes. Journal of Immunology, 2010, 184, 5141-5150.	0.8	58
21	Tumor Necrosis Factor- $\langle i \rangle \hat{l} \pm \langle i \rangle$ -Induced Colitis Increases NADPH Oxidase 1 Expression, Oxidative Stress, and Neutrophil Recruitment in the Colon: Preventive Effect of Apocynin. Mediators of Inflammation, 2014, 2014, 1-15.	3.0	53
22	NOX5 and p22phox are 2 novel regulators of human monocytic differentiation into dendritic cells. Blood, 2017, 130, 1734-1745.	1.4	49
23	Inhibition of formyl-methionyl-leucyl-phenylalanine-stimulated respiratory burst in human neutrophils by adrenaline: inhibition of Phospholipase A2 activity but not p47phox phosphorylation and translocation. Biochemical Pharmacology, 2004, 67, 183-190.	4.4	47
24	Increased reactive oxygen species production and p47phox phosphorylation in neutrophils from myeloproliferative disorders patients with JAK2 (V617F) mutation. Haematologica, 2013, 98, 1517-1524.	3.5	45
25	Regulation of globin-heme balance in Diamond-Blackfan anemia by HSP70/GATA1. Blood, 2019, 133, 1358-1370.	1.4	44
26	NOX1-derived ROS drive the expression of Lipocalin-2 in colonic epithelial cells in inflammatory conditions. Mucosal Immunology, 2019, 12, 117-131.	6.0	44
27	The TLR7/8 Agonist CL097 PrimesN-Formyl-Methionyl-Leucyl-Phenylalanine–Stimulated NADPH Oxidase Activation in Human Neutrophils: Critical Role of p47phox Phosphorylation and the Proline Isomerase Pin1. Journal of Immunology, 2012, 189, 4657-4665.	0.8	42
28	Peptide-based inhibitors of the phagocyte NADPH oxidase. Biochemical Pharmacology, 2010, 80, 778-785.	4.4	38
29	RhoA determines disease progression by controlling neutrophil motility and restricting hyperresponsiveness. Blood, 2014, 123, 3635-3645.	1.4	38
30	NOXO1 phosphorylation on serine 154 is critical for optimal NADPH oxidase 1 assembly and activation. FASEB Journal, 2013, 27, 1733-1748.	0.5	37
31	The NADPH oxidase cytosolic component p67phox is constitutively phosphorylated in human neutrophils: Regulation by a protein tyrosine kinase, MEK1/2 and phosphatases 1/2A. Biochemical Pharmacology, 2011, 82, 1145-1152.	4.4	31
32	The Dual Role of Reactive Oxygen Species-Generating Nicotinamide Adenine Dinucleotide Phosphate Oxidases in Gastrointestinal Inflammation and Therapeutic Perspectives. Antioxidants and Redox Signaling, 2020, 33, 354-373.	5.4	28
33	Luminol-amplified chemiluminescence detects mainly superoxide anion produced by human neutrophils. American Journal of Blood Research, 2017, 7, 41-48.	0.6	28
34	Cytosolic PCNA interacts with p47phox and controls NADPH oxidase NOX2 activation in neutrophils. Journal of Experimental Medicine, 2019, 216, 2669-2687.	8.5	27
35	Towards specific NADPH oxidase inhibition by small synthetic peptides. Cellular and Molecular Life Sciences, 2012, 69, 2307-2314.	5.4	26
36	Thymoquinone strongly inhibits fMLF-induced neutrophil functions and exhibits anti-inflammatory properties in vivo. Biochemical Pharmacology, 2016, 104, 62-73.	4.4	26

#	Article	IF	CITATIONS
37	Escherichia coli LF82 Differentially Regulates ROS Production and Mucin Expression in Intestinal Epithelial T84 Cells. Inflammatory Bowel Diseases, 2015, 21, 1018-1026.	1.9	23
38	TLR8, but not TLR7, induces the priming of the NADPH oxidase activation in human neutrophils. Journal of Leukocyte Biology, 2015, 97, 1081-1087.	3.3	23
39	Impaired respiratory burst contributes to infections in PKCÎ-deficient patients. Journal of Experimental Medicine, 2021, 218, .	8.5	23
40	Assessment of Priming of the Human Neutrophil Respiratory Burst. Methods in Molecular Biology, 2014, 1124, 405-412.	0.9	23
41	Neutrophils from hereditary hemochromatosis patients are protected from iron excess and are primed. Blood Advances, 2020, 4, 3853-3863.	5.2	21
42	Phosphorylation of p47phox is required for receptor-mediated NADPH oxidase/NOX2 activation in Epstein-Barr virus-transformed human B lymphocytes. American Journal of Blood Research, 2012, 2, 187-93.	0.6	21
43	Eugenol prevents fMLF-induced superoxide anion production in human neutrophils by inhibiting ERK1/2 signaling pathway and p47phox phosphorylation. Scientific Reports, 2019, 9, 18540.	3.3	20
44	Xanthine Oxidase-Derived ROS Display a Biphasic Effect on Endothelial Cells Adhesion and FAK Phosphorylation. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-9.	4.0	17
45	Neutrophil Degranulation of Azurophil and Specific Granules. Methods in Molecular Biology, 2020, 2087, 215-222.	0.9	16
46	Analysis of Protein Phosphorylation in Human Neutrophils. Methods in Molecular Biology, 2007, 412, 85-96.	0.9	16
47	The Prolyl Isomerase Pin1 Controls Lipopolysaccharide-Induced Priming of NADPH Oxidase in Human Neutrophils. Frontiers in Immunology, 2019, 10, 2567.	4.8	15
48	Metformin Inhibits ROS Production by Human M2 Macrophages via the Activation of AMPK. Biomedicines, 2022, 10, 319.	3.2	14
49	NOX2-Derived ROS-Mediated Surface Translocation of BLT1 Is Essential for Exocytosis in Human Eosinophils Induced by LTB ₄ . International Archives of Allergy and Immunology, 2014, 165, 40-51.	2.1	13
50	Evaluation of p47phox Phosphorylation in Human Neutrophils Using Phospho-Specific Antibodies. Methods in Molecular Biology, 2014, 1124, 427-433.	0.9	13
51	Activation of the phagocyte NADPH oxidase/NOX2 and myeloperoxidase in the mouse brain during pilocarpine-induced temporal lobe epilepsy and inhibition by ketamine. Inflammopharmacology, 2020, 28, 487-497.	3.9	12
52	The protein kinase A negatively regulates reactive oxygen species production by phosphorylating gp91phox/NOX2 in human neutrophils. Free Radical Biology and Medicine, 2020, 160, 19-27.	2.9	12
53	Oleuropein and hydroxytyrosol inhibit the N-formyl-methionyl-leucyl-phenylalanine-induced neutrophil degranulation and chemotaxis via AKT, p38, and ERK1/2 MAP-Kinase inhibition. Inflammopharmacology, 2017, 25, 673-680.	3.9	10
54	Role of the NADPH oxidase systems Nox and Duox in host defense and inflammation. Expert Review of Clinical Immunology, $2007, 3, 111-115$.	3.0	8

#	Article	IF	CITATIONS
55	Protein Kinase CK2 Acts as a Molecular Brake to Control NADPH Oxidase 1 Activation and Colon Inflammation. Cellular and Molecular Gastroenterology and Hepatology, 2022, 13, 1073-1093.	4.5	8
56	Phosphorylation of gp91phox/NOX2 in Human Neutrophils. Methods in Molecular Biology, 2019, 1982, 341-352.	0.9	7
57	Apocynin prevents GM-CSF-induced-ERK1/2 activation and -neutrophil survival independently of its inhibitory effect on the phagocyte NADPH oxidase NOX2. Biochemical Pharmacology, 2020, 177, 113950.	4.4	7
58	Impaired p47phox phosphorylation in neutrophils from patients with p67phox-deficient chronic granulomatous disease. Blood, 2022, 139, 2512-2522.	1.4	7
59	Ceratonia siliqua leaves exert a strong ROS-scavenging effect in human neutrophils, inhibit myeloperoxydase in vitro and protect against intestinal fluid and electrolytes secretion in rats. RSC Advances, 2016, 6, 65483-65493.	3.6	5
60	Live or die: PD-L1 delays neutrophil apoptosis. Blood, 2021, 138, 744-746.	1.4	4
61	Prolyl-Isomerase Pin1 Controls Key fMLP-Induced Neutrophil Functions. Biomedicines, 2021, 9, 1130.	3.2	4
62	Effects of venoms on neutrophil respiratory burst: a major inflammatory function. Journal of Venomous Animals and Toxins Including Tropical Diseases, 2021, 27, e20200179.	1.4	2
63	Startingâ€NOX2â€Up: Rac unrolls p67 phox. Journal of Leukocyte Biology, 2021, 110, 213-215.	3.3	2
64	The Kinesin Light Chain–Related Protein PAT1 Promotes Superoxide Anion Production in Human Phagocytes. Journal of Immunology, 2019, 202, 1549-1558.	0.8	1
65	Neutrophil Oxidative Burst. , 2013, , 1-7.		0
66	Neutrophil Oxidative Burst., 2016,, 971-976.		0