

Claudio Toniolo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3509605/publications.pdf>

Version: 2024-02-01

531
papers

16,212
citations

22548

61
h-index

40945

97
g-index

556
all docs

556
docs citations

556
times ranked

8176
citing authors

#	ARTICLE	IF	CITATIONS
1	Control of peptide conformation by the Thorpe-Ingold effect (C α -tetrasubstitution). <i>Biopolymers</i> , 2001, 60, 396-419.	1.2	630
2	Structures of polypeptides from α -amino acids disubstituted at the α -carbon. <i>Macromolecules</i> , 1991, 24, 4004-4009.	2.2	416
3	Circular Dichroism Spectrum of a Peptide 310-Helix. <i>Journal of the American Chemical Society</i> , 1996, 118, 2744-2745.	6.6	381
4	Intramolecularly Hydrogen-Bonded Peptide Conformation. <i>Critical Reviews in Biochemistry</i> , 1980, 9, 1-44.	7.5	361
5	Preferred conformations of peptides containing α,β -disubstituted α -amino acids. <i>Biopolymers</i> , 1983, 22, 205-215.	1.2	258
6	Conformation of pleiomers of α -aminoisobutyric acid. <i>Macromolecules</i> , 1985, 18, 895-902.	2.2	197
7	Linear oligopeptides. 81. Solid-state and solution conformation of homooligo(α -aminoisobutyric) Tj ETQq1 1 0.784314 rgBT /Over Society, 1982, 104, 2437-2444.	6.6	191
8	Energy transport in peptide helices. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 12749-12754.	3.3	179
9	PREFERRED CONFORMATION OF THE α -BUTOXYCARBONYLAMINO GROUP IN PEPTIDES. <i>International Journal of Peptide and Protein Research</i> , 1980, 16, 156-172.	0.1	158
10	Dinuclear Zn ²⁺ Complexes of Synthetic Heptapeptides as Artificial Nucleases. <i>Journal of the American Chemical Society</i> , 2001, 123, 3169-3170.	6.6	153
11	Solid-state infrared absorption spectra and chain arrangement in some synthetic homooligopeptides in the intermolecularly hydrogen-bonded pleated-sheet I ² -conformation. <i>Biopolymers</i> , 1977, 16, 219-224.	1.2	148
12	Structure determination of racemic trichogin A IV using centrosymmetric crystals. <i>Nature Structural and Molecular Biology</i> , 1994, 1, 908-914.	3.6	136
13	Synthesis, Chiroptical Properties, and Configurational Assignment of Fulleroproline Derivatives and Peptides. <i>Journal of the American Chemical Society</i> , 1996, 118, 4072-4080.	6.6	136
14	Peptide helices based on α -amino acids. <i>Biopolymers</i> , 2006, 84, 3-12.	1.2	136
15	Conformational Characterization of Terminally Blocked-(α -Me)Val Homopeptides Using Vibrational and Electronic Circular Dichroism. 310-Helical Stabilization by Peptide \cdots Peptide Interaction. <i>Journal of the American Chemical Society</i> , 1997, 119, 10278-10285.	6.6	134
16	Title is missing!. <i>Die Makromolekulare Chemie</i> , 1976, 177, 1477-1492.	1.1	131
17	Gold Nanoclusters Protected by Conformationally Constrained Peptides. <i>Journal of the American Chemical Society</i> , 2006, 128, 326-336.	6.6	125
18	Conformational analysis of linear peptides: 5. Spectroscopic characterization of β -turns in Aib-containing oligopeptides in chloroform. <i>International Journal of Biological Macromolecules</i> , 1984, 6, 179-188.	3.6	124

#	ARTICLE	IF	CITATIONS
19	A Bioactive Fullerene Peptide. <i>Journal of Medicinal Chemistry</i> , 1994, 37, 4558-4562.	2.9	120
20	ESR Characterization of Hexameric, Helical Peptides Using Double TOAC Spin Labeling. <i>Journal of the American Chemical Society</i> , 1996, 118, 7618-7625.	6.6	116
21	Evidence Against the Hopping Mechanism as an Important Electron Transfer Pathway for Conformationally Constrained Oligopeptides. <i>Journal of the American Chemical Society</i> , 2005, 127, 492-493.	6.6	116
22	Circular dichroism studies of isoleucine oligopeptides in solution. <i>Biopolymers</i> , 1971, 10, 1719-1730.	1.2	115
23	Preferred conformation of the terminally blocked (Aib) ₁₀ homo-oligopeptide: A long, regular 310-helix. <i>Biopolymers</i> , 1991, 31, 129-138.	1.2	114
24	Fullerene-based amino acids and peptides. <i>Journal of Peptide Science</i> , 2001, 7, 208-219.	0.8	113
25	TOAC, a nitroxide spin-labeled, achiral C [±] -tetrasubstituted Î±-amino acid, is an excellent tool in material science and biochemistry. , 1998, 47, 153-158.		108
26	The First Water-Soluble 310-Helical Peptides. <i>Chemistry - A European Journal</i> , 2000, 6, 4498-4504.	1.7	105
27	Synthesis and conformational studies of peptides containing TOAC, a spin-labelled C [±] , Î±-disubstituted glycine. <i>Journal of Peptide Science</i> , 1995, 1, 45-57.	0.8	103
28	Molecular Recognition by a Silica-Bound Fullerene Derivative. <i>Journal of the American Chemical Society</i> , 1997, 119, 7550-7554.	6.6	101
29	Anomalous Distance Dependence of Electron Transfer across Peptide Bridges. <i>Journal of the American Chemical Society</i> , 2003, 125, 2874-2875.	6.6	100
30	Preferred conformation of the benzyloxycarbonyl-Î±-amino group in peptides*. <i>International Journal of Peptide and Protein Research</i> , 1983, 21, 163-181.	0.1	96
31	Folded and extended structures of homooligopeptides from .alpha.,.alpha.-dialkylated glycines. A conformational energy computation and x-ray diffraction study. <i>Journal of the American Chemical Society</i> , 1984, 106, 8146-8152.	6.6	95
32	Conformational Transitions between Enantiomeric 310-Helices. <i>Angewandte Chemie International Edition in English</i> , 1987, 26, 1150-1152.	4.4	94
33	Energy Transport in Peptide Helices: A Comparison between High- and Low-Energy Excitations. <i>Journal of Physical Chemistry B</i> , 2008, 112, 9091-9099.	1.2	92
34	Solvent-Dependent Intramolecular Electron Transfer in a Peptide-Linked [Ru(bpy) ₃] ²⁺ -C ₆₀ Dyad. <i>Journal of the American Chemical Society</i> , 1999, 121, 3446-3452.	6.6	91
35	Peptide Helices as Rigid Molecular Rulers: A Conformational Study of Isotactic Homopeptides from Î±-Methyl-Î±-isopropylglycine, [L-Î±(Me)Val] _n . <i>Chemistry - A European Journal</i> , 1996, 2, 1104-1111.	1.7	88
36	Orientation and immersion depth of a helical lipopeptaibol in membranes using TOAC as an ESR probe. , 1999, 50, 239-253.		86

#	ARTICLE	IF	CITATIONS
37	The longest, regular polypeptide 310 helix at atomic resolution. <i>Journal of Molecular Biology</i> , 1990, 214, 633-635.	2.0	85
38	Distinguishing Helix Conformations in Alanine-Rich Peptides Using the Unnatural Amino Acid TOAC and Electron Spin Resonance. <i>Journal of the American Chemical Society</i> , 1996, 118, 271-272.	6.6	85
39	Discriminating 310- from 7-helices: Vibrational and electronic CD and IR absorption study of related Aib-containing oligopeptides. <i>Biopolymers</i> , 2002, 65, 229-243.	1.2	85
40	Induced Axial Chirality in the Biphenyl Core of the C ₁ -Tetrasubstituted L-Amino Acid Residue Bip and Subsequent Propagation of Chirality in (Bip) _n /Val Oligopeptides. <i>Journal of the American Chemical Society</i> , 2004, 126, 12874-12879.	6.6	85
41	Different mechanisms of action of antimicrobial peptides: insights from fluorescence spectroscopy experiments and molecular dynamics simulations. <i>Journal of Peptide Science</i> , 2009, 15, 550-558.	0.8	85
42	A Bimetallic Helical Heptapeptide as a Transphosphorylation Catalyst in Water. <i>Journal of the American Chemical Society</i> , 1999, 121, 6948-6949.	6.6	84
43	Vibrational circular dichroism of polypeptides, V. A study of 310-helical-octapeptides. <i>Biopolymers</i> , 1986, 25, 79-89.	1.2	83
44	Critical Main-Chain Length for Conformational Conversion From 3 ₁₀ -Helix to L-Helix in Polypeptides. <i>Journal of Biomolecular Structure and Dynamics</i> , 1990, 7, 1321-1331.	2.0	83
45	Trichogin: a paradigm for lipopeptaibols. <i>Journal of Peptide Science</i> , 2003, 9, 679-689.	0.8	83
46	A peptide template as an allosteric supramolecular catalyst for the cleavage of phosphate esters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 5144-5149.	3.3	81
47	Aggregation and Water-Membrane Partition as Major Determinants of the Activity of the Antibiotic Peptide Trichogin GA IV. <i>Biophysical Journal</i> , 2004, 86, 936-945.	0.2	80
48	Synthesis and characterization of the first fullerene-peptide. <i>Journal of Organic Chemistry</i> , 1993, 58, 5578-5580.	1.7	79
49	Solid-state geometry and conformation of linear, diastereoisomeric oligoprolines. <i>Biopolymers</i> , 1983, 22, 305-317.	1.2	77
50	Addition reactions of C ₆₀ leading to fulleroprolines. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 305.	2.0	77
51	Conformational aspects of polypeptides. XXV. Solvent and temperature effects on the conformations of copolymers of benzyl and methyl-L-aspartate with nitrobenzyl-L-aspartate. <i>Biopolymers</i> , 1968, 6, 1579-1603.	1.2	73
52	Linear oligopeptides. Part 406.1 Helical screw sense of peptide molecules: the pentapeptide system (Aib) ₄ /L-Val[L-(L-Me)Val] in solution. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1998, , 1651-1658.	0.9	73
53	Facile and E-Selective Intramolecular Ring-Closing Metathesis Reactions in 310-Helical Peptides: A 3D Structural Study. <i>Journal of the American Chemical Society</i> , 2007, 129, 6986-6987.	6.6	73
54	Helical screw sense preferences of peptides based on chiral, C ¹ -tetrasubstituted L-amino acids. <i>Biopolymers</i> , 2015, 104, 46-64.	1.2	72

#	ARTICLE	IF	CITATIONS
55	Folded and extended structures of homooligopeptides from .alpha.,.alpha.-dialkylated .alpha.-amino acids. An infrared absorption and proton nuclear magnetic resonance study. <i>Journal of the American Chemical Society</i> , 1984, 106, 8152-8156.	6.6	71
56	Conformational studies of proteins with aromatic side-chain effects. <i>Biopolymers</i> , 1968, 6, 1673-1689.	1.2	69
57	You Are Sitting on a Gold Mine!. <i>Synlett</i> , 2006, 2006, 1295-1310.	1.0	69
58	Determining the occurrence of a 3 ₁₀ -helix and an α -helix in two different segments of a lipopeptaibol antibiotic using TOAC, a nitroxide spin-labeled C α -tetrasubstituted α -amino acid. <i>Bioorganic and Medicinal Chemistry</i> , 1999, 7, 119-131.	1.4	68
59	Molecular spacers for physicochemical investigations based on novel helical and extended peptide structures. <i>Biopolymers</i> , 2004, 76, 162-176.	1.2	68
60	Flat Peptides. <i>Journal of the American Chemical Society</i> , 1999, 121, 3272-3278.	6.6	67
61	Different Spectral Signatures of Octapeptide 3 ₁₀ - and α -Helices Revealed by Two-Dimensional Infrared Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2006, 110, 5834-5837.	1.2	67
62	Mechanism of Membrane Activity of the Antibiotic Trichogin GA IV: A Two-State Transition Controlled by Peptide Concentration. <i>Biophysical Journal</i> , 2005, 88, 3411-3421.	0.2	65
63	Two-Dimensional Infrared Spectral Signatures of 3 ₁₀ - and α -Helical Peptides. <i>Journal of Physical Chemistry B</i> , 2007, 111, 3222-3235.	1.2	64
64	Concomitant Occurrence of Peptide 3 ₁₀ - and α -Helices Probed by NMR. <i>Journal of the American Chemical Society</i> , 2000, 122, 11735-11736.	6.6	59
65	Turn and Helical Peptide Handedness Governed Exclusively by Side-Chain Chiral Centers. <i>Journal of the American Chemical Society</i> , 2005, 127, 2036-2037.	6.6	59
66	Conformations of poly(ethylene glycol) bound homooligo-L-alanines and -L-valines in aqueous solution. <i>Journal of the American Chemical Society</i> , 1979, 101, 450-454.	6.6	58
67	The complete chiro-spectroscopic signature of the peptide 3 ₁₀ -helix in aqueous solution. <i>Biopolymers</i> , 2004, 75, 32-45.	1.2	58
68	Intramolecular, Intermolecular, and Heterogeneous Nonadiabatic Dissociative Electron Transfer to Peresters. <i>Journal of the American Chemical Society</i> , 2001, 123, 9577-9584.	6.6	56
69	Asymmetric enone epoxidation by short solid-phase bound peptides: Further evidence for catalyst helicity and catalytic activity of individual peptide strands. <i>Biopolymers</i> , 2006, 84, 90-96.	1.2	56
70	The Bip Method, Based on the Induced Circular Dichroism of a Flexible Biphenyl Probe in Terminally Protected -Bip-Xaa*- Dipeptides, for Assignment of the Absolute Configuration of α -Amino Acids. <i>Journal of the American Chemical Society</i> , 2008, 130, 5986-5992.	6.6	56
71	Pseudopeptide Foldamers: The Homo-Oligomers of Pyroglutamic Acid. <i>Chemistry - A European Journal</i> , 2002, 8, 2516.	1.7	55
72	Trichogin GA IV: an antibacterial and protease-resistant peptide. <i>Journal of Peptide Science</i> , 2009, 15, 615-619.	0.8	55

#	ARTICLE	IF	CITATIONS
73	Handedness preference and switching of peptide helices. Part II: Helices based on noncoded amino acids. <i>Journal of Peptide Science</i> , 2015, 21, 148-177.	0.8	55
74	Structural Flexibility of a Helical Peptide Regulates Vibrational Energy Transport Properties. <i>Journal of Physical Chemistry B</i> , 2008, 112, 15487-15492.	1.2	53
75	TOAC Spin Labels in the Backbone of Alamethicin: EPR Studies in Lipid Membranes. <i>Biophysical Journal</i> , 2007, 92, 473-481.	0.2	52
76	First Step Toward the Quantitative Identification of Peptide 3 ₁₀ -Helix Conformation with NMR Spectroscopy: NMR and X-ray Diffraction Structural Analysis of a Fully-Developed 3 ₁₀ -Helical Peptide Standard. <i>Journal of the American Chemical Society</i> , 1998, 120, 4763-4770.	6.6	51
77	The antimicrobial peptide trichogin and its interaction with phospholipid membranes. <i>FEBS Journal</i> , 1999, 266, 1021-1028.	0.2	51
78	Onset of 3 ₁₀ -Helical Secondary Structure in Aib Oligopeptides Probed by Coherent 2D IR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2008, 130, 6556-6566.	6.6	51
79	Lipid Chain-Length Dependence for Incorporation of Alamethicin in Membranes: Electron Paramagnetic Resonance Studies on TOAC-Spin Labeled Analogs. <i>Biophysical Journal</i> , 2007, 92, 4002-4011.	0.2	50
80	Vibrational Energy Transport in Peptide Helices after Excitation of C ¹³ D Modes in Leu-d ₁₀ . <i>Journal of Physical Chemistry B</i> , 2009, 113, 13393-13397.	1.2	50
81	Couplings between Peptide Linkages across a 3 ₁₀ -Helical Hydrogen Bond Revealed by Two-Dimensional Infrared Spectroscopy. <i>Journal of the American Chemical Society</i> , 2009, 131, 2042-2043.	6.6	49
82	Linear and Two-Dimensional Infrared Spectroscopic Study of the Amide I and II Modes in Fully Extended Peptide Chains. <i>Journal of Physical Chemistry B</i> , 2011, 115, 5168-5182.	1.2	49
83	Handedness preference and switching of peptide helices. Part I: Helices based on protein amino acids. <i>Journal of Peptide Science</i> , 2014, 20, 307-322.	0.8	49
84	Title is missing!. <i>Die Makromolekulare Chemie</i> , 1981, 182, 2007-2014.	1.1	48
85	Characterization of β -bend ribbon spiral forming peptides using electronic and vibrational CD. <i>Biopolymers</i> , 1995, 35, 103-111.	1.2	48
86	Nitroxyl Peptides as Catalysts of Enantioselective Oxidations. <i>Chemistry - A European Journal</i> , 2002, 8, 84-93.	1.7	48
87	Peptide 1 ₃ -Helix Dimorphism in the Crystal State. <i>Journal of the American Chemical Society</i> , 2007, 129, 15471-15473.	6.6	48
88	Synthesis of a proline-rich [60]fullerene peptide with potential biological activity. <i>Tetrahedron</i> , 2004, 60, 2823-2828.	1.0	46
89	Dynamical Transition in a Small Helical Peptide and Its Implication for Vibrational Energy Transport. <i>Journal of Physical Chemistry B</i> , 2009, 113, 13405-13409.	1.2	46
90	Trichogin GA IV: A versatile template for the synthesis of novel peptaibiotics. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 1285-1299.	1.5	46

#	ARTICLE	IF	CITATIONS
91	A synthetic hexapeptide designed to resemble a proteinaceous α -loop nest is shown to bind inorganic phosphate. <i>Proteins: Structure, Function and Bioinformatics</i> , 2012, 80, 1418-1424.	1.5	46
92	Bioactive and model peptides characterized by the helicogenic (β -Me)Phe residue. <i>Tetrahedron</i> , 1993, 49, 3641-3653.	1.0	44
93	A Peptide-Tethered Lipid Bilayer on Mercury as a Biomimetic System. <i>Langmuir</i> , 2001, 17, 6585-6592.	1.6	44
94	Conformational aspects of polypeptide structure. XXX. Rotatory properties of cyclic and bicyclic amides. Restricted and rigid model compounds for peptide chromophores. <i>Journal of the American Chemical Society</i> , 1969, 91, 1816-1822.	6.6	43
95	Electron spin resonance and structural analysis of water soluble, alanine-rich peptides incorporating TO AC. <i>Molecular Physics</i> , 1998, 95, 957-966.	0.8	43
96	Multiple, consecutive, fully α -extended 2.0 ₅ helix peptide conformation. <i>Biopolymers</i> , 2013, 100, 621-636.	1.2	43
97	Selective cleavage of the single tryptophanyl peptide bond in horse heart cytochrome c. <i>FEBS Letters</i> , 1973, 32, 139-142.	1.3	42
98	Geometry and Conformation of the β -Aminoisobutyric Acid Residue in Simple Derivatives and Dipeptides. Four New X-Ray Structural Analyses and a Statistical Analysis from Known Crystal Data. <i>Liebigs Annalen Der Chemie</i> , 1987, 1987, 1055-1060.	0.8	42
99	Solution Structures of TOAC-Labeled Trichogin GA IV Peptides from Allowed ($g \approx 2$) and Half-Field Electron Spin Resonance. <i>Journal of the American Chemical Society</i> , 1999, 121, 6919-6927.	6.6	42
100	Long, Chiral Polypeptide 310-Helices at Atomic Resolution. <i>Journal of Biomolecular Structure and Dynamics</i> , 1988, 5, 803-817.	2.0	41
101	The p-bromobenzamido chromophore as a circular dichroic probe for the assignment of the screw sense of helical peptides. <i>Tetrahedron: Asymmetry</i> , 1994, 5, 507-510.	1.8	41
102	Effect of Peptide Lipidation on Membrane Perturbing Activity: A Comparative Study on Two Trichogin Analogues. <i>Journal of Physical Chemistry B</i> , 2006, 110, 22813-22818.	1.2	41
103	Crystal Structure of a Spin-Labeled, Channel-Forming Alamethicin Analogue. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 2047-2050.	7.2	41
104	The State of the Art of Chemical Biology. <i>ChemBioChem</i> , 2009, 10, 16-29.	1.3	41
105	Sensitivity of 2D IR Spectra to Peptide Helicity: A Concerted Experimental and Simulation Study of an Octapeptide. <i>Journal of Physical Chemistry B</i> , 2009, 113, 12037-12049.	1.2	41
106	Linear oligopeptides. Part 227. X-Ray crystal and molecular structures of two β -helix-forming (Aib-L-Ala) _n sequential oligopeptides, pBrBz-(Aib-L-Ala) ₅ -OMe and pBrBz-(Aib-L-Ala) ₆ -OMe. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1990, , 1829-1837.	0.9	40
107	Conformational Characterization of the 1-Aminocyclobutane-1-carboxylic Acid Residue in Model Peptides. , 1997, 3, 110-122.		40
108	An azacrown-functionalized peptide as a metal ion based catalyst for the cleavage of a RNA-model substrate. <i>Biopolymers</i> , 2000, 55, 496-501.	1.2	40

#	ARTICLE	IF	CITATIONS
109	Insights into the Free-Energy Dependence of Intramolecular Dissociative Electron Transfers. Journal of the American Chemical Society, 2002, 124, 11503-11513.	6.6	40
110	Total synthesis in solution of alamethicin F50/5 by an easily tunable segment condensation approach. Biopolymers, 2004, 76, 485-493.	1.2	40
111	Unraveling Solvent-Driven Equilibria between α - and 3_{10} -Helices through an Integrated Spin Labeling and Computational Approach. Journal of the American Chemical Society, 2007, 129, 11248-11258.	6.6	40
112	Alamethicin Interaction with Lipid Membranes: A Spectroscopic Study on Synthetic Analogues. Chemistry and Biodiversity, 2007, 4, 1299-1312.	1.0	40
113	Phenylalanine oligopeptides. Bioorganic Chemistry, 1974, 3, 125-132.	2.0	39
114	Aspartame dipeptide analogues: effect of number of side-chain methylene group spacers and α -methylation in the second position. Tetrahedron: Asymmetry, 1997, 8, 1305-1314.	1.8	39
115	Solution Structure, Dimerization, and Dynamics of a Lipophilic α /310-Helical, α -Methylated Peptide. Implications for Folding of Membrane Proteins. Journal of the American Chemical Society, 2001, 123, 6678-6686.	6.6	39
116	Role of Secondary Structure in the Asymmetric Acylation Reaction Catalyzed by Peptides Based on Chiral α -Tetrasubstituted β -Amino Acids. Journal of Organic Chemistry, 2004, 69, 3849-3856.	1.7	39
117	Backbone Dynamics of Alamethicin Bound to Lipid Membranes: Spin-Echo Electron Paramagnetic Resonance of TOAC-Spin Labels. Biophysical Journal, 2008, 94, 2698-2705.	0.2	39
118	Alamethicin Topology in Phospholipid Membranes by Oriented Solid-state NMR and EPR Spectroscopies: a Comparison. Journal of Physical Chemistry B, 2009, 113, 3034-3042.	1.2	39
119	Hypersensitive-Like Response to the Pore-Former Peptaibol Alamethicin in <i>Arabidopsis Thaliana</i> . ChemBioChem, 2010, 11, 2042-2049.	1.3	39
120	Synthesis and Self-Assembly of Oligo(<i>p</i> -phenylenevinylene) Peptide Conjugates in Water. Chemistry - A European Journal, 2011, 17, 2044-2047.	1.7	39
121	Linear oligopeptides. XXVII. Contribution to the circular dichroism of internal peptide chromophores. Canadian Journal of Chemistry, 1976, 54, 70-76.	0.6	38
122	Linear oligopeptides. XLIII. Study of the relationship between conformation and nature of side chain: Homologous series derived from β -branched amino acid residues. Biopolymers, 1978, 17, 1713-1727.	1.2	38
123	A Nitroxide Derivative as a Probe for Conformational Studies of Short Linear Peptides in Solution. Spectroscopic and Molecular Mechanics Investigation. Journal of Physical Chemistry B, 1998, 102, 7890-7898.	1.2	38
124	Structural requirements for formyl homooligopeptide chemoattractants. Biochemistry, 1984, 23, 698-704.	1.2	37
125	Synthesis and optical studies of isoleucine oligopeptides in solution. Biopolymers, 1971, 10, 1707-1717.	1.2	36
126	Conformational properties of methionine homo-oligopeptides in solution. Biopolymers, 1974, 13, 2179-2190.	1.2	36

#	ARTICLE	IF	CITATIONS
127	Title is missing!. Die Makromolekulare Chemie, 1979, 180, 1293-1304.	1.1	36
128	Peptoid residues and β -turn formation. Journal of Peptide Science, 2002, 8, 241-252.	0.8	36
129	A Combined Spectroscopic and Theoretical Study of a Series of Conformationally Restricted Hexapeptides Carrying a Rigid Binaphthyl "Nitroxide Donor" "Acceptor Pair. Chemistry - A European Journal, 2003, 9, 4084-4093.	1.7	36
130	Electroconductive and photocurrent generation properties of self-assembled monolayers formed by functionalized, conformationally constrained peptides on gold electrodes. Journal of Peptide Science, 2008, 14, 184-191.	0.8	36
131	Is the Backbone Conformation of α -Methyl Proline Restricted to a Single Region? Chemistry - A European Journal, 2009, 15, 8015-8025.	1.7	36
132	Molecular and crystal structures of three monothiated analogues of the terminally blocked ala-aib-ala sequence of peptaibol antibiotics. Biopolymers, 1988, 27, 747-761.	1.2	35
133	Helical screw sense of peptide molecules: The pentapeptide system (Aib) ₄ /L-Val[L-(α -Me)Val] in the crystal state. , 1998, 46, 433-443.		35
134	Destabilization of the 310-Helix in Peptides Based on α -Tetrasubstituted β -Amino Acids by Main-Chain to Side-Chain Hydrogen Bonds. Journal of the American Chemical Society, 1998, 120, 11558-11566.	6.6	34
135	Electron spin resonance of TOAC labeled peptides: Folding transitions and high frequency spectroscopy. Biopolymers, 2000, 55, 479-485.	1.2	34
136	Disruption of the β -sheet structure of a protected pentapeptide, related to the β -amyloid sequence 17-21, induced by a single, helicogenic α -tetrasubstituted β -amino acid. Journal of Peptide Science, 2003, 9, 461-466.	0.8	34
137	First homo-peptides undergoing a reversible 3 ₁₀ -helix/ β -helix transition: Critical main-chain length. Biopolymers, 2008, 90, 567-574.	1.2	34
138	A Rigid Helical Peptide Axle for a [2]Rotaxane Molecular Machine. Angewandte Chemie - International Edition, 2009, 48, 8986-8989.	7.2	34
139	β -Alanine and β -bends. X-Ray diffraction structures of three linear oligopeptides. Journal of the Chemical Society Perkin Transactions II, 1992, , 1233-1237.	0.9	33
140	Electron paramagnetic resonance backbone dynamics studies on spin-labelled neuropeptide Y analogues. Journal of Peptide Science, 2002, 8, 671-682.	0.8	33
141	Self-Assembled Monolayers of Hexapeptides on Gold: Surface Characterization and Orientation Distribution Analysis. Journal of Physical Chemistry A, 2004, 108, 9673-9681.	1.1	33
142	Self-Aggregation of Spin-Labeled Alamethicin in ePC Vesicles Studied by Pulsed Electron-Electron Double Resonance. Journal of the American Chemical Society, 2007, 129, 9260-9261.	6.6	33
143	Toward Detecting the Formation of a Single Helical Turn by 2D IR Cross Peaks between the Amide-I and -II Modes. Journal of Physical Chemistry B, 2009, 113, 11775-11786.	1.2	33
144	Synthesis, preferred conformation, protease stability, and membrane activity of heptaibin, a medium-length peptaibiotic. Journal of Peptide Science, 2011, 17, 585-594.	0.8	33

#	ARTICLE	IF	CITATIONS
145	Linear oligopeptides. Part 147. Chemical and crystallographic study of the reaction between benzyloxycarbonyl chloride and α -aminoisobutyric acid. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1986, , 1371-1376.	0.9	32
146	Metal Ion Modulation of Membrane Permeability Induced by a Polypeptide Template. <i>Journal of the American Chemical Society</i> , 1996, 118, 2505-2506.	6.6	32
147	Ab Initio Modeling of CW-ESR Spectra of the Double Spin Labeled Peptide Fmoc-(Aib-Aib-TOAC) ₂ -Aib-OMe in Acetonitrile. <i>Journal of Physical Chemistry B</i> , 2007, 111, 2668-2674.	1.2	32
148	Crystallographic characterization of geometry and conformation of TOAC, a nitroxide spin-labelled α -disubstituted glycine, in simple derivatives and model peptides *. <i>International Journal of Peptide and Protein Research</i> , 1996, 47, 231-238.	0.1	32
149	Vibrational Energy Transport through a Capping Layer of Appropriately Designed Peptide Helices over Gold Nanoparticles. <i>Nano Letters</i> , 2010, 10, 3057-3061.	4.5	32
150	Chiral, fully extended helical peptides. <i>Amino Acids</i> , 2011, 41, 629-641.	1.2	32
151	Mimicking Nature: A Novel Peptide-based Bio-inspired Approach for Solar Energy Conversion. <i>ChemPhysChem</i> , 2014, 15, 64-68.	1.0	32
152	A novel peptide conformation: First unequivocal observation of the oxy-analog of a β -bend. <i>Biopolymers</i> , 1986, 25, 2237-2253.	1.2	31
153	Linear oligopeptides. 188. Crystallographic characterization of the conformation of the 1-aminocyclopentane-1-carboxylic acid residue in simple derivatives. <i>Canadian Journal of Chemistry</i> , 1988, 66, 2575-2582.	0.6	31
154	Induced Axial Chirality in the Biphenyl Core of the Proatropoisomeric, C_1 -Tetrasubstituted α -Amino Acid Residue Bip in Peptides. <i>Chemistry - A European Journal</i> , 2005, 11, 6921-6929.	1.7	31
155	Structure of Self-Aggregated Alamethicin in ePC Membranes Detected by Pulsed Electron-Electron Double Resonance and Electron Spin Echo Envelope Modulation Spectroscopies. <i>Biophysical Journal</i> , 2009, 96, 3197-3209.	0.2	31
156	Title is missing!. <i>Die Makromolekulare Chemie</i> , 1975, 176, 2547-2558.	1.1	30
157	CIDEP Effects of Intramolecular Quenching of Singlet and Triplet Excited States by Nitroxide Radicals in Oligopeptides: A Potentially Useful New Method for Investigating Peptide Secondary Structures in Solution. <i>Chemistry - A European Journal</i> , 2000, 6, 2775-2782.	1.7	30
158	Pseudopeptide Foldamers α ' The Homo-Oligomers of Benzyl (4S,5R)-5-Methyl-2-oxo-1,3-oxazolidine-4-carboxylate. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 259-267.	1.2	30
159	Peptide Folding Dynamics: A Time-Resolved Study from the Nanosecond to the Microsecond Time Regime. <i>Journal of Physical Chemistry B</i> , 2006, 110, 22834-22841.	1.2	30
160	PELDOR Conformational Analysis of bis-Labeled Alamethicin Aggregated in Phospholipid Vesicles. <i>Journal of Physical Chemistry B</i> , 2008, 112, 13469-13472.	1.2	30
161	Title is missing!. <i>Die Makromolekulare Chemie</i> , 1981, 182, 1997-2005.	1.1	29
162	Helical screw sense of homo-oligopeptides of C_1 -methylated α -amino acids as determined with vibrational circular dichroism. <i>Tetrahedron: Asymmetry</i> , 1995, 6, 687-690.	1.8	29

#	ARTICLE	IF	CITATIONS
163	Dynamics of Formation of a Helix-Turn-Helix Structure in a Membrane-Active Peptide: A Time-Resolved Spectroscopic Study. <i>ChemBioChem</i> , 2006, 7, 43-45.	1.3	29
164	Peptaibiotics. <i>Chemistry and Biodiversity</i> , 2007, 4, 1021-1022.	1.0	29
165	Conformational Effects on the Electron-Transfer Efficiency in Peptide Foldamers Based on α -Disubstituted Glycyl Residues. <i>Chemistry and Biodiversity</i> , 2008, 5, 1263-1278.	1.0	29
166	Antimicrobial lipopeptaibol trichogin GA IV: role of the three Aib residues on conformation and bioactivity. <i>Amino Acids</i> , 2012, 43, 1761-1777.	1.2	29
167	Protamines. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1979, 576, 429-439.	1.7	28
168	Peptaibol antibiotics: Conformational preferences of synthetic emerimicin fragments. <i>Biopolymers</i> , 1983, 22, 1335-1356.	1.2	28
169	Crystallographic characterization of the conformation of the 1-aminocyclohexane-1-carboxylic acid residue in simple derivatives and peptides. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1988, , 393.	0.9	28
170	Enantiopure α -tetrasubstituted α -amino acids. Chemo-enzymatic synthesis and application to turn-forming peptides. <i>Tetrahedron</i> , 2001, 57, 6567-6577.	1.0	28
171	Zinc(II) as an Allosteric Regulator of Liposomal Membrane Permeability Induced by Synthetic Template-Assembled Tripodal Polypeptides. <i>Chemistry - A European Journal</i> , 2002, 8, 2753.	1.7	28
172	Meteoritic C ² -Methylated β -Amino Acids and the Homochirality of Life: Searching for a Link. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 6695-6699.	7.2	28
173	Incorporation of channel-forming peptides in a Hg-supported lipid bilayer. <i>Journal of Electroanalytical Chemistry</i> , 2005, 576, 121-128.	1.9	28
174	Peptide β -Bend and 3 10-Helix: from 3D-Structural Studies to Applications as Templates. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2005, 51, 121-136.	1.6	28
175	Alamethicin Supramolecular Organization in Lipid Membranes from 19F Solid-State NMR. <i>Biophysical Journal</i> , 2016, 111, 2450-2459.	0.2	28
176	Chain-length dependence for secondary structure formation of poly(ethylene glycol)-bound homooligopeptides of ϵ -benzyloxycarbonyl-L-lysine in the solid state and in solution. <i>Macromolecules</i> , 1983, 16, 147-149.	2.2	27
177	Linear oligopeptides. 277. Structural versatility of peptides from C. α ., α -disubstituted glycines. Synthesis, characterization, and solution and crystal-state conformational analysis of homopeptides from C. α -methyl-C. α -isopropylglycine, [(α -Me)Val]. <i>Macromolecules</i> , 1993, 26, 1848-1852.	2.2	27
178	A New Class of Pseudopeptide Antagonists of the Kinin B1 Receptor Containing Alkyl Spacers. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 409-414.	2.9	27
179	Bip: a α -Tetrasubstituted, Axially Chiral α -Amino Acid. Synthesis and Conformational Preference of Model Peptides. <i>Tetrahedron</i> , 2000, 56, 8721-8734.	1.0	27
180	TOAC: a useful α -tetrasubstituted α -amino acid for peptide conformational analysis by CD spectroscopy in the visible region. Part I. <i>Perkin Transactions II RSC</i> , 2000, , 1043-1046.	1.1	27

#	ARTICLE	IF	CITATIONS
181	Analogs of the antimicrobial peptide trichogin having opposite membrane properties. FEBS Journal, 2001, 268, 703-712.	0.2	27
182	Densely-packed self-assembled monolayers on gold surfaces from a conformationally constrained helical hexapeptide. Surface Science, 2006, 600, 409-416.	0.8	27
183	Conformational properties of homo-oligo (L-valine)s in solution. Comparison with isoleucines. Die Makromolekulare Chemie, 1974, 175, 2203-2207.	1.1	26
184	Molecular Structure of Peptaibol Antibiotics: Solution Conformation and Crystal Structure of the Octapeptide Corresponding to the 2 nd Sequence of Emerimicins III and IV. Journal of Biomolecular Structure and Dynamics, 1985, 3, 585-598.	2.0	26
185	Linear oligopeptides α effect of lengthening of the main chain by one tetrahedral carbon atom in the -Aib-l-Ala- sequence: a solid-state conformational analysis of segments of polypeptide antibiotics. International Journal of Biological Macromolecules, 1985, 7, 81-88.	3.6	26
186	Synthesis and characterization of both enantiomers of a chiral C ₆₀ derivative with C ₂ symmetry. Tetrahedron Letters, 1995, 36, 2845-2846.	0.7	26
187	Experimental evidence at atomic resolution for intramolecular N(SINGLEBOND)H \cdots π (phenyl) interactions in a family of amino acid derivatives. , 1997, 42, 1-6.		26
188	Solid-state CD and peptide helical screw sense. Biopolymers, 1998, 38, 301-304.	1.2	26
189	A Helical, Aromatic, Peptide Nanotube. Organic Letters, 2006, 8, 6091-6094.	2.4	26

190

#	ARTICLE	IF	CITATIONS
199	The Lipid Dependence of Antimicrobial Peptide Activity Is an Unreliable Experimental Test for Different Pore Models. <i>Biochemistry</i> , 2012, 51, 10124-10126.	1.2	25
200	Single and multiple peptide $\hat{\beta}$ -turns: literature survey and recent progress. <i>New Journal of Chemistry</i> , 2015, 39, 3208-3216.	1.4	25
201	Conformational aspects of polypeptides. XXIX. Conformational assignments for some aromatic polypeptides by far-uv cotton effects. <i>New results. Biopolymers</i> , 1968, 6, 1691-1695.	1.2	24
202	Conformational restriction through C $\hat{\alpha}$ -C $\hat{\beta}$ cyclization: 1-aminocycloheptane-1-carboxylic acid (Ac7c). <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 2023-2032.	0.9	24
203	Novel peptide foldameric motifs: a step forward in our understanding of the fully-extended conformation/ β 10-helix coexistence. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 2413.	1.5	24
204	A Molecular View on the Role of Cholesterol upon Membrane Insertion, Aggregation, and Water Accessibility of the Antibiotic Lipopeptide Trichogin GA IV As Revealed by EPR. <i>Journal of Physical Chemistry B</i> , 2012, 116, 5653-5660.	1.2	24
205	First Rigid Peptide Foldamers with an Alternating Cis \sim Trans Amide Sequence. An Oligomeric Building Block for the Construction of New Helices, Large-Ring Cyclic Correlates, and Nanotubes. <i>Macromolecules</i> , 2001, 34, 5048-5052.	2.2	23
206	Synthesis and conformational study of homo-peptides based on (S)-Bin, a C $_2$ -symmetric binaphthyl-derived C $\hat{\alpha}$, $\hat{\beta}$ -disubstituted glycine with only axial chirality. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 1879-1893.	1.8	23
207	Turn stabilization in short peptides by C $\hat{\gamma}$ -methylated β -amino acids. <i>Biopolymers</i> , 2005, 80, 279-293.	1.2	23
208	Intramolecularly hydrogen-bonded peptide conformations. Preferred crystal-state and solution conformations of N-monochloroacetylated glycines dialkylated at the $\hat{\alpha}$ -carbon atom. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1986, , 885-889.	0.9	22
209	Factors governing β 10-helix vs β -helix formation in peptides: Percentage of C $\hat{\gamma}$ -tetrasubstituted β -amino acid residues and sequence dependence. <i>Biopolymers</i> , 2002, 64, 236-245.	1.2	22
210	4-Amino-1-oxyl-2,2,6,6-tetramethylpiperidine-3-carboxylic acid ($\hat{\beta}$ ² -TOAC), the first spin-labelled, cyclic, chiral $\hat{\beta}$ ² -amino acid resolved in an enantiomerically pure state. <i>Tetrahedron Letters</i> , 2003, 44, 3381-3384.	0.7	22
211	Total Syntheses in Solution of TOAC-Labelled Alamethicin F50/5 Analogues. <i>Chemistry and Biodiversity</i> , 2007, 4, 1183-1199.	1.0	22
212	Conformational Analysis of TOAC-Labelled Alamethicin F50/5 Analogues. <i>Chemistry and Biodiversity</i> , 2007, 4, 1256-1268.	1.0	22
213	Supramolecular Structure of Self-Assembling Alamethicin Analog Studied by ESR and PELDOR. <i>Chemistry and Biodiversity</i> , 2007, 4, 1275-1298.	1.0	22
214	Charge Mapping in 10^3 -Helical Peptide Chains by Oxidation of the Terminal Ferrocenyl Group. <i>Organic Letters</i> , 2011, 13, 1282-1285.	2.4	22
215	The critical main-chain length for helix formation in water: Determined in a peptide series with alternating Aib and Ala residues exclusively and detected with ECD spectroscopy. <i>Chirality</i> , 2011, 23, 756-760.	1.3	22
216	Towards a Myriad of Peptaibiotics. <i>Chemistry and Biodiversity</i> , 2013, 10, 731-733.	1.0	22

#	ARTICLE	IF	CITATIONS
217	Position of side-chain branching and handedness of turns and helices of homopeptides from chiral C ₁ -methylated amino acids. Crystal-state structural analysis of (i±Me)Leu trimer and tetramer. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1994, , 525-529.	0.9	21
218	Experimental and Theoretical Spectroscopic Study of 3 ^{<sub>10</sub>-Helical Peptides Using Isotopic Labeling to Evaluate Vibrational Coupling. <i>Journal of Physical Chemistry B</i>, 2011, 115, 6252-6264.}	1.2	21
219	Isovaline in naturally occurring peptides: A nondestructive methodology for configurational assignment. <i>Biopolymers</i> , 2012, 98, 36-49.	1.2	21
220	Interaction of hydrophobic and amphipathic antimicrobial peptides with lipid bicelles. <i>Journal of Peptide Science</i> , 2014, 20, 517-525.	0.8	21
221	Linear oligopeptides: 65 [±] . Conformational analysis of the N-protected aromatic i±-amino acid by X-ray diffraction and infrared absorption. <i>International Journal of Biological Macromolecules</i> , 1980, 2, 217-224.	3.6	20
222	Crystal-state conformation of homo-oligomers of i±-aminoisobutyric acid: Molecular and crystal structure of pBrBz-(Aib) ₆ -OMe. <i>Structural Chemistry</i> , 1991, 2, 523-527.	1.0	20
223	A helical Dpg homo-peptide. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1992, , 523.	0.9	20
224	Conformation and membrane activity of an analogue of the peptaibol antibiotic trichogin GA IV with a lipophilic amino acid at the N-terminus. , 1998, 4, 389-399.		20
225	A Chirally Stable, Atropisomeric, C ₁ -Tetrasubstituted i±-Amino Acid: Incorporation into Model Peptides and Conformational Preference. <i>Helvetica Chimica Acta</i> , 2001, 84, 481-501.	1.0	20
226	Lipopeptaibol Metabolites of Tolypocladium geodes: Total Synthesis, Preferred Conformation, and Membrane Activity. <i>Chemistry - A European Journal</i> , 2003, 9, 3567-3576.	1.7	20
227	Preferred Conformations of Peptides Containing tert-Leucine, a Sterically Demanding, Lipophilic ?-Amino Acid with a Quaternary Side-Chain C? Atom. <i>Chemistry - A European Journal</i> , 2005, 11, 2395-2404.	1.7	20
228	Total Synthesis, Characterization, and Conformational Analysis of the Naturally Occurring Hexadecapeptide Integramide [±] ...A and a Diastereomer. <i>Chemistry - A European Journal</i> , 2010, 16, 316-327.	1.7	20
229	A single-residue substitution inhibits fibrillization of Ala-based pentapeptides. A spectroscopic and molecular dynamics investigation. <i>Soft Matter</i> , 2014, 10, 2508.	1.2	20
230	Peptides on the Surface: Spin-Label EPR and PELDOR Study of Adsorption of the Antimicrobial Peptides Trichogin GA IV and Ampullosporin A on the Silica Nanoparticles. <i>Applied Magnetic Resonance</i> , 2016, 47, 309-320.	0.6	20
231	Linear oligopeptides. 118. Preferred conformations and modes of self-association of the fluoren-9-ylmethoxycarbonyl amino acid derivatives. <i>Canadian Journal of Chemistry</i> , 1984, 62, 2661-2666.	0.6	19
232	Self-association and solubility of peptides: Solvent-titration study of N?-protected C-terminal sequences of substance P. <i>Biopolymers</i> , 1986, 25, 281-289.	1.2	19
233	Preferred conformation of peptides rich in Ac ₈ c, a medium-ring alicyclic C ₁ , i±-disubstituted glycine. <i>Journal of Peptide Science</i> , 1996, 2, 14-27.	0.8	19
234	Reactive Intermediates in Peptide Synthesis: A First Crystal Structures and ab Initio Calculations of 2-Alkoxy-5(4H)-oxazolones from Urethane-Protected Amino Acids. <i>Journal of the American Chemical Society</i> , 1997, 119, 4136-4142.	6.6	19

#	ARTICLE	IF	CITATIONS
235	Peptaibolin: synthesis, 3D-structure, and membrane modifying properties of the natural antibiotic and selected analogues. <i>Tetrahedron</i> , 2001, 57, 2813-2825.	1.0	19
236	A Helical Peptide Receptor for [60]Fullerene. <i>Chemistry - A European Journal</i> , 2002, 8, 1544-1553.	1.7	19
237	Preferred 3D-Structure of Peptides Rich in a Severely Conformationally Restricted Cyclopropane Analogue of Phenylalanine. <i>Chemistry - A European Journal</i> , 2006, 12, 251-260.	1.7	19
238	Crystal-state 3D-structural characterization of novel, Aib-based, turn and helical peptides. <i>Journal of Peptide Science</i> , 2007, 13, 190-205.	0.8	19
239	Bioorganic stereochemistry. A study of the peptide oxazolones from Z-(Aib) _n -OH (n = 2-4) in the solid state*. <i>International Journal of Peptide and Protein Research</i> , 2009, 22, 603-610.	0.1	19
240	Photoinduced Electron Transfer through Peptide-Based Self-Assembled Monolayers Chemisorbed on Gold Electrodes: Directing the Flow-in and Flow-out of Electrons through Peptide Helices. <i>Journal of Physical Chemistry A</i> , 2014, 118, 6674-6684.	1.1	19
241	A terminally protected dipeptide: from crystal structure and self-assembly, through co-assembly with carbon-based materials, to a ternary catalyst for reduction chemistry in water. <i>Soft Matter</i> , 2016, 12, 238-245.	1.2	19
242	Circular dichroism of monocyclic and bicyclic lactones. Restricted and rigid model compounds for the ester chromophore. <i>Journal of Organic Chemistry</i> , 1970, 35, 6-10.	1.7	18
243	Structural Role of Valine and Isoleucine Residues in Proteins. A Proposal.. <i>Macromolecules</i> , 1978, 11, 437-438.	2.2	18
244	Structural Versatility of Homo-peptides from C ₁ , [±] -dialkylated Glycines. <i>British Polymer Journal</i> , 1986, 18, 221-225.	0.7	18
245	Conformational restriction through C ₂ ? C ₂ ? cyclization: Ac12c, the largest cycloaliphatic C ₂ ,?-disubstituted glycine known. <i>Biopolymers</i> , 2000, 53, 200-212.	1.2	18
246	Mag: a C ₁ , [±] -Methylated, Side-chain Unsaturated [±] -Amino Acid. Introduction into Model Peptides and Conformational Preference. <i>Tetrahedron</i> , 2000, 56, 3589-3601.	1.0	18
247	Distance dependency of exciton coupled circular dichroism using turn and helical peptide spacers. <i>Biopolymers</i> , 2003, 72, 105-115.	1.2	18
248	Structural properties and photophysical behavior of conformationally constrained hexapeptides functionalized with a new fluorescent analog of tryptophan and a nitroxide radical quencher. <i>Biopolymers</i> , 2004, 75, 128-139.	1.2	18
249	Benzophenone Photophore Flexibility and Proximity: Molecular and Crystal-State Structure of a Bpa-Containing Trichogin Dodecapeptide Analogue. <i>ChemBioChem</i> , 2004, 5, 541-544.	1.3	18
250	Synthesis of protected derivatives and short peptides of antAib, a novel C ₁ , [±] -tetrasubstituted [±] -amino acid of the Ac5c type possessing a fused anthracene fluorophore. <i>Tetrahedron</i> , 2006, 62, 6203-6213.	1.0	18
251	Slowtert-butyl ester acidolysis and peptide 310-helix to [±] -helix transition in HFIP solution. <i>Biopolymers</i> , 2007, 88, 233-238.	1.2	18
252	Pore-Forming Properties of Alamethicin F50/5 Inserted in a Biological Membrane. <i>Chemistry and Biodiversity</i> , 2007, 4, 1338-1346.	1.0	18

#	ARTICLE	IF	CITATIONS
253	Self-assembled peptide monolayers on interdigitated gold microelectrodes. <i>Materials Science and Engineering C</i> , 2007, 27, 1309-1312.	3.8	18
254	Metal Binding Properties of Fluorescent Analogues of Trichogin GA ^{IV} : A Conformational Study by Time-Resolved Spectroscopy and Molecular Mechanics Investigations. <i>ChemBioChem</i> , 2009, 10, 91-97.	1.3	18
255	The importance of being Aib. Aggregation and self-assembly studies on conformationally constrained oligopeptides. <i>Journal of Peptide Science</i> , 2017, 23, 104-116.	0.8	18
256	Phenylalanine oligopeptides. <i>Bioorganic Chemistry</i> , 1974, 3, 114-124.	2.0	17
257	Self-association of N-protected α -amino acids. Optically active and racemic N-tert-butyloxycarbonyl-alanine. <i>Biopolymers</i> , 1981, 20, 1635-1649.	1.2	17
258	Reverse Relationship between α -Carbon Chirality and Helix Handedness in (α -Me)Phe Peptides. <i>Journal of Biomolecular Structure and Dynamics</i> , 1993, 10, 919-931.	2.0	17
259	α -Tetrasubstituted Amino Acid Based Peptides in Asymmetric Catalysis. <i>Biopolymers</i> , 2006, 84, 97-104.	1.2	17
260	Handedness control of peptide helices by amino acid side-chain chirality: Ile/Ala peptides. <i>Biopolymers</i> , 2006, 84, 490-501.	1.2	17
261	Multinuclear Solid-State-NMR and FT-IR-Absorption Investigations on Lipid/Trichogin Bilayers. <i>Chemistry and Biodiversity</i> , 2007, 4, 1200-1218.	1.0	17
262	A crystal-state, solution and theoretical study of the preferred conformation of linear α -diphenylglycine derivatives and dipeptides with potential anticonvulsant activity. <i>International Journal of Peptide and Protein Research</i> , 1994, 44, 85-95.	0.1	17
263	Photocurrent generation in peptide-based self-assembled monolayers on gold electrodes. <i>Superlattices and Microstructures</i> , 2009, 46, 34-39.	1.4	17
264	Peptide antibiotic trichogin in model membranes: Self-association and capture of fatty acids. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2019, 1861, 524-531.	1.4	17
265	Title is missing!. <i>Die Makromolekulare Chemie</i> , 1975, 176, 2535-2545.	1.1	16
266	¹³ C Nuclear Magnetic Resonance of Protamines. The Three Main Components of Clupeine. <i>FEBS Journal</i> , 1979, 93, 13-21.	0.2	16
267	Secondary structure prediction of fish protamines. <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1980, 624, 420-427.	1.7	16
268	Structural versatility of peptides from α -disubstituted glycines. Preferred conformation of the α -dibenzylglycine residue. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1990, , 1481-1487.	0.9	16
269	Defect peptide chemistry: Perturbations in the structure of a homopentapeptide induced by a guest residue interrupting side-chain regularity. <i>Biopolymers</i> , 1994, 34, 1409-1418.	1.2	16
270	Understanding α -amino acid chemistry from X-ray diffraction structures. , 1996, 40, 627-651.		16

#	ARTICLE	IF	CITATIONS
271	Synthesis of terminally protected 9-amino-4,5-diazafluorene-9-carboxylic acid, the first rigid, transition-metal receptor, C ₁ -, C ₂ -disubstituted glycine. <i>Tetrahedron Letters</i> , 1999, 40, 6245-6248.	0.7	16
272	First Interchain Peptide Interaction Detected by ESR in Fully Synthetic, Template-Assisted, Two-Helix Bundles. <i>Journal of the American Chemical Society</i> , 1999, 121, 11071-11078.	6.6	16
273	A spectroscopic and molecular mechanics investigation on a series of AIB-based linear peptides and a peptide template, both containing tryptophan and a nitroxide derivative as probes. <i>Biopolymers</i> , 2000, 53, 169-181.	1.2	16
274	9-Amino-4,5-diazafluorene-9-carboxylic Acid (Daf), a New C ₁ -, C ₂ -Disubstituted Glycine Containing a Spatially Constrained Bipyridine-Like Ligand for Transition Metals: Synthesis and Evaluation of Peptide-Coupling Conditions at its C- and N-Termini. <i>European Journal of Organic Chemistry</i> , 2001, 2001, 1821-1829.	1.2	16
275	X-ray Diffraction Analysis and Conformational Energy Computations of β -Turn and 3_{10} -Helical Peptides Based on α -Amino Acids with an Olefinic Side Chain. Implications for Ring-Closing Metathesis. <i>Macromolecules</i> , 2002, 35, 4204-4209.	2.2	16
276	An oligopeptide doubly labelled with an azulene chromophore and a TEMPO radical. Azulene triplet generation by enhanced ISC from S ₂ . <i>Chemical Physics Letters</i> , 2004, 385, 362-367.	1.2	16
277	Stereoselective acylation of a racemic amine with C ₁ -methyl phenylglycine-based dipeptide 5(4H)-oxazolones. <i>Chirality</i> , 2005, 17, 481-487.	1.3	16
278	Static and dynamic features of a helical hexapeptide chemisorbed on a gold surface. <i>Materials Science and Engineering C</i> , 2006, 26, 918-923.	3.8	16
279	C ⁺ -Methyl proline: A unique example of split personality. <i>Biopolymers</i> , 2008, 89, 465-470.	1.2	16
280	Structure, solubility and reactivity of peptides. <i>International Journal of Peptide and Protein Research</i> , 1987, 30, 232-239.	0.1	16
281	Building a bridge between peptide chemistry and organic chemistry: Intramolecular macrocyclization reactions and supramolecular chemistry with helical peptide substrates. <i>Biopolymers</i> , 2010, 94, 721-732.	1.2	16
282	Synthesis, Preferred Conformation, and Membrane Activity of Medium-length Peptaibiotics: Tylopeptin B. <i>Chemical Biology and Drug Design</i> , 2010, 75, 169-181.	1.5	16
283	A solvent-dependent peptide spring unraveled by 2D-NMR. <i>Tetrahedron</i> , 2012, 68, 4429-4433.	1.0	16
284	Aggregation propensity of Aib homo-peptides of different length: an insight from molecular dynamics simulations. <i>Journal of Peptide Science</i> , 2014, 20, 494-507.	0.8	16
285	Probing the topography of proteins in solution by photosensitized oxidation. The catalytic region of papain. <i>Journal of Molecular Biology</i> , 1971, 59, 151-168.	2.0	15
286	Conformational Studies of Equilibrium Structures in Fragments of Horse Heart Cytochrome c. <i>FEBS Journal</i> , 1975, 50, 367-374.	0.2	15
287	Linear oligopeptides. 99. An infrared absorption method to titrate quantitatively the extent of self-association in peptides. <i>Journal of the American Chemical Society</i> , 1984, 106, 1455-1457.	6.6	15
288	Linear oligopeptides. Part 316. Conformational characterization of syndiotactic homo-peptides from C ₁ -, C ₂ -disubstituted glycines. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1994, , 1735-1742.	0.9	15

#	ARTICLE	IF	CITATIONS
289	Synthesis, conformational study, and spectroscopic characterization of the cyclic C α , β -disubstituted glycine 9-amino-9-fluorene-carboxylic acid. , 1999, 5, 61-74.		15
290	Serendipitous Discovery of Peptide Dialkyl Peroxides. Helvetica Chimica Acta, 2002, 85, 3099-3112.	1.0	15
291	Crystal-state 3D-structural characterization of novel 310-helical peptides. Journal of Peptide Science, 2003, 9, 620-637.	0.8	15
292	C α -Methyl, C α -n-Propylglycine Homo-oligomers. Macromolecules, 2003, 36, 8164-8170.	2.2	15
293	Correlation between symmetry breaker position and the preferences of conformationally constrained homopeptides: A molecular dynamics investigation. Biopolymers, 2008, 90, 695-706.	1.2	15
294	Central-to-axial chirality transfer and induced circular dichroism in 6,7-dihydro-5H-dibenz[c,e]azepine derivatives of β - and γ -amino esters. Tetrahedron Letters, 2008, 49, 3475-3479.	0.7	15
295	Looking for a Robust, Synthetic, Fully-Extended (2.0 ⁵ -Helical) Peptide Structure – Effect of Terminal Groups. European Journal of Organic Chemistry, 2012, 2012, 167-174.	1.2	15
296	New bis-ferrocenyl end-capped peptides: synthesis and charge transfer properties. Biopolymers, 2013, 100, 14-24.	1.2	15
297	¹³ C- ¹⁸ O/ ¹⁵ N Isotope Dependence of the Amide-I/II 2D IR Cross Peaks for the Fully Extended Peptides. Journal of Physical Chemistry C, 2014, 118, 29448-29457.	1.5	15
298	Peptide Turn: Literature Survey and Recent Progress. Chemistry - A European Journal, 2015, 21, 13866-13877.	1.7	15
299	Peptide flatlandia: a new-concept peptide for positioning of electroactive probes in proximity to a metal surface. Nanoscale, 2015, 7, 15495-15506.	2.8	15
300	Crystal structures of N-parabromobenzoyl- β -aminoisobutyric acid and two derivatives. Zeitschrift Fur Kristallographie - Crystalline Materials, 1986, 175, .	0.4	14
301	Molecular and Crystal Structures of Two Terminally Blocked Tripeptides Corresponding to the 3 ⁵ Sequence of the Peptaibol Antibiotics Antiamoebins. Liebigs Annalen Der Chemie, 1989, 1989, 337-343.	0.8	14
302	Interaction between TOAC free radical and photoexcited triplet chromophores linked to peptide templates. Biopolymers, 2000, 55, 486-495.	1.2	14
303	Synthesis of the First Axially Dissymmetric, C α , β -Disubstituted Glycine Containing a Crown Ether Receptor, and the Conformational Preferences of a Model Peptide. European Journal of Organic Chemistry, 2002, 2002, 1232-1247.	1.2	14
304	N-methylation of N α -acylated, fully C α -methylated, linear, folded peptides: Synthetic and conformational aspects. Biopolymers, 2006, 84, 553-565.	1.2	14
305	Synthesis of Enantiomerically Pure cis- and trans-4-Amino-1-oxyl-2,2,6,6-tetramethylpiperidine-3-carboxylic Acid: A Spin-Labelled, Cyclic, Chiral β -Amino Acid, and 3D-Structural Analysis of a Doubly Spin-Labelled β -Hexapeptide. European Journal of Organic Chemistry, 2007, 2007, 3133-3144.	1.2	14
306	Looking for the peptide 2.0 ⁵ -helix: A solvent- and main-chain length-dependent conformational switch probed by electron transfer across c α , β -diethylglycine homo-oligomers. Biopolymers, 2013, 100, 51-63.	1.2	14

#	ARTICLE	IF	CITATIONS
307	Peptide Self-Assembled Nanostructures: From Models to Therapeutic Peptides. <i>Nanomaterials</i> , 2022, 12, 466.	1.9	14
308	Sequential oligopeptides. Synthesis and characterization of the oligopeptides and a polypeptide with the repeating sequence L-norvalyl-glycyl-L-proline. <i>Biopolymers</i> , 1974, 13, 1055-1066.	1.2	13
309	N-Acylureas in Peptide Synthesis: An X-Ray Diffraction and IR-Absorption Study. <i>Helvetica Chimica Acta</i> , 1990, 73, 626-634.	1.0	13
310	Linear oligopeptides. Part 329. Synthesis, characterization and solution conformational analysis of C α -ethyl, C α -benzylglycine[(α -Et)Phe] containing peptides. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1995, , 1097-1101.	0.9	13
311	Total synthesis and membrane modifying properties of the lipopeptaibol trikoningin KB II and its analogues with acyl chains of different length at the N- and C-termini. , 1999, 5, 96-102.		13
312	Comparative conformational analysis of peptides based on the two C α -tetrasubstituted, C α ² -branched, chiral α -amino acids (α -Me)Dip and (α -Me)Val. <i>Perkin Transactions II RSC</i> , 2000, , 631-636.	1.1	13
313	PROTAMINES. <i>International Journal of Peptide and Protein Research</i> , 1979, 14, 143-152.	0.1	13
314	Protected 1 α -3 segment of the peptaibol antibiotics alamethicin and hypelcin.. <i>International Journal of Peptide and Protein Research</i> , 1983, 22, 385-397.	0.1	13
315	Photoinduced Intramolecular Macrocyclization Reaction between a Bpa and a Met Residue in a Helical Peptide: 3D Structures of the Diastereomeric Products. <i>Chemistry - A European Journal</i> , 2009, 15, 67-70.	1.7	13
316	Electronic and vibrational signatures of peptide helical structures: A tribute to Anton Mario Tamburro. <i>Chirality</i> , 2010, 22, E30-9.	1.3	13
317	Photoresponsive Supramolecular Architectures Based on Polypeptide Hybrids. <i>Macromolecules</i> , 2014, 47, 7272-7283.	2.2	13
318	Innovative chemical synthesis and conformational hints on the lipopeptide liraglutide. <i>Journal of Peptide Science</i> , 2016, 22, 471-479.	0.8	13
319	Sequential oligopeptides. Conformational studies of the oligopeptides and a polypeptide with the repeating sequence L-norvalyl-glycyl-L-proline. <i>Biopolymers</i> , 1974, 13, 1067-1078.	1.2	12
320	High-Resolution solid-state ¹³ C-nmr of peptides: A study of chain-length dependence for 310-helix formation. <i>Biopolymers</i> , 1988, 27, 1607-1617.	1.2	12
321	Crystallographic structure of a helical lipopeptaibol antibiotic analogue. <i>International Journal of Peptide Research and Therapeutics</i> , 1997, 4, 213-218.	0.1	12
322	Catalytic enantioselective addition of hydrogen cyanide to benzaldehyde and p-methoxybenzaldehyde using cyclo-His-(α -Me)Phe as catalyst. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 1987-1999.	1.8	12
323	Trans-cis amide bond isomerization in fulleroprolines. , 1998, 4, 364-368.		12
324	Crystallographic structure of a multiple α ² -turn containing, glycine-rich heptapeptide: A synthetic precursor of the lipopeptaibol antibiotic Trichodecenin I. <i>Biopolymers</i> , 1998, 39, 31-42.	1.2	12

#	ARTICLE	IF	CITATIONS
325	\hat{I}^2 -Homo-peptides Built from $\hat{I}^2,2$ -HBip, a Biphenyl-substituted 3-Amino-2,2-dimethylpropanoic Acid. <i>Tetrahedron</i> , 2000, 56, 1715-1723.	1.0	12
326	Short-chain analogues of the lipopeptaibol antibiotic trichogin GA IV: conformational analysis and membrane modifying properties. <i>Perkin Transactions II RSC</i> , 2001, , 1372-1377.	1.1	12
327	Characterization of the 310-Helix in Model Peptides by HRMAS NMR Spectroscopy. <i>Chemistry - A European Journal</i> , 2003, 9, 1317-1323.	1.7	12
328	All- \hat{C}^{α} -Thioamidated Homo- \hat{I}^{\pm} -Peptides: Synthesis and Conformation. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 3455-3463.	1.2	12
329	The fully-extended conformation in peptides and proteins. <i>Peptide Science</i> , 2018, 110, e23100.	1.0	12
330	Linear oligopeptides. Part 85. Preferred conformations of linear homooligoprolines. N-tert-butyloxycarbonyl-D-prolyl-D-prolyl-L-proline. <i>Macromolecules</i> , 1982, 15, 54-59.	2.2	11
331	Cu(II)-protamine interaction. II. The formation and structure of Cu(II) complexes of clupeine YII and of peptides mimicking clupeine N-terminals. <i>Biopolymers</i> , 1982, 21, 1229-1243.	1.2	11
332	Conformationally restricted analogues of anti-aspartame-type sweeteners. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1992, , 1945.	0.9	11
333	Conformational characterization of peptides rich in the cycloaliphatic $\hat{C}^{\alpha},\hat{I}^{\pm}$ -disubstituted glycine 1-amino-cyclononane-1-carboxylic acid. , 1997, 3, 367-382.		11
334	Helix induction potential of N-terminal \hat{I}^{\pm} -methyl, \hat{I}^{\pm} -amino acids. <i>International Journal of Peptide Research and Therapeutics</i> , 1998, 5, 105-107.	0.1	11
335	First access to the spin-labelled \hat{I}^2 -amino acid POAC in an enantiopure state by resolution through its binaphthyl esters. <i>Tetrahedron Letters</i> , 2003, 44, 4183-4186.	0.7	11
336	Synthesis and spectroscopic characterization of enantiopure protected trans-4-amino-1-oxyl-2,2,6,6-tetramethyl piperidine-3-carboxylic acid (trans \hat{I}^2 -TOAC). <i>Tetrahedron Letters</i> , 2005, 46, 5573-5576.	0.7	11
337	An extension of the \hat{C}^{α} -Bip method TM : induced axial chirality in a series of dipeptides based on Bip/ $\hat{I}^2,2$ -HBip combined with Ala/ \hat{I}^2 -HALa. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 363-371.	1.8	11
338	Configurational Assignment of \hat{D} - and \hat{L} -isovalines in Intact, Natural, and Synthetic Peptides by 2D-NMR Spectroscopy. <i>Chemistry and Biodiversity</i> , 2010, 7, 1612-1624.	1.0	11
339	Bis(azobenzene)-Based Photoswitchable, Prochiral, $\hat{C}^{\alpha},\hat{I}^{\pm}$ -Tetrasubstituted \hat{I}^{\pm} -Amino Acids for Nanomaterials Applications. <i>Chemistry - A European Journal</i> , 2011, 17, 12606-12611.	1.7	11
340	Peptides on the Surface. PELDOR Data for Spin-Labeled Alamethicin F50/5 Analogues on Organic Sorbent. <i>Journal of Physical Chemistry B</i> , 2014, 118, 7085-7090.	1.2	11
341	NMR study of the main components of clupeine and their possible interaction with nucleic acids. <i>FEBS Letters</i> , 1980, 110, 21-24.	1.3	10
342	Synthetic formyl-methionyl chemoattractants: A conformation-activity study of oxidized tripeptides. <i>Peptides</i> , 1988, 9, 1195-1205.	1.2	10

#	ARTICLE	IF	CITATIONS
343	X-Ray diffraction structure determination of a novel peptide oxazol-5(4H)-one with a chiral carbon atom in the heterocyclic moiety. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1991, , 3386.	0.9	10
344	The polypeptide 310-helix as a template for molecular recognition studies. Structural characterization of a sidechain functionalized octapeptide. <i>Bioorganic and Medicinal Chemistry</i> , 1995, 3, 1211-1221.	1.4	10
345	Synthesis, conformational analysis, and spectroscopic characterization of peptides based on Daf, the first rigid transition-metal receptor, cyclic C α , β -disubstituted glycine. <i>Biopolymers</i> , 2002, 63, 314-324.	1.2	10
346	Conformational analysis by HRMAS NMR spectroscopy of resin-bound homo-peptides from C α -methyl-leucine. <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 1835-1837.	1.5	10
347	Main-Chain Length Control of Conformation, Membrane Activity, and Antibiotic Properties of Lipo-peptaibol Sequential Analogues. <i>Chemistry and Biodiversity</i> , 2008, 5, 681-692.	1.0	10
348	Synthetic homo-oligomethionine chemoattractants. <i>International Journal of Peptide and Protein Research</i> , 1985, 26, 482-492.	0.1	10
349	Complete Absolute Configuration of Integramide A, a Natural, 16-mer Peptide Inhibitor of HIV-1 Integrase, Elucidated by Total Synthesis. <i>ChemBioChem</i> , 2009, 10, 87-90.	1.3	10
350	A new tool for photoaffinity labeling studies: a partially constrained, benzophenone based, β -amino acid. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 3281.	1.5	10
351	Partial thioamide scan on the lipopeptaibiotic trichogin GA IV. Effects on folding and bioactivity. <i>Beilstein Journal of Organic Chemistry</i> , 2012, 8, 1161-1171.	1.3	10
352	Synthesis and preliminary conformational analysis of TOAC spin-labeled analogues of the medium-length peptaibiotic tylopeptin B. <i>Journal of Peptide Science</i> , 2012, 18, 37-44.	0.8	10
353	The 2.05-helix in hetero-oligopeptides entirely composed of C α , β -disubstituted glycines with both side chains longer than methyls. <i>Biopolymers</i> , 2014, 102, 145-158.	1.2	10
354	Synthesis and conformational properties of a TOAC doubly spin-labeled analog of the medium-length, membrane active peptaibiotic ampullosporin a as revealed by cd, fluorescence, and EPR spectroscopies. <i>Biopolymers</i> , 2014, 102, 40-48.	1.2	10
355	Tuning the Morphology of Nanostructured Peptide Films by the Introduction of a Secondary Structure Conformational Constraint: A Case Study of Hierarchical Self-Assembly. <i>Journal of Physical Chemistry B</i> , 2018, 122, 6305-6313.	1.2	10
356	Trichogin GA IV Alignment and Oligomerization in Phospholipid Bilayers. <i>ChemBioChem</i> , 2019, 20, 2141-2150.	1.3	10
357	Title is missing!. <i>Die Makromolekulare Chemie</i> , 1978, 179, 1453-1463.	1.1	9
358	Title is missing!. <i>Die Makromolekulare Chemie</i> , 1979, 180, 2095-2099.	1.1	9
359	Linear Oligopeptides. 59. Stereochemical Analysis of N-tert-Butyloxycarbonyl-L-prolylsarcosine and N-tert-Butyloxycarbonylsarcosylsarcosine in the Solid State and in Solution. <i>Macromolecules</i> , 1979, 12, 438-445.	2.2	9
360	Title is missing!. <i>Die Makromolekulare Chemie</i> , 1981, 182, 3149-3162.	1.1	9

#	ARTICLE	IF	CITATIONS
361	Activated Amino Acids as Structures of [(Phthalimido)isobutyric] Anhydride, pentachlorophenyl tert-butylbutyloxycarbonylamino)isobutanoate, and Pentachlorophenyl tert-butylbenzyloxycarbonylamino)isobutanoate. Liebigs Annalen Der Chemie, 1986, 1809-1822.	0.8	9
362	Preferred conformation of peptides based on cycloaliphatic C ₂ , ² -disubstituted glycines: 1-amino-cycloundecane-1-carboxylic acid (Ac11c). Journal of Peptide Science, 2000, 6, 571-583.	0.8	9
363	Afc can adopt either the fully extended or a turn conformation. International Journal of Peptide Research and Therapeutics, 2000, 7, 123-131.	0.1	9
364	A study of a C ¹³ , ¹⁵ -didehydroalanine homo-oligopeptide series in the solid-state by ¹³ C cross-polarization magic angle spinning NMR. Journal of Peptide Science, 2004, 10, 336-341.	0.8	9
365	Direct Observation of Intramolecular Hydrogen Bonds in Peptide 310 Helices by ³¹ JN, C ¹³ Scalar Couplings. Angewandte Chemie - International Edition, 2004, 43, 3152-3155.	7.2	9
366	Exploring new dipeptides based on phenylglycine and C ¹³ -methyl phenylglycine as hosts in inclusion resolutions. Tetrahedron: Asymmetry, 2004, 15, 1919-1927.	1.8	9
367	Solvent Dependence of the Rotational Diffusion of TOAC-Spin-Labeled Alamethicin. Chemistry and Biodiversity, 2007, 4, 1269-1274.	1.0	9
368	Synthesis and Characterisation of Helical ¹² C- ¹³ C Peptide Architectures that Contain ³ C- ¹³ C DOPA(Crown Ether) Derivatives. Chemistry - A European Journal, 2008, 14, 3154-3163.	1.7	9
369	Methylene chloride-soluble and insoluble ureines An X-ray diffraction, infrared absorption, and proton magnetic resonance study. International Journal of Peptide and Protein Research, 1988, 31, 77-85.	0.1	9
370	Photocontrolled Self-Assembly of a Bis-Azobenzene-Containing ¹³ C-Amino Acid. Chemistry - A European Journal, 2013, 19, 15841-15846.	1.7	9
371	Enhancement of the helical content and stability induced in a linear oligopeptide by an i, i+4 intramolecularly double stapled, overlapping, bicyclic [31, 22, 5] Ene motif. Biopolymers, 2014, 102, 115-123.	1.2	9
372	4-Cyano- ¹³ C-methyl-L-phenylalanine as a Spectroscopic Marker for the Investigation of Peptaibiotic-Membrane Interactions. Chemistry and Biodiversity, 2015, 12, 513-527.	1.0	9
373	An EPR study of ampullosporin A, a medium-length peptaibiotic, in bicelles and vesicles. Physical Chemistry Chemical Physics, 2016, 18, 749-760.	1.3	9
374	Alamethicin self-assembling in lipid membranes: concentration dependence from pulsed EPR of spin labels. Physical Chemistry Chemical Physics, 2018, 20, 3592-3601.	1.3	9
375	Infrared Conformational Study of Poly(ethylene glycol)-Bound Homooligoglycines in the Solid State and in Solution. Macromolecules, 1980, 13, 772-774.	2.2	8
376	¹³ C-formylated and tert-butylloxycarbonylated Phe-(Leu-Phe) _n and (Leu-Phe) _n peptides as agonists and antagonists of the chemotactic formylpeptide receptor of the rabbit peritoneal neutrophil. Biochimica Et Biophysica Acta - General Subjects, 1990, 1034, 67-72.	1.1	8
377	First unequivocal observation of the multiple fully extended conformation (25-helix) in a homopeptide from a C ¹³ -methylated chiral ¹³ C-amino acid. International Journal of Peptide Research and Therapeutics, 1995, 1, 157-162.	0.1	8
378	Agonist Activity at the Kinin B1 Receptor: Structural Requirements of the Central Tetrapeptide. Journal of Medicinal Chemistry, 2001, 44, 274-278.	2.9	8

#	ARTICLE	IF	CITATIONS
379	Probing structural requirements of fMLP receptor: On the size of the hydrophobic pocket corresponding to residue 2 of the tripeptide. <i>Journal of Peptide Science</i> , 2002, 8, 56-65.	0.8	8
380	Folding of peptides characterized by c3Val, a highly constrained analogue of valine. <i>Biopolymers</i> , 2003, 68, 178-191.	1.2	8
381	New tools for the control of peptide conformation and supramolecular chemistry: Crown-carrier, C α -methyl L-DOPA amino acids. <i>Biopolymers</i> , 2003, 71, 667-674.	1.2	8
382	Total Synthesis of Sequential Retro-Peptide Oligomers. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 4188-4196.	1.2	8
383	Linear Configuration of the Spins of a Stable Trinitroxide Radical Based on a Ternary Helical Peptide. <i>ChemPhysChem</i> , 2005, 6, 1472-1475.	1.0	8
384	Synthesis, conformation, and bioactivity of novel analogues of the antiviral lipopeptide halovir A. <i>Journal of Peptide Science</i> , 2006, 12, 748-757.	0.8	8
385	Turn and helical peptide spacers: Combined distance and angular dependencies in the exciton-coupled circular dichroism of intramolecularly interacting bis-porphyrins. <i>Biopolymers</i> , 2006, 82, 482-490.	1.2	8
386	Synthesis and Conformational Characterisation of Hexameric β -Peptide Foldamers by Using Double POAC Spin Labelling and cw-EPR. <i>Chemistry - A European Journal</i> , 2010, 16, 11160-11166.	1.7	8
387	Factors Governing the Conformational Tendencies of C α -Ethylated β -Amino Acids: Chirality and Side-Chain Size Effects. <i>Journal of Physical Chemistry B</i> , 2012, 116, 13297-13307.	1.2	8
388	En route towards the peptide α -helix: X-ray diffraction analyses and conformational energy calculations of Adm-rich short peptides. <i>Journal of Peptide Science</i> , 2017, 23, 346-362.	0.8	8
389	Tuning morphological architectures generated through living supramolecular assembly of a helical foldamer end-capped with two complementary nucleobases. <i>Soft Matter</i> , 2017, 13, 4231-4240.	1.2	8
390	Low-Temperature Dynamical Transition in Lipid Bilayers Detected by Spin-Label ESE Spectroscopy. <i>Applied Magnetic Resonance</i> , 2018, 49, 1369-1383.	0.6	8
391	Insights into the Distance Dependence of Electron Transfer through Conformationally Constrained Peptides. <i>ChemElectroChem</i> , 2020, 7, 1225-1237.	1.7	8
392	Cu(II)-Protamine interaction. I. The formation and structure of Cu(II)-clupeine Z complexes. <i>Biopolymers</i> , 1981, 20, 951-966.	1.2	7
393	Molecular and crystal structure of a dehydroalanine dipeptide*. <i>Zeitschrift Fur Kristallographie - Crystalline Materials</i> , 1993, 207, .	0.4	7
394	C α -Methyl, C α -phenylglycine peptides: A structural study. <i>International Journal of Peptide Research and Therapeutics</i> , 1998, 5, 223-225.	0.1	7
395	C γ -hydroxymethyl methionine: synthesis, optical resolution and crystal structure of its (+)-N α -benzoyl derivative. <i>Journal of Peptide Science</i> , 2001, 7, 619-625.	0.8	7
396	Influence of glycosylation on the conformational preferences of folded oligopeptides. <i>Tetrahedron</i> , 2001, 57, 2433-2443.	1.0	7

#	ARTICLE	IF	CITATIONS
397	Synthesis and Characterization of a Series of Homooligopeptide Peroxyesters. <i>Organic Letters</i> , 2004, 6, 2753-2756.	2.4	7
398	Total Synthesis in Solution and Conformational Analysis of the Peptaibol Cervinin and Selected Analogues. <i>Chemistry and Biodiversity</i> , 2007, 4, 1129-1143.	1.0	7
399	Conformation of linear homo α -oligoprolines. <i>International Journal of Peptide and Protein Research</i> , 1982, 20, 312-319.	0.1	7
400	Structural versatility of peptides from C ^{α} -disubstituted glycines: crystal state conformational analysis of peptides from C ^{α} -methylhomophenylalanine, (1Me)Hph. <i>International Journal of Peptide and Protein Research</i> , 1996, 47, 491-497.	0.1	7
401	Comparison of distance information in [TOAC ¹ , Glu(OMe) ^{7, 18, 19}] alamethicin F50/5 from paramagnetic relaxation enhancement measurements with data obtained from an X-ray diffraction-based model. <i>Journal of Peptide Science</i> , 2011, 17, 377-382.	0.8	7
402	Spectroscopically Labeled Peptaibiotics. Synthesis and Properties of Selected Trichogin GA IV Analogs Bearing a Side-Chain Monofluorinated Aromatic Amino Acid for ¹⁹ F-NMR Analysis. <i>Chemistry and Biodiversity</i> , 2013, 10, 904-919.	1.0	7
403	3D Structure, Dynamics, and Activity of Synthetic Analog of the Peptaibiotic Trichodecenin I. <i>Chemistry and Biodiversity</i> , 2013, 10, 887-903.	1.0	7
404	Electrophysiology Investigation of Trichogin GA IV Activity in Planar Lipid Membranes Reveals Ion Channels of Well-Defined Size. <i>Chemistry and Biodiversity</i> , 2014, 11, 1069-1077.	1.0	7
405	Conformation and EPR characterization of rigid, 3 ¹⁰ -helical peptides with TOAC spin labels: Models for short distances. <i>Biopolymers</i> , 2014, 102, 244-251.	1.2	7
406	Intramolecular backbone-backbone hydrogen bonds in polypeptide conformations. The other way around: β -turn. <i>Biopolymers</i> , 2017, 108, e22911.	1.2	7
407	A circular dichroism study of the cyanogen bromide fragments of soybean trypsin inhibitor (Kunitz). <i>Biochimica Et Biophysica Acta (BBA) - Protein Structure</i> , 1978, 532, 327-336.	1.7	6
408	Self-association and solubility of peptides. An infrared absorption method for quantitative titration of the extent of self-association in poly(ethylene glycol)-bound peptides. <i>Journal of the Chemical Society Chemical Communications</i> , 1983, , 1298.	2.0	6
409	Crystal and molecular structures of two N-carboxy anhydrides of C ^{α} -disubstituted glycines*. <i>Zeitschrift für Kristallographie</i> , 1992, 199, 229-237.	1.1	6
410	Stability of N-Derivatized and .alpha.-Methyl Analogs of Aspartame to Hydrolysis by Mammalian Cell-Surface Peptidases. <i>Journal of Agricultural and Food Chemistry</i> , 1994, 42, 1397-1401.	2.4	6
411	An oxazol-5(4H)-one from benzyloxycarbonyl-(Aib) ₄ -OH. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 695-696.	0.4	6
412	C ^{α} -Methyl, C ^{α} -allylglycine (Mag) Homooligomers. <i>Macromolecules</i> , 2001, 34, 4263-4269.	2.2	6
413	(1Me)H ₂ v: chemo-enzymatic synthesis, and preparation and preferred conformation of model depsiptides. Electronic supplementary information (ESI) available: analytical data. See http://www.rsc.org/suppdata/p2/b1/b107691b/ . <i>Perkin Transactions II RSC</i> , 2002, , 644-651.	1.1	6
414	Synthesis, Ion Complexation Study, and 3D Structural Analysis of Peptides Based on Crown-Carrier, C ^{α} -Methyl-L-DOPA Amino Acids. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 1224-1241.	1.2	6

#	ARTICLE	IF	CITATIONS
415	PREPARATION AND CONFORMATIONAL STUDY OF CLUPEINE FRAGMENTS*. International Journal of Peptide and Protein Research, 1981, 17, 181-188.	0.1	6
416	Spectroscopically labeled peptaibiotic analogs: the 4- ¹⁴ C-nitrophenylalanine infrared absorption probe inserted at different positions into trichogin GA IV. Journal of Peptide Science, 2013, 19, 246-256.	0.8	6
417	Hydrophobic Aib/Ala peptides solubilize in water through formation of supramolecular assemblies. Polymer Journal, 2013, 45, 516-522.	1.3	6
418	The fluorescence and infrared absorption probe <i>para</i> - ¹⁴ C-cyanophenylalanine: Effect of labeling on the behavior of different membrane-interacting peptides. Biopolymers, 2015, 104, 521-532.	1.2	6
419	Conformational flexibility of aspartame. Biopolymers, 2016, 106, 376-384.	1.2	6
420	Synthesis of Intrinsically Blue-Colored <i>bis</i> -Nitronyl Nitroxide Peptidomimetic Templates and Their Conformational Preferences as Revealed by a Combined Spectroscopic Analysis. Journal of Organic Chemistry, 2017, 82, 10033-10042.	1.7	6
421	Conformational properties, membrane interaction, and antibacterial activity of the peptaibiotic chalciporin A: Multitechnique spectroscopic and biophysical investigations on the natural compound and labeled analogs. Peptide Science, 2018, 110, e23083.	1.0	6
422	A novel peptide conformation: the β^3 -bend ribbon. Organic and Biomolecular Chemistry, 2018, 16, 7947-7958.	1.5	6
423	γ -Carbonylamides in peptide chemistry. I. Optical rotatory properties of <i>N</i> -acetoacetyl amino acids. Biopolymers, 1971, 10, 2275-2281.	1.2	5
424	Preparation and Conformational Properties of Benzylpenicilloyl-oligo-L-lysine Conjugates. Helvetica Chimica Acta, 1982, 65, 1965-1971.	1.0	5
425	Linear oligopeptides: c.d. and n.m.r. study of Dnp-pNA derivatives of Aib-containing tetrapeptides in a β^2 -bend conformation. International Journal of Biological Macromolecules, 1984, 6, 35-40.	3.6	5
426	Linear oligopeptides: peptaibol antibiotics β^9 preferred conformation of the β^9 segment of emerimicins III and IV and all related short sequences. International Journal of Biological Macromolecules, 1985, 7, 357-362.	3.6	5
427	Crystal and molecular structures of two <i>N</i> -derivatives of <i>C</i> ^{β} - <i>L</i> -diethylglycine*. Zeitschrift für Kristallographie, 1992, 199, 203-210.	1.1	5
428	Helical screw sense of peptide molecules. X-Ray diffraction structures of two oligopeptides with a single chiral centre. Journal of the Chemical Society Perkin Transactions II, 1993, , 987.	0.9	5
429	Linear oligopeptides. Part 352. Synthesis, characterization and solution conformational analysis of <i>C</i> ^{β} -methyl-homo-phenylalanine [<i>(L</i> -Me)Hph] containing peptides. Journal of the Chemical Society Perkin Transactions II, 1996, , 833-838.	0.9	5
430	Reactive intermediates in peptide synthesis: Molecular and crystal structures of HOAt and HOObt, and some ester and amide derivatives of HOBT, HOAt and HOObt. International Journal of Peptide Research and Therapeutics, 1998, 5, 247-258.	0.1	5
431	Preferred solution conformation of peptides rich in the lipophilic, chiral, <i>C</i> ^{β} -methylated <i>L</i> -amino acid (<i>L</i> -Me)Aoc. , 1999, 5, 547-554.		5
432	<i>N</i> -benzhydryl-glycolamide: The first protecting group in peptide synthesis with a strong conformational bias. Biopolymers, 2003, 71, 17-27.	1.2	5

#	ARTICLE	IF	CITATIONS
433	Nuclear Magnetic Resonance of Protamines. FEBS Journal, 2005, 126, 389-394.	0.2	5
434	Synthesis, resolution and assignment of absolute configuration of trans 3-amino-1-oxyl-2,2,5,5-tetramethylpyrrolidine-4-carboxylic acid (POAC), a cyclic, spin-labelled β -amino acid. Tetrahedron, 2008, 64, 4416-4426.	1.0	5
435	Chain length dependence for secondary structure formation of homo-oligopeptides from <i>tert</i> -butyloxycarbonyl-L-lysine with a lipophilic C-terminal group. International Journal of Peptide and Protein Research, 1984, 23, 47-54.	0.1	5
436	Conformational preferences and self-association modes of two diastereomeric statine derivatives. International Journal of Peptide and Protein Research, 1987, 30, 583-595.	0.1	5
437	<i>In Silico</i> Interpretation of cw-ESR at 9 and 95 GHz of Mono- and bis- TOAC-Labeled Aib-Homopeptides in Fluid and Frozen Acetonitrile. Journal of Physical Chemistry B, 2011, 115, 13026-13036.	1.2	5
438	A Quaternary Nitronyl Nitroxide β -Amino Acid: Synthesis, Configurational and Conformational Assignments, and Physicochemical Properties. European Journal of Organic Chemistry, 2014, 2014, 1741-1752.	1.2	5
439	Solution Synthesis, Conformational Analysis, and Antimicrobial Activity of Three Alamethicin F50/5 Analogs Bearing a Trifluoroacetyl Label. Chemistry and Biodiversity, 2014, 11, 1163-1191.	1.0	5
440	Endothiopeptides: A conformational overview. Biopolymers, 2016, 106, 697-713.	1.2	5
441	The several facets of Trichogin GA IV: High affinity Tb(III) binding properties. A spectroscopic and molecular dynamics simulation study. Peptide Science, 2018, 110, e24081.	1.0	5
442	Controlling the Formation of Peptide Films: Fully Developed Helical Peptides are Required to Obtain a Homogenous Coating over a Large Area. ChemPlusChem, 2019, 84, 1688-1696.	1.3	5
443	Electron spin echo detection of stochastic molecular librations: Non-cooperative motions on solid surface. Journal of Magnetic Resonance, 2019, 309, 106621.	1.2	5
444	Isolated β -turn and incipient β^3 -helix. Chemical Science, 2019, 10, 6908-6914.	3.7	5
445	First observation of a β -turn conformation fused with the oxy-analogue of an β -turn: The molecular structure of a model peptide of the C-terminal part of gramicidin A. Biochemical and Biophysical Research Communications, 1983, 112, 1056-1060.	1.0	4
446	Synthesis of linear and cyclic homo- β -peptides based on a binaphthyl β -amino acid with only axial chirality. Tetrahedron: Asymmetry, 2006, 17, 30-39.	1.8	4
447	N-Methylation of N β -Acetylated, Fully β -Ethylated, Linear Peptides. International Journal of Peptide Research and Therapeutics, 2008, 14, 307-314.	0.9	4
448	Synthesis of enantiopure, axially chiral, β -tetrasubstituted β -amino acids with binaphthyl-based crowned side chains and 3D-structural analysis of their peptides. Tetrahedron, 2008, 64, 2307-2320.	1.0	4
449	β -Amino-1,2,3,6-tetrahydro-6-oxocyclopenta[<i>c</i>]fluorene-2-carboxylic Acid (FlAib), a Completely Rigidified, Fluorene-Based β -Amino Acid. Helvetica Chimica Acta, 2012, 95, 2446-2459.	1.0	4
450	Integrated Computational Approach to the Electron Paramagnetic Resonance Characterization of Rigid β -Helical Peptides with TOAC Nitroxide Spin Labels. Journal of Physical Chemistry B, 2017, 121, 4379-4387.	1.2	4

#	ARTICLE	IF	CITATIONS
451	Effect on the Conformation of a Terminally Blocked, β^2, β^3 -Unsaturated β -Amino Acid Residue Induced by Carbon Methylation. <i>Journal of Organic Chemistry</i> , 2020, 85, 1513-1524.	1.7	4
452	Probing the E/K Peptide Coiled-Coil Assembly by Double Electronâ€“Electron Resonance and Circular Dichroism. <i>Biochemistry</i> , 2021, 60, 19-30.	1.2	4
453	Crystallographic structure of a multiple β^2 -turn containing, glycineâ€“rich heptapeptide: A synthetic precursor of the lipopeptaibol antibiotic Trichodecenin I. <i>Biopolymers</i> , 1996, 39, 31-42.	1.2	4
454	β -carbonylamides in peptide chemistry. II. Ultraviolet absorption and circular dichroic properties of azlactones derived from N-acetoacetyl amino acids. <i>Biopolymers</i> , 1971, 10, 2283-2297.	1.2	3
455	Crystal structures of N-benzylcarbonyl- β -aminoisobutyric acid mono- and tripeptide methyl ester derivatives. <i>Zeitschrift f�r Kristallographie</i> , 1989, 188, 261-269.	1.1	3
456	The polypeptide 310-helix as a template and a spacer. <i>International Journal of Peptide Research and Therapeutics</i> , 1995, 2, 187-189.	0.1	3
457	Inversion of 310-helix screw sense in a (D- β -Me)Leu homotetrapeptide induced by a guest D-(β -Me)val residue. <i>Journal of Peptide Science</i> , 1995, 1, 396-402.	0.8	3
458	Crystal structure of a fully protected β^2 -O-galactosylated tripeptide. <i>Carbohydrate Research</i> , 1999, 315, 334-338.	1.1	3
459	Afc can adopt either the fully extended or a turn conformation. <i>International Journal of Peptide Research and Therapeutics</i> , 2000, 7, 123-131.	0.1	3
460	Reactive intermediates in peptide synthesis: the N-oxysuccinimido ester of N- β -para-toluenesulfonyl- β -aminoisobutyric acid. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o275-o276.	0.4	3
461	Synthetic formyl tripeptide chemoattractants: a C β , β -dialkylated, amphiphilic glycol residue at position 1. <i>Journal of Peptide Science</i> , 2003, 9, 354-360.	0.8	3
462	From coded to non-coded β -amino acids: a journey in oligopeptide stereochemistry. <i>Journal of Peptide Science</i> , 2005, 11, 250-253.	0.8	3
463	Evidence for the 3 ₁₀ -helical structure of peptides based on antAib, a fluorophoric, anthraceneâ€“fused, 1â€“aminocyclopentaneâ€“1â€“carboxylic acid. <i>Biopolymers</i> , 2007, 88, 797-806.	1.2	3
464	Triple Hypâ€“Pro replacement in integramide A, a peptaib inhibitor of HIVâ€“1 integrase: Effect on conformation and bioactivity. <i>Biopolymers</i> , 2011, 96, 49-59.	1.2	3
465	Peptide-based rotaxanes and catenanes: an emerging class of supramolecular chemistry systems. <i>Biomolecular Concepts</i> , 2012, 3, 183-192.	1.0	3
466	Lightâ€“driven topochemical polymerization under organogel conditions of a symmetrical dipeptideâ€“diacetylene system. <i>Journal of Peptide Science</i> , 2017, 23, 155-161.	0.8	3
467	Insights into peptideâ€“membrane interactions of newly synthesized, nitroxideâ€“containing analogs of the peptaibiotic trichogin <i>G</i> using <i>EPR</i> . <i>Biopolymers</i> , 2017, 108, e22913.	1.2	3
468	Molecular and crystal structure of a terminally-blocked Aib homotetrapeptide *. <i>Zeitschrift f�r Kristallographie</i> , 1992, 200, 83-91.	1.1	2

#	ARTICLE	IF	CITATIONS
469	Crystallographic structure of a helical lipopeptaibol antibiotic analogue. International Journal of Peptide Research and Therapeutics, 1997, 4, 213-218.	0.1	2
470	α-methyl phenylglycine-based semi-synthetic ampicillin and cephalexin analogues. International Journal of Peptide Research and Therapeutics, 1998, 5, 43-48.	0.1	2
471	Introduction by guest editors. Biopolymers, 2006, 84, 2-2.	1.2	2
472	Peptide engineering meetings (PEMs): Genesis and evolution. Biopolymers, 2010, 94, iv-vi.	1.2	2
473	From self-assembled peptide-ynes to peptide polyacetylenes and polydiacetylenes. Peptide Science, 2018, 110, e24036.	1.0	2
474	Is Cys(MTSL) the Best α-Amino Acid Residue to Electron Spin Labeling of Synthetically Accessible Peptide Molecules with Nitroxides?. ACS Omega, 2022, 7, 5154-5165.	1.6	2
475	Detection and determination of thiols. , 0, , 271-324.		1
476	The 2-nitrophenylsulphenyl chromophoric derivative of the α-amino-group as a circular dichroism probe for the β ² -structure in oligo-tyrosine peptides. Journal of the Chemical Society Chemical Communications, 1982, , 1332-1333.	2.0	1
477	Nuclear magnetic resonance of protamines. A 1H-NMR study of the interaction of clupeine fractions with mononucleotides. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1986, 866, 216-221.	2.4	1
478	Preferred conformation of peptides rich in Ac ₈ , a medium-ring alicyclic C ^α -disubstituted glycine. Journal of Peptide Science, 1996, 2, 14-27.	0.8	1
479	α-Methyl, α-phenylglycine peptides: A structural study. International Journal of Peptide Research and Therapeutics, 1998, 5, 223-225.	0.1	1
480	Editorial: Volume 47, issue 2. Biopolymers, 1998, 47, 125-125.	1.2	1
481	Title is missing!. International Journal of Peptide Research and Therapeutics, 2000, 7, 9-16.	0.1	1
482	Reactive intermediates in peptide synthesis.ortho-NitrophenylN ^α -para-toluenesulfonyl-α-aminoisobutyrate. Acta Crystallographica Section C: Crystal Structure Communications, 2002, 58, o215-o217.	0.4	1
483	A Lipid Monolayer Made Permeable to Tl(I) Ions by the Lipopeptaibol Trichogin GA IV. , 2006, , 265-266.		1
484	Synthesis of the Spin-labelled β-Amino Acids cis- and trans-β ² -TOAC, and a Preliminary Conformational Study of trans-β ² -TOAC/trans-ACHC Peptides. , 2006, , 557-558.		1
485	ERNESTO SCOFFONE.. International Journal of Peptide and Protein Research, 2009, 6, 361-362.	0.1	1
486	Self-Association of an Enantiopure β ² -Pentapeptide in Nematic Liquid Crystals. Chemistry - A European Journal, 2013, 19, 17963-17968.	1.7	1

#	ARTICLE	IF	CITATIONS
487	Peptide Materials for Biomedicine and Nanotechnology. Journal of Peptide Science, 2014, 20, 451-452.	0.8	1
488	Are Two Better Than One? A New Approach for Multidentate Grafting of Peptides to a Gold Substrate. Zeitschrift Fur Physikalische Chemie, 2016, 230, 1351-1371.	1.4	1
489	Heterochiral Ala/(\pm Me)Aze sequential oligopeptides: Synthesis and conformational study. Journal of Peptide Science, 2019, 25, e3165.	0.8	1
490	Influence of the C-terminal substituent on the crystal state conformation of Adm peptides. Peptide Science, 2020, 112, e24121.	1.0	1
491	C ^{\pm} -Methyl-L-valine: A Preferential Choice over \pm -Aminoisobutyric Acid for Designing Right-Handed \pm -Helical Scaffolds. Biochemistry, 2021, 60, 2704-2714.	1.2	1
492	Control of peptide conformation by the Thorpe-Ingold effect (\pm -tetrasubstitution). , 2001, 60, 396.		1
493	Antimicrobial Peptides Chelating Lanthanide Ions: the Case of Trichogin GA IV Analogues and Terbium(III). Advances in Experimental Medicine and Biology, 2009, 611, 43-44.	0.8	1
494	Spectroscopic Characterization of the Fully-Extended, Planar, Peptide 2.05-Helix Based on Chiral, \pm -Ethylated, \pm -Amino Acids. Advances in Experimental Medicine and Biology, 2009, 611, 45-46.	0.8	1
495	Synthesis and Conformational Studies of Novel, Side-Chain Protected, L-(aMe)Ser Homo-Peptides. Advances in Experimental Medicine and Biology, 2009, 611, 63-64.	0.8	1
496	Allyl-Based, \pm -Methylated \pm -Amino Acids in the Side-Chain to Side-Chain Ring-Closing Metathesis Reaction of \pm -Turn/ \pm -Helical Peptides. , 2001, , 371-372.		1
497	An Infrared Absorption Study of Powerful Solvent Systems Useful for the Solution Synthesis of Sparingly Soluble Peptides. Protein and Peptide Letters, 1995, 2, 275-280.	0.4	1
498	Molecular and crystal structure of N ^{\pm} -benzyloxycarbonyl-L-proline amide *. Zeitschrift für Kristallographie, 1992, 200, 93-99.	1.1	0
499	Folding versatility of the C-terminal tetrapeptide amide sequence of the lipopeptaibol antibiotics trichodecenin and trichogin. International Journal of Peptide Research and Therapeutics, 1996, 3, 121-126.	0.1	0
500	Helix induction potential of N-terminal \pm -methyl, \pm -amino acids. International Journal of Peptide Research and Therapeutics, 1998, 5, 105-107.	0.1	0
501	Title is missing!. International Journal of Peptide Research and Therapeutics, 1998, 5, 247-258.	0.1	0
502	Editorial: Volume 47, issue 1. Biopolymers, 1998, 47, 3-4.	1.2	0
503	Synthesis, conformation, and membrane modifying properties of the trikoningin KB lipopeptaibols: Effect of hydrophobicity and chirality in position 1. International Journal of Peptide Research and Therapeutics, 2000, 7, 9-16.	0.1	0
504	Recent Contributions of Electronic Circular Dichroism to the Investigation of Oligopeptide Conformations. ChemInform, 2004, 35, no.	0.1	0

#	ARTICLE	IF	CITATIONS
505	Synthesis and Characterization of a Series of Homo-oligopeptide Peroxyesters. <i>Organic Letters</i> , 2004, 6, 3215-3215.	2.4	0
506	From Coded to Non-Coded $\hat{\pm}$ -Amino Acids: A Journey in Oligopeptide Stereochemistry. <i>ChemInform</i> , 2005, 36, no.	0.1	0
507	Alamethicin Interaction with Lipid Membranes: A Spectroscopic Study on Synthetic Analogs. , 2006, , 281-282.		0
508	A Time-Resolved Spectroscopic Study on Peptide Folding. , 2006, , 605-606.		0
509	It All Started in Brooklyn, NY, Forty-five Years Ago!. , 2006, , 22-25.		0
510	Total Synthesis in Solution and Preliminary Conformational Analysis of TOAC-Labeled Alamethicin F50/5 Analogs. , 2006, , 263-264.		0
511	ON THE LIMITED PEPTIC DIGESTION OF HORSE HEART CYTOCHROME C. ISOLATION OF Câ€™TERMINAL PEPTIDE SEQUENCES. <i>International Journal of Peptide and Protein Research</i> , 1974, 6, 145-148.	0.1	0
512	Editorial. <i>Journal of Peptide Science</i> , 2009, 15, 549-549.	0.8	0
513	Raman Scattering Investigation of 3[sub 10] Helical Peptides Using Isotopic Labeling. , 2010, , .		0
514	Peptide Foldamers: From Spectroscopic Studies to Applications. <i>Reviews in Fluorescence</i> , 2010, , 405-424.	0.5	0
515	Peptide Engineering Meetings (PEMs): Evolution from PEM6 to PEM8. <i>Peptide Science</i> , 2020, 112, e24131.	1.0	0
516	From Amherst (Massachusetts, USA) to Padua (Italy) and back again: Louis A. Carpino's scientifically productive journey. <i>Peptide Science</i> , 2020, 112, e24153.	1.0	0
517	Peptides Based on Daf, the First Rigid, Transition-Metal Receptor: C $\hat{\pm}$, $\hat{\pm}$ -Disubstituted Glycine. , 2001, , 369-370.		0
518	Interaction of 7-Azatriptophan and $\check{\text{A}}\check{\text{Y}}$ -(1-Azulenyl)-Alanine with a Nitroxyl Radical. <i>Advances in Experimental Medicine and Biology</i> , 2003, 527, 731-737.	0.8	0
519	A Possible Pathway for the Transfer of Chiral Bias from Extraterrestrial C $\hat{\pm}$ -Tetrasubstituted $\hat{\pm}$ -Amino Acids to Proteinogenic Amino Acids. <i>Cellular Origin and Life in Extreme Habitats</i> , 2004, , 121-122.	0.3	0
520	Different Two-Dimensional Infrared Spectral Signatures for 310- and $\hat{\pm}$ -Helix Octapeptides. , 2006, , .		0
521	Probing Peptide Structures by Two-Dimensional Infrared Spectroscopy. , 2007, , .		0
522	Different Two-Dimensional Infrared Spectral Signatures for 310- and $\hat{\pm}$ -Helix Octapeptides. <i>Springer Series in Chemical Physics</i> , 2007, , 347-349.	0.2	0

#	ARTICLE	IF	CITATIONS
523	First Homo-Peptides Undergoing a Reversible 310-Helix to $\hat{1}\pm$ -Helix ransition. Advances in Experimental Medicine and Biology, 2009, , 49-50.	0.8	0
524	Photoinduced Intramolecular Covalent Bond Formation in Structurally Rigid -Bpa-(spacer)-Met Hexapeptides. Advances in Experimental Medicine and Biology, 2009, 611, 449-450.	0.8	0
525	Monitoring Peptide Folding by Time-Resolved Spectroscopies: the Effect of a Single Gly to Aib Substitution. Advances in Experimental Medicine and Biology, 2009, 611, 47-48.	0.8	0
526	Chain Length Dependence of Two-Dimensional Infrared Spectral Pattern Characteristic to 310-Helix Peptides. Springer Series in Chemical Physics, 2009, , 415-417.	0.2	0
527	The "Bip Method" for Spectroscopic Assignment of the Absolute Configuration of the Spin-Labelled, Cyclic $\hat{1}^2,3$ -Amino Acids $\hat{1}^2$ -TOAC and POAC. Advances in Experimental Medicine and Biology, 2009, , 29-30.	0.8	0
528	A Peptide Capping Layer over Gold Nanoparticle. , 2010, , .		0
529	Vibrational Energy Transport in Peptides and Proteins. , 2010, , .		0
530	Vibrational and electronic circular dichroism study of 310-helical stabilization in blocked ($\hat{1}\pm$ -Me)-Val peptides. , 2002, , 375-377.		0
531	Talking about TOAC: A novel electron spin resonance probe of peptide conformation. , 2002, , 267-269.		0