

Antoine Guedeney

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3518881/publications.pdf>

Version: 2024-02-01

97
papers

1,904
citations

304743

22
h-index

330143

37
g-index

132
all docs

132
docs citations

132
times ranked

1075
citing authors

#	ARTICLE	IF	CITATIONS
1	A validity and reliability study of assessment and screening for sustained withdrawal reaction in infancy: The Alarm Distress Baby scale. <i>Infant Mental Health Journal</i> , 2001, 22, 559-575.	1.8	163
2	The Use of Oxytocin to Improve Feeding and Social Skills in Infants With Prader-Willi Syndrome. <i>Pediatrics</i> , 2017, 139, .	2.1	117
3	Association between symptoms of attention-deficit/hyperactivity disorder and bulimic behaviors in a clinical sample of severely obese adolescents. <i>International Journal of Obesity</i> , 2007, 31, 340-346.	3.4	82
4	Sustained withdrawal behavior in clinic-referred and nonreferred infants. <i>Infant Mental Health Journal</i> , 2006, 27, 292-309.	1.8	61
5	From early withdrawal reaction to infant depression: A baby alone does exist. <i>Infant Mental Health Journal</i> , 1997, 18, 339-349.	1.8	50
6	SOCIAL WITHDRAWAL BEHAVIOR IN INFANCY: A HISTORY OF THE CONCEPT AND A REVIEW OF PUBLISHED STUDIES USING THE ALARM DISTRESS BABY SCALE. <i>Infant Mental Health Journal</i> , 2013, 34, 516-531.	1.8	50
7	Assessing the social behavior of infants: Use of the ADBB Scale and relationship to mother's mood. <i>Infant Mental Health Journal</i> , 2005, 26, 442-458.	1.8	48
8	Long term developmental impact of social withdrawal in infants. , 2009, 32, 159-166.		47
9	A home-visiting intervention targeting determinants of infant mental health: the study protocol for the CAPEDP randomized controlled trial in France. <i>BMC Public Health</i> , 2012, 12, 648.	2.9	46
10	Perinatal risk factors and social withdrawal behaviour. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 185-191.	4.7	45
11	The Zero-to-Three diagnostic classification: A contribution to the validation of this classification from a sample of 85 under-threes. <i>Infant Mental Health Journal</i> , 2003, 24, 313-336.	1.8	40
12	Screening for risk factors of relational withdrawal behaviour in infants aged 14-18 months. <i>European Psychiatry</i> , 2008, 23, 150-155.	0.2	40
13	Withdrawal behavior and depression in infancy. <i>Infant Mental Health Journal</i> , 2007, 28, 393-408.	1.8	39
14	Association Between the COVID-19 Pandemic and Infant Neurodevelopment: A Comparison Before and During COVID-19. <i>Frontiers in Pediatrics</i> , 2021, 9, 662165.	1.9	39
15	Infants' social withdrawal symptoms assessed with a direct infant observation method in primary health care. , 2010, 33, 579-588.		36
16	Social withdrawal at 1 year is associated with emotional and behavioural problems at 3 and 5 years: the Eden mother-child cohort study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1181-1188.	4.7	35
17	Infant rhythms versus parental time: Promoting parent-infant synchrony. <i>Journal of Physiology (Paris)</i> , 2011, 105, 195-200.	2.1	33
18	RELATION BETWEEN SOCIAL WITHDRAWAL SYMPTOMS IN FULL-TERM AND PREMATURE INFANTS AND DEPRESSIVE SYMPTOMS IN MOTHERS: A LONGITUDINAL STUDY. <i>Infant Mental Health Journal</i> , 2013, 34, 532-541.	1.8	32

#	ARTICLE	IF	CITATIONS
19	Assessing a change mechanism in a randomized home-visiting trial: Reducing disrupted maternal communication decreases infant disorganization. <i>Development and Psychopathology</i> , 2017, 29, 637-649.	2.3	32
20	Detecting infants in need: Are complicated measures really necessary?. <i>Infant Mental Health Journal</i> , 2007, 28, 409-421.	1.8	30
21	Evaluating Fidelity in Home-Visiting Programs a Qualitative Analysis of 1058 Home Visit Case Notes from 105 Families. <i>PLoS ONE</i> , 2012, 7, e36915.	2.5	28
22	Impact of a Manualized Multifocal Perinatal Home-Visiting Program Using Psychologists on Postnatal Depression: The CAPEDP Randomized Controlled Trial. <i>PLoS ONE</i> , 2013, 8, e72216.	2.5	26
23	Precursors of social emotional functioning among full-term and preterm infants at 12 months: Early infant withdrawal behavior and symptoms of maternal depression. , 2016, 44, 159-168.		26
24	Relational development in children with cleft lip and palate: influence of the waiting period prior to the first surgical intervention and parental psychological perceptions of the abnormality. <i>BMC Pediatrics</i> , 2012, 12, 65.	1.7	25
25	Treatment â€œ Motherâ€™infant relationship psychotherapy. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014, 28, 135-145.	2.8	25
26	Supporting families in challenging contexts: the CAPEDP project. <i>Global Health Promotion</i> , 2013, 20, 66-70.	1.3	23
27	Maternal Distress and Infant Social Withdrawal (ADBB) Following Infant Cardiac Surgery for Congenital Heart Disease. <i>World Journal for Pediatric & Congenital Heart Surgery</i> , 2018, 9, 624-637.	0.8	23
28	CompÃ©tences parentales et attachement dans la petite enfanceÂ: diminution des risques liÃ©s aux troubles de santÃ© mentale et promotion de la rÃ©silience (CAPEDP)Â: une Ã©tude longitudinale de prÃ©vention prÃ©coce des troubles de la relation mÃ©reâ€™enfant. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2009, 57, 482-486.	0.2	22
29	Parent-provider relationship in home visiting interventions. <i>Children and Youth Services Review</i> , 2016, 69, 106-115.	1.9	22
30	IMPACT OF A RANDOMIZED HOMEâ€™VISITING TRIAL ON INFANT SOCIAL WITHDRAWAL IN THE CAPEDP PREVENTION STUDY. <i>Infant Mental Health Journal</i> , 2013, 34, 594-601.	1.8	20
31	The impact of having a baby with cleft lip and palate on parents and on parent-baby relationship: the first French prospective multicentre study. <i>BMC Pediatrics</i> , 2020, 20, 230.	1.7	20
32	Social Withdrawal Behaviour at One Year of Age Is Associated with Delays in Reaching Language Milestones in the EDEN Mother-Child Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0158426.	2.5	20
33	A DESCRIPTION OF THE MODIFIED ALARM DISTRESS BABY SCALE (mÃ©ADBB): AN INSTRUMENT TO ASSESS FOR INFANT SOCIAL WITHDRAWAL. <i>Infant Mental Health Journal</i> , 2013, 34, 602-609.	1.8	19
34	French Version of the Brief Infant-Toddler Social and Emotional Assessment Questionnaire-BITSEA. <i>Journal of Pediatric Psychology</i> , 2014, 39, 562-575.	2.1	18
35	Predictors of Study Attrition in a Randomized Controlled Trial Evaluating a Perinatal Home-Visiting Program with Mothers with Psychosocial Vulnerabilities. <i>PLoS ONE</i> , 2015, 10, e0142495.	2.5	18
36	Mother-infant interaction assessment at discharge and at 6 months in a French cohort of infants born very preterm: The OLIMPE study. <i>PLoS ONE</i> , 2017, 12, e0188942.	2.5	18

#	ARTICLE	IF	CITATIONS
37	Kwashiorkor, depression, and attachment disorders. <i>Lancet</i> , The, 1995, 346, 1293.	13.7	17
38	Implementation of the Alarm Distress Baby Scale as a universal screening instrument in primary care: feasibility, acceptability, and predictors of professionals' adherence to guidelines. <i>International Journal of Nursing Studies</i> , 2018, 79, 104-113.	5.6	17
39	SCREENING FOR SUSTAINED SOCIAL WITHDRAWAL BEHAVIORS IN SIX-MONTH-OLD INFANTS DURING PEDIATRIC PRIMARY CARE VISITS: RESULTS FROM AN AT-RISK LATINO IMMIGRANT SAMPLE WITH HIGH RATES OF MATERNAL MAJOR DEPRESSIVE DISORDER. <i>Infant Mental Health Journal</i> , 2013, 34, 542-552.	1.8	16
40	Visites à domicile préventives périnatales dans les familles à problèmes multiples: efficacité et limites. <i>Devenir</i> , 2014, Vol. 26, 59-72.	0.2	16
41	Bulimic behaviours and psychopathology in obese adolescents and in their parents. <i>Pediatric Obesity</i> , 2010, 5, 474-482.	3.2	15
42	Phenomenology, psychopathology, and short-term therapeutic outcome of 102 infants aged 0 to 12 months consecutively referred to a community-based 0 to 3 mental health clinic. <i>Infant Mental Health Journal</i> , 2010, 31, 242-253.	1.8	14
43	To which extent social withdrawal at the age of 1 year is associated with IQ at 5-6 years old? Results of the EDEN mother-child cohort. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 1343-1350.	4.7	14
44	Transmission du traumatisme. La question de l'attachement d'organisations: de la théorie à la pratique. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2012, 60, 362-366.	0.2	10
45	Implementation and assessment of an early home-based intervention on infant attachment organisation: the CAPEDP attachment study in France. <i>Global Health Promotion</i> , 2013, 20, 71-75.	1.3	10
46	The Feasibility of the Full and Modified Versions of the Alarm Distress Baby Scale (ADBB) and the Prevalence of Social Withdrawal in Infants in Nepal. <i>Frontiers in Psychology</i> , 2020, 11, 2025.	2.1	9
47	The infant protection system in France: How does it work?. <i>Infant Mental Health Journal</i> , 2008, 29, 5-20.	1.8	8
48	Attachement d'organisations et sémiologie autistique. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2011, 59, 149-156.	0.2	7
49	Preventive parent-child interaction interventions to promote optimal attachment. <i>Current Opinion in Psychiatry</i> , 2019, 32, 542-548.	6.3	7
50	Evaluation into the relationship: Reflections on new trends in evaluation, assessment, and classification. <i>Infant Mental Health Journal</i> , 1997, 18, 171-181.	1.8	6
51	La position de retrait chez le bébé ou l'adolescent à maintenir le maintenant. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2005, 53, 32-35.	0.2	6
52	BEST PRACTICE IN INDIVIDUAL SUPERVISION OF PSYCHOLOGISTS WORKING IN THE FRENCH CAPEDP PREVENTIVE PERINATAL HOME-VISITING PROGRAM: RESULTS OF A DELPHI CONSENSUS PROCESS. <i>Infant Mental Health Journal</i> , 2017, 38, 267-275.	1.8	6
53	How to screen for social withdrawal in primary care: An evaluation of the alarm distress baby scale using item response theory. <i>International Journal of Nursing Studies Advances</i> , 2021, 3, 100038.	2.1	6
54	La supervision individuelle des intervenants à domicile dans le programme CAPEDP de prévention périnatale: le point de vue des intervenantes supervisées sur les recommandations de bonnes pratiques de leurs superviseurs. <i>Devenir</i> , 2016, Vol. 28, 73-90.	0.2	6

#	ARTICLE	IF	CITATIONS
55	Prevalence and Characteristics of Social Withdrawal Tendency Among 3-24 Months in China: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 537411.	2.6	5
56	Parent-Infant Interaction Assessment. , 2016, , 93-108.		5
57	Infant Social Withdrawal Behavior: A Key for Adaptation in the Face of Relational Adversity. <i>Frontiers in Psychology</i> , 0, 13, .	2.1	5
58	Fentes labiopalatines: une transmission difficile. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2012, 60, 297-301.	0.2	4
59	Dyssynchrony and perinatal psychopathology impact of child disease on parents-child interactions, the paradigm of Prader Willi syndrom. <i>Journal of Physiology (Paris)</i> , 2016, 110, 427-433.	2.1	4
60	Associations between symptoms of maternal postpartum depression, gestational age and infant social withdrawal: A longitudinal study in a community cohort. <i>British Journal of Developmental Psychology</i> , 2022, , .	1.7	4
61	Les interventions préventives en santé mentale du jeune enfant vues par leurs bénéficiaires: l'exemple du projet CAPEDP. <i>Pratiques Psychologiques</i> , 2013, 19, 203-220.	0.4	3
62	Protecting the child while preserving the relationship: Using baby's relational withdrawal to gauge the effect of parental visitation. <i>PLoS ONE</i> , 2018, 13, e0196685.	2.5	3
63	Commentary: "Autism: a disorder linked with some trouble in intermodal matching? Putting things together a bit further" a commentary on Falck-Ytter et al. (2018). <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 599-601.	5.2	3
64	The effects of socio-affective environment. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2020, 173, 443-450.	1.8	3
65	Sustained social withdrawal behavior and "difficult" temperament among infants, in relation to maternal affectivity in a low-income area of Kinshasa, Democratic Republic of Congo. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 427-437.	4.7	3
66	Observer l'engagement et le désengagement du bébé dans la relation. , 2001, , 83-92.		2
67	Hysterical conversion and developmental psychiatry. <i>British Journal of Psychiatry</i> , 1993, 162, 571-572.	2.8	1
68	du neuf dans l'adolescence?. <i>Journal De Pédiatrie Et De Puericulture</i> , 2002, 15, 463-467.	0.0	1
69	The infant's relational worlds: Family, community, and culture. <i>Infant Mental Health Journal</i> , 2008, 29, 175-176.	1.8	1
70	Interventions préventives en périnatalité: illustrations de terrain. <i>Pratiques Psychologiques</i> , 2011, 17, 173-188.	0.4	1
71	Validation marocaine de l'échelle Alarme détresse bébé (ADBB). Comparaison du niveau de retrait relationnel des enfants élevés en pouponnière ou dans leur famille, et une application de l'étude de Spitz sur la dépression anaclitique. <i>Devenir</i> , 2021, Vol. 33, 97-112.	0.0	1
72	Un cahier de suivi psychologique périnatal: favoriser le dépistage et la continuité entre soins pré- et postnataux en maternité. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2021, 205, 587-591.	0.0	1

#	ARTICLE	IF	CITATIONS
73	Troubles de l'attachement chez le jeune enfant. , 2010, , 85-95.		1
74	Ambulatory Care: Home-Based Perinatal Interventions. , 2016, , 139-145.		1
75	Interactive Guidance Intervention to Address Sustained Social Withdrawal in Preterm Infants in Chile: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e17943.	1.0	1
76	VI. Â«Fraiberg in ParisÂ»Â: la faisabilit� et les r�sultats cliniques d�une recherche de pr�vention pr�coce CAPEDP. , 2014, , 89-114.		1
77	The Prevalence of Social Withdrawal in Infants With Cleft Lip and Palate: The Feasibility of the Full and the Modified Versions of the Alarm Distress Baby Scale. Frontiers in Pediatrics, 0, 10, .	1.9	1
78	Inverse evolution of emotional blunting and irritability after delivery. American Journal of Psychiatry, 1993, 150, 521b-521.	7.2	0
79	Antenatal diagnosis: What sometimes remains to be done after the birth of a normal child. Journal of Psychosomatic Obstetrics and Gynaecology, 1999, 20, 53-55.	2.1	0
80	Toward a method for analyzing series of clinical cases. Infant Mental Health Journal, 2011, 32, 579-581.	1.8	0
81	Pr�venir la d�pression postnatale. Les r�sultats de la recherche CAPEDP. European Psychiatry, 2015, 30, S35-S36.	0.2	0
82	Who needs what and when, and how do we sort that out?. Jornal De Pediatria, 2018, 94, 458-459.	2.0	0
83	Who needs what and when, and how do we sort that out?. Jornal De Pediatria (Vers�o Em Portugu�s), 2018, 94, 458-459.	0.2	0
84	Cribado de los factores de riesgo de retraimiento social en ni�os de 14-18 meses. European Psychiatry (Ed Espa�ola), 2008, 15, 197-203.	0.0	0
85	L�on Kreisler �. Devenir, 2009, Vol. 21, 5-6.	0.2	0
86	Un entretien avec Alice Doumic-Girard, p�dopsychiatre et psychanalyste. Devenir, 2010, Vol. 22, 201-208.	0.2	0
87	Les troubles et les sympt�mes dans la petite enfance. , 2014, , 108-170.		0
88	La pr�vention pr�coce. , 2014, , 266-278.		0
89	Le d�veloppement psychologique pr�coce : des pionniers aux donn�es r�centes. , 2014, , 17-45.		0
90	L��valuation du d�veloppement et des interactions pr�coces en clinique et en recherche. , 2014, , 71-101.		0

#	ARTICLE	IF	CITATIONS
91	Situations spécifiques. , 2014, , 171-242.		0
92	Les classifications diagnostiques dans la petite enfance. , 2014, , 102-107.		0
93	Le développement affectif, social et émotionnel. , 2014, , 46-65.		0
94	L'intervention thérapeutique en petite enfance. , 2014, , 243-265.		0
95	Appropriateness of Care and Joint Decision-Making Strategies. , 2016, , 207-209.		0
96	Promoting psychiatrist-pediatrician collaborations on postnatal depression prevention. L'Encephale, 2019, 45, 533-534.	0.9	0
97	Predictive factors for the outcome of emotional and/or behavioural disorders in 18- to 48-month-old children after parent-child psychotherapy: Protocol of a European prospective cohort study. L'Encephale, 2023, 49, 254-260.	0.9	0