

Antoine Guedeney

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3518881/publications.pdf>

Version: 2024-02-01

97
papers

1,904
citations

304743

22
h-index

330143

37
g-index

132
all docs

132
docs citations

132
times ranked

1075
citing authors

#	ARTICLE	IF	CITATIONS
1	Sustained social withdrawal behavior and "difficult" temperament among infants, in relation to maternal affectivity in a low-income area of Kinshasa, Democratic Republic of Congo. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 427-437.	4.7	3
2	Predictive factors for the outcome of emotional and/or behavioural disorders in 18- to 48-month-old children after parent-child psychotherapy: Protocol of a European prospective cohort study. <i>L'Encephale</i> , 2023, 49, 254-260.	0.9	0
3	Associations between symptoms of maternal postpartum depression, gestational age and infant social withdrawal: A longitudinal study in a community cohort. <i>British Journal of Developmental Psychology</i> , 2022, , .	1.7	4
4	Validation marocaine de l'Échelle Alarme Détresse Bébé (ADBB). Comparaison du niveau de retrait relationnel des enfants élevés en pouponnière ou dans leur famille, et une application de l'étude de Spitz sur la dépression anaclitique. <i>Devenir</i> , 2021, Vol. 33, 97-112.	0.0	1
5	Un cahier de suivi psychologique périnatal: favoriser le dépistage et la continuité entre soins prénatal et postnataux en maternité. <i>Bulletin De L'Academie Nationale De Medecine</i> , 2021, 205, 587-591.	0.0	1
6	Prevalence and Characteristics of Social Withdrawal Tendency Among 3-24 Months in China: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 537411.	2.6	5
7	How to screen for social withdrawal in primary care: An evaluation of the alarm distress baby scale using item response theory. <i>International Journal of Nursing Studies Advances</i> , 2021, 3, 100038.	2.1	6
8	Association Between the COVID-19 Pandemic and Infant Neurodevelopment: A Comparison Before and During COVID-19. <i>Frontiers in Pediatrics</i> , 2021, 9, 662165.	1.9	39
9	The Feasibility of the Full and Modified Versions of the Alarm Distress Baby Scale (ADBB) and the Prevalence of Social Withdrawal in Infants in Nepal. <i>Frontiers in Psychology</i> , 2020, 11, 2025.	2.1	9
10	The effects of socio-affective environment. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2020, 173, 443-450.	1.8	3
11	The impact of having a baby with cleft lip and palate on parents and on parent-baby relationship: the first French prospective multicentre study. <i>BMC Pediatrics</i> , 2020, 20, 230.	1.7	20
12	Interactive Guidance Intervention to Address Sustained Social Withdrawal in Preterm Infants in Chile: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17943.	1.0	1
13	Commentary: "Autism: a disorder linked with some trouble in intermodal matching? Putting things together a bit further": a commentary on Falck-Tetter et Al. (2018). <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 599-601.	5.2	3
14	Preventive parent-child interaction interventions to promote optimal attachment. <i>Current Opinion in Psychiatry</i> , 2019, 32, 542-548.	6.3	7
15	Promoting psychiatrist-pediatrician collaborations on postnatal depression prevention. <i>L'Encephale</i> , 2019, 45, 533-534.	0.9	0
16	Implementation of the Alarm Distress Baby Scale as a universal screening instrument in primary care: feasibility, acceptability, and predictors of professionals' adherence to guidelines. <i>International Journal of Nursing Studies</i> , 2018, 79, 104-113.	5.6	17
17	Who needs what and when, and how do we sort that out?. <i>Jornal De Pediatria</i> , 2018, 94, 458-459.	2.0	0
18	Protecting the child while preserving the relationship: Using baby's relational withdrawal to gauge the effect of parental visitation. <i>PLoS ONE</i> , 2018, 13, e0196685.	2.5	3

#	ARTICLE	IF	CITATIONS
19	Who needs what and when, and how do we sort that out?. <i>Jornal De Pediatria (Versão Em Português)</i> , 2018, 94, 458-459.	0.2	0
20	Maternal Distress and Infant Social Withdrawal (ADBB) Following Infant Cardiac Surgery for Congenital Heart Disease. <i>World Journal for Pediatric & Congenital Heart Surgery</i> , 2018, 9, 624-637.	0.8	23
21	The Use of Oxytocin to Improve Feeding and Social Skills in Infants With Prader-Willi Syndrome. <i>Pediatrics</i> , 2017, 139, .	2.1	117
22	Assessing a change mechanism in a randomized home-visiting trial: Reducing disrupted maternal communication decreases infant disorganization. <i>Development and Psychopathology</i> , 2017, 29, 637-649.	2.3	32
23	BEST PRACTICE IN INDIVIDUAL SUPERVISION OF PSYCHOLOGISTS WORKING IN THE FRENCH CAPEDP PREVENTIVE PERINATAL HOME-VISITING PROGRAM: RESULTS OF A DELPHI CONSENSUS PROCESS. <i>Infant Mental Health Journal</i> , 2017, 38, 267-275.	1.8	6
24	To which extent social withdrawal at the age of 1 year is associated with IQ at 5-6 years old? Results of the EDEN mother-child cohort. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 1343-1350.	4.7	14
25	Mother-infant interaction assessment at discharge and at 6 months in a French cohort of infants born very preterm: The OLIMPE study. <i>PLoS ONE</i> , 2017, 12, e0188942.	2.5	18
26	Precursors of social emotional functioning among full-term and preterm infants at 12 months: Early infant withdrawal behavior and symptoms of maternal depression. , 2016, 44, 159-168.		26
27	Parent-provider relationship in home visiting interventions. <i>Children and Youth Services Review</i> , 2016, 69, 106-115.	1.9	22
28	Dyssynchrony and perinatal psychopathology impact of child disease on parents-child interactions, the paradigm of Prader Willi syndrom. <i>Journal of Physiology (Paris)</i> , 2016, 110, 427-433.	2.1	4
29	Parent-Infant Interaction Assessment. , 2016, , 93-108.		5
30	Social Withdrawal Behaviour at One Year of Age Is Associated with Delays in Reaching Language Milestones in the EDEN Mother-Child Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0158426.	2.5	20
31	La supervision individuelle des intervenants à domicile dans le programme CAPEDP de prévention en périnatalité : le point de vue des intervenantes supervisées sur les recommandations de bonnes pratiques de leurs superviseurs. <i>Devenir</i> , 2016, Vol. 28, 73-90.	0.2	6
32	Appropriateness of Care and Joint Decision-Making Strategies. , 2016, , 207-209.		0
33	Ambulatory Care: Home-Based Perinatal Interventions. , 2016, , 139-145.		1
34	Prévenir la dépression postnatale. Les résultats de la recherche CAPEDP. <i>European Psychiatry</i> , 2015, 30, S35-S36.	0.2	0
35	Predictors of Study Attrition in a Randomized Controlled Trial Evaluating a Perinatal Home-Visiting Program with Mothers with Psychosocial Vulnerabilities. <i>PLoS ONE</i> , 2015, 10, e0142495.	2.5	18
36	Social withdrawal at 1 year is associated with emotional and behavioural problems at 3 and 5 years: the Eden mother-child cohort study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1181-1188.	4.7	35

#	ARTICLE	IF	CITATIONS
37	French Version of the Brief Infant-Toddler Social and Emotional Assessment Questionnaire-BITSEA. Journal of Pediatric Psychology, 2014, 39, 562-575.	2.1	18
38	Treatment of Mother-infant relationship psychotherapy. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2014, 28, 135-145.	2.8	25
39	Visites à domicile préventives périnatales dans les familles à problèmes multiples: efficacité et limites. Devenir, 2014, Vol. 26, 59-72.	0.2	16
40	Les troubles et les symptômes dans la petite enfance. , 2014, , 108-170.		0
41	La prévention précoce. , 2014, , 266-278.		0
42	Le développement psychologique précoce : des pionniers aux données récentes. , 2014, , 17-45.		0
43	L'évaluation du développement et des interactions précoces en clinique et en recherche. , 2014, , 71-101.		0
44	Situations spécifiques. , 2014, , 171-242.		0
45	Les classifications diagnostiques dans la petite enfance. , 2014, , 102-107.		0
46	Le développement affectif, social et émotionnel. , 2014, , 46-65.		0
47	L'intervention thérapeutique en petite enfance. , 2014, , 243-265.		0
48	VI. Fraiberg in Paris: la faisabilité et les résultats cliniques d'une recherche de prévention précoce CAPEDP. , 2014, , 89-114.		1
49	Les interventions préventives en santé mentale du jeune enfant vues par leurs bénéficiaires: l'exemple du projet CAPEDP. Pratiques Psychologiques, 2013, 19, 203-220.	0,4	3
50	Supporting families in challenging contexts: the CAPEDP project. Global Health Promotion, 2013, 20, 66-70.	1.3	23
51	RELATION BETWEEN SOCIAL WITHDRAWAL SYMPTOMS IN FULL-TERM AND PREMATURE INFANTS AND DEPRESSIVE SYMPTOMS IN MOTHERS: A LONGITUDINAL STUDY. Infant Mental Health Journal, 2013, 34, 532-541.	1.8	32
52	SCREENING FOR SUSTAINED SOCIAL WITHDRAWAL BEHAVIORS IN SIX-MONTH-OLD INFANTS DURING PEDIATRIC PRIMARY CARE VISITS: RESULTS FROM AN AT-RISK LATINO IMMIGRANT SAMPLE WITH HIGH RATES OF MATERNAL MAJOR DEPRESSIVE DISORDER. Infant Mental Health Journal, 2013, 34, 542-552.	1.8	16
53	A DESCRIPTION OF THE MODIFIED ALARM DISTRESS BABY SCALE (mADDB): AN INSTRUMENT TO ASSESS FOR INFANT SOCIAL WITHDRAWAL. Infant Mental Health Journal, 2013, 34, 602-609.	1.8	19
54	IMPACT OF A RANDOMIZED HOME-VISITING TRIAL ON INFANT SOCIAL WITHDRAWAL IN THE CAPEDP PREVENTION STUDY. Infant Mental Health Journal, 2013, 34, 594-601.	1.8	20

#	ARTICLE	IF	CITATIONS
55	SOCIAL WITHDRAWAL BEHAVIOR IN INFANCY: A HISTORY OF THE CONCEPT AND A REVIEW OF PUBLISHED STUDIES USING THE ALARM DISTRESS BABY SCALE. <i>Infant Mental Health Journal</i> , 2013, 34, 516-531.	1.8	50
56	Implementation and assessment of an early home-based intervention on infant attachment organisation: the CAPEDP attachment study in France. <i>Global Health Promotion</i> , 2013, 20, 71-75.	1.3	10
57	Impact of a Manualized Multifocal Perinatal Home-Visiting Program Using Psychologists on Postnatal Depression: The CAPEDP Randomized Controlled Trial. <i>PLoS ONE</i> , 2013, 8, e72216.	2.5	26
58	Relational development in children with cleft lip and palate: influence of the waiting period prior to the first surgical intervention and parental psychological perceptions of the abnormality. <i>BMC Pediatrics</i> , 2012, 12, 65.	1.7	25
59	A home-visiting intervention targeting determinants of infant mental health: the study protocol for the CAPEDP randomized controlled trial in France. <i>BMC Public Health</i> , 2012, 12, 648.	2.9	46
60	Transmission du traumatisme. La question de lâ€™attachement dÃ©sorganisÃ©: de la thÃ©orie Ã la pratique. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2012, 60, 362-366.	0.2	10
61	Evaluating Fidelity in Home-Visiting Programs a Qualitative Analysis of 1058 Home Visit Case Notes from 105 Families. <i>PLoS ONE</i> , 2012, 7, e36915.	2.5	28
62	Perinatal risk factors and social withdrawal behaviour. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 185-191.	4.7	45
63	Fentes labiopalatines: une transmission difficile. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2012, 60, 297-301.	0.2	4
64	Attachement dÃ©sorganisÃ© et sÃ©miologie autistique. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2011, 59, 149-156.	0.2	7
65	Infant rhythms versus parental time: Promoting parentâ€™infant synchrony. <i>Journal of Physiology (Paris)</i> , 2011, 105, 195-200.	2.1	33
66	Interventions prÃ©ventives en pÃ©rinatalitÃ©: illustrations de terrain. <i>Pratiques Psychologiques</i> , 2011, 17, 173-188.	0.4	1
67	Toward a method for analyzing series of clinical cases. <i>Infant Mental Health Journal</i> , 2011, 32, 579-581.	1.8	0
68	Bulimic behaviours and psychopathology in obese adolescents and in their parents. <i>Pediatric Obesity</i> , 2010, 5, 474-482.	3.2	15
69	Infantsâ€™ social withdrawal symptoms assessed with a direct infant observation method in primary health care. , 2010, 33, 579-588.		36
70	Phenomenology, psychopathology, and short-term therapeutic outcome of 102 infants aged 0 to 12 months consecutively referred to a community-based 0 to 3 mental health clinic. <i>Infant Mental Health Journal</i> , 2010, 31, 242-253.	1.8	14
71	Troubles de lâ€™attachement chez le jeune enfant. , 2010, , 85-95.		1
72	Un entretien avec Alice Doumic-Girard, pÃ©dopsychiatre et psychanalyste. <i>Devenir</i> , 2010, Vol. 22, 201-208.	0.2	0

#	ARTICLE	IF	CITATIONS
73	Compétences parentales et attachement dans la petite enfance: diminution des risques liés aux troubles de santé mentale et promotion de la résilience (CAPEDP): une étude longitudinale de prévention précoce des troubles de la relation mère-enfant. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2009, 57, 482-486.	0.2	22
74	Long term developmental impact of social withdrawal in infants. , 2009, 32, 159-166.		47
75	Léon Kreisler €. <i>Devenir</i> , 2009, Vol. 21, 5-6.	0.2	0
76	The infant protection system in France: How does it work?. <i>Infant Mental Health Journal</i> , 2008, 29, 5-20.	1.8	8
77	The infant's relational worlds: Family, community, and culture. <i>Infant Mental Health Journal</i> , 2008, 29, 175-176.	1.8	1
78	Screening for risk factors of relational withdrawal behaviour in infants aged 14-18 months. <i>European Psychiatry</i> , 2008, 23, 150-155.	0.2	40
79	Cribado de los factores de riesgo de retraimiento social en niños de 14-18 meses. <i>European Psychiatry (Ed Española)</i> , 2008, 15, 197-203.	0.0	0
80	Withdrawal behavior and depression in infancy. <i>Infant Mental Health Journal</i> , 2007, 28, 393-408.	1.8	39
81	Detecting infants in need: Are complicated measures really necessary?. <i>Infant Mental Health Journal</i> , 2007, 28, 409-421.	1.8	30
82	Association between symptoms of attention-deficit/hyperactivity disorder and bulimic behaviors in a clinical sample of severely obese adolescents. <i>International Journal of Obesity</i> , 2007, 31, 340-346.	3.4	82
83	Sustained withdrawal behavior in clinic-referred and nonreferred infants. <i>Infant Mental Health Journal</i> , 2006, 27, 292-309.	1.8	61
84	La position de retrait chez le bébé ou l'enfant: comment le maintenir le maintenant. <i>Neuropsychiatrie De L'Enfance Et De L'Adolescence</i> , 2005, 53, 32-35.	0.2	6
85	Assessing the social behavior of infants: Use of the ADBB Scale and relationship to mother's mood. <i>Infant Mental Health Journal</i> , 2005, 26, 442-458.	1.8	48
86	The Zero-to-Three diagnostic classification: A contribution to the validation of this classification from a sample of 85 under-threes. <i>Infant Mental Health Journal</i> , 2003, 24, 313-336.	1.8	40
87	du neuf dans l'équipe?. <i>Journal De Pédiatrie Et De Puericulture</i> , 2002, 15, 463-467.	0.0	1
88	A validity and reliability study of assessment and screening for sustained withdrawal reaction in infancy: The Alarm Distress Baby scale. <i>Infant Mental Health Journal</i> , 2001, 22, 559-575.	1.8	163
89	Observer l'engagement et le désengagement du bébé dans la relation. , 2001, , 83-92.		2
90	Antenatal diagnosis: What sometimes remains to be done after the birth of a normal child. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 1999, 20, 53-55.	2.1	0

#	ARTICLE	IF	CITATIONS
91	Evaluation into the relationship: Reflections on new trends in evaluation, assessment, and classification. <i>Infant Mental Health Journal</i> , 1997, 18, 171-181.	1.8	6
92	From early withdrawal reaction to infant depression: A baby alone does exist. <i>Infant Mental Health Journal</i> , 1997, 18, 339-349.	1.8	50
93	Kwashiorkor, depression, and attachment disorders. <i>Lancet, The</i> , 1995, 346, 1293.	13.7	17
94	Inverse evolution of emotional blunting and irritability after delivery. <i>American Journal of Psychiatry</i> , 1993, 150, 521b-521.	7.2	0
95	Hysterical conversion and developmental psychiatry. <i>British Journal of Psychiatry</i> , 1993, 162, 571-572.	2.8	1
96	Infant Social Withdrawal Behavior: A Key for Adaptation in the Face of Relational Adversity. <i>Frontiers in Psychology</i> , 0, 13, .	2.1	5
97	The Prevalence of Social Withdrawal in Infants With Cleft Lip and Palate: The Feasibility of the Full and the Modified Versions of the Alarm Distress Baby Scale. <i>Frontiers in Pediatrics</i> , 0, 10, .	1.9	1