Hui Shi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3520259/publications.pdf

Version: 2024-02-01

19	1,877	16	19
papers	citations	h-index	g-index
19	19	19	2358 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	MicroProteins: Dynamic and accurate regulation of protein activity. Journal of Integrative Plant Biology, 2022, 64, 812-820.	8.5	2
2	Allosteric deactivation of PIFs and EIN3 by microproteins in light control of plant development. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 18858-18868.	7.1	27
3	Touch-induced seedling morphological changes are determined by ethylene-regulated pectin degradation. Science Advances, 2020, 6, .	10.3	23
4	Oligomerization and Photo-Deoligomerization of HOOKLESS1 Controls Plant Differential Cell Growth. Developmental Cell, 2019, 51, 78-88.e3.	7.0	18
5	Direct Regulation of Phytohormone Actions by Photoreceptors. Trends in Plant Science, 2019, 24, 105-108.	8.8	17
6	Genome-wide regulation of light-controlled seedling morphogenesis by three families of transcription factors. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 6482-6487.	7.1	68
7	EIN3 and PIF3 Form an Interdependent Module That Represses Chloroplast Development in Buried Seedlings. Plant Cell, 2017, 29, 3051-3067.	6.6	64
8	Stabilizing the Transcription Factors by E3 Ligase COP1. Trends in Plant Science, 2017, 22, 999-1001.	8.8	14
9	The Red Light Receptor Phytochrome B Directly Enhances Substrate-E3 Ligase Interactions to Attenuate Ethylene Responses. Developmental Cell, 2016, 39, 597-610.	7.0	91
10	Salt Stress and Ethylene Antagonistically Regulate Nucleocytoplasmic Partitioning of COP1 to Control Seed Germination. Plant Physiology, 2016, 170, 2340-2350.	4.8	67
11	Seedlings Transduce the Depth and Mechanical Pressure of Covering Soil Using COP1 and Ethylene to Regulate EBF1/EBF2 for Soil Emergence. Current Biology, 2016, 26, 139-149.	3.9	120
12	\langle i>Arabidopsis \langle i> DET1 degrades HFR1 but stabilizes PIF1 to precisely regulate seed germination. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 3817-3822.	7.1	69
13	Salt-Induced Stabilization of EIN3/EIL1 Confers Salinity Tolerance by Deterring ROS Accumulation in Arabidopsis. PLoS Genetics, 2014, 10, e1004664.	3.5	230
14	Ethylene-orchestrated circuitry coordinates a seedling's response to soil cover and etiolated growth. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 3913-3920.	7.1	142
15	A Quartet of PIF bHLH Factors Provides a Transcriptionally Centered Signaling Hub That Regulates Seedling Morphogenesis through Differential Expression-Patterning of Shared Target Genes in Arabidopsis. PLoS Genetics, 2013, 9, e1003244.	3.5	346
16	HFR1 Sequesters PIF1 to Govern the Transcriptional Network Underlying Light-Initiated Seed Germination in <i>Arabidopsis</i> Å Â Â. Plant Cell, 2013, 25, 3770-3784.	6.6	128
17	A Molecular Framework of Light-Controlled Phytohormone Action in Arabidopsis. Current Biology, 2012, 22, 1530-1535.	3.9	194
18	Ethylene is crucial for cotyledon greening and seedling survival during de-etiolation. Plant Signaling and Behavior, 2010, 5, 739-742.	2.4	23

#	Article	IF	CITATIONS
19	EIN3/EIL1 cooperate with PIF1 to prevent photo-oxidation and to promote greening of <i>Arabidopsis</i> seedlings. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 21431-21436.	7.1	234