

Laura Helena Andrade

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3526581/publications.pdf>

Version: 2024-02-01

136
papers

14,100
citations

50170

46
h-index

22102

113
g-index

144
all docs

144
docs citations

144
times ranked

18937
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and Correlates of Bipolar Spectrum Disorder in the World Mental Health Survey Initiative. Archives of General Psychiatry, 2011, 68, 241.	13.8	1,931
2	Cross-national epidemiology of DSM-IV major depressive episode. BMC Medicine, 2011, 9, 90.	2.3	1,541
3	Mental disorders among college students in the World Health Organization World Mental Health Surveys. Psychological Medicine, 2016, 46, 2955-2970.	2.7	866
4	Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.	2.7	825
5	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	1.7	664
6	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628.	1.1	566
7	The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. ADHD Attention Deficit and Hyperactivity Disorders, 2017, 9, 47-65.	1.7	507
8	Development of Lifetime Comorbidity in the World Health Organization World Mental Health Surveys. Archives of General Psychiatry, 2011, 68, 90.	13.8	410
9	Age differences in the prevalence and co-morbidity of DSM-IV major depressive episodes: results from the WHO World Mental Health Survey Initiative. Depression and Anxiety, 2010, 27, 351-364.	2.0	363
10	Anxious and non-anxious major depressive disorder in the World Health Organization World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2015, 24, 210-226.	1.8	355
11	Validation of the Brazilian Portuguese Version of the Beck Depression Inventory-II in a community sample. Revista Brasileira De Psiquiatria, 2012, 34, 389-394.	0.9	325
12	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	2.0	318
13	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. British Journal of Psychiatry, 2010, 197, 20-27.	1.7	278
14	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465.	6.0	274
15	Mental Disorders in Megacities: Findings from the São Paulo Megacity Mental Health Survey, Brazil. PLoS ONE, 2012, 7, e31879.	1.1	264
16	Prevalence of ICD-10 mental disorders in a catchment area in the city of São Paulo, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 316-325.	1.6	220
17	Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. British Journal of Psychiatry, 2012, 200, 290-299.	1.7	201
18	Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2015, 77, 375-384.	0.7	197

#	ARTICLE	IF	CITATIONS
19	Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017, 74, 270.	6.0	179
20	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. <i>American Journal of Psychiatry</i> , 2016, 173, 997-1006.	4.0	176
21	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. <i>World Psychiatry</i> , 2017, 16, 299-307.	4.8	160
22	The cross-national epidemiology of specific phobia in the World Mental Health Surveys. <i>Psychological Medicine</i> , 2017, 47, 1744-1760.	2.7	148
23	A multinational study of mental disorders, marriage, and divorce. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 474-486.	2.2	143
24	Psychometric properties of the Portuguese version of the State-Trait Anxiety Inventory applied to college students: factor analysis and relation to the Beck Depression Inventory. <i>Brazilian Journal of Medical and Biological Research</i> , 2001, 34, 367-374.	0.7	117
25	Lifetime Prevalence, Age and Gender Distribution and Age-of-Onset of Psychiatric Disorders in the SÃ£o Paulo Metropolitan Area, Brazil: Results from the SÃ£o Paulo Megacity Mental Health Survey. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 249-260.	0.9	114
26	The epidemiology of alcohol use disorders cross-nationally: Findings from the World Mental Health Surveys. <i>Addictive Behaviors</i> , 2020, 102, 106128.	1.7	108
27	Associations Between Subjective Social Status and <i>DSM-IV</i> Mental Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 1400.	6.0	101
28	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. <i>American Journal of Psychiatry</i> , 2015, 172, 647-656.	4.0	100
29	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , 2016, 42, 933-941.	2.3	94
30	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. <i>Psycho-Oncology</i> , 2014, 23, 40-51.	1.0	87
31	Epidemiology of alcohol and drug use in the elderly. <i>Current Opinion in Psychiatry</i> , 2013, 26, 343-348.	3.1	83
32	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. <i>British Journal of Psychiatry</i> , 2017, 211, 373-380.	1.7	82
33	The Role of Criterion A2 in the DSM-IV Diagnosis of Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2010, 68, 465-473.	0.7	80
34	Role of common mental and physical disorders in partial disability around the world. <i>British Journal of Psychiatry</i> , 2012, 200, 454-461.	1.7	77
35	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013, 35, 115-125.	0.9	76
36	Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. <i>Molecular Psychiatry</i> , 2011, 16, 1221-1233.	4.1	74

#	ARTICLE	IF	CITATIONS
37	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. <i>Psychological Medicine</i> , 2013, 43, 865-879.	2.7	68
38	SÃ£o Paulo Megacity Mental Health Survey - a population-based epidemiological study of psychiatric morbidity in the SÃ£o Paulo metropolitan area: aims, design and field implementation. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 375-386.	0.9	67
39	The effects of co-morbidity on the onset and persistence of generalized anxiety disorder in the ICPE surveys. <i>Psychological Medicine</i> , 2002, 32, 1213-1225.	2.7	63
40	The association between psychotic experiences and disability: results from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 74-84.	2.2	58
41	Does income inequality get under the skin? A multilevel analysis of depression, anxiety and mental disorders in SÃ£o Paulo, Brazil. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 966-972.	2.0	56
42	MAJOR DEPRESSIVE DISORDER SUBTYPES TO PREDICT LONG-TERM COURSE. <i>Depression and Anxiety</i> , 2014, 31, 765-777.	2.0	56
43	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. <i>Addiction</i> , 2018, 113, 924-934.	1.7	56
44	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2020, 77, 830.	6.0	53
45	Subtyping social anxiety disorder in developed and developing countries. <i>Depression and Anxiety</i> , 2010, 27, 390-403.	2.0	52
46	Gender differences in symptomatic profiles of depression: Results from the SÃ£o Paulo Megacity Mental Health Survey. <i>Journal of Affective Disorders</i> , 2013, 147, 355-364.	2.0	52
47	Prevalence and clinical profile of chronic pain and its association with mental disorders. <i>Revista De Saude Publica</i> , 2017, 51, 96.	0.7	50
48	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 552-567.	1.8	47
49	A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 27-41.	1.8	46
50	The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018, 48, 2073-2084.	2.7	46
51	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019, 71, 103-112.	1.6	45
52	Rapid-cycling bipolar disorder: cross-national community study. <i>British Journal of Psychiatry</i> , 2010, 196, 217-225.	1.7	44
53	The lifetime prevalence, health services utilization and risk of suicide of bipolar spectrum subjects, including subthreshold categories in the SÃ£o Paulo ECA study. <i>Journal of Affective Disorders</i> , 2005, 87, 231-241.	2.0	41
54	Concordance between the diagnostic guidelines for alcohol and cannabis use disorders in the draft ICD-11 and other classification systems: analysis of data from the WHO's World Mental Health Surveys. <i>Addiction</i> , 2019, 114, 534-552.	1.7	36

#	ARTICLE	IF	CITATIONS
55	Psychiatry: life events and social support in late life depression. <i>Clinics</i> , 2011, 66, 233-238.	0.6	34
56	Premarital mental disorders and physical violence in marriage: cross-national study of married couples. <i>British Journal of Psychiatry</i> , 2011, 199, 330-337.	1.7	32
57	Somatiza��o na Am�rica Latina: uma revis�o sobre a classifica�o de transtornos somatoformes, s�ndromes funcionais e sintomas sem explica�o m�dica. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, s59-s69.	0.9	31
58	Drinking Patterns and Alcohol Use Disorders in S�o Paulo, Brazil: The Role of Neighborhood Social Deprivation and Socioeconomic Status. <i>PLoS ONE</i> , 2014, 9, e108355.	1.1	31
59	Determinants of the use of health care services: multilevel analysis in the Metropolitan Region of Sao Paulo. <i>Revista De Saude Publica</i> , 2015, 49, 15.	0.7	31
60	Response pattern of depressive symptoms among college students: What lies behind items of the Beck Depression Inventory-II?. <i>Journal of Affective Disorders</i> , 2018, 234, 124-130.	2.0	30
61	Heavy Episodic Drinking in the S�o Paulo Epidemiologic Catchment Area Study in Brazil: Gender and Sociodemographic Correlates. <i>Journal of Studies on Alcohol and Drugs</i> , 2007, 68, 18-27.	0.6	29
62	The psychosis continuum in the general population: findings from the S�o Paulo Epidemiologic Catchment Area Study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 519-527.	1.8	28
63	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. <i>JAMA Psychiatry</i> , 2019, 76, 708.	6.0	27
64	Disability Mediates the Impact of Common Conditions on Perceived Health. <i>PLoS ONE</i> , 2013, 8, e65858.	1.1	27
65	Sociodemographic Correlates of Transitions from Alcohol Use to Disorders and Remission in the Sao Paulo Megacity Mental Health Survey, Brazil. <i>Alcohol and Alcoholism</i> , 2011, 46, 324-332.	0.9	25
66	Influence of psychiatric morbidity and sociodemographic determinants on use of service in a catchment area in the city of S�o Paulo, Brazil*. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 45-53.	1.6	23
67	Premenstrual dysphoric symptoms amongst Brazilian college students: factor structure and methodological appraisal. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005, 255, 51-56.	1.8	22
68	Gender differences in drinking patterns and alcohol-related problems in a community sample in S�o Paulo, Brazil. <i>Clinics</i> , 2012, 67, 205-212.	0.6	22
69	Childhood Adversity and Adult Onset of Hypertension and Heart Disease in S�o Paulo, Brazil. <i>Preventing Chronic Disease</i> , 2013, 10, E205.	1.7	21
70	Under-reporting bipolar disorder in large-scale epidemiologic studies. <i>Journal of Affective Disorders</i> , 2014, 159, 147-154.	2.0	21
71	Patterns and predictors of health service use among people with mental disorders in S�o Paulo metropolitan area, Brazil. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 89-101.	1.8	21
72	Can Gender and Age Impact on Response Pattern of Depressive Symptoms Among College Students? A Differential Item Functioning Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 50.	1.3	21

#	ARTICLE	IF	CITATIONS
73	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2021, 51, 2104-2116.	2.7	21
74	Days out-of-role due to common physical and mental health problems: Results from the São Paulo Megacity Mental Health Survey, Brazil. <i>Clinics</i> , 2013, 68, 1392-1399.	0.6	20
75	The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. <i>PLoS ONE</i> , 2015, 10, e0134970.	1.1	20
76	Multilevel Analysis of the Patterns of Physical-Mental Multimorbidity in General Population of São Paulo Metropolitan Area, Brazil. <i>Scientific Reports</i> , 2019, 9, 2390.	1.6	20
77	Differences between unipolar mania and bipolar disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019, 21, 437-448.	1.1	20
78	Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of São Paulo, Brazil. <i>PLoS ONE</i> , 2016, 11, e0155639.	1.1	20
79	The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 353-367.	1.6	19
80	The epidemiology of personality disorders in the Sao Paulo Megacity general population. <i>PLoS ONE</i> , 2018, 13, e0195581.	1.1	19
81	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 207-219.	1.6	17
82	Investigating dimensionality and measurement bias of DSM-5 alcohol use disorder in a representative sample of the largest metropolitan area in South America. <i>Drug and Alcohol Dependence</i> , 2015, 152, 123-130.	1.6	16
83	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2022, 21, 272-286.	4.8	16
84	Alcohol abuse in developed and developing countries in the World Mental Health Surveys: Socially defined consequences or psychiatric disorder?. <i>American Journal on Addictions</i> , 2014, 23, 145-155.	1.3	15
85	Treatment of anxiety disorders in clinical practice: a critical overview of recent systematic evidence. <i>Clinics</i> , 2019, 74, e1316.	0.6	15
86	Symptomatic expression of depression among Jewish adolescents: effects of gender and age. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 79-86.	1.6	14
87	Use of psychotropic medications in São Paulo Metropolitan Area, Brazil: pattern of healthcare provision to general population. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1207-1214.	0.9	14
88	Latent class analysis of manic and depressive symptoms in a population-based sample in São Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2010, 123, 208-215.	2.0	13
89	DSM-5 latent classes of alcohol users in a population-based sample: Results from the São Paulo Megacity Mental Health Survey, Brazil. <i>Drug and Alcohol Dependence</i> , 2014, 136, 92-99.	1.6	13
90	Dual burden of chronic physical diseases and anxiety/mood disorders among São Paulo Megacity Mental Health Survey Sample, Brazil. <i>Journal of Affective Disorders</i> , 2017, 220, 1-7.	2.0	13

#	ARTICLE	IF	CITATIONS
91	Mood changes in the course of preparation for the Brazilian university admission exam - a longitudinal study. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 30-36.	0.9	12
92	An updated global picture of cigarette smoking persistence among adults. <i>Journal of Epidemiology and Global Health</i> , 2012, 2, 135.	1.1	11
93	Exploring the latent trait of opioid use disorder criteria among frequent nonmedical prescription opioid users. <i>Journal of Psychiatric Research</i> , 2016, 80, 79-86.	1.5	11
94	Assessing the impact of urban environment and green infrastructure on mental health: results from the São Paulo Megacity Mental Health Survey. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2022, 32, 205-212.	1.8	11
95	The influence of the comorbidity between depression and alcohol use disorder on suicidal behaviors in the São Paulo Epidemiologic Catchment Area Study, Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 396-408.	0.9	11
96	Patterns of psychopathological manifestations among ethnic Chinese living in Brazil. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004, 254, 36-42.	1.8	10
97	Gender-related dimensions of childhood adversities in the general population. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 394-402.	0.9	10
98	Absenteeism and Presenteeism Associated With Common Health Conditions in Brazilian Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 303-313.	0.9	10
99	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021, 21, 392.	1.1	10
100	Attention deficit/hyperactivity disorder symptoms in indigenous children from the Brazilian Amazon. <i>Arquivos De Neuro-Psiquiatria</i> , 2010, 68, 541-544.	0.3	9
101	The latent trait of ICD-11 nicotine dependence criteria: Dimensional and categorical phenotypes. <i>Psychiatry Research</i> , 2018, 266, 275-283.	1.7	9
102	Epidemiologia dos transtornos de ansiedade em regiões do Brasil. , 2019, 98, 415-422.	0.0	9
103	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021, 288, 199-209.	2.0	9
104	Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2022, 303, 273-285.	2.0	9
105	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2023, 53, 1583-1591.	2.7	8
106	Investigating the dimensional diagnosis of ICD-11 nicotine dependence.. <i>Psychology of Addictive Behaviors</i> , 2018, 32, 415-425.	1.4	8
107	Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2022, 303, 168-179.	2.0	8
108	Incremental health expenditure and lost days of normal activity for individuals with mental disorders: results from the São Paulo Megacity Study. <i>BMC Public Health</i> , 2015, 15, 745.	1.2	7

#	ARTICLE	IF	CITATIONS
109	Mental disorders and employment status in the S�o Paulo Metropolitan Area, Brazil: gender differences and use of health services. <i>Cadernos De Saude Publica</i> , 2017, 33, e00154116.	0.4	7
110	The relationship between neighborhood-level socioeconomic characteristics and individual mental disorders in five cities in Latin America: multilevel models from the World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 157-170.	1.6	7
111	��el don��t need any treatment�� barriers to mental health treatment in the general population of a megacity. <i>Revista Brasileira De Psiquiatria</i> , 2021, , .	0.9	7
112	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2079-2095.	1.6	7
113	The associations between traumatic experiences and subsequent onset of a substance use disorder: Findings from the World Health Organization World Mental Health surveys. <i>Drug and Alcohol Dependence</i> , 2022, 240, 109574.	1.6	7
114	Major Depressive Disorder. , 0, , 41-56.		6
115	Major Cardiac��Psychiatric Drug��Drug Interactions: a Systematic Review of the Consistency of Drug Databases. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 441-454.	1.3	6
116	Prevalence of psychotic symptoms in the general population varies across 52 countries. <i>Evidence-Based Mental Health</i> , 2012, 15, 105-105.	2.2	5
117	Benzodiazepine use in Sao Paulo, Brazil. <i>Clinics</i> , 2020, 75, e1610.	0.6	5
118	Alcohol use patterns and disorders among individuals with personality disorders in the Sao Paulo Metropolitan Area. <i>PLoS ONE</i> , 2021, 16, e0248403.	1.1	4
119	Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan S�o Paulo, Brazil. <i>Journal of Affective Disorders</i> , 2021, 296, 198-207.	2.0	4
120	The role of gender in the structure of networks of childhood adversity. <i>Psychiatry Research</i> , 2018, 270, 348-356.	1.7	3
121	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021, 229, 109158.	1.6	3
122	Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, 6.	1.1	3
123	Pre-marital predictors of marital violence in the WHO World Mental Health (WMH) Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 393-405.	1.6	2
124	Treatment Gap of Mental Disorders in S�o Paulo Metropolitan Area, Brazil: Failure and Delay in Initiating Treatment Contact After First Onset of Mental and Substance Use Disorders. <i>International Journal of Mental Health and Addiction</i> , 0, , 1.	4.4	2
125	Patterns of multimorbidity in the general population of S�o Paulo, Brazil: a retrospective observational study. <i>Lancet, The</i> , 2014, 384, S22.	6.3	1
126	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020, , 1-10.	2.7	1

#	ARTICLE	IF	CITATIONS
127	Association between childhood adversities and psychopathology onset throughout the lifespan: Findings from a large metropolitan population. <i>Journal of Psychiatric Research</i> , 2021, 135, 8-14.	1.5	1
128	(Re) thinking urban mental health from the periphery of São Paulo in times of the COVID-19 pandemic. <i>International Review of Psychiatry</i> , 2022, 34, 1-11.	1.4	1
129	Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. <i>International Journal of Mental Health Systems</i> , 2022, 16, .	1.1	1
130	The Effects of Trauma Type, Timing, Accumulation, and Sequencing. , 0, , 153-162.		0
131	Prevalence and psychiatric comorbidities of intermittent explosive disorders in Metropolitan São Paulo, Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 687-694.	1.6	0
132	Perspectives on a psychiatric outpatient service for immigrants and refugees in São Paulo, Brazil over a 15-year period. <i>International Journal of Social Psychiatry</i> , 2022, 68, 1418-1427.	1.6	0
133	Cardiovascular risk factors and major depressive disorder: a cross-sectional study in São Paulo, Brazil. <i>Sao Paulo Medical Journal</i> , 2021, 139, 364-371.	0.4	0
134	Looking beyond the prevalence of depression in Brazil: are we prepared to go further?. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 189-190.	0.9	0
135	Gender differences in tobacco use disorder phenotypes among smokers in the largest metropolitan area of South America. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.3	0
136	Could dehydroepiandrosterone (DHEA) be a novel target for depression?. <i>Journal of Affective Disorders Reports</i> , 2022, 8, 100340.	0.9	0