

Rosalie van Zelm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3528340/publications.pdf>

Version: 2024-02-01

66
papers

4,680
citations

147801

31
h-index

98798

67
g-index

70
all docs

70
docs citations

70
times ranked

4700
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Impact of energy flow optimization on the mitigation of environmental consequences and costs in greenhouse cucumber production. <i>Environmental Science and Pollution Research</i> , 2021, 28, 8421-8433. | 5.3 | 9 |
| 2 | Simulating behavior of petroleum compounds during refinery effluent treatment using the SimpleTreat model. <i>Chemosphere</i> , 2021, 263, 128081. | 8.2 | 3 |
| 3 | Ammonia and chromate interaction explains unresolved <i>Hyalella azteca</i> mortality in Flanders's sediment bioassays. <i>Chemosphere</i> , 2021, 271, 129446. | 8.2 | 1 |
| 4 | Understanding farm-level differences in environmental impact and eco-efficiency: The case of rice production in Iran. <i>Sustainable Production and Consumption</i> , 2021, 27, 1021-1029. | 11.0 | 76 |
| 5 | Do initial concentration and activated sludge seasonality affect pharmaceutical biotransformation rate constants?. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 6515-6527. | 3.6 | 11 |
| 6 | Drivers of variability in greenhouse gas footprints of crop production. <i>Journal of Cleaner Production</i> , 2021, 315, 128121. | 9.3 | 11 |
| 7 | A taste of the new ReCiPe for life cycle assessment: consequences of the updated impact assessment method on food product LCAs. <i>International Journal of Life Cycle Assessment</i> , 2020, 25, 2315-2324. | 4.7 | 64 |
| 8 | Reliable and representative in silico predictions of freshwater ecotoxicological hazardous concentrations. <i>Environment International</i> , 2020, 134, 105334. | 10.0 | 14 |
| 9 | Chemical footprint of pesticides used in citrus orchards based on canopy deposition and off-target losses. <i>Science of the Total Environment</i> , 2020, 732, 139118. | 8.0 | 23 |
| 10 | LC-IMPACT: A regionalized life cycle damage assessment method. <i>Journal of Industrial Ecology</i> , 2020, 24, 1201-1219. | 5.5 | 80 |
| 11 | Environmental benefits of urea production from basic oxygen furnace gas. <i>Applied Energy</i> , 2020, 270, 115119. | 10.1 | 15 |
| 12 | Life cycle assessment of side stream removal and recovery of nitrogen from wastewater treatment plants. <i>Journal of Industrial Ecology</i> , 2020, 24, 913-922. | 5.5 | 17 |
| 13 | Operational Life Cycle Impact Assessment weighting factors based on Planetary Boundaries: Applied to cosmetic products. <i>Ecological Indicators</i> , 2019, 107, 105498. | 6.3 | 33 |
| 14 | Global relative species loss due to first-generation biofuel production for the transport sector. <i>GCB Bioenergy</i> , 2019, 11, 763-772. | 5.6 | 24 |
| 15 | Confronting variability with uncertainty in the ecotoxicological impact assessment of down-the-drain products. <i>Environment International</i> , 2019, 126, 37-45. | 10.0 | 18 |
| 16 | Comparing greenhouse gas footprints and payback times of crop-based biofuel production worldwide. <i>Biofuels</i> , 2019, , 1-7. | 2.4 | 8 |
| 17 | Regionalization in LCA: current status in concepts, software and databases" 69th LCA forum, Swiss Federal Institute of Technology, Zurich, 13 September, 2018. <i>International Journal of Life Cycle Assessment</i> , 2019, 24, 364-369. | 4.7 | 21 |
| 18 | Quantifying variability in removal efficiencies of chemicals in activated sludge wastewater treatment plants – a meta-analytical approach. <i>Environmental Sciences: Processes and Impacts</i> , 2018, 20, 171-182. | 3.5 | 26 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Spatially explicit life cycle impact assessment for soil erosion from global crop production. <i>Ecosystem Services</i> , 2018, 30, 220-227. | 5.4 | 25 |
| 20 | Variability of Greenhouse Gas Footprints of Field Tomatoes Grown for Processing: Interyear and Inter-country Assessment. <i>Environmental Science & Technology</i> , 2018, 52, 135-144. | 10.0 | 13 |
| 21 | Estimation of chemical emissions from down-the-drain consumer products using consumer survey data at a country and wastewater treatment plant level. <i>Chemosphere</i> , 2018, 193, 32-41. | 8.2 | 10 |
| 22 | Trade and the role of non-food commodities for global eutrophication. <i>Nature Sustainability</i> , 2018, 1, 314-321. | 23.7 | 68 |
| 23 | Spatial and technological variability in the carbon footprint of durum wheat production in Iran. <i>International Journal of Life Cycle Assessment</i> , 2017, 22, 1893-1900. | 4.7 | 14 |
| 24 | Regionalised life cycle assessment of pasta production in Iran: Damage to terrestrial ecosystems. <i>Journal of Cleaner Production</i> , 2017, 159, 141-146. | 9.3 | 22 |
| 25 | Biodiversity impacts from water consumption on a global scale for use in life cycle assessment. <i>International Journal of Life Cycle Assessment</i> , 2017, 22, 1247-1256. | 4.7 | 33 |
| 26 | Life cycle energy use, costs, and greenhouse gas emission of broiler farms in different production systems in Iran – a case study of Alborz province. <i>Environmental Science and Pollution Research</i> , 2017, 24, 16041-16049. | 5.3 | 20 |
| 27 | ReCiPe2016: a harmonised life cycle impact assessment method at midpoint and endpoint level. <i>International Journal of Life Cycle Assessment</i> , 2017, 22, 138-147. | 4.7 | 1,905 |
| 28 | Evaluation of SimpleTreat 4.0: Simulations of pharmaceutical removal in wastewater treatment plant facilities. <i>Chemosphere</i> , 2017, 168, 870-876. | 8.2 | 38 |
| 29 | Variability in the carbon footprint of open-field tomato production in Iran - A case study of Alborz and East-Azerbaijan provinces. <i>Journal of Cleaner Production</i> , 2017, 142, 1510-1517. | 9.3 | 36 |
| 30 | Global spatially explicit CO ₂ emission metrics for forest bioenergy. <i>Scientific Reports</i> , 2016, 6, 20186. | 3.3 | 39 |
| 31 | Regionalized life cycle impact assessment of air pollution on the global scale: Damage to human health and vegetation. <i>Atmospheric Environment</i> , 2016, 134, 129-137. | 4.1 | 89 |
| 32 | Spatial variability versus parameter uncertainty in freshwater fate and exposure factors of chemicals. <i>Chemosphere</i> , 2016, 149, 101-107. | 8.2 | 8 |
| 33 | Valuing the human health damage caused by the fraud of Volkswagen. <i>Environmental Pollution</i> , 2016, 212, 121-127. | 7.5 | 78 |
| 34 | Impacts of biogenic CO ₂ emissions on human health and terrestrial ecosystems: the case of increased wood extraction for bioenergy production on a global scale. <i>GCB Bioenergy</i> , 2015, 7, 608-617. | 5.6 | 10 |
| 35 | Combined ecological risks of nitrogen and phosphorus in European freshwaters. <i>Environmental Pollution</i> , 2015, 200, 85-92. | 7.5 | 46 |
| 36 | Global land use impacts on biomass production – a spatial-differentiated resource-related life cycle impact assessment method. <i>International Journal of Life Cycle Assessment</i> , 2015, 20, 440-450. | 4.7 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | The Glasgow consensus on the delineation between pesticide emission inventory and impact assessment for LCA. <i>International Journal of Life Cycle Assessment</i> , 2015, 20, 765-776. | 4.7 | 62 |
| 38 | Acidification. <i>LCA Compendium</i> , 2015, , 163-176. | 0.8 | 5 |
| 39 | Global guidance on environmental life cycle impact assessment indicators: findings of the scoping phase. <i>International Journal of Life Cycle Assessment</i> , 2014, 19, 962-967. | 4.7 | 62 |
| 40 | Characterization factors for terrestrial acidification at the global scale: A systematic analysis of spatial variability and uncertainty. <i>Science of the Total Environment</i> , 2014, 500-501, 270-276. | 8.0 | 73 |
| 41 | Including exposure variability in the life cycle impact assessment of indoor chemical emissions: The case of metal degreasing. <i>Environment International</i> , 2014, 71, 36-45. | 10.0 | 10 |
| 42 | A spatially explicit data-driven approach to assess the effect of agricultural land occupation on species groups. <i>International Journal of Life Cycle Assessment</i> , 2014, 19, 758-769. | 4.7 | 26 |
| 43 | Bridging the gap between life cycle inventory and impact assessment for toxicological assessments of pesticides used in crop production. <i>Chemosphere</i> , 2014, 100, 175-181. | 8.2 | 34 |
| 44 | Quantifying the Trade-off between Parameter and Model Structure Uncertainty in Life Cycle Impact Assessment. <i>Environmental Science & Technology</i> , 2013, 47, 9274-9280. | 10.0 | 33 |
| 45 | Review of methods addressing freshwater use in life cycle inventory and impact assessment. <i>International Journal of Life Cycle Assessment</i> , 2013, 18, 707-721. | 4.7 | 268 |
| 46 | Species richnessâ€“phosphorus relationships for lakes and streams worldwide. <i>Global Ecology and Biogeography</i> , 2013, 22, 1304-1314. | 5.8 | 42 |
| 47 | Assessing the Importance of Spatial Variability versus Model Choices in Life Cycle Impact Assessment: The Case of Freshwater Eutrophication in Europe. <i>Environmental Science & Technology</i> , 2013, 47, 13565-13570. | 10.0 | 67 |
| 48 | Making fate and exposure models for freshwater ecotoxicity in life cycle assessment suitable for organic acids and bases. <i>Chemosphere</i> , 2013, 90, 312-317. | 8.2 | 16 |
| 49 | Plant Species Sensitivity Distributions for ozone exposure. <i>Environmental Pollution</i> , 2013, 178, 1-6. | 7.5 | 29 |
| 50 | Statistical uncertainty in hazardous terrestrial concentrations estimated with aquatic ecotoxicity data. <i>Chemosphere</i> , 2013, 93, 366-372. | 8.2 | 6 |
| 51 | Global assessment of the effects of terrestrial acidification on plant species richness. <i>Environmental Pollution</i> , 2013, 174, 10-15. | 7.5 | 62 |
| 52 | European characterization factors for damage to natural vegetation by ozone in life cycle impact assessment. <i>Atmospheric Environment</i> , 2013, 77, 318-324. | 4.1 | 19 |
| 53 | Do interspecies correlation estimations increase the reliability of toxicity estimates for wildlife?. <i>Ecotoxicology and Environmental Safety</i> , 2012, 80, 238-243. | 6.0 | 30 |
| 54 | Including ecotoxic impacts on warm-blooded predators in life cycle impact assessment. <i>Integrated Environmental Assessment and Management</i> , 2012, 8, 372-378. | 2.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Implementing Groundwater Extraction in Life Cycle Impact Assessment: Characterization Factors Based on Plant Species Richness for the Netherlands. <i>Environmental Science & Technology</i> , 2011, 45, 629-635. | 10.0 | 61 |
| 56 | Toward Meaningful End Points of Biodiversity in Life Cycle Assessment. <i>Environmental Science & Technology</i> , 2011, 45, 70-79. | 10.0 | 173 |
| 57 | Value Choices in Life Cycle Impact Assessment of Stressors Causing Human Health Damage. <i>Journal of Industrial Ecology</i> , 2011, 15, 796-815. | 5.5 | 46 |
| 58 | Transformation Products in the Life Cycle Impact Assessment of Chemicals. <i>Environmental Science & Technology</i> , 2010, 44, 1004-1009. | 10.0 | 40 |
| 59 | Pesticide ecotoxicological effect factors and their uncertainties for freshwater ecosystems. <i>International Journal of Life Cycle Assessment</i> , 2009, 14, 43-51. | 4.7 | 35 |
| 60 | USES-LCA 2.0â€”a global nested multi-media fate, exposure, and effects model. <i>International Journal of Life Cycle Assessment</i> , 2009, 14, 282-284. | 4.7 | 131 |
| 61 | Ranking of agricultural pesticides in the rhineâ€”meuseâ€”scheldt basin based on toxic pressure in marine ecosystems. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 737-745. | 4.3 | 16 |
| 62 | Modeling the environmental fate of perfluorooctanoate and its precursors from global fluorotelomer acrylate polymer use. <i>Environmental Toxicology and Chemistry</i> , 2008, 27, 2216-2223. | 4.3 | 27 |
| 63 | European characterization factors for human health damage of PM10 and ozone in life cycle impact assessment. <i>Atmospheric Environment</i> , 2008, 42, 441-453. | 4.1 | 230 |
| 64 | Time Horizon Dependent Characterization Factors for Acidification in Life-Cycle Assessment Based on Forest Plant Species Occurrence in Europe. <i>Environmental Science & Technology</i> , 2007, 41, 922-927. | 10.0 | 69 |
| 65 | Uncertainty in msPAFâ€”based ecotoxicological effect factors for freshwater ecosystems in life cycle impact assessment. <i>Integrated Environmental Assessment and Management</i> , 2007, 3, e6. | 2.9 | 5 |
| 66 | Uncertainty in msPAF-Based Ecotoxicological Effect Factors for Freshwater Ecosystems in Life Cycle Impact Assessment. <i>Integrated Environmental Assessment and Management</i> , 2007, 3, 203. | 2.9 | 42 |