
PaweÅ, Niemiec

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/352891/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effectiveness of Platelet-Rich Plasma for Lateral Epicondylitis: A Systematic Review and Meta-analysis Based on Achievement of Minimal Clinically Important Difference. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712210869.	0.8	12
2	What Role Does PDGFA Gene Polymorphisms Play in Treating Tennis Elbow with PRP? A Prospective Cohort Study. Journal of Clinical Medicine, 2022, 11, 3504.	1.0	4
3	Evaluation of Posturometric Parameters in Children and Youth Who Practice Karate: Prospective Cross-Sectional Study. BioMed Research International, 2022, 2022, 1-11.	0.9	1
4	The Usefulness of Spectral Mammography in Surgical Planning of Breast Cancer Treatment—Analysis of 999 Patients with Primary Operable Breast Cancer. Current Oncology, 2021, 28, 2548-2559.	0.9	3
5	Why PRP works only on certain patients with tennis elbow? Is PDGFB gene a key for PRP therapy effectiveness? A prospective cohort study. BMC Musculoskeletal Disorders, 2021, 22, 710.	0.8	7
6	Family-Based Cohort Association Study of PRKCB1, CBLN1 and KCNMB4 Gene Polymorphisms and Autism in Polish Population. Journal of Autism and Developmental Disorders, 2021, , 1.	1.7	0
7	Contrast-Enhanced Spectral Mammography Assessment of Patients Treated with Neoadjuvant Chemotherapy for Breast Cancer. Current Oncology, 2021, 28, 3448-3462.	0.9	8
8	Multifocality and Multicentrality in Breast Cancer: Comparison of the Efficiency of Mammography, Contrast-Enhanced Spectral Mammography, and Magnetic Resonance Imaging in a Group of Patients with Primarily Operable Breast Cancer. Current Oncology, 2021, 28, 4016-4030.	0.9	15
9	Relationship between rs4674344 CYP27A1 gene polymorphism and coronary artery disease in a Polish population. Kardiologia Polska, 2020, 78, 65-67.	0.3	2
10	The relationship betweenCYP7A1polymorphisms, coronary artery disease & serum lipid markers. Biomarkers in Medicine, 2019, 13, 1199-1208.	0.6	6
11	Male gender and age range 20–29Âyears are the most important non-modifiable risk factors for recurrence after primary post-traumatic shoulder dislocation. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2454-2464.	2.3	10
12	Five-year prevalence of recurrent shoulder dislocation in the entire Polish population. International Orthopaedics, 2018, 42, 259-264.	0.9	5
13	Analysis of selected promoter polymorphisms and haplotypes of theCYBAgene encoding the p22phox, subunit of NADPH oxidases, in patients with coronary artery disease. Free Radical Research, 2018, 52, 1132-1139.	1.5	4
14	Relationship between CETP gene polymorphisms with coronary artery disease in Polish population. Molecular Biology Reports, 2018, 45, 1929-1935.	1.0	19
15	The rs10757278 Polymorphism of the 9p21.3 Locus in Children with Arterial Ischemic Stroke: A Family-Based and Case-Control Study. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 2763-2768.	0.7	2
16	Relationship between rs854560PON1Gene Polymorphism and Tobacco Smoking with Coronary Artery Disease. Disease Markers, 2017, 2017, 1-7.	0.6	10
17	The <i>CYBA</i> Gene <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">id="M1"><mml:mrow><mml:mrow><mml:mo>âZ</mml:mo></mml:mrow></mml:mrow></mml:math> 49A>G Polymorphism (rs7195830) Is Associated with Hypertension in Patients with Coronary Artery Disease. BioMed Research International. 2016. 2016. 1-7.	0.9	5
18	The rs2516839 Polymorphism of the USF1 Gene May Modulate Serum Triglyceride Levels in Response to Cigarette Smoking. International Journal of Molecular Sciences, 2015, 16, 13203-13216.	1.8	6

PaweÅ, Niemiec

#	Article	IF	CITATIONS
19	<i>CYP7A1</i> Gene Polymorphism Located in the 5′ Upstream Region Modifies the Risk of Coronary Artery Disease. Disease Markers, 2015, 2015, 1-6.	0.6	15
20	Methylenetetrahydrofolate Reductase Gene A1298C Polymorphism in Pediatric Stroke—Case–Control and Family-based Study. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 61-65.	0.7	7
21	The â^'930A>G polymorphism of the CYBA gene is associated with premature coronary artery disease. A case–control study and gene–risk factors interactions. Molecular Biology Reports, 2014, 41, 3287-3294.	1.0	21
22	The rs10757278 Polymorphism of the 9p21.3 Locus Is Associated with Premature Coronary Artery Disease in Polish Patients. Genetic Testing and Molecular Biomarkers, 2012, 16, 1080-1085.	0.3	9
23	TheCYBAgene A640G polymorphism influences predispositions to coronary artery disease through interactions with cigarette smoking and hypercholesterolemia. Biomarkers, 2011, 16, 405-412.	0.9	13
24	The C242T polymorphism of the gene encoding cytochrome b-245 alpha is not associated with paediatric ischaemic stroke: family-based and case-control study. Neurologia I Neurochirurgia Polska, 2010, 44, 453-458.	0.6	8
25	The M235T polymorphism of the AGT gene modifies the risk of coronary artery disease associated with the presence of hypercholesterolemia. European Journal of Epidemiology, 2008, 23, 349-354.	2.5	13
26	The Risk of Coronary Artery Disease Associated with Cigarette Smoking and Hypercholesterolemia Is Additionally Increased by the Presence of the AT 1 R Gene 1166C Allele. Biochemical Genetics, 2008, 46, 799-809.	0.8	8
27	The D allele of angiotensin I-converting enzyme gene insertion/deletion polymorphism is associated with the severity of atherosclerosis. Clinical Chemistry and Laboratory Medicine, 2008, 46, 446-52.	1.4	8
28	Modification of the Coronary Artery Disease Risk Associated with the Presence of Traditional Risk Factors by Insertion/Deletion Polymorphism of the <i>ACE</i> Gene. Genetic Testing and Molecular Biomarkers, 2007, 11, 353-360.	1.7	28
29	The 242T variant of the CYBA gene polymorphism increases the risk of coronary artery disease associated with cigarette smoking and hypercholesterolemia. Coronary Artery Disease, 2007, 18, 339.346	0.3	26