

Raphael A Nemenoff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3529950/publications.pdf>

Version: 2024-02-01

66
papers

3,501
citations

147801

31
h-index

149698

56
g-index

73
all docs

73
docs citations

73
times ranked

5632
citing authors

#	ARTICLE	IF	CITATIONS
1	Transmigrating Neutrophils Shape the Mucosal Microenvironment through Localized Oxygen Depletion to Influence Resolution of Inflammation. <i>Immunity</i> , 2014, 40, 66-77.	14.3	373
2	Resistance to Radiotherapy and PD-L1 Blockade Is Mediated by TIM-3 Upregulation and Regulatory T-Cell Infiltration. <i>Clinical Cancer Research</i> , 2018, 24, 5368-5380.	7.0	189
3	Differentiated Smooth Muscle Cells Generate a Subpopulation of Resident Vascular Progenitor Cells in the Adventitia Regulated by Klf4. <i>Circulation Research</i> , 2017, 120, 296-311.	4.5	152
4	Induction of Cytosolic Phospholipase A2 by Oncogenic Ras in Human Non-small Cell Lung Cancer. <i>Journal of Biological Chemistry</i> , 1997, 272, 14501-14504.	3.4	144
5	Peroxisome Proliferator-Activated Receptor- β Is a Target of Nonsteroidal Anti-Inflammatory Drugs Mediating Cyclooxygenase-Independent Inhibition of Lung Cancer Cell Growth. <i>Molecular Pharmacology</i> , 2002, 62, 1207-1214.	2.3	137
6	A Beginner's Guide to Analyzing and Visualizing Mass Cytometry Data. <i>Journal of Immunology</i> , 2018, 200, 3-22.	0.8	130
7	The Tumor Microenvironment Regulates Sensitivity of Murine Lung Tumors to PD-1/PD-L1 Antibody Blockade. <i>Cancer Immunology Research</i> , 2017, 5, 767-777.	3.4	120
8	SDF-1 α Induction in Mature Smooth Muscle Cells by Inactivation of PTEN Is a Critical Mediator of Exacerbated Injury-Induced Neointima Formation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1300-1308.	2.4	118
9	Manipulation of pulmonary prostacyclin synthase expression prevents murine lung cancer. <i>Cancer Research</i> , 2002, 62, 734-40.	0.9	113
10	Peroxisome proliferator-activated receptor- β (PPAR β) inhibits tumorigenesis by reversing the undifferentiated phenotype of metastatic non-small-cell lung cancer cells (NSCLC). <i>Oncogene</i> , 2005, 24, 1412-1422.	5.9	106
11	Targeted Deletion of PTEN in Smooth Muscle Cells Results in Vascular Remodeling and Recruitment of Progenitor Cells Through Induction of Stromal Cell-Derived Factor-1 α . <i>Circulation Research</i> , 2008, 102, 1036-1045.	4.5	99
12	Complement Activation via a C3a Receptor Pathway Alters CD4+ T Lymphocytes and Mediates Lung Cancer Progression. <i>Cancer Research</i> , 2018, 78, 143-156.	0.9	94
13	Ionizing radiation sensitizes tumors to PD-L1 immune checkpoint blockade in orthotopic murine head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2017, 6, e1356153.	4.6	89
14	Targeting the Complement Pathway as a Therapeutic Strategy in Lung Cancer. <i>Frontiers in Immunology</i> , 2019, 10, 954.	4.8	89
15	Expression Profiling of Macrophages Reveals Multiple Populations with Distinct Biological Roles in an Immunocompetent Orthotopic Model of Lung Cancer. <i>Journal of Immunology</i> , 2016, 196, 2847-2859.	0.8	86
16	Cancer Cell-Intrinsic Expression of MHC Class II Regulates the Immune Microenvironment and Response to Anti-PD-1 Therapy in Lung Adenocarcinoma. <i>Journal of Immunology</i> , 2020, 204, 2295-2307.	0.8	83
17	Prostacyclin Prevents Murine Lung Cancer Independent of the Membrane Receptor by Activation of Peroxisomal Proliferator-Activated Receptor β . <i>Cancer Prevention Research</i> , 2008, 1, 349-356.	1.5	73
18	Depletion of Cytosolic Phospholipase A2 in Bone Marrow-Derived Macrophages Protects against Lung Cancer Progression and Metastasis. <i>Cancer Research</i> , 2009, 69, 1733-1738.	0.9	68

#	ARTICLE	IF	CITATIONS
19	Eicosanoids in Cancer: New Roles in Immunoregulation. <i>Frontiers in Pharmacology</i> , 2020, 11, 595498.	3.5	68
20	Deletion of 5-Lipoxygenase in the Tumor Microenvironment Promotes Lung Cancer Progression and Metastasis through Regulating T Cell Recruitment. <i>Journal of Immunology</i> , 2016, 196, 891-901.	0.8	66
21	Antitumorigenic Effects of Peroxisome Proliferator-Activated Receptor- β in Non-Small-Cell Lung Cancer Cells Are Mediated by Suppression of Cyclooxygenase-2 via Inhibition of Nuclear Factor- κ B. <i>Molecular Pharmacology</i> , 2008, 73, 709-717.	2.3	60
22	Activation of PPAR β in Myeloid Cells Promotes Lung Cancer Progression and Metastasis. <i>PLoS ONE</i> , 2011, 6, e28133.	2.5	60
23	Label-free fluorescence lifetime and second harmonic generation imaging microscopy improves quantification of experimental renal fibrosis. <i>Kidney International</i> , 2016, 90, 1123-1128.	5.2	58
24	CD8+ T cells modulate autosomal dominant polycystic kidney disease progression. <i>Kidney International</i> , 2018, 94, 1127-1140.	5.2	54
25	Nuclear PTEN functions as an essential regulator of SRF-dependent transcription to control smooth muscle differentiation. <i>Nature Communications</i> , 2016, 7, 10830.	12.8	53
26	Eicosanoid Profiling in an Orthotopic Model of Lung Cancer Progression by Mass Spectrometry Demonstrates Selective Production of Leukotrienes by Inflammatory Cells of the Microenvironment. <i>PLoS ONE</i> , 2013, 8, e79633.	2.5	50
27	Prostacyclin Inhibits Non-Small Cell Lung Cancer Growth by a Frizzled 9-Dependent Pathway That Is Blocked by Secreted Frizzled-Related Protein 1. <i>Neoplasia</i> , 2010, 12, 244-IN6.	5.3	43
28	Homeoprotein Six2 Promotes Breast Cancer Metastasis via Transcriptional and Epigenetic Control of E-Cadherin Expression. <i>Cancer Research</i> , 2014, 74, 7357-7370.	0.9	42
29	Characterization of Phospholipase A ₂ Activity Enriched in the Nerve Growth Cone. <i>Journal of Neurochemistry</i> , 1996, 67, 2599-2608.	3.9	40
30	Nonamplified FGFR1 Is a Growth Driver in Malignant Pleural Mesothelioma. <i>Molecular Cancer Research</i> , 2014, 12, 1460-1469.	3.4	38
31	Tumor-intrinsic response to IFN β shapes the tumor microenvironment and anti-PD-1 response in NSCLC. <i>Life Science Alliance</i> , 2019, 2, e201900328.	2.8	38
32	Peroxisome Proliferator-Activated Receptor- β Inhibits Transformed Growth of Non-Small Cell Lung Cancer Cells through Selective Suppression of Snail. <i>Neoplasia</i> , 2010, 12, 224-IN4.	5.3	36
33	Smooth muscle-derived progenitor cell myofibroblast differentiation through KLF4 downregulation promotes arterial remodeling and fibrosis. <i>JCI Insight</i> , 2020, 5, .	5.0	33
34	Role of nuclear receptors in lung tumorigenesis. <i>European Journal of Cancer</i> , 2005, 41, 2561-2568.	2.8	30
35	Complement factor H-deficient mice develop spontaneous hepatic tumors. <i>Journal of Clinical Investigation</i> , 2020, 130, 4039-4054.	8.2	30
36	Peroxisome Proliferator-Activated Receptor- β in Lung Cancer: Defining Specific Versus Off-Target Effectors. <i>Journal of Thoracic Oncology</i> , 2007, 2, 989-992.	1.1	28

#	ARTICLE	IF	CITATIONS
37	Cancer cell-intrinsic expression of MHC II in lung cancer cell lines is actively restricted by MEK/ERK signaling and epigenetic mechanisms. , 2020, 8, e000441.		28
38	PTEN (Phosphatase and Tensin Homolog) Protects Against Ang II (Angiotensin II)-Induced Pathological Vascular Fibrosis and Remodelingâ€”Brief Report. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 394-403.	2.4	27
39	Activation and Molecular Targets of Peroxisome Proliferator-Activated Receptor-<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>Î³</mml:mi></mml:math> Ligands in Lung Cancer. PPAR Research, 2008, 2008, 1-8.	2.4	25
40	Altered Cell-Cycle Control, Inflammation, and Adhesion in High-Risk Persistent Bronchial Dysplasia. Cancer Research, 2018, 78, 4971-4983.	0.9	23
41	A tyrosine kinase inhibitor-induced interferon response positively associates with clinical response in EGFR-mutant lung cancer. Npj Precision Oncology, 2021, 5, 41.	5.4	22
42	Tyrosine kinase growth factor receptors but not seven-membraneâ€“spanning receptors or phorbol esters activate mitogen-activated protein kinase in rat hepatocytes. Hepatology, 1995, 22, 1296-1303.	7.3	19
43	Heterogeneous subpopulations of adventitial progenitor cells regulate vascular homeostasis and pathological vascular remodelling. Cardiovascular Research, 2022, 118, 1452-1465.	3.8	18
44	Increased renal and vascular cytosolic phospholipase A2activity in rats with cirrhosis and ascites. Hepatology, 1998, 27, 42-47.	7.3	17
45	Targeted overexpression of prostacyclin synthase inhibits lung tumor progression by recruiting CD4+ T lymphocytes in tumors that express MHC class II. Oncoimmunology, 2018, 7, e1423182.	4.6	17
46	Role of epidermal growth factor receptor inhibitor-induced interferon pathway signaling in the head and neck squamous cell carcinoma therapeutic response. Journal of Translational Medicine, 2021, 19, 43.	4.4	17
47	High Throughput Screen Identifies the DNMT1 (DNA Methyltransferase-1) Inhibitor, 5-Azacytidine, as a Potent Inducer of PTEN (Phosphatase and Tensin Homolog). Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 1854-1869.	2.4	16
48	Complement C3a and C5a receptor blockade modulates regulatory T cell conversion in head and neck cancer. , 2021, 9, e002585.		16
49	Weight loss and cystic disease progression in autosomal dominant polycystic kidney disease. IScience, 2022, 25, 103697.	4.1	16
50	Adenoviral vectors transduce alveolar macrophages in lung cancer models. Oncoimmunology, 2018, 7, e1438105.	4.6	13
51	Inhibition of 5-lipoxygenase decreases renal fibrosis and progression of chronic kidney disease. American Journal of Physiology - Renal Physiology, 2019, 316, F732-F742.	2.7	13
52	Activation of PPARÎ³ in Myeloid Cells Promotes Progression of Epithelial Lung Tumors through TGFÎ²1. Molecular Cancer Research, 2019, 17, 1748-1758.	3.4	12
53	Cancer Cell-Specific Major Histocompatibility Complex II Expression as a Determinant of the Immune Infiltrate Organization and Function in the NSCLC Tumor Microenvironment. Journal of Thoracic Oncology, 2021, 16, 1694-1704.	1.1	12
54	Activation of a novel form of phospholipase A2during liver regeneration. FEBS Letters, 1995, 367, 228-232.	2.8	10

#	ARTICLE	IF	CITATIONS
55	Activation of the Retinoid X Receptor Modulates Angiotensin II-Induced Smooth Muscle Gene Expression and Inflammation in Vascular Smooth Muscle Cells. <i>Molecular Pharmacology</i> , 2014, 86, 570-579.	2.3	10
56	Complement and Cancer—A Dysfunctional Relationship?. <i>Antibodies</i> , 2020, 9, 61.	2.5	10
57	Bone marrow-derived cPLA2 α contributes to renal fibrosis progression. <i>Journal of Lipid Research</i> , 2018, 59, 380-390.	4.2	8
58	15-Lipoxygenase worsens renal fibrosis, inflammation, and metabolism in a murine model of ureteral obstruction. <i>American Journal of Physiology - Renal Physiology</i> , 2022, 322, F105-F119.	2.7	8
59	Activation of PPAR γ in myeloid cells promotes lung cancer progression and metastasis. <i>OncImmunology</i> , 2012, 1, 403-404.	4.6	7
60	On clustering for cell-phenotyping in multiplex immunohistochemistry (mIHC) and multiplexed ion beam imaging (MIBI) data. <i>BMC Research Notes</i> , 2022, 15, .	1.4	7
61	Renal double negative T cells: unconventional cells in search of a function. <i>Annals of Translational Medicine</i> , 2019, 7, S342-S342.	1.7	6
62	Subcellular Localization and Activity of the Mitogen-Activated Protein Kinase Kinase 7 (MKK7) α Isoform are Regulated through Binding to the Phosphatase Calcineurin. <i>Molecular Pharmacology</i> , 2019, 95, 20-32.	2.3	6
63	Anti- and Protumorigenic Effects of PPAR γ in Lung Cancer Progression: A Double-Edged Sword. <i>PPAR Research</i> , 2012, 2012, 1-12.	2.4	5
64	Cytosolic phospholipase A2 α increases proliferation and de-differentiation of human renal tubular epithelial cells. <i>Prostaglandins and Other Lipid Mediators</i> , 2016, 126, 1-8.	1.9	5
65	Never make assumptions: the complicated role of complement in urinary tract infections. <i>Kidney International</i> , 2016, 90, 469-471.	5.2	4
66	Prospective Observational Study Revealing Early Pulmonary Function Changes Associated With Brigatinib Initiation. <i>Journal of Thoracic Oncology</i> , 2021, 16, 486-491.	1.1	0