## Simon A Castro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3536239/publications.pdf Version: 2024-02-01



SIMON A CASTRO

#	Article	IF	CITATIONS
1	Long-Term Outcome After Catheter Ablation of Ventricular Tachycardia in Patients With Nonischemic Dilated Cardiomyopathy. Circulation: Arrhythmia and Electrophysiology, 2016, 9, .	4.8	120
2	Long-Term Outcomes of Catheter Ablation of Ventricular Tachycardia in Patients With Cardiac Sarcoidosis. Circulation: Arrhythmia and Electrophysiology, 2016, 9, .	4.8	72
3	Long-Term Outcomes of Catheter AblationÂof Electrical Storm in Nonischemic DilatedÂCardiomyopathy Compared WithÂlschemicÂCardiomyopathy. JACC: Clinical Electrophysiology, 2017, 3, 767-778.	3.2	59
4	Outcomes with prophylactic use of percutaneous left ventricular assist devices in high-risk patients undergoing catheter ablation of scar-related ventricular tachycardia: A propensity-score matched analysis. Heart Rhythm, 2018, 15, 1500-1506.	0.7	52
5	Prognostic role of serial quantitative evaluation of 18F-fluorodeoxyglucose uptake by PET/CT in patients with cardiac sarcoidosis presenting with ventricular tachycardia. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1394-1404.	6.4	51
6	Clinical applications of feature-tracking cardiac magnetic resonance imaging. World Journal of Cardiology, 2018, 10, 210-221.	1.5	42
7	Prognostic Value of Nonischemic Ringlike Left Ventricular Scar in Patients With Apparently Idiopathic Nonsustained Ventricular Arrhythmias. Circulation, 2021, 143, 1359-1373.	1.6	42
8	Outcomes of Catheter Ablation of Idiopathic Outflow Tract Ventricular Arrhythmias With an R Wave Pattern Break in Lead V2: A Distinct Clinical Entity. Journal of Cardiovascular Electrophysiology, 2017, 28, 504-514.	1.7	39
9	Postoperative atrial tachycardias after mitral valve surgery: Mechanisms and outcomes of catheter ablation. Heart Rhythm, 2017, 14, 520-526.	0.7	37
10	Risk Stratification of Patients With Apparently Idiopathic Premature Ventricular Contractions. JACC: Clinical Electrophysiology, 2020, 6, 722-735.	3.2	36
11	Characterization of the Electroanatomic Substrate in Cardiac Sarcoidosis. JACC: Clinical Electrophysiology, 2018, 4, 291-303.	3.2	35
12	Identifying Risk and Management of Acute Haemodynamic Decompensation During Catheter Ablation of Ventricular Tachycardia. Arrhythmia and Electrophysiology Review, 2018, 7, 1.	2.4	34
13	Ventricular arrhythmias associated with left ventricular noncompaction: Electrophysiologic characteristics, mapping, and ablation. Heart Rhythm, 2017, 14, 166-175.	0.7	31
14	Performance of Prognostic HeartÂFailure Models in Patients With Nonischemic Cardiomyopathy Undergoing VentricularÂTachycardia Ablation. JACC: Clinical Electrophysiology, 2019, 5, 801-813.	3.2	15
15	Electrophysiologic Substrate, Safety, Procedural Approaches, and Outcomes ofÂCatheter Ablation for Ventricular Tachycardia in Patients After Aortic Valve Replacement. JACC: Clinical Electrophysiology, 2019, 5, 28-38.	3.2	14
16	Myocardial Substrate Characterization by CMR T1 Mapping in Patients With NICM and No LGE Undergoing Catheter Ablation of VT. JACC: Clinical Electrophysiology, 2021, 7, 831-840.	3.2	13
17	Long-Term Outcome of Catheter AblationÂfor Treatment of Bundle BranchÂRe-EntrantÂTachycardia. JACC: Clinical Electrophysiology, 2018, 4, 331-338.	3.2	11
18	Potential Role of PET in Assessing Ventricular Arrhythmias. PET Clinics, 2019, 14, 281-291.	3.0	9

SIMON A CASTRO

#	Article	IF	CITATIONS
19	Incremental value of electroanatomical mapping for the diagnosis of arrhythmogenic right ventricular cardiomyopathy in a patient with sustained ventricular tachycardia. HeartRhythm Case Reports, 2016, 2, 469-472.	0.4	7
20	Carotid artery molecular calcification assessed by [18F]fluoride PET/CT: correlation with cardiovascular and thromboembolic risk factors. European Radiology, 2021, 31, 8050-8059.	4.5	6
21	Impact of timing of recurrence following catheter ablation of scarâ€related ventricular tachycardia on subsequent mortality. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 1010-1016.	1.2	5
22	Collateral injury of the conduction system during catheter ablation of septal substrate in nonischemic cardiomyopathy. Journal of Cardiovascular Electrophysiology, 2020, 31, 1726-1739.	1.7	5
23	Intravascular fracture of the Impella device during removal. HeartRhythm Case Reports, 2017, 3, 584-585.	0.4	2