

Jochen Hampe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3555021/publications.pdf>

Version: 2024-02-01

359
papers

28,267
citations

7096

78
h-index

6836

155
g-index

397
all docs

397
docs citations

397
times ranked

32773
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic variation in <i>TERT</i> modifies the risk of hepatocellular carcinoma in alcohol-related cirrhosis: results from a genome-wide case-control study. <i>Gut</i> , 2023, 72, 381-391.	12.1	19
2	The RNA binding protein human antigen R is a gatekeeper of liver homeostasis. <i>Hepatology</i> , 2022, 75, 881-897.	7.3	14
3	Rs708113 in <i>WNT3A-WNT9A</i> and hepatocellular carcinoma risk. <i>Lancet Oncology</i> , The, 2022, 23, 14-16.	10.7	1
4	PSD3 downregulation confers protection against fatty liver disease. <i>Nature Metabolism</i> , 2022, 4, 60-75.	11.9	15
5	Macroscopic, histologic, and clinical assessment of acute graft-versus-host disease of the upper gastrointestinal tract within 6 weeks after allogeneic hematopoietic cell transplantation. <i>Experimental Hematology</i> , 2022, 108, 36-45.	0.4	2
6	Variants <i>APOE</i> (rs429358) and <i>TM6SF2</i> (rs187429064) modify the risk of hepatocellular carcinoma. <i>Zeitschrift Fur Gastroenterologie</i> , 2022, 60, .	0.5	0
7	Genetically proxied therapeutic inhibition of antihypertensive drug targets and risk of common cancers: A mendelian randomization analysis. <i>PLoS Medicine</i> , 2022, 19, e1003897.	8.4	30
8	Eso-Sponge® for anastomotic leakage after oesophageal resection or perforation: outcomes from a national, prospective multicentre registry. <i>BJS Open</i> , 2022, 6, .	1.7	19
9	Performance of routine risk scores for predicting cirrhosis-related morbidity in the community. <i>Journal of Hepatology</i> , 2022, 77, 365-376.	3.7	20
10	Microbiota-dependent activation of the myeloid calcineurin-NFAT pathway inhibits B7H3- and B7H4-dependent anti-tumor immunity in colorectal cancer. <i>Immunity</i> , 2022, 55, 701-717.e7.	14.3	16
11	Detecting drug resistance in pancreatic cancer organoids guides optimized chemotherapy treatment. <i>Journal of Pathology</i> , 2022, 257, 607-619.	4.5	13
12	The rs429358 Locus in Apolipoprotein E Is Associated With Hepatocellular Carcinoma in Patients With Cirrhosis. <i>Hepatology Communications</i> , 2022, 6, 1213-1226.	4.3	9
13	The <i>PNPLA3</i> variant 1148M reveals protective effects toward hepatocellular carcinoma in mice via restoration of omega-3 polyunsaturated fats. <i>Journal of Nutritional Biochemistry</i> , 2022, 108, 109081.	4.2	1
14	SINGLE-OPERATOR VIDEO PANCREATOSCOPY (SOVP) FOR THE MANAGEMENT OF SYMPTOMATIC PANCREATIC DUCT STONES IN SELECTED CHRONIC PANCREATITIS PATIENTS. A PROSPECTIVE MULTICENTRE COHORT TRIAL. <i>Gastrointestinal Endoscopy</i> , 2022, 95, AB347-AB348.	1.0	0
15	Fibrogenic Pathways in Metabolic Dysfunction Associated Fatty Liver Disease (MAFLD). <i>International Journal of Molecular Sciences</i> , 2022, 23, 6996.	4.1	8
16	Immune mechanisms linking metabolic injury to inflammation and fibrosis in fatty liver disease – novel insights into cellular communication circuits. <i>Journal of Hepatology</i> , 2022, 77, 1136-1160.	3.7	136
17	The safety and efficacy of a new 20-mm lumen apposing metal stent (lams) for the endoscopic treatment of pancreatic and peripancreatic fluid collections: a large international, multicenter study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021, 35, 1741-1748.	2.4	22
18	SETDB1 is required for intestinal epithelial differentiation and the prevention of intestinal inflammation. <i>Gut</i> , 2021, 70, 485-498.	12.1	39

#	ARTICLE	IF	CITATIONS
19	Loss of hepatic Mboat7 leads to liver fibrosis. Gut, 2021, 70, 940-950.	12.1	73
20	Identifying Novel Susceptibility Genes for Colorectal Cancer Risk From a Transcriptome-Wide Association Study of 125,478 Subjects. Gastroenterology, 2021, 160, 1164-1178.e6.	1.3	36
21	Non-invasive stratification of hepatocellular carcinoma risk in non-alcoholic fatty liver using polygenic risk scores. Journal of Hepatology, 2021, 74, 775-782.	3.7	193
22	rs641738C>T near MBOAT7 is associated with liver fat, ALT and fibrosis in NAFLD: A meta-analysis. Journal of Hepatology, 2021, 74, 20-30.	3.7	77
23	Genetically predicted circulating concentrations of micronutrients and risk of colorectal cancer among individuals of European descent: a Mendelian randomization study. American Journal of Clinical Nutrition, 2021, 113, 1490-1502.	4.7	27
24	Nonalcoholic fatty liver disease stratification by liver lipidomics. Journal of Lipid Research, 2021, 62, 100104.	4.2	39
25	Genetic architectures of proximal and distal colorectal cancer are partly distinct. Gut, 2021, 70, 1325-1334.	12.1	44
26	Response to Li and Hopper. American Journal of Human Genetics, 2021, 108, 527-529.	6.2	5
27	Genome-wide analysis of 944 133 individuals provides insights into the etiology of haemorrhoidal disease. Gut, 2021, 70, 1538-1549.	12.1	21
28	Post-diagnostic reliance on plant-compared with animal-based foods and all-cause mortality in omnivorous long-term colorectal cancer survivors. American Journal of Clinical Nutrition, 2021, 114, 441-449.	4.7	9
29	Combined effects of PNPLA3, TM6SF2 and HSD17B13 variants on severity of biopsy-proven non-alcoholic fatty liver disease. Hepatology International, 2021, 15, 922-933.	4.2	14
30	The rs738409 G Allele in PNPLA3 Is Associated With a Reduced Risk of COVID-19 Mortality and Hospitalization. Gastroenterology, 2021, 160, 2599-2601.e2.	1.3	11
31	Temperature profile and residual heat of monopolar laparoscopic and endoscopic dissection instruments. Surgical Endoscopy and Other Interventional Techniques, 2021, , 1.	2.4	3
32	Deficiency in X-linked inhibitor of apoptosis protein promotes susceptibility to microbial triggers of intestinal inflammation. Science Immunology, 2021, 6, eabf7473.	11.9	15
33	Variants in PCSK7, PNPLA3 and TM6SF2 are risk factors for the development of cirrhosis in hereditary haemochromatosis. Alimentary Pharmacology and Therapeutics, 2021, 53, 830-843.	3.7	9
34	Clostridium Difficile infections in patients with AML or MDS undergoing allogeneic hematopoietic stem cell transplantation identify high risk for adverse outcome. Bone Marrow Transplantation, 2020, 55, 367-375.	2.4	10
35	Genetic Variation in HSD17B13 Reduces the Risk of Developing Cirrhosis and Hepatocellular Carcinoma in Alcohol Misusers. Hepatology, 2020, 72, 88-102.	7.3	76
36	Copy number variants in lipid metabolism genes are associated with gallstones disease in men. European Journal of Human Genetics, 2020, 28, 264-273.	2.8	6

#	ARTICLE	IF	CITATIONS
37	Cumulative Burden of Colorectal Cancerâ€™Associated Genetic Variants Is More Strongly Associated With Early-Onset vs Late-Onset Cancer. <i>Gastroenterology</i> , 2020, 158, 1274-1286.e12.	1.3	110
38	Circulating Levels of Insulin-like Growth Factor 1 and Insulin-like Growth Factor Binding Protein 3 Associate With Risk of Colorectal Cancer Based on Serologic and Mendelian Randomization Analyses. <i>Gastroenterology</i> , 2020, 158, 1300-1312.e20.	1.3	90
39	Identification of Novel Loci and New Risk Variant in Known Loci for Colorectal Cancer Risk in East Asians. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 477-486.	2.5	25
40	EUS-guided stent removal in buried lumen-apposing metal stent syndrome: a case series. <i>VideoGIE</i> , 2020, 5, 37-40.	0.7	10
41	Shotgun lipidomics-based characterization of the landscape of lipid metabolism in colorectal cancer. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020, 1865, 158579.	2.4	39
42	Prevalence of a First-Degree Relative With Colorectal Cancer and Uptake of Screening Among Persons 40 to 54 Years Old. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2535-2543.e3.	4.4	8
43	Thoracic Pain and Pericardial Effusion in a Patient With Chronic Pancreatitis. <i>Gastroenterology</i> , 2020, 161, e1-e3.	1.3	0
44	Genome-wide Modeling of Polygenic Risk Score in Colorectal Cancer Risk. <i>American Journal of Human Genetics</i> , 2020, 107, 432-444.	6.2	124
45	Circulating bilirubin levels and risk of colorectal cancer: serological and Mendelian randomization analyses. <i>BMC Medicine</i> , 2020, 18, 229.	5.5	28
46	Variants in PCSK7, PNPLA3 and TM6SF2 are risk factors for the development of cirrhosis in people with hereditary haemochromatosis. <i>Journal of Hepatology</i> , 2020, 73, S63-S64.	3.7	2
47	Genome-wide association study for alcohol-related cirrhosis identifies new risk loci in MARC1 and HNRNPUL1. <i>Journal of Hepatology</i> , 2020, 73, S117-S118.	3.7	0
48	Genetic variant PNPLA3 I148M accelerates fat accumulation in livers of mice with ASH/NASH via damping of PPAR alpha and PPAR gamma signalling pathways. <i>Journal of Hepatology</i> , 2020, 73, S175.	3.7	0
49	Adiposity, metabolites, and colorectal cancer risk: Mendelian randomization study. <i>BMC Medicine</i> , 2020, 18, 396.	5.5	76
50	Hemochromatosis risk genotype is not associated with colorectal cancer or age at its diagnosis. <i>Human Genetics and Genomics Advances</i> , 2020, 1, 100010.	1.7	3
51	Genome-Wide Association Study for Alcohol-Related Cirrhosis Identifies Risk Loci in MARC1 and HNRNPUL1. <i>Gastroenterology</i> , 2020, 159, 1276-1289.e7.	1.3	53
52	Mendelian Randomization of Circulating Polyunsaturated Fatty Acids and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 860-870.	2.5	26
53	Endoscopic ultrasound-guided drainage of pancreatic walled-off necrosis using 20-mm versus 15-mm lumen-apposing metal stents: an international, multicenter, case-matched study. <i>Endoscopy</i> , 2020, 52, 211-219.	1.8	44
54	Physical activity and risks of breast and colorectal cancer: a Mendelian randomisation analysis. <i>Nature Communications</i> , 2020, 11, 597.	12.8	193

#	ARTICLE	IF	CITATIONS
55	Novel Common Genetic Susceptibility Loci for Colorectal Cancer. Journal of the National Cancer Institute, 2019, 111, 146-157.	6.3	129
56	Heterozygous carriage of the alpha1-antitrypsin Pi*Z variant increases the risk to develop liver cirrhosis. Gut, 2019, 68, 1099-1107.	12.1	100
57	Tu1375 A CASE-MATCHED STUDY ON EUS-GUIDED DRAINAGE OF WALLED-OFF NECROSIS USING 20MM VS 15MM LUMEN APPOSING METAL STENTS: IS BIGGER BETTER?. Gastrointestinal Endoscopy, 2019, 89, AB597-AB598.	1.0	0
58	The PNPLA3 I148M variant promotes lipid-induced hepatocyte secretion of CXC chemokines establishing a tumorigenic milieu. Journal of Molecular Medicine, 2019, 97, 1589-1600.	3.9	7
59	Characterization of Tissue Transglutaminase as a Potential Biomarker for Tissue Response toward Biomaterials. ACS Biomaterials Science and Engineering, 2019, 5, 5979-5989.	5.2	5
60	Genome-wide association analysis of diverticular disease points towards neuromuscular, connective tissue and epithelial pathomechanisms. Gut, 2019, 68, 854-865.	12.1	84
61	Shared heritability and functional enrichment across six solid cancers. Nature Communications, 2019, 10, 431.	12.8	88
62	Variants in ABCG8 and TRAF3 genes confer risk for gallstone disease in admixed Latinos with Mapuche Native American ancestry. Scientific Reports, 2019, 9, 772.	3.3	30
63	Reply. Gastrointestinal Endoscopy, 2019, 89, 1266.	1.0	0
64	CFTR Expression Analysis for Subtyping of Human Pancreatic Cancer Organoids. Stem Cells International, 2019, 2019, 1-8.	2.5	14
65	Detectability and structural stability of a liquid fiducial marker in fresh ex vivo pancreas tumour resection specimens on CT and 3T MRI. Strahlentherapie Und Onkologie, 2019, 195, 756-763.	2.0	4
66	PS-177-HSD17B13 rs72613567 TA is associated with a reduced risk for developing hepatocellular carcinoma in patients with alcohol-related cirrhosis. Journal of Hepatology, 2019, 70, e109-e110.	3.7	5
67	Wet-tip versus dry-tip regimes of osmotically driven fluid flow. Scientific Reports, 2019, 9, 4528.	3.3	3
68	Efficacy of Endoscopic Dilation of Gastroduodenal Crohn's Disease Strictures: A Systematic Review and Meta-Analysis of Individual Patient Data. Clinical Gastroenterology and Hepatology, 2019, 17, 2514-2522.e8.	4.4	31
69	Utility of fiducial markers for target positioning in proton radiotherapy of oesophageal carcinoma. Radiotherapy and Oncology, 2019, 133, 28-34.	0.6	8
70	Genetic variant predictors of gene expression provide new insight into risk of colorectal cancer. Human Genetics, 2019, 138, 307-326.	3.8	44
71	Whole Genome Sequence, Variant Discovery and Annotation in Mapuche-Huilliche Native South Americans. Scientific Reports, 2019, 9, 2132.	3.3	12
72	Mutual Zonated Interactions of Wnt and Hh Signaling Are Orchestrating the Metabolism of the Adult Liver in Mice and Human. Cell Reports, 2019, 29, 4553-4567.e7.	6.4	15

#	ARTICLE	IF	CITATIONS
73	Three-dimensional spatially resolved geometrical and functional models of human liver tissue reveal new aspects of NAFLD progression. <i>Nature Medicine</i> , 2019, 25, 1885-1893.	30.7	58
74	EUS-guided drainage in the management of postoperative pancreatic leaks and fistulas (with video). <i>Gastrointestinal Endoscopy</i> , 2019, 89, 311-319.e1.	1.0	36
75	Sequential <i>H. pylori</i> eradication and radiation therapy with reduced dose compared to standard dose for gastric MALT lymphoma stages IE & IIIE: a prospective randomized trial. <i>Journal of Gastroenterology</i> , 2019, 54, 388-395.	5.1	19
76	Discovery of common and rare genetic risk variants for colorectal cancer. <i>Nature Genetics</i> , 2019, 51, 76-87.	21.4	377
77	Association between the dietary inflammatory index and all-cause mortality in colorectal cancer long-term survivors. <i>International Journal of Cancer</i> , 2019, 144, 1292-1301.	5.1	17
78	A Web-based survey among adults aged 40-54 years was time effective and yielded stable response patterns. <i>Journal of Clinical Epidemiology</i> , 2019, 105, 10-18.	5.0	7
79	Severe bleeding is a rare event in patients receiving lumen-apposing metal stents for the drainage of pancreatic fluid collections. <i>Gut</i> , 2019, 68, 945-946.	12.1	13
80	Plasma Levels of K18 Fragments Do Not Correlate with Alcoholic Liver Fibrosis. <i>Gut and Liver</i> , 2019, 13, 77-82.	2.9	3
81	Direct endoscopy and diagnosis of adenocarcinoma following metal stent-based drainage of a pancreatic cyst. <i>Endoscopy</i> , 2018, 50, E72-E73.	1.8	0
82	Increased Hepatic PDGF-AA Signaling Mediates Liver Insulin Resistance in Obesity-Associated Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 1310-1321.	0.6	64
83	Genetic variants in PNPLA3 and TM6SF2 predispose to the development of hepatocellular carcinoma in individuals with alcohol-related cirrhosis. <i>American Journal of Gastroenterology</i> , 2018, 113, 1475-1483.	0.4	82
84	Reproducibility of preoperative endoscopic injection of botulinum toxin into the sphincter of Oddi to prevent postoperative pancreatic fistula. <i>Innovative Surgical Sciences</i> , 2018, 3, 69-75.	0.7	4
85	Long-term quality of life after endovac-therapy in anastomotic leakages after esophagectomy. <i>Journal of Thoracic Disease</i> , 2018, 10, 228-240.	1.4	14
86	Evolutionary Distance Predicts Recurrence After Liver Transplantation in Multifocal Hepatocellular Carcinoma. <i>Transplantation</i> , 2018, 102, e424-e430.	1.0	4
87	OWE-016...Genetic variants in PNPLA3 and TM6SF2 predispose to hepatocellular carcinoma in patients with alcohol-related cirrhosis. , 2018, , .		4
88	Treatment of Complicated Anal Fistula by an Endofistular Polyurethane-Sponge Vacuum Therapy: A Pilot Study. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 1435-1441.	1.3	3
89	Health-related quality of life in long-term survivors of colorectal cancer and its association with all-cause mortality: a German cohort study. <i>BMC Cancer</i> , 2018, 18, 1156.	2.6	64
90	Lean Patients with Non-Alcoholic Fatty Liver Disease Have a Severe Histological Phenotype Similar to Obese Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 562.	2.4	73

#	ARTICLE	IF	CITATIONS
91	Epigenomic map of human liver reveals principles of zonated morphogenic and metabolic control. Nature Communications, 2018, 9, 4150.	12.8	65
92	Mendelian randomisation study of age at menarche and age at menopause and the risk of colorectal cancer. British Journal of Cancer, 2018, 118, 1639-1647.	6.4	16
93	Su1431 SAFETY AND EFFICACY OF THE NEW 20 MM LUMEN APPOSING METAL STENT (LAMS) FOR ENDOSCOPIC TREATMENT OF PANCREATIC AND PERIPANCREATIC FLUID COLLECTIONS: A LARGE, INTERNATIONAL, MULTICENTER STUDY. Gastrointestinal Endoscopy, 2018, 87, AB353.	1.0	0
94	Histologic improvement of NAFLD in patients with obesity after bariatric surgery based on standardized NAS (NAFLD activity score). Surgery for Obesity and Related Diseases, 2018, 14, 1607-1616.	1.2	56
95	The emerging realm of morphogens in the adult liver of mice and human – a deep insight into distribution, interaction and regulation. Journal of Hepatology, 2018, 68, S140.	3.7	0
96	Aberrant DNA methylation of ADAMTS16 in colorectal and other epithelial cancers. BMC Cancer, 2018, 18, 796.	2.6	29
97	Study protocol of the RaPS study: novel risk adapted prevention strategies for people with a family history of colorectal cancer. BMC Cancer, 2018, 18, 720.	2.6	7
98	Flexible percutaneous endoscopic retroperitoneal necrosectomy as rescue therapy for pancreatic necroses beyond the reach of endoscopic ultrasonography: A case series. Digestive Endoscopy, 2017, 29, 377-382.	2.3	9
99	Postdiagnostic Mediterranean and Healthy Nordic Dietary Patterns Are Inversely Associated with All-Cause Mortality in Long-Term Colorectal Cancer Survivors. Journal of Nutrition, 2017, 147, 636-644.	2.9	45
100	Dynamics of epigenetic age following hematopoietic stem cell transplantation. Haematologica, 2017, 102, e321-e323.	3.5	34
101	NAFLD is associated with methylation shifts with relevance for the expression of genes involved in lipoprotein particle composition. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2017, 1862, 314-323.	2.4	17
102	Epigenome-wide association study of body mass index, and the adverse outcomes of adiposity. Nature, 2017, 541, 81-86.	27.8	743
103	The ascending pathophysiology of cholestatic liver disease. Hepatology, 2017, 65, 722-738.	7.3	236
104	Zebrafish In-Vivo Screening for Compounds Amplifying Hematopoietic Stem and Progenitor Cells: - Preclinical Validation in Human CD34+ Stem and Progenitor Cells. Scientific Reports, 2017, 7, 12084.	3.3	10
105	Translational learning from clinical studies predicts drug pharmacokinetics across patient populations. Npj Systems Biology and Applications, 2017, 3, 11.	3.0	14
106	Specific neurophysiological mechanisms underlie cognitive inflexibility in inflammatory bowel disease. Scientific Reports, 2017, 7, 13943.	3.3	17
107	4-O-methylhonokiol protects from alcohol/carbon tetrachloride-induced liver injury in mice. Journal of Molecular Medicine, 2017, 95, 1077-1089.	3.9	6
108	Serum metabolic signatures in patients with overt hepatic encephalopathy. Journal of Hepatology, 2017, 67, 1114-1115.	3.7	0

#	ARTICLE	IF	CITATIONS
109	The genetics of alcohol dependence and alcohol-related liver disease. <i>Journal of Hepatology</i> , 2017, 66, 195-211.	3.7	127
110	Genetic Contribution to Alcohol Dependence: Investigation of a Heterogeneous German Sample of Individuals with Alcohol Dependence, Chronic Alcoholic Pancreatitis, and Alcohol-Related Cirrhosis. <i>Genes</i> , 2017, 8, 183.	2.4	11
111	Postdiagnostic physical activity, sleep duration, and TV watching and all-cause mortality among long-term colorectal cancer survivors: a prospective cohort study. <i>BMC Cancer</i> , 2017, 17, 701.	2.6	31
112	Pathophysiology and Management of Alcoholic Liver Disease: Update 2016. <i>Gut and Liver</i> , 2017, 11, 173-188.	2.9	167
113	A targeted analysis reveals relevant shifts in the methylation and transcription of genes responsible for bile acid homeostasis and drug metabolism in non-alcoholic fatty liver disease. <i>BMC Genomics</i> , 2016, 17, 462.	2.8	21
114	Correspondence: SEMA4A variation and risk of colorectal cancer. <i>Nature Communications</i> , 2016, 7, 10611.	12.8	7
115	Flexible Percutaneous Retroperitoneal Necrosectomy for Pancreatic Necrosis Beyond the Reach of EUS: A Case Series. <i>Gastrointestinal Endoscopy</i> , 2016, 83, AB646.	1.0	0
116	Epithelial calcineurin controls microbiota-dependent intestinal tumor development. <i>Nature Medicine</i> , 2016, 22, 506-515.	30.7	93
117	Four Susceptibility Loci for Gallstone Disease Identified in a Meta-analysis of Genome-Wide Association Studies. <i>Gastroenterology</i> , 2016, 151, 351-363.e28.	1.3	74
118	Vedolizumab provides clinical benefit over 1 year in patients with active inflammatory bowel disease - a prospective multicenter observational study. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 1199-1212.	3.7	137
119	Comparison of Gene Expression Patterns Between Mouse Models of Nonalcoholic Fatty Liver Disease and Liver Tissues from Patients. <i>Gastroenterology</i> , 2016, 151, 513-525.e0.	1.3	180
120	Adipocyte-Specific Hypoxia-Inducible Factor 2 \pm Deficiency Exacerbates Obesity-Induced Brown Adipose Tissue Dysfunction and Metabolic Dysregulation. <i>Molecular and Cellular Biology</i> , 2016, 36, 376-393.	2.3	63
121	Open Surgical versus Minimal Invasive Necrosectomy of the Pancreas – A Retrospective Multicenter Analysis of the German Pancreatitis Study Group. <i>PLoS ONE</i> , 2016, 11, e0163651.	2.5	37
122	Localization, Management, Resource Consumption and Outcome of Major Gastrointestinal Bleeding in Patients with Direct Oral Anticoagulants, Vka and Antiplatelet Therapy. <i>Blood</i> , 2016, 128, 141-141.	1.4	0
123	Recurrent Coding Sequence Variation Explains Only A Small Fraction of the Genetic Architecture of Colorectal Cancer. <i>Scientific Reports</i> , 2015, 5, 16286.	3.3	24
124	Does neoadjuvant treatment before oncologic esophagectomy affect the postoperative quality of life? A prospective, longitudinal outcome study. <i>Ecological Management and Restoration</i> , 2015, 28, 652-659.	0.4	13
125	Metabolomic tissue signature in human non-alcoholic fatty liver disease identifies protective candidate metabolites. <i>Liver International</i> , 2015, 35, 207-214.	3.9	28
126	Elevated Levels of Endocannabinoids in Chronic Hepatitis C May Modulate Cellular Immune Response and Hepatic Stellate Cell Activation. <i>International Journal of Molecular Sciences</i> , 2015, 16, 7057-7076.	4.1	34

#	ARTICLE	IF	CITATIONS
127	Epigenome-wide association of DNA methylation markers in peripheral blood from Indian Asians and Europeans with incident type 2 diabetes: a nested case-control study. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 526-534.	11.4	396
128	IL-6 blockade by monoclonal antibodies inhibits apolipoprotein (a) expression and lipoprotein (a) synthesis in humans. <i>Journal of Lipid Research</i> , 2015, 56, 1034-1042.	4.2	114
129	Transmembrane 6 superfamily member 2 gene E167K variant impacts on steatosis and liver damage in chronic hepatitis C patients. <i>Hepatology</i> , 2015, 62, 111-117.	7.3	52
130	A genome-wide association study confirms PNPLA3 and identifies TM6SF2 and MBOAT7 as risk loci for alcohol-related cirrhosis. <i>Nature Genetics</i> , 2015, 47, 1443-1448.	21.4	435
131	Endoscopic ultrasound-guided biliary drainage using a lumen-apposing self-expanding metal stent: a case series. <i>Endoscopy</i> , 2015, 47, 858-861.	1.8	37
132	Glucagon Cell Hyperplasia and Neoplasia With and Without Glucagon Receptor Mutations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E783-E788.	3.6	65
133	Polymorphisms at PRSS1, PRSS2 and CLDN2-MORC4 loci associate with alcoholic and non-alcoholic chronic pancreatitis in a European replication study. <i>Gut</i> , 2015, 64, 1426-1433.	12.1	105
134	PNPLA3 genetic variation in alcoholic steatosis and liver disease progression. <i>Hepatobiliary Surgery and Nutrition</i> , 2015, 4, 152-60.	1.5	8
135	Comparative analysis of metabolic signature from malignant melanoma and uninvolved skin.. <i>Journal of Clinical Oncology</i> , 2015, 33, e20016-e20016.	1.6	0
136	Refinement of the MHC Risk Map in a Scandinavian Primary Sclerosing Cholangitis Population. <i>PLoS ONE</i> , 2014, 9, e114486.	2.5	24
137	Physiological state co-regulates thousands of mammalian mRNA splicing events at tandem splice sites and alternative exons. <i>Nucleic Acids Research</i> , 2014, 42, 8895-8904.	14.5	14
138	A novel lumen-apposing metal stent for endoscopic ultrasound-guided drainage of pancreatic fluid collections: a prospective cohort study. <i>Endoscopy</i> , 2014, 47, 63-67.	1.8	166
139	Antibiosis of Necrotizing Pancreatitis. <i>Viszeralmedizin</i> , 2014, 30, 318-324.	0.0	17
140	Randomised, double-blind, placebo-controlled trial of oral budesonide for prophylaxis of acute intestinal graft-versus-host disease after allogeneic stem cell transplantation (PROGAST). <i>BMC Gastroenterology</i> , 2014, 14, 197.	2.0	1
141	Genome-wide analysis associates familial colorectal cancer with increases in copy number variations and a rare structural variation at 12p12.3. <i>Carcinogenesis</i> , 2014, 35, 315-323.	2.8	31
142	Postdiagnosis body mass index and risk of mortality in colorectal cancer survivors: a prospective study and meta-analysis. <i>Cancer Causes and Control</i> , 2014, 25, 1407-1418.	1.8	118
143	Lifestyle factors and health-related quality of life in colorectal cancer survivors. <i>Cancer Causes and Control</i> , 2014, 25, 99-110.	1.8	57
144	Evaluation of genome-wide loci of iron metabolism in hereditary hemochromatosis identifies PCSK7 as a host risk factor of liver cirrhosis. <i>Human Molecular Genetics</i> , 2014, 23, 3883-3890.	2.9	50

#	ARTICLE	IF	CITATIONS
145	Obesity accelerates epigenetic aging of human liver. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 15538-15543.	7.1	620
146	Re: Role of the Oxidative DNA Damage Repair Gene OGG1 in Colorectal Tumorigenesis. Journal of the National Cancer Institute, 2014, 106, .	6.3	9
147	Endoscopic Endoluminal Vacuum Therapy in Esophageal Perforation. Annals of Thoracic Surgery, 2014, 97, 1029-1035.	1.3	76
148	B Lymphocyte Stimulator (BLyS) Is Expressed in Human Adipocytes In Vivo and Is Related to Obesity but Not to Insulin Resistance. PLoS ONE, 2014, 9, e94282.	2.5	8
149	The MLH1 c.1852_1853delinsGC (p.K618A) Variant in Colorectal Cancer: Genetic Association Study in 18,723 Individuals. PLoS ONE, 2014, 9, e95022.	2.5	7
150	Cumulative impact of common genetic variants and other risk factors on colorectal cancer risk in 42â€¹103 individuals. Gut, 2013, 62, 871-881.	12.1	117
151	Endoscopic endoluminal vacuum therapy is superior to other regimens in managing anastomotic leakage after esophagectomy: a comparative retrospective study. Surgical Endoscopy and Other Interventional Techniques, 2013, 27, 3883-3890.	2.4	161
152	Prognostic relevance of gastric cancer staging by endoscopic ultrasound. Surgical Endoscopy and Other Interventional Techniques, 2013, 27, 1124-1129.	2.4	23
153	Recurrence of gallstones after cholecystectomy is associated with ABCG5/8 genotype. Journal of Gastroenterology, 2013, 48, 391-396.	5.1	19
154	DNA Methylation Analysis in Nonalcoholic Fatty Liver Disease Suggests Distinct Disease-Specific and Remodeling Signatures after Bariatric Surgery. Cell Metabolism, 2013, 18, 296-302.	16.2	424
155	Association study identifying polymorphisms in CD47 and other extracellular matrix pathway genes as putative prognostic markers for colorectal cancer. International Journal of Colorectal Disease, 2013, 28, 173-181.	2.2	21
156	Genetics of biliary lithiasis from an ethnic perspective. Clinics and Research in Hepatology and Gastroenterology, 2013, 37, 119-125.	1.5	21
157	Functional TLR5 Genetic Variants Affect Human Colorectal Cancer Survival. Cancer Research, 2013, 73, 7232-7242.	0.9	52
158	Genome-wide investigation of geneâ€“environment interactions in colorectal cancer. Human Genetics, 2013, 132, 219-231.	3.8	38
159	Oral glutamine supplementation improves intestinal permeability dysfunction in a murine acute graft-vs.-host disease model. American Journal of Physiology - Renal Physiology, 2013, 304, G646-G654.	3.4	23
160	Higher Fetuin-A Level Is Associated with Coexistence of Elevated Alanine Aminotransferase and the Metabolic Syndrome in the General Population. Metabolic Syndrome and Related Disorders, 2013, 11, 377-384.	1.3	3
161	Genetic and functional identification of the likely causative variant for cholesterol gallstone disease at the <i>ABCG5/8</i> lithogenic locus. Hepatology, 2013, 57, 2407-2417.	7.3	74
162	Disease-Associated miRNA-mRNA Networks in Oral Lichen Planus. PLoS ONE, 2013, 8, e63015.	2.5	45

#	ARTICLE	IF	CITATIONS
163	Metabolic Signature of Electrosurgical Liver Dissection. PLoS ONE, 2013, 8, e72022.	2.5	2
164	Meta-Analysis of Mismatch Repair Polymorphisms within the Cogent Consortium for Colorectal Cancer Susceptibility. PLoS ONE, 2013, 8, e72091.	2.5	19
165	Diagnosing Fatty Liver Disease: A Comparative Evaluation of Metabolic Markers, Phenotypes, Genotypes and Established Biomarkers. PLoS ONE, 2013, 8, e76813.	2.5	8
166	B lymphocyte stimulator (BLyS) is a novel adipokine in humans in vivo being related to obesity but not to insulin resistance. Experimental and Clinical Endocrinology and Diabetes, 2013, 121, .	1.2	0
167	Genetic determinants of alcoholic liver disease. Gut, 2012, 61, 150-159.	12.1	125
168	COGENT (COlorectal cancer GENEtics) revisited. Mutagenesis, 2012, 27, 143-151.	2.6	27
169	A Mechanistic, Model-Based Approach to Safety Assessment in Clinical Development. CPT: Pharmacometrics and Systems Pharmacology, 2012, 1, 1-8.	2.5	36
170	Genome-wide search for novel human uORFs and N-terminal protein extensions using ribosomal footprinting. Genome Research, 2012, 22, 2208-2218.	5.5	198
171	SFRS10â€”A Splicing Factor Gene Reduced in Human Obesity?. Cell Metabolism, 2012, 15, 265-266.	16.2	11
172	Endoscopic ultrasound criteria to predict the need for intervention in pancreatic necrosis. BMC Gastroenterology, 2012, 12, 48.	2.0	9
173	Polymorphisms in the mitochondrial oxidative phosphorylation chain genes as prognostic markers for colorectal cancer. BMC Medical Genetics, 2012, 13, 31.	2.1	18
174	Anti-TNF-Î± antibodies improve intestinal barrier function in Crohn's disease. Journal of Crohn's and Colitis, 2012, 6, 464-469.	1.3	57
175	Sa1556 Endoscopic Ultrasound Criteria to Predict the Need for Intervention in Pancreatic Necrosis. Gastrointestinal Endoscopy, 2012, 75, AB200-AB201.	1.0	1
176	Solutions for biomedical grid computingâ€”Case studies from the D-Grid project Services@MediGRID. Journal of Computational Science, 2012, 3, 280-297.	2.9	8
177	Hepatitis B virusâ€”induced lipid alterations contribute to natural killer T cellâ€”dependent protective immunity. Nature Medicine, 2012, 18, 1060-1068.	30.7	198
178	A case-only study of gene-environment interaction between genetic susceptibility variants in NOD2 and cigarette smoking in Crohn's disease aetiology. BMC Medical Genetics, 2012, 13, 14.	2.1	22
179	Distinct DNA methylation patterns in cirrhotic liver and hepatocellular carcinoma. International Journal of Cancer, 2012, 130, 1319-1328.	5.1	80
180	A Comprehensive Investigation on Common Polymorphisms in the MDR1/ABCB1 Transporter Gene and Susceptibility to Colorectal Cancer. PLoS ONE, 2012, 7, e32784.	2.5	30

#	ARTICLE	IF	CITATIONS
181	Increased Intestinal Permeability and Disturbance of Tight-Junctions in an Acute Graft Versus Host Disease Model in Mice. <i>Gastroenterology</i> , 2011, 140, S-504.	1.3	0
182	Oral Glutamine Supplementation Improves Intestinal Permeability Dysfunction in a Murine Acute Graft Versus Host Disease Model. <i>Gastroenterology</i> , 2011, 140, S-167.	1.3	0
183	TLR-3 polymorphism is an independent prognostic marker for stage II colorectal cancer. <i>European Journal of Cancer</i> , 2011, 47, 1203-1210.	2.8	64
184	Distinct, alcohol-modulated effects of PNPLA3 genotype on progression of chronic hepatitis C. <i>Journal of Hepatology</i> , 2011, 55, 732-733.	3.7	32
185	Reply to: "Modulation of the effect of PNPLA3 I148M mutation on steatosis and liver damage by alcohol intake in patients with chronic hepatitis C" <i>Journal of Hepatology</i> , 2011, 55, 1471-1472.	3.7	5
186	Pipeline for Large-Scale Microdroplet Bisulfite PCR-Based Sequencing Allows the Tracking of Hepitype Evolution in Tumors. <i>PLoS ONE</i> , 2011, 6, e21332.	2.5	8
187	Polymorphisms in the 3'-untranslated region of the CDH1 gene are a risk factor for primary gastric diffuse large B-cell lymphoma. <i>Haematologica</i> , 2011, 96, 987-995.	3.5	19
188	Technology-specific error signatures in the 1000 Genomes Project data. <i>Human Genetics</i> , 2011, 130, 505-516.	3.8	37
189	Increased intestinal permeability and tight junction disruption by altered expression and localization of occludin in a murine graft versus host disease model. <i>BMC Gastroenterology</i> , 2011, 11, 109.	2.0	68
190	Comprehensive assessment of sequence variation within the copy number variable defensin cluster on 8p23 by target enriched in-depth 454 sequencing. <i>BMC Genomics</i> , 2011, 12, 243.	2.8	7
191	Genetic variation in the PNPLA3 gene is associated with alcoholic liver injury in caucasians. <i>Hepatology</i> , 2011, 53, 86-95.	7.3	252
192	Statistical inference of allelic imbalance from transcriptome data. <i>Human Mutation</i> , 2011, 32, 98-106.	2.5	33
193	Indigenous Lyme Disease in Quebec. <i>Journal of Rheumatology</i> , 2011, 38, 183.1-183.	2.0	5
194	Constant Splice-Isoform Ratios in Human Lymphoblastoid Cells Support the Concept of a Splico-Stat. <i>Genetics</i> , 2011, 187, 761-770.	2.9	10
195	Association of genetic polymorphisms in ESR2, HSD17B1, ABCB1, and SHBG genes with colorectal cancer risk. <i>Endocrine-Related Cancer</i> , 2011, 18, 265-276.	3.1	59
196	Ingrowth and device disintegration in an intralobar abscess cavity during endosponge therapy for esophageal anastomotic leakage. <i>Endoscopy</i> , 2011, 43, E64-E65.	1.8	18
197	The functional $\alpha^{374T/A}$ polymorphism of the receptor for advanced glycation end products may modulate Crohn's disease. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G823-G832.	3.4	41
198	IL-1 β and ADAM17 are central regulators of β -defensin expression in <i>Candida</i> esophagitis. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 300, G547-G553.	3.4	18

#	ARTICLE	IF	CITATIONS
199	Association Study of TRPC4 as a Candidate Gene for Generalized Epilepsy with Photosensitivity. <i>NeuroMolecular Medicine</i> , 2010, 12, 292-299.	3.4	25
200	TassDB2 - A comprehensive database of subtle alternative splicing events. <i>BMC Bioinformatics</i> , 2010, 11, 216.	2.6	20
201	Haplotyping and copy number estimation of the highly polymorphic human beta-defensin locus on 8p23 by 454 amplicon sequencing. <i>BMC Genomics</i> , 2010, 11, 252.	2.8	17
202	Role of GRM4 in idiopathic generalized epilepsies analysed by genetic association and sequence analysis. <i>Epilepsy Research</i> , 2010, 89, 319-326.	1.6	19
203	COGENT (COlorectal cancer GENEtics): an international consortium to study the role of polymorphic variation on the risk of colorectal cancer. <i>British Journal of Cancer</i> , 2010, 102, 447-454.	6.4	43
204	Salivary Gland Swelling in Wegener's Granulomatosis: A Rare Cause of a Frequent Symptom. <i>Journal of Rheumatology</i> , 2010, 37, 2633-2635.	2.0	7
205	Genome-wide association study for colorectal cancer identifies risk polymorphisms in German familial cases and implicates MAPK signalling pathways in disease susceptibility. <i>Carcinogenesis</i> , 2010, 31, 1612-1619.	2.8	57
206	Use of a NOTES closure device for full-thickness suturing of a postoperative anastomotic esophageal leakage. <i>Endoscopy</i> , 2010, 42, 595-598.	1.8	19
207	Chronic Portal Vein Thrombosis: Transcapsular Hepatic Collateral Vessels and Communicating Ectopic Varices. <i>Radiology</i> , 2010, 257, 568-578.	7.3	19
208	Drainage of esophageal leakage using endoscopic vacuum therapy: a prospective pilot study. <i>Endoscopy</i> , 2010, 42, 693-698.	1.8	132
209	683o: Closure of Anastomotic Leakage and Iatrogenic Perforation With Endoscopic Suturing: An Ongoing Pilot Study in Patients. <i>Gastrointestinal Endoscopy</i> , 2010, 71, AB133.	1.0	1
210	Clip closure versus endoscopic suturing versus thoracoscopic repair of an iatrogenic esophageal perforation: a randomized, comparative, long-term survival study in a porcine model (with videos). <i>Gastrointestinal Endoscopy</i> , 2010, 72, 1020-1026.	1.0	38
211	Genome-Wide Association Analysis in Primary Sclerosing Cholangitis. <i>Gastroenterology</i> , 2010, 138, 1102-1111.	1.3	325
212	Loci From a Genome-Wide Analysis of Bilirubin Levels Are Associated With Gallstone Risk and Composition. <i>Gastroenterology</i> , 2010, 139, 1942-1951.e2.	1.3	96
213	Dissecting the evolutionary genetics of iron overload in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2010, 53, 793-794.	3.7	3
214	Analysis of relative gene dosage and expression differences of the paralogs RABL2A and RABL2B by Pyrosequencing. <i>Gene</i> , 2010, 455, 1-7.	2.2	10
215	Known Risk Factors Do Not Explain Disparities in Gallstone Prevalence Between Denmark and Northeast Germany. <i>American Journal of Gastroenterology</i> , 2009, 104, 89-95.	0.4	19
216	Terminal Part of Thoracic Duct: High-Resolution US Imaging. <i>Radiology</i> , 2009, 252, 897-904.	7.3	61

#	ARTICLE	IF	CITATIONS
217	Systematic evaluation of the effect of common SNPs on pre-mRNA splicing. Human Mutation, 2009, 30, 625-632.	2.5	28
218	Investigation of the colorectal cancer susceptibility region on chromosome 8q24.21 in a large German case-control sample. International Journal of Cancer, 2009, 124, 75-80.	5.1	44
219	Investigation of innate immunity genes CARD4, CARD8 and CARD15 as germline susceptibility factors for colorectal cancer. BMC Gastroenterology, 2009, 9, 79.	2.0	39
220	Increased proteasome subunit protein expression and proteasome activity in colon cancer relate to an enhanced activation of nuclear factor E2-related factor 2 (Nrf2). Oncogene, 2009, 28, 3983-3996.	5.9	213
221	Investigation of cholangiocarcinoma associated <i>NKG2D</i> polymorphisms in colorectal carcinoma. International Journal of Cancer, 2008, 123, 241-242.	5.1	4
222	A genome-wide association study identifies colorectal cancer susceptibility loci on chromosomes 10p14 and 8q23.3. Nature Genetics, 2008, 40, 623-630.	21.4	514
223	Genome-wide association scan identifies a colorectal cancer susceptibility locus on 11q23 and replicates risk loci at 8q24 and 18q21. Nature Genetics, 2008, 40, 631-637.	21.4	542
224	Meta-analysis of genome-wide association data identifies four new susceptibility loci for colorectal cancer. Nature Genetics, 2008, 40, 1426-1435.	21.4	498
225	Increased heritability of gallstone disease in early onset cases. Liver International, 2008, 28, 895-897.	3.9	2
226	Study of Toll-like receptor gene loci in sarcoidosis. Clinical and Experimental Immunology, 2008, 152, 423-431.	2.6	36
227	Genome-Wide Association Analysis in Sarcoidosis and Crohn's Disease Unravels a Common Susceptibility Locus on 10p12.2. Gastroenterology, 2008, 135, 1207-1215.	1.3	85
228	Genetic Variants of the Copy Number Polymorphic α -Defensin Locus Are Associated with Sporadic Prostate Cancer. Tumor Biology, 2008, 29, 83-92.	1.8	24
229	Genetic Polymorphisms Associated With Inflammatory Bowel Disease Do Not Confer Risk for Primary Sclerosing Cholangitis. American Journal of Gastroenterology, 2007, 102, 115-121.	0.4	57
230	Efficacy assessment of SNP sets for genome-wide disease association studies. Nucleic Acids Research, 2007, 35, e113-e113.	14.5	15
231	A genome-wide association scan identifies the hepatic cholesterol transporter ABCG8 as a susceptibility factor for human gallstone disease. Nature Genetics, 2007, 39, 995-999.	21.4	306
232	A Nonsynonymous SNP in ATG16L1 Predisposes to Ileal Crohn's Disease and Is Independent of CARD15 and IBD5. Gastroenterology, 2007, 132, 1665-1671.	1.3	268
233	No Association Between the TUCAN (CARD8) Cys10Stop Mutation and Inflammatory Bowel Disease in a Large Retrospective German and a Clinically Well-Characterized Norwegian Sample. Gastroenterology, 2007, 132, 2080-2081.	1.3	19
234	Systematic Association Mapping Identifies NELL1 as a Novel IBD Disease Gene. PLoS ONE, 2007, 2, e691.	2.5	123

#	ARTICLE	IF	CITATIONS
235	Single base-pair substitutions in exon-intron junctions of human genes: nature, distribution, and consequences for mRNA splicing. Human Mutation, 2007, 28, 150-158.	2.5	324
236	Genetic investigation of DNA-repair pathway genes PMS2, MLH1, MSH2, MSH6, MUTYH, OGG1 and MTH1 in sporadic colon cancer. International Journal of Cancer, 2007, 121, 555-558.	5.1	42
237	Candidate gene association study of type 2 diabetes in a nested case-control study of the EPIC-Potsdam cohort – Role of fat assimilation. Molecular Nutrition and Food Research, 2007, 51, 185-191.	3.3	26
238	A genome-wide association scan of nonsynonymous SNPs identifies a susceptibility variant for Crohn disease in ATG16L1. Nature Genetics, 2007, 39, 207-211.	21.4	1,712
239	Different HLA class II associations in ulcerative colitis patients with and without primary sclerosing cholangitis. Genes and Immunity, 2007, 8, 275-278.	4.1	55
240	Menopausal hormone therapy and gallbladder disease: the Study of Health in Pomerania (SHIP). Clinical Endocrinology, 2007, 67, 51-59.	2.4	5
241	Investigation of the Lith6 candidate genes APOBEC1 and PPARG in human gallstone disease. Liver International, 2007, 27, 910-919.	3.9	6
242	Functional characterization of two novel 5' untranslated exons reveals a complex regulation of NOD2 protein expression. BMC Genomics, 2007, 8, 472.	2.8	28
243	Genetic variants in the NOD2/CARD15 gene are associated with early mortality in sepsis patients. Intensive Care Medicine, 2007, 33, 1541-1548.	8.2	60
244	Genetic Variants in Matrix Metalloproteinase Genes Are Associated With Development of Gastric Ulcer in H. Pylori Infection. American Journal of Gastroenterology, 2006, 101, 29-35.	0.4	34
245	Single-Nucleotide Polymorphisms in NAGNAG Acceptors Are Highly Predictive for Variations of Alternative Splicing. American Journal of Human Genetics, 2006, 78, 291-302.	6.2	58
246	Probiotic bacteria reduced duration and severity but not the incidence of common cold episodes in a double blind, randomized, controlled trial. Vaccine, 2006, 24, 6670-6674.	3.8	170
247	Alteration of Composition and Diversity of the Mucosa-associated Fungal Microflora in Patients With IBD. Inflammatory Bowel Diseases, 2006, 12, S20.	1.9	0
248	Polymorphism in IgG Fc receptor gene FCGR3A and response to infliximab in Crohn's disease: a subanalysis of the ACCENT I study. Pharmacogenetics and Genomics, 2006, 16, 911-914.	1.5	76
249	Predictors of gallstone composition in 1025 symptomatic gallstones from Northern Germany. BMC Gastroenterology, 2006, 6, 36.	2.0	74
250	Influence of polymorphisms in the NOD1/CARD4 and NOD2/CARD15 genes on the clinical outcome of Helicobacter pylori infection. Cellular Microbiology, 2006, 8, 1188-1198.	2.1	108
251	Sequencing errors or SNPs at splice-acceptor guanines in dbSNP?. Nature Biotechnology, 2006, 24, 1068-1070.	17.5	8
252	Identification of probable genotyping errors by consideration of haplotypes. European Journal of Human Genetics, 2006, 14, 450-458.	2.8	15

#	ARTICLE	IF	CITATIONS
253	Extreme heterogeneity in CARD15 and DLG5 Crohn disease-associated polymorphisms between German and Norwegian populations. <i>European Journal of Human Genetics</i> , 2006, 14, 459-468.	2.8	44
254	Evaluation of AGR2 and AGR3 as candidate genes for inflammatory bowel disease. <i>Genes and Immunity</i> , 2006, 7, 11-18.	4.1	113
255	Method for preparing single-stranded DNA templates for Pyrosequencing using vector ligation and universal biotinylated primers. <i>Analytical Biochemistry</i> , 2006, 356, 194-201.	2.4	13
256	CARD15 mutations in patients with plaque-type psoriasis and psoriatic arthritis: lack of association. <i>Archives of Dermatological Research</i> , 2006, 297, 409-411.	1.9	21
257	Sirtuin 1 (SIRT1) sequence variation is not associated with exceptional human longevity. <i>Experimental Gerontology</i> , 2006, 41, 98-102.	2.8	72
258	Investigation of the Lith1 candidate genes ABCB11 and LXRA in human gallstone disease. <i>Hepatology</i> , 2006, 44, 650-657.	7.3	34
259	GENOMIZER: an integrated analysis system for genome-wide association data. <i>Human Mutation</i> , 2006, 27, 583-588.	2.5	24
260	Direct or indirect association in a complex disease: the role of SLC22A4 and SLC22A5 functional variants in Crohn disease. <i>Human Mutation</i> , 2006, 27, 778-785.	2.5	47
261	SNPSplicer: systematic analysis of SNP-dependent splicing in genotyped cDNAs. <i>Human Mutation</i> , 2006, 27, 1129-1134.	2.5	35
262	The L513S polymorphism in medium-chain acyl-CoA synthetase 2 (MACS2) is associated with risk factors of the metabolic syndrome in a Caucasian study population. <i>Molecular Nutrition and Food Research</i> , 2006, 50, 270-274.	3.3	22
263	SNP-Based Analysis of Genetic Substructure in the German Population. <i>Human Heredity</i> , 2006, 62, 20-29.	0.8	121
264	Association Between Functional FABP2 Promoter Haplotype and Type 2 Diabetes. <i>Hormone and Metabolic Research</i> , 2006, 38, 300-307.	1.5	26
265	Detection of Diverse Bacterial Signatures in Atherosclerotic Lesions of Patients With Coronary Heart Disease. <i>Circulation</i> , 2006, 113, 929-937.	1.6	330
266	A short isoform of NOD2/CARD15, NOD2-S, is an endogenous inhibitor of NOD2/receptor-interacting protein kinase 2-induced signaling pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 3280-3285.	7.1	108
267	Influence of IL-1 gene cluster polymorphisms on the development of H. pylori associated gastric ulcer. <i>Immunology Letters</i> , 2005, 100, 107-112.	2.5	11
268	New strategies for efficient typing of HLA class-II loci DQB1 and DRB1 by using Pyrosequencing™. <i>Tissue Antigens</i> , 2005, 65, 67-80.	1.0	15
269	Haplotype analysis of the CD11 gene cluster in patients with chronic Helicobacter pylori infection and gastric ulcer disease. <i>Tissue Antigens</i> , 2005, 65, 271-274.	1.0	12
270	Lack of association of SPINK5 polymorphisms with nonsyndromic atopic dermatitis in the population of Northern Germany. <i>British Journal of Dermatology</i> , 2005, 152, 1365-1367.	1.5	53

#	ARTICLE	IF	CITATIONS
271	Sarcoidosis is associated with a truncating splice site mutation in BTNL2. <i>Nature Genetics</i> , 2005, 37, 357-364.	21.4	451
272	Genetics of Crohn disease, an archetypal inflammatory barrier disease. <i>Nature Reviews Genetics</i> , 2005, 6, 376-388.	16.3	290
273	The IBD International Genetics Consortium Provides Further Evidence for Linkage to IBD4 and Shows Gene-Environment Interaction. <i>Inflammatory Bowel Diseases</i> , 2005, 11, 1-7.	1.9	57
274	Effect of <i>Lactobacillus gasseri</i> PA 16/8, <i>Bifidobacterium longum</i> SP 07/3, <i>B. bifidum</i> MF 20/5 on common cold episodes: A double blind, randomized, controlled trial. <i>Clinical Nutrition</i> , 2005, 24, 481-491.	5.0	235
275	InSNP: A tool for automated detection and visualization of SNPs and InDels. <i>Human Mutation</i> , 2005, 26, 11-19.	2.5	40
276	Putative association between a new polymorphism in exon 3 (Arg109Cys) of the pancreatic colipase gene and type 2 diabetes mellitus in two independent Caucasian study populations. <i>Molecular Nutrition and Food Research</i> , 2005, 49, 972-976.	3.3	19
277	SGCaller: a program to call and review genotypes measured by sequencing. <i>BioTechniques</i> , 2005, 38, 544-546.	1.8	2
278	Dissection of the Inflammatory Bowel Disease Transcriptome Using Genome-Wide cDNA Microarrays. <i>PLoS Medicine</i> , 2005, 2, e199.	8.4	179
279	Gastric ulceration due to chronic mesenteric ischaemia treated by stenting of the inferior mesenteric artery. <i>Gut</i> , 2005, 54, 888-889.	12.1	12
280	Study of C-C Chemokine Receptor 2 Alleles in Sarcoidosis, with Emphasis on Family-based Analysis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 171, 1136-1141.	5.6	53
281	Association study of a functional Toll-like receptor 4 polymorphism with susceptibility to gastric mucosa-associated lymphoid tissue lymphoma. <i>Leukemia and Lymphoma</i> , 2005, 46, 869-872.	1.3	60
282	Genetic Variation in the Human Androgen Receptor Gene Is the Major Determinant of Common Early-Onset Androgenetic Alopecia. <i>American Journal of Human Genetics</i> , 2005, 77, 140-148.	6.2	198
283	Life-Threatening Chronic Enteritis Due to Colonization of the Small Bowel With. <i>Gastroenterology</i> , 2005, 129, 706-712.	1.3	9
284	A Functional Promotor Polymorphism of TNF-alpha Is Associated with Primary Gastric B-Cell Lymphoma. <i>American Journal of Gastroenterology</i> , 2005, 100, 2644-2649.	0.4	39
285	Life-Threatening Chronic Enteritis Due to Colonization of the Small Bowel With <i>Stenotrophomonas maltophilia</i> . <i>Gastroenterology</i> , 2005, 129, 706-712.	1.3	12
286	Nonelectrophoretic method for high-throughput HLA-DRB1 group genotyping. <i>BioTechniques</i> , 2004, 36, 148-151.	1.8	4
287	Locking of 3' ends of single-stranded DNA templates for improved Pyrosequencing performance. <i>BioTechniques</i> , 2004, 37, 66-73.	1.8	14
288	Inflammatory bowel disease susceptibility loci defined by genome scan meta-analysis of 1952 affected relative pairs. <i>Human Molecular Genetics</i> , 2004, 13, 763-770.	2.9	219

#	ARTICLE	IF	CITATIONS
289	Quantification of Intestinal Bacterial Populations by Real-Time PCR with a Universal Primer Set and Minor Groove Binder Probes: a Global Approach to the Enteric Flora. <i>Journal of Clinical Microbiology</i> , 2004, 42, 2566-2572.	3.9	123
290	Reduction in diversity of the colonic mucosa associated bacterial microflora in patients with active inflammatory bowel disease. <i>Gut</i> , 2004, 53, 685-693.	12.1	1,073
291	Genetic variants in the CCR gene cluster and spontaneous viral elimination in hepatitis C-infected patients. <i>Clinical and Experimental Immunology</i> , 2004, 136, 328-333.	2.6	29
292	Genetic variation in DLG5 is associated with inflammatory bowel disease. <i>Nature Genetics</i> , 2004, 36, 476-480.	21.4	443
293	Widespread occurrence of alternative splicing at NAGNAG acceptors contributes to proteome plasticity. <i>Nature Genetics</i> , 2004, 36, 1255-1257.	21.4	201
294	Definition of polymorphisms and haplotypes in the interleukin-12B gene: association with IL-12 production but not with Crohn's disease. <i>Genes and Immunity</i> , 2004, 5, 675-677.	4.1	31
295	Patterns of linkage disequilibrium in the MHC region on human chromosome 6p. <i>Human Genetics</i> , 2004, 114, 377-385.	3.8	92
296	In vitro alterations of intestinal bacterial microbiota in fecal samples during storage. <i>Diagnostic Microbiology and Infectious Disease</i> , 2004, 50, 237-245.	1.8	105
297	IL-1 gene cluster polymorphisms and development of primary gastric B-cell lymphoma in <i>Helicobacter pylori</i> infection. <i>Blood</i> , 2004, 104, 2994-2995.	1.4	15
298	Association of inflammatory bowel disease with indicators for childhood antigen and infection exposure. <i>International Journal of Colorectal Disease</i> , 2003, 18, 413-417.	2.2	50
299	Entropy-based SNP selection for genetic association studies. <i>Human Genetics</i> , 2003, 114, 36-43.	3.8	74
300	Stratification by CARD15 variant genotype in a genome-wide search for inflammatory bowel disease susceptibility loci. <i>Human Genetics</i> , 2003, 113, 514-521.	3.8	15
301	Genetic variation in the IGSF6 gene and lack of association with inflammatory bowel disease. <i>International Journal of Immunogenetics</i> , 2003, 30, 187-190.	1.2	13
302	Genetic Variation at the Chromosome 16 Chemokine Gene Cluster: Development of a Strategy for Association Studies in Complex Disease. <i>Annals of Human Genetics</i> , 2003, 67, 377-390.	0.8	6
303	Haplotype structure and association to Crohn's disease of CARD15 mutations in two ethnically divergent populations. <i>European Journal of Human Genetics</i> , 2003, 11, 6-16.	2.8	216
304	The TNF-857C/T polymorphism is associated with early onset, smoking and arthritic complications in inflammatory bowel disease and acts independently of CARD15. <i>Gastroenterology</i> , 2003, 124, A370.	1.3	0
305	Association of BMI and promotor polymorphisms of the ghrelin gene. <i>Gastroenterology</i> , 2003, 124, A581.	1.3	0
306	Haplotype structure analysis in the HLA region and implications for association mapping in inflammatory bowel disease. <i>Gastroenterology</i> , 2003, 124, A370.	1.3	0

#	ARTICLE	IF	CITATIONS
307	Confirmation of IBD5 in a German population and exploration of genotype-phenotype interactions. <i>Gastroenterology</i> , 2003, 124, A49.	1.3	0
308	Lack of association between the C3435T MDR1 gene polymorphism and inflammatory bowel disease in two independent Northern European populations. <i>Gastroenterology</i> , 2003, 125, 1919-1920.	1.3	64
309	Genetic Evidence for Interaction of the 5q31 Cytokine Locus and the CARD15 Gene in Crohn Disease. <i>American Journal of Human Genetics</i> , 2003, 72, 1018-1022.	6.2	111
310	IBD5 is a General Risk Factor for Inflammatory Bowel Disease: Replication of Association with Crohn Disease and Identification of a Novel Association with Ulcerative Colitis. <i>American Journal of Human Genetics</i> , 2003, 73, 205-211.	6.2	147
311	High-resolution snp scan of chromosome 6p21 in pooled samples from patients with complex diseases. <i>Genomics</i> , 2003, 81, 510-518.	2.9	39
312	CARD15 gene mutations in sarcoidosis. <i>European Respiratory Journal</i> , 2003, 22, 748-754.	6.7	100
313	<i>Helicobacter pylori</i> infection in Africa and Europe: enigma of host genetics. <i>Gut</i> , 2003, 52, 1799-1799.	12.1	10
314	Activation of signal transducer and activator of transcription (STAT) 1 in human chronic inflammatory bowel disease. <i>Gut</i> , 2002, 51, 379-385.	12.1	185
315	Evidence for a NOD2-independent susceptibility locus for inflammatory bowel disease on chromosome 16p. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 321-326.	7.1	106
316	Sex stratification of an inflammatory bowel disease genome search shows male-specific linkage to the HLA region of chromosome 6. <i>European Journal of Human Genetics</i> , 2002, 10, 259-265.	2.8	49
317	Pharmacogenetic investigation of the TNF/TNF-receptor system in patients with chronic active Crohn's disease treated with infliximab. <i>Pharmacogenomics Journal</i> , 2002, 2, 127-136.	2.0	133
318	Response to infliximab treatment in Crohn's disease is not associated with mutations in the CARD15 (NOD2) gene: an analysis in 534 patients from two multicenter, prospective GCP-level trials. <i>Pharmacogenetics and Genomics</i> , 2002, 12, 509-515.	5.7	143
319	Not one but two inflammatory bowel disease susceptibility loci map to chromosome 16. <i>American Journal of Gastroenterology</i> , 2002, 97, 2464-2465.	0.4	1
320	The contribution of NOD2 gene mutations to the risk and site of disease in inflammatory bowel disease. <i>Gastroenterology</i> , 2002, 122, 867-874.	1.3	670
321	Association of NOD2 (CARD 15) genotype with clinical course of Crohn's disease: a cohort study. <i>Lancet</i> , The, 2002, 359, 1661-1665.	13.7	397
322	Genomic structure, chromosome mapping and expression analysis of the human AVIL gene, and its exclusion as a candidate for locus for inflammatory bowel disease at 12q13 (IBD2). <i>Gene</i> , 2002, 288, 179-185.	2.2	17
323	Mutation detection and physical mapping of the CD11 gene cluster in association with inflammatory bowel disease. <i>Immunogenetics</i> , 2002, 53, 835-842.	2.4	10
324	Investigation of HLA-DPA1 genotypes as predictors of inflammatory bowel disease in the German, South African, and South Korean populations. <i>International Journal of Colorectal Disease</i> , 2002, 17, 238-244.	2.2	9

#	ARTICLE	IF	CITATIONS
325	Association between insertion mutation in NOD2 gene and Crohn's disease in German and British populations. <i>Lancet</i> , The, 2001, 357, 1925-1928.	13.7	1,071
326	A transcript-based search for inflammatory bowel disease susceptibility genes on chromosome 16. <i>Gastroenterology</i> , 2001, 120, A458.	1.3	0
327	Polymorphisms in the ICAM-1 gene but not in the CD11 cluster are disease modifying factors in inflammatory bowel disease. <i>Gastroenterology</i> , 2001, 120, A456-A457.	1.3	0
328	Activation of signal-transducer and activator of transcription 1 (STAT1) in pouchitis. <i>Clinical and Experimental Immunology</i> , 2001, 123, 395-401.	2.6	26
329	An integrated system for high throughput TaqManTM based SNP genotyping. <i>Bioinformatics</i> , 2001, 17, 654-655.	4.1	98
330	Fine mapping of the chromosome 3p susceptibility locus in inflammatory bowel disease. <i>Gut</i> , 2001, 48, 191-197.	12.1	72
331	Mapping Genes for Polygenic Disorders: Considerations for Study Design in the Complex Trait of Inflammatory Bowel Disease. <i>Human Heredity</i> , 2000, 50, 91-101.	0.8	15
332	Genomics and inflammatory bowel disease. <i>Current Opinion in Gastroenterology</i> , 2000, 16, 297-305.	2.3	6
333	Anticipation in inflammatory bowel disease: A phenomenon caused by an accumulation of confounders. , 2000, 92, 178-183.		26
334	Analysis of single-nucleotide polymorphisms in the interleukin-4 receptor gene for association with inflammatory bowel disease. <i>Immunogenetics</i> , 2000, 51, 1-7.	2.4	32
335	Functional genomics in gastroenterology. <i>Gut</i> , 2000, 47, 601-607.	12.1	6
336	Analysis of single nucleotide polymorphisms in the NRAMP2 gene, for association with inflammatory bowel disease. <i>Gastroenterology</i> , 2000, 118, A594-A595.	1.3	0
337	Investigation of HLA-DPA1 associations with IBD in European, South-African and South Korean populations. <i>Gastroenterology</i> , 2000, 118, A334.	1.3	0
338	No association between HLA-DRB1 and helicobacter pylori related diseases found. <i>Gastroenterology</i> , 2000, 118, A727.	1.3	0
339	High density CDNA arrays for the characterisation of mucosal gene expression in inflammatory bowel disease. <i>Gastroenterology</i> , 2000, 118, A1121.	1.3	0
340	Genetics in gastrointestinal disease: how much can we learn from molecular analysis?. <i>International Journal of Colorectal Disease</i> , 1999, 14, 10-12.	2.2	5
341	Changes in methylation patterns identified by two-dimensional DNA fingerprinting. <i>Electrophoresis</i> , 1999, 20, 1748-1755.	2.4	14
342	A Genomewide Analysis Provides Evidence for Novel Linkages in Inflammatory Bowel Disease in a Large European Cohort. <i>American Journal of Human Genetics</i> , 1999, 64, 808-816.	6.2	349

#	ARTICLE	IF	CITATIONS
343	Linkage of Inflammatory Bowel Disease to Human Chromosome 6p. American Journal of Human Genetics, 1999, 65, 1647-1655.	6.2	215
344	Tumour necrosis factor $\hat{1}\pm$ and interleukin $1\hat{1}^2$ in relapse of Crohn's disease. Lancet, The, 1999, 353, 459-461.	13.7	260
345	Genetics and inflammatory bowel disease. Current Opinion in Gastroenterology, 1999, 15, 315.	2.3	6
346	Two-Dimensional DNA Fingerprinting. , 1999, , 195-213.		0
347	Genomic difference analysis by two-dimensional DNA fingerprinting reveals typical changes in human low-grade gliomas. , 1998, 23, 130-138.		6
348	The interferon- \tilde{A} gene as a positional and functional candidate gene for inflammatory bowel disease. International Journal of Colorectal Disease, 1998, 13, 260-263.	2.2	36
349	Genetic analysis of inflammatory bowel disease in a large European cohort supports linkage to chromosomes 12 and 16. Gastroenterology, 1998, 115, 1066-1071.	1.3	169
350	POPSIM: a general population simulation program.. Bioinformatics, 1998, 14, 458-464.	4.1	15
351	Activation of nuclear factor kappa B in inflammatory bowel disease. Gut, 1998, 42, 477-484.	12.1	645
352	'Complicated' Autosomal Dominant Familial Spastic Paraplegia Is Genetically Distinct From 'Pure' Forms. Archives of Neurology, 1997, 54, 379-384.	4.5	8
353	The Gene for Autosomal Dominant Craniometaphyseal Dysplasia Maps to Chromosome 5p and Is Distinct from the Growth Hormone-Receptor Gene. American Journal of Human Genetics, 1997, 61, 918-923.	6.2	39
354	Cloning of minisatellite-containing sequences from two-dimensional DNA fingerprinting gels reveals the identity of genomic alterations in low-grade gliomas of different patients. Electrophoresis, 1997, 18, 1586-1591.	2.4	5
355	A novel standardization method for two-dimensional DNA fingerprints. Electrophoresis, 1997, 18, 2874-2879.	2.4	3
356	Marker pattern instabilities as a major cause of reproducibility problems in two-dimensional DNA fingerprinting. Electrophoresis, 1996, 17, 659-666.	2.4	9
357	Parallel genome analysis by one- and two-dimensional DNA fingerprinting in human gliomas. Electrophoresis, 1995, 16, 1715-1725.	2.4	6
358	Paternity testing with oligonucleotide multilocus probe (CAC)5/(GTG)5: A multicenter study. Forensic Science International, 1993, 59, 101-117.	2.2	12
359	Oligonucleotide fingerprinting as a means to identify and survey long-term cultured B cell hybridomas and T cell lines. Human Antibodies, 1992, 3, 186-190.	1.5	11