

# S R Heller

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3557044/publications.pdf>

Version: 2024-02-01

348  
papers

35,418  
citations

10388

72  
h-index

3650

180  
g-index

374  
all docs

374  
docs citations

374  
times ranked

23313  
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of hypoglycaemia on quality of life among adults with type 1 diabetes: Results from "YourSAY: Hypoglycaemia". Journal of Diabetes and Its Complications, 2023, 37, 108232.	2.3	5
2	Changes in quality of life following hypoglycaemia in adults with type 2 diabetes: A systematic review of longitudinal studies. Diabetic Medicine, 2022, 39, e14706.	2.3	9
3	Impact of kidney function on the safety and efficacy of insulin degludec versus insulin glargine U300 in people with type 2 diabetes: A post hoc analysis of the CONCLUDE trial. Diabetes, Obesity and Metabolism, 2022, 24, 332-336.	4.4	4
4	A higher non-severe hypoglycaemia rate is associated with an increased risk of subsequent severe hypoglycaemia and major adverse cardiovascular events in individuals with type 2 diabetes in the LEADER study. Diabetologia, 2022, 65, 55-64.	6.3	14
5	Unmet support needs relating to hypoglycaemia among adults with type 1 diabetes: Results of a multi-country web-based qualitative study. Diabetic Medicine, 2022, 39, e14727.	2.3	5
6	The impact of hypoglycaemia in children and adolescents with type 1 diabetes on parental quality of life and related outcomes: A systematic review. Pediatric Diabetes, 2022, 23, 390-405.	2.9	5
7	Hypoglycemia Subtypes in Type 1 Diabetes: An Exploration of the Hypoglycemia Fear Survey-II. Diabetes Care, 2022, 45, 538-546.	8.6	8
8	Characteristics of adults with type 1 diabetes and treatment-resistant problematic hypoglycaemia: a baseline analysis from the HARPdoc RCT. Diabetologia, 2022, 65, 936-948.	6.3	9
9	Joint patient and clinician priority setting to identify 10 key research questions regarding the long-term sequelae of COVID-19. Thorax, 2022, 77, 717-720.	5.6	16
10	A parallel randomised controlled trial of the Hypoglycaemia Awareness Restoration Programme for adults with type 1 diabetes and problematic hypoglycaemia despite optimised self-care (HARPdoc). Nature Communications, 2022, 13, 2229.	12.8	26
11	The Effect of a Liberal Approach to Glucose Control in Critically Ill Patients with Type 2 Diabetes: A Multicenter, Parallel-Group, Open-Label Randomized Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2022, 206, 874-882.	5.6	15
12	HypoMETRICS: Hypoglycaemia Measurement, Thresholds and Impact: A multi-country clinical study to define the optimal threshold and duration of sensor-detected hypoglycaemia that impact the experience of hypoglycaemia, quality of life and health economic outcomes: The study protocol. Diabetic Medicine, 2022, 39, .	2.3	11
13	Long-term efficacy and safety of dapagliflozin in patients with inadequately controlled type 1 diabetes: pooled 52-week outcomes from the DEPICT-1 and -2 studies. Diabetes, Obesity and Metabolism, 2021, 23, 549-560.	4.4	21
14	Sustained type 1 diabetes self-management: Specifying the behaviours involved and their influences. Diabetic Medicine, 2021, 38, e14430.	2.3	24
15	Protocol for a cluster randomised controlled trial of the DAFNEplus (Dose Adjustment For Tighter Glycaemia) self-management in adults with type 1 diabetes. BMJ Open, 2021, 11, e040438.	1.9	6
16	Glucose management for exercise using continuous glucose monitoring: should sex and prandial state be additional considerations? Reply to Yardley JE and Sigal RJ [letter]. Diabetologia, 2021, 64, 935-938.	6.3	4
17	Hyperinsulinaemic hypoglycaemic glucose clamps in human research: a systematic review of the literature. Diabetologia, 2021, 64, 727-736.	6.3	7
18	A comparison of the acceptability and psychometric properties of scales assessing the impact of type 1 diabetes on quality of life: Results of "YourSAY: Quality of Life". Diabetic Medicine, 2021, 38, e14524.	2.3	6

#	ARTICLE	IF	CITATIONS
19	Nocturnal Hypoglycemia in Patients With Diabetes Discharged From ICUs: A Prospective Two-Center Cohort Study*. <i>Critical Care Medicine</i> , 2021, 49, 636-649.	0.9	13
20	The suitability of patient-reported outcome measures used to assess the impact of hypoglycaemia on quality of life in people with diabetes: a systematic review using COSMIN methods. <i>Diabetologia</i> , 2021, 64, 1213-1225.	6.3	12
21	The DAFNE<i>plus</i> programme for sustained type 1 diabetes self management: Intervention development using the Behaviour Change Wheel. <i>Diabetic Medicine</i> , 2021, 38, e14548.	2.3	15
22	The impact of hypoglycaemia on quality of life outcomes among adults with type 1 diabetes: A systematic review. <i>Diabetes Research and Clinical Practice</i> , 2021, 174, 108752.	2.8	20
23	Anti-interleukin-21 antibody and liraglutide for the preservation of $\beta$ -cell function in adults with recent-onset type 1 diabetes: a randomised, double-blind, placebo-controlled, phase 2 trial. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 212-224.	11.4	85
24	The Impact of Frailty on the Effectiveness and Safety of Intensive Glucose Control and Blood Pressureâ€“Lowering Therapy for People With Type 2 Diabetes: Results From the ADVANCE Trial. <i>Diabetes Care</i> , 2021, 44, 1622-1629.	8.6	29
25	Continuous Glucose Monitoring Time-in-Range and HbA<sub>1c</sub> Targets in Pregnant Women with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 710-714.	4.4	22
26	A Bittersweet Response to Infection in Diabetes; Targeting Neutrophils to Modify Inflammation and Improve Host Immunity. <i>Frontiers in Immunology</i> , 2021, 12, 678771.	4.8	41
27	Blood glucose monitoring by insulinâ€“treated pilots of commercial and private aircraft: An analysis of outâ€“ofâ€“range values. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2303-2310.	4.4	2
28	Optimizing the use of technology to support people with diabetes: research recommendations from Diabetes UKâ€™s 2019 diabetes and technology workshop. <i>Diabetic Medicine</i> , 2021, 38, e14647.	2.3	2
29	The impact of hypoglycaemia on the quality of life of family members of adults with type 1 or type 2 diabetes: A qualitative systematic review. <i>Diabetic Medicine</i> , 2021, 38, e14666.	2.3	11
30	â€“Never again will I be carefreeâ€“: a qualitative study of the impact of hypoglycemia on quality of life among adults with type 1 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002322.	2.8	14
31	Cardiac arrhythmias and electrophysiologic responses during spontaneous hyperglycaemia in adults with type 1 diabetes mellitus. <i>Diabetes and Metabolism</i> , 2021, 47, 101237.	2.9	5
32	Physical, cognitive, and mental health impacts of COVID-19 after hospitalisation (PHOSP-COVID): a UK multicentre, prospective cohort study. <i>Lancet Respiratory Medicine</i> , 2021, 9, 1275-1287.	10.7	394
33	Insulin, the patient, and the health professional. <i>Lancet, The</i> , 2021, 398, 1785-1786.	13.7	1
34	Hypoglycaemia combined with mild hypokalaemia reduces the heart rate and causes abnormal pacemaker activity in a computational model of a human sinoatrial cell. <i>Journal of the Royal Society Interface</i> , 2021, 18, 20210612.	3.4	3
35	The impact of hypoglycemia on quality of life and related outcomes in children and adolescents with type 1 diabetes: A systematic review. <i>PLoS ONE</i> , 2021, 16, e0260896.	2.5	9
36	Predictors of Recurrent Severe Hypoglycemia in Adults With Type 1 Diabetes and Impaired Awareness of Hypoglycemia During the HypoCOMPASS Study. <i>Diabetes Care</i> , 2020, 43, 44-52.	8.6	18

#	ARTICLE	IF	CITATIONS
37	Redefining Hypoglycemia in Clinical Trials: Validation of Definitions Recently Adopted by the American Diabetes Association/European Association for the Study of Diabetes. <i>Diabetes Care</i> , 2020, 43, 398-404.	8.6	23
38	The relationship between HbA1c and hypoglycaemia in patients with diabetes treated with insulin degludec versus insulin glargine 100 units/mL. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 779-787.	4.4	5
39	Hypoglycaemia is reduced with use of inhaled Technosphere <sup>®</sup> Insulin relative to insulin aspart in type 1 diabetes mellitus. <i>Diabetic Medicine</i> , 2020, 37, 752-759.	2.3	15
40	Development of a hypoglycaemia risk score to identify high-risk individuals with advanced type 2 diabetes in DEVOTE. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 2248-2256.	4.4	8
41	Rationale and design of the LIBERATES trial: Protocol for a randomised controlled trial of flash glucose monitoring for optimisation of glycaemia in individuals with type 2 diabetes and recent myocardial infarction. <i>Diabetes and Vascular Disease Research</i> , 2020, 17, 147916412095793.	2.0	2
42	Glucose management for exercise using continuous glucose monitoring (CGM) and intermittently scanned CGM (isCGM) systems in type 1 diabetes: position statement of the European Association for the Study of Diabetes (EASD) and of the International Society for Pediatric and Adolescent Diabetes (ISPAD) endorsed by JDRF and supported by the American Diabetes Association (ADA). <i>Diabetologia</i> , 2020, 63, 2501-2520.	6.3	102
43	Glucose management for exercise using continuous glucose monitoring (CGM) and intermittently scanned CGM (isCGM) systems in type 1 diabetes: position statement of the European Association for the Study of Diabetes (EASD) and of the International Society for Pediatric and Adolescent Diabetes (ISPAD) endorsed by JDRF and supported by the American Diabetes Association (ADA). <i>Pediatric Diabetes</i> , 2020, 21, 1375-1393.	2.9	46
44	Treatment effects may remain the same even when trial participants differed from the target population. <i>Journal of Clinical Epidemiology</i> , 2020, 124, 126-138.	5.0	10
45	Hypoglycemia in patient with type 2 diabetes treated with insulin: it can happen. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001194.	2.8	48
46	An Evaluation of the Safety of Pilots With Insulin-Treated Diabetes in Europe Flying Commercial and Noncommercial Aircraft. <i>Diabetes Care</i> , 2020, 43, 2923-2929.	8.6	9
47	Dietary Patterns of Insulin Pump and Multiple Daily Injection Users During Type 1 Diabetes Pregnancy. <i>Diabetes Care</i> , 2020, 43, e5-e7.	8.6	12
48	What are the characteristics of the best type 1 diabetes patient education programmes (from diagnosis) Tj ETQq0 0 0 rgBT /Overlock 10 <i>Diabetic Medicine</i> , 2020, 37, 545-554.	2.3	16
49	Evaluating glucose-lowering treatment in older people with diabetes: Lessons from the IMPERIUM trial. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1231-1242.	4.4	13
50	Risk of hypoglycaemia with insulin degludec versus insulin glargine U300 in insulin-treated patients with type 2 diabetes: the randomised, head-to-head CONCLUDE trial. <i>Diabetologia</i> , 2020, 63, 698-710.	6.3	58
51	Reducing the burden of hypoglycaemia in people with diabetes through increased understanding: design of the Hypoglycaemia REdefining SOLutions for better lIvEs (HypoRESOLVE) project. <i>Diabetic Medicine</i> , 2020, 37, 1066-1073.	2.3	27
52	Systematic review and meta-analysis of randomized controlled trials of psychological interventions to improve glycaemic control in children and adults with type 1 diabetes. <i>Diabetic Medicine</i> , 2020, 37, 735-746.	2.3	25
53	Risk of severe hypoglycaemia and its impact in type 2 diabetes in DEVOTE. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 2241-2247.	4.4	11
54	Psychological interventions to improve glycemic control in adults with type 2 diabetes: a systematic review and meta-analysis. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001150.	2.8	19

#	ARTICLE	IF	CITATIONS
55	Continuous Glucose Monitoring in Pregnancy: Importance of Analyzing Temporal Profiles to Understand Clinical Outcomes. <i>Diabetes Care</i> , 2020, 43, 1178-1184.	8.6	39
56	1021-P: HbA1c Levels and Rates of Hypoglycemia with Insulin Degludec U200 and Insulin Glargine U300 Stratified by Renal Function Subgroups: Post Hoc Analysis from the CONCLUDE Trial. <i>Diabetes</i> , 2020, 69, .	0.6	3
57	Psychological interventions to improve self-management of type 1 and type 2 diabetes: a systematic review. <i>Health Technology Assessment</i> , 2020, 24, 1-232.	2.8	54
58	Influence of cardiac autonomic neuropathy on cardiac repolarisation during incremental adrenaline infusion in type 1 diabetes. <i>Diabetologia</i> , 2020, 63, 1066-1071.	6.3	2
59	Study protocol and statistical analysis plan for the Liberal Glucose Control in Critically Ill Patients with Pre-existing Type 2 Diabetes (LUCID) trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2020, 22, 133-141.	0.1	5
60	Working with Insulin, Carbohydrates, Ketones and Exercise to Manage Diabetes ( WICKED ): evaluation of a self-management course for young people with Type 1 diabetes. <i>Diabetic Medicine</i> , 2019, 36, 1460-1467.	2.3	9
61	Satisfaction with the Use of Different Technologies for Insulin Delivery and Glucose Monitoring Among Adults with Long-Standing Type 1 Diabetes and Problematic Hypoglycemia: 2-Year Follow-Up in the HypoCOMPaSS Randomized Clinical Trial. <i>Diabetes Technology and Therapeutics</i> , 2019, 21, 619-626.	4.4	12
62	Clinical Targets for Continuous Glucose Monitoring Data Interpretation: Recommendations From the International Consensus on Time in Range. <i>Diabetes Care</i> , 2019, 42, 1593-1603.	8.6	2,101
63	Efficacy and safety of oral semaglutide in patients with type 2 diabetes and moderate renal impairment (PIONEER 5): a placebo-controlled, randomised, phase 3a trial. <i>Lancet Diabetes and Endocrinology</i> , the, 2019, 7, 515-527.	11.4	180
64	Asymptomatic Hypoglycemia Is Prevalent and Associated with Cardiac Rhythm Disturbances in Survivors of Critical Illness with Insulin-Treated Type 2 Diabetes. , 2019, , .		0
65	Robert Tattersall, a Diabetes Physician Ahead of His Time. <i>Diabetes Care</i> , 2019, 42, 1005-1008.	8.6	1
66	Health research systems in change: the case of "Push the Pace"™ in the National Institute for Health Research. <i>Health Research Policy and Systems</i> , 2019, 17, 37.	2.8	5
67	Lower rates of hypoglycaemia in older individuals with type 2 diabetes using insulin degludec versus insulin glargine U100: Results from SWITCH 2. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1634-1641.	4.4	14
68	Incidence and severity of hypoglycaemia in type 2 diabetes by treatment regimen: A UK multisite 12-month prospective observational study. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1585-1595.	4.4	19
69	Effect of Hypoglycemia on Inflammatory Responses and the Response to Low-Dose Endotoxemia in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1187-1199.	3.6	51
70	Disruptive illness contexts and liminality in the accounts of young people with type 1 diabetes. <i>Sociology of Health and Illness</i> , 2019, 41, 1289-1304.	2.1	13
71	Short-term cost-utility of degludec versus glargine U100 for patients with type 2 diabetes at high risk of hypoglycaemia and cardiovascular events: A Canadian setting (DEVOTE 9). <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1706-1714.	4.4	3
72	Hypoglycaemia, cardiovascular disease, and mortality in diabetes: epidemiology, pathogenesis, and management. <i>Lancet Diabetes and Endocrinology</i> , the, 2019, 7, 385-396.	11.4	298

#	ARTICLE	IF	CITATIONS
73	International Consensus on Risk Management of Diabetic Ketoacidosis in Patients With Type 1 Diabetes Treated With Sodium-Glucose Cotransporter (SGLT) Inhibitors. <i>Diabetes Care</i> , 2019, 42, 1147-1154.	8.6	249
74	Hypoglycaemia Awareness Restoration Programme for People with Type 1 Diabetes and Problematic Hypoglycaemia Persisting Despite Optimised Self-care (HARPro): protocol for a group randomised controlled trial of a novel intervention addressing cognitions. <i>BMJ Open</i> , 2019, 9, e030356.	1.9	30
75	How has psycho-behavioural research advanced our understanding of hypoglycaemia in type 1 diabetes?. <i>Diabetic Medicine</i> , 2019, 37, 409-417.	2.3	15
76	PDB65 PRETRIAL MODELLING METHODS TO JUSTIFY AND INFORM THE DESIGN OF LARGE RCTS - EXPECTED VALUE OF SAMPLE INFORMATION FOR THE DAFNEPLUS DIABETES EDUCATION CLUSTER RCT. <i>Value in Health</i> , 2019, 22, S584.	0.3	0
77	Towards a better understanding of postprandial hyperglycemic episodes in people with diabetes: impact on daily functioning. <i>Current Medical Research and Opinion</i> , 2019, 35, 525-533.	1.9	4
78	Investigating the Association Between Baseline Characteristics (HbA1c and Body Mass Index) and Clinical Outcomes of Fast-Acting Insulin Aspart in People with Diabetes: A Post Hoc Analysis. <i>Diabetes Therapy</i> , 2019, 10, 177-188.	2.5	2
79	Hypoglycaemia in diabetes. <i>Medicine</i> , 2019, 47, 52-58.	0.4	8
80	Day-to-day fasting self-monitored blood glucose variability is associated with risk of hypoglycaemia in insulin-treated patients with type 1 and type 2 diabetes: A post hoc analysis of the SWITCH Trials. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 622-630.	4.4	15
81	809-P: Comparison of the Acceptability and Psychometric Properties of Scales Assessing the Impact of Type 1 Diabetes on Quality of Life: Results of the Your SAY: QoL Study. <i>Diabetes</i> , 2019, 68, 809-P.	0.6	3
82	Salbutamol-induced electrophysiological changes show no correlation with electrophysiological changes during hyperinsulinaemic-hypoglycaemic clamp in young people with Type 1 diabetes. <i>Diabetic Medicine</i> , 2018, 35, 1264-1272.	2.3	1
83	Total cardiovascular events analysis of the EXAMINE trial in patients with type 2 diabetes and recent acute coronary syndrome. <i>Clinical Cardiology</i> , 2018, 41, 1022-1027.	1.8	5
84	Sustained Reduction in Severe Hypoglycemia in Adults With Type 1 Diabetes Complicated by Impaired Awareness of Hypoglycemia: Two-Year Follow-up in the HypoCOMPaSS Randomized Clinical Trial. <i>Diabetes Care</i> , 2018, 41, 1600-1607.	8.6	58
85	Alogliptin in Patients with Type 2 Diabetes Receiving Metformin and Sulfonylurea Therapies in the EXAMINE Trial. <i>American Journal of Medicine</i> , 2018, 131, 813-819.e5.	1.5	17
86	Response to Comment on Novodvorsky et al. Diurnal Differences in Risk of Cardiac Arrhythmias During Spontaneous Hypoglycemia in Young People With Type 1 Diabetes. <i>Diabetes Care</i> 2017;40:655-662. <i>Diabetes Care</i> , 2018, 41, e65-e66.	8.6	5
87	The role of structured education in the management of hypoglycaemia. <i>Diabetologia</i> , 2018, 61, 751-760.	6.3	49
88	Glycaemic outcomes of an individualized treatment approach for older vulnerable patients: A randomized, controlled study in type 2 diabetes mellitus (IMPERIUM). <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 148-156.	4.4	13
89	High-sensitivity C-reactive protein, low-density lipoprotein cholesterol and cardiovascular outcomes in patients with type 2 diabetes in the EXAMINE (Examination of) Tj ETQq1 1 0.784314 rgBT / Overlock 10 <i>Metabolism</i> , 2018, 20, 654-659.	4.4	30
90	Diabetes structured self-management education programmes: a narrative review and current innovations. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 130-142.	11.4	233

#	ARTICLE	IF	CITATIONS
91	DEVOTE 3: temporal relationships between severe hypoglycaemia, cardiovascular outcomes and mortality. <i>Diabetologia</i> , 2018, 61, 58-65.	6.3	124
92	Follow-Up Support for Effective type 1 Diabetes self-management (The FUSED Model): A systematic review and meta-ethnography of the barriers, facilitators and recommendations for sustaining self-management skills after attending a structured education programme. <i>BMC Health Services Research</i> , 2018, 18, 898.	2.2	25
93	Evaluating the cost-effectiveness of insulin detemir versus neutral protamine Hagedorn insulin in patients with type 1 or type 2 diabetes in the UK using a short-term modeling approach. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018, Volume 11, 217-226.	2.4	6
94	Average Clinician-Measured Blood Pressures and Cardiovascular Outcomes in Patients With Type 2 Diabetes Mellitus and Ischemic Heart Disease in the EXAMINE Trial. <i>Journal of the American Heart Association</i> , 2018, 7, e009114.	3.7	19
95	Efficacy and Safety of Dapagliflozin in Patients With Inadequately Controlled Type 1 Diabetes: The DEPICT-1 52-Week Study. <i>Diabetes Care</i> , 2018, 41, 2552-2559.	8.6	177
96	Prolonged Prothrombotic Effects of Antecedent Hypoglycemia in Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2018, 41, 2625-2633.	8.6	44
97	Recent Updates on Type 1 Diabetes Mellitus Management for Clinicians. <i>Diabetes and Metabolism Journal</i> , 2018, 42, 3.	4.7	25
98	The effect of basal-bolus therapy varies with baseline 1,5-anhydroglucitol level in people with Type 2 diabetes: a post hoc analysis. <i>Diabetic Medicine</i> , 2018, 35, 1273-1278.	2.3	1
99	Experiences of self-management among young adults with Type 1 diabetes in the context of a structured education programme: a qualitative study. <i>Diabetic Medicine</i> , 2018, 35, 1531-1537.	2.3	11
100	Effect of once-weekly semaglutide on the counterregulatory response to hypoglycaemia in people with type 2 diabetes: A randomized, placebo-controlled, double-blind, crossover trial. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2565-2573.	4.4	16
101	Reduced Glucose Variability With Glucose-Dependent Versus Glucose-Independent Therapies Despite Similar Glucose Control and Hypoglycemia Rates in a Randomized, Controlled Study of Older Patients With Type 2 Diabetes Mellitus. <i>Journal of Diabetes Science and Technology</i> , 2018, 12, 1184-1191.	2.2	8
102	Cost-effectiveness of insulin pumps compared with multiple daily injections both provided with structured education for adults with type 1 diabetes: a health economic analysis of the Relative Effectiveness of Pumps over Structured Education (REPOSE) randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e016766.	1.9	27
103	1,5-Anhydroglucitol korreliert bei Patienten mit Typ 1 Diabetes unabhangig vom HbA1c-Responderstatus mit der postprandialen Glucose. , 2018, 13, .		0
104	Association between mild and severe hypoglycemia in people with type 2 diabetes initiating insulin. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1047-1052.	2.3	15
105	Relationship of glycated haemoglobin and reported hypoglycaemia to cardiovascular outcomes in patients with type 2 diabetes and recent acute coronary syndrome events: EXAMINE trial. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 664-671.	4.4	53
106	Cardiac Autonomic Regulation and Repolarization During Acute Experimental Hypoglycemia in Type 2 Diabetes. <i>Diabetes</i> , 2017, 66, 1322-1333.	0.6	36
107	Diurnal Differences in Risk of Cardiac Arrhythmias During Spontaneous Hypoglycemia in Young People With Type 1 Diabetes. <i>Diabetes Care</i> , 2017, 40, 655-662.	8.6	76
108	Rates of hypoglycaemia are lower in patients treated with insulin degludec/liraglutide (IDegLira) than with IDeg or insulin glargine, regardless of the hypoglycaemia definition used. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1562-1569.	4.4	3

#	ARTICLE	IF	CITATIONS
109	Projected long-term outcomes in patients with type 1 diabetes treated with fast-acting insulin aspart vs conventional insulin aspart in the UK setting. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1773-1780.	4.4	8
110	Fast-Acting Insulin Aspart Improves Glycemic Control in Basal-Bolus Treatment for Type 1 Diabetes: Results of a 26-Week Multicenter, Active-Controlled, Treat-to-Target, Randomized, Parallel-Group Trial (onset 1). <i>Diabetes Care</i> , 2017, 40, 943-950.	8.6	148
111	Continuous glucose monitoring in pregnant women with type 1 diabetes (CONCEPTT): a multicentre international randomised controlled trial. <i>Lancet</i> , The, 2017, 390, 2347-2359.	13.7	469
112	Efficacy and safety of dapagliflozin in patients with inadequately controlled type 1 diabetes (DEPICT-1): 24 week results from a multicentre, double-blind, phase 3, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , the, 2017, 5, 864-876.	11.4	244
113	A UK Civil Aviation Authority protocol to allow pilots with insulin-treated diabetes to fly commercial aircraft. <i>Lancet Diabetes and Endocrinology</i> , the, 2017, 5, 677-679.	11.4	17
114	International Consensus on Use of Continuous Glucose Monitoring. <i>Diabetes Care</i> , 2017, 40, 1631-1640.	8.6	1,376
115	Staff experiences of closing out a clinical trial involving withdrawal of treatment: qualitative study. <i>Trials</i> , 2017, 18, 61.	1.6	16
116	A systematic review of interventions to improve outcomes for young adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2017, 34, 753-769.	2.3	67
117	Antecedent Hypoglycemia Does Not Attenuate the Acceleration of Gastric Emptying by Hypoglycemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 3953-3960.	3.6	10
118	A cluster randomised trial, cost-effectiveness analysis and psychosocial evaluation of insulin pump therapy compared with multiple injections during flexible intensive insulin therapy for type 1 diabetes: the REPOSE Trial. <i>Health Technology Assessment</i> , 2017, 21, 1-278.	2.8	42
119	Characterizing problematic hypoglycaemia: iterative design and preliminary psychometric validation of the Hypoglycaemia Awareness Questionnaire (HypoAQ). <i>Diabetic Medicine</i> , 2016, 33, 376-385.	2.3	39
120	Effectiveness of the Kids in Control of Food (KIC) structured education course for 11-16 year olds with Type 1 diabetes. <i>Diabetic Medicine</i> , 2016, 33, 192-203.	2.3	41
121	Projected Long-Term Outcomes in Patients with Type 1 Diabetes Mellitus Treated with Faster-Acting Insulin Aspart Versus Conventional Insulin Aspart in the UK Setting. <i>Value in Health</i> , 2016, 19, A671.	0.3	0
122	Prandial Options to Advance Basal Insulin Glargine Therapy: Testing Lixisenatide Plus Basal Insulin Versus Insulin Glulisine Either as Basal-Plus or Basal-Bolus in Type 2 Diabetes: The GetGoal Duo-2 Trial. <i>Diabetes Care</i> , 2016, 39, 1318-1328.	8.6	116
123	Low Blood Glucose Avoidance Training Improves Glycemic Variability in Adults With Type 1 Diabetes Complicated by Impaired Awareness of Hypoglycemia: HypoCOMPASS Trial. <i>Diabetes Care</i> , 2016, 39, e56-e58.	8.6	9
124	Estimation of individual beneficial and adverse effects of intensive glucose control for patients with type 2 diabetes. <i>Diabetologia</i> , 2016, 59, 2603-2612.	6.3	8
125	Severe hypoglycaemia in adults with insulin-treated diabetes: impact on healthcare resources. <i>Diabetic Medicine</i> , 2016, 33, 471-477.	2.3	63
126	Pharmacokinetic Properties of Liraglutide as Adjunct to Insulin in Subjects with Type 1 Diabetes Mellitus. <i>Clinical Pharmacokinetics</i> , 2016, 55, 1457-1463.	3.5	10



#	ARTICLE	IF	CITATIONS
127	Cardiovascular Mortality in Patients With Type 2 Diabetes and Recent Acute Coronary Syndromes From the EXAMINE Trial. <i>Diabetes Care</i> , 2016, 39, 1267-1273.	8.6	47
128	Managing hypoglycaemia. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2016, 30, 413-430.	4.7	42
129	Who gains clinical benefit from using insulin pump therapy? A qualitative study of the perceptions and views of health professionals involved in the Relative Effectiveness of Pumps over <scp>MDI</scp> and Structured Education (<scp>REPOSE</scp>) trial. <i>Diabetic Medicine</i> , 2016, 33, 243-251.	2.3	51
130	A meta-analysis of rate ratios for nocturnal confirmed hypoglycaemia with insulin degludec vs. insulin glargine using different definitions for hypoglycaemia. <i>Diabetic Medicine</i> , 2016, 33, 478-487.	2.3	35
131	Long-term Benefits of Intensive Glucose Control for Preventing End-Stage Kidney Disease: ADVANCE-ON. <i>Diabetes Care</i> , 2016, 39, 694-700.	8.6	184
132	Factors Associated With Glycemic Control During Free-Living Overnight Closed-Loop Insulin Delivery in Children and Adults With Type 1 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 1346-1347.	2.2	6
133	Developing a theoretical maintenance model for disordered eating in Type 1 diabetes. <i>Diabetic Medicine</i> , 2015, 32, 1541-1545.	2.3	38
134	Psychosocial aspects of closed- and open-loop insulin delivery: closing the loop in adults with Type 1 diabetes in the home setting. <i>Diabetic Medicine</i> , 2015, 32, 601-608.	2.3	91
135	Hypoglycaemia, a global cause for concern. <i>Diabetes Research and Clinical Practice</i> , 2015, 110, 229-232.	2.8	13
136	An observational study of patient characteristics and mortality following hypoglycemia in the community. <i>BMJ Open Diabetes Research and Care</i> , 2015, 3, e000094.	2.8	45
137	Efficacy of theory-based interventions for young people with type 1 diabetes: A systematic review and meta-analysis. <i>British Journal of Health Psychology</i> , 2015, 20, 428-446.	3.5	27
138	Considerations for assessing the potential effects of antidiabetes drugs on cardiac ventricular repolarization: A report from the Cardiac Safety Research Consortium. <i>American Heart Journal</i> , 2015, 170, 23-35.	2.7	9
139	Uncovering the emotional aspects of working on a clinical trial: a qualitative study of the experiences and views of staff involved in a type 1 diabetes trial. <i>Trials</i> , 2015, 16, 3.	1.6	36
140	Unsupervised overnight closed loop insulin delivery during free living: analysis of randomised cross-over home studies in adults and adolescents with type 1 diabetes. <i>Lancet, The</i> , 2015, 385, S96.	13.7	18
141	Counter-regulatory hormone responses to hypoglycaemia in people with type 1 diabetes after 4 weeks of treatment with liraglutide adjunct to insulin: a randomized, placebo-controlled, double-blind, crossover trial. <i>Diabetes, Obesity and Metabolism</i> , 2015, 17, 742-750.	4.4	32
142	Holistic Impact of Closed-Loop Technology on People With Type 1 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 932-933.	2.2	16
143	Accuracy of Continuous Glucose Monitoring During Three Closed-Loop Home Studies Under Free-Living Conditions. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 801-807.	4.4	33
144	Explaining engagement in self-monitoring among participants of the DESMOND Self-monitoring Trial: a qualitative interview study. <i>Family Practice</i> , 2015, 32, 596-602.	1.9	10

#	ARTICLE	IF	CITATIONS
145	Investigating the Evidence of the Real-Life Impact of Acute Hyperglycaemia. <i>Diabetes Therapy</i> , 2015, 6, 389-393.	2.5	4
146	How standard is standard care? Exploring control group outcomes in behaviour change interventions for young people with type 1 diabetes. <i>Psychology and Health</i> , 2015, 30, 85-103.	2.2	43
147	Self-monitoring of blood glucose versus self-monitoring of urine glucose in adults with newly diagnosed Type 2 diabetes receiving structured education: a cluster randomized controlled trial. <i>Diabetic Medicine</i> , 2015, 32, 414-422.	2.3	16
148	A cluster randomized controlled non-inferiority trial of 5-day Dose Adjustment for Normal Eating (DAFNE) training delivered over 1 week versus 5-day DAFNE training delivered over 5 weeks: the DAFNE 5-5-1 day trial. <i>Diabetic Medicine</i> , 2015, 32, 391-398.	2.3	17
149	Unsupervised home use of an overnight closed-loop system over 3-4 weeks: a pooled analysis of randomized controlled studies in adults and adolescents with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2015, 17, 452-458.	4.4	26
150	Incorporating Psychological Predictors of Treatment Response into Health Economic Simulation Models. <i>Medical Decision Making</i> , 2015, 35, 872-887.	2.4	1
151	Modeling predictors of changes in glycemic control and diabetes-specific quality of life amongst adults with type 1 diabetes 1 year after structured education in flexible, intensive insulin therapy. <i>Journal of Behavioral Medicine</i> , 2015, 38, 817-829.	2.1	15
152	Type 1 diabetes patients' experiences of, and need for, social support after attending a structured education programme: a qualitative longitudinal investigation. <i>Journal of Clinical Nursing</i> , 2014, 23, 2919-2927.	3.0	20
153	Experiences of hypoglycaemia unawareness amongst people with Type 1 diabetes: A qualitative investigation. <i>Chronic Illness</i> , 2014, 10, 180-191.	1.5	25
154	Comment on Doyle et al. Closed-Loop Artificial Pancreas Systems: Engineering the Algorithms. <i>Diabetes Care</i> 2014;37:1191-1197. <i>Diabetes Care</i> , 2014, 37, e226-e227.	8.6	8
155	Experiences, Views, and Support Needs of Family Members of People With Hypoglycemia Unawareness: Interview Study. <i>Diabetes Care</i> , 2014, 37, 109-115.	8.6	70
156	Response to Comment on Little et al. Recovery of Hypoglycemia Awareness in Long-standing Type 1 Diabetes: A Multicenter 2 x 2 Factorial Randomized Controlled Trial Comparing Insulin Pump With Multiple Daily Injections and Continuous With Conventional Glucose Self-monitoring (HypoCOMPASS). <i>Diabetes Care</i> 2014;37:2114-2122. <i>Diabetes Care</i> , 2014, 37, e272-e273.	8.6	2
157	The Relative Effectiveness of Pumps Over MDI and Structured Education (REPOSE): study protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2014, 4, e006204-e006204.	1.9	20
158	Assessing the cost-effectiveness of Type 1 diabetes interventions: the Sheffield Type 1 Diabetes Policy Model. <i>Diabetic Medicine</i> , 2014, 31, 477-486.	2.3	27
159	Perceptions and experiences of using automated bolus advisors amongst people with type 1 diabetes: A longitudinal qualitative investigation. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, 443-450.	2.8	25
160	Impact of age, age at diagnosis and duration of diabetes on the risk of macrovascular and microvascular complications and death in type 2 diabetes. <i>Diabetologia</i> , 2014, 57, 2465-2474.	6.3	346
161	Diabetes-Oriented Learning Family Intervention (DOLFIN): a feasibility study evaluating an intervention for carers of young persons with Type 1 diabetes. <i>Diabetic Medicine</i> , 2014, 31, 55-60.	2.3	11
162	Substantial reductions in the number of diabetic ketoacidosis and severe hypoglycaemia episodes requiring emergency treatment lead to reduced costs after structured education in adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2014, 31, 847-853.	2.3	90

#	ARTICLE	IF	CITATIONS
163	PO121 RATE RATIOS FOR NOCTURNAL CONFIRMED HYPOGLYCAEMIA WITH INSULIN DEGLUDEC VS. INSULIN GLARGINE USING DIFFERENT DEFINITIONS. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S109.	2.8	0
164	Stability and predictive utility, over 3 years, of the illness beliefs of individuals recently diagnosed with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2014, 31, 1260-1263.	2.3	17
165	Severe hypoglycaemia in type 1 diabetes mellitus: underlying drivers and potential strategies for successful prevention. <i>Diabetes/Metabolism Research and Reviews</i> , 2014, 30, 175-190.	4.0	36
166	A Psychoeducational Program to Restore Hypoglycemia Awareness: The DAFNE-HART Pilot Study. <i>Diabetes Care</i> , 2014, 37, 863-866.	8.6	85
167	Effect of hypoglycaemia on thrombosis and inflammation in patients with type 2 diabetes. <i>Lancet</i> , The, 2014, 383, S35.	13.7	6
168	The face of equipoise - delivering a structured education programme within a randomized controlled trial: qualitative study. <i>Trials</i> , 2014, 15, 15.	1.6	20
169	Insulin degludec is not associated with a delayed or diminished response to hypoglycaemia compared with insulin glargine in type 1 diabetes: a double-blind randomised crossover study. <i>Diabetologia</i> , 2014, 57, 40-49.	6.3	28
170	Self-monitoring of blood glucose: a promise still unfulfilled?. <i>Diabetologia</i> , 2014, 57, 847-849.	6.3	5
171	Risk of Cardiac Arrhythmias During Hypoglycemia in Patients With Type 2 Diabetes and Cardiovascular Risk. <i>Diabetes</i> , 2014, 63, 1738-1747.	0.6	326
172	Medical and psychological outcomes for young adults with Type 1 diabetes: no improvement despite recent advances in diabetes care. <i>Diabetic Medicine</i> , 2014, 31, 227-231.	2.3	44
173	Increasing capacity to deliver diabetes self-management education: results of the <scp>DESMOND</scp> lay educator non-randomized controlled equivalence trial. <i>Diabetic Medicine</i> , 2014, 31, 1431-1438.	2.3	15
174	Hypoglycaemia in diabetes. <i>Medicine</i> , 2014, 42, 727-731.	0.4	0
175	Recovery of Hypoglycemia Awareness in Long-standing Type 1 Diabetes: A Multicenter 2 × 2 Factorial Randomized Controlled Trial Comparing Insulin Pump With Multiple Daily Injections and Continuous With Conventional Glucose Self-monitoring (HypoCOMPASS). <i>Diabetes Care</i> , 2014, 37, 2114-2122.	8.6	183
176	Follow-up of Blood-Pressure Lowering and Glucose Control in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2014, 371, 1392-1406.	27.0	520
177	Treatment of Type 2 Diabetes Mellitus in the Older Adult: A Review. <i>Endocrine Practice</i> , 2014, 20, 722-736.	2.1	7
178	Home use of closed-loop insulin delivery for overnight glucose control in adults with type 1 diabetes: a 4-week, multicentre, randomised crossover study. <i>Lancet Diabetes and Endocrinology</i> , the, 2014, 2, 701-709.	11.4	140
179	Cognitive, behavioural and psychological barriers to the prevention of severe hypoglycaemia: A qualitative study of adults with type 1 diabetes. <i>SAGE Open Medicine</i> , 2014, 2, 205031211452744.	1.8	21
180	Improving management of type 1 diabetes in the UK: the Dose Adjustment For Normal Eating (DAFNE) programme as a research test-bed. A mixed-method analysis of the barriers to and facilitators of successful diabetes self-management, a health economic analysis, a cluster randomised controlled trial of different models of delivery of an educational intervention and the potential of insulin pumps and additional educator input to improve outcomes. <i>Programme Grants for Applied Research</i> , 2014, 2, 1-188.	1.0	28

#	ARTICLE	IF	CITATIONS
181	Hypoglycaemia in Diabetes. , 2014, , 429-443.		0
182	Abstract 17295: Cardiovascular Biomarkers and Long-term Outcomes in Patients with Type 2 Diabetes Mellitus Treated with Alogliptin vs. Placebo in the EXAMINE Trial. Circulation, 2014, 130, .	1.6	1
183	Once-Weekly Exenatide Versus Once- or Twice-Daily Insulin Detemir: Randomized, open-label, clinical trial of efficacy and safety in patients with type 2 diabetes treated with metformin alone or in combination with sulfonylureas. Diabetes Care, 2013, 36, 1368-1376.	8.6	69
184	Structured Type 1 Diabetes Education Delivered Within Routine Care. Diabetes Care, 2013, 36, 270-272.	8.6	127
185	Alogliptin after Acute Coronary Syndrome in Patients with Type 2 Diabetes. New England Journal of Medicine, 2013, 369, 1327-1335.	27.0	2,261
186	Insulin degludec improves glycaemic control with lower nocturnal hypoglycaemia risk than insulin glargine in basalâ€bolus treatment with mealtime insulin aspart in Type1 diabetes (BEGIN<sup>Â®</sup>) Tj ETQp 0 0 rg50 /Overloc	2.3	37
187	Group follow-up compared to individual clinic visits after structured education for type 1 diabetes: A cluster randomised controlled trial. Diabetes Research and Clinical Practice, 2013, 100, 29-38.	2.8	32
188	Selfâ€treating hypoglycaemia: a longitudinal qualitative investigation of the experiences and views of people with Type 1 diabetes. Diabetic Medicine, 2013, 30, 209-215.	2.3	40
189	Prevalence of depression among young people with Type 1 diabetes: a systematic review. Diabetic Medicine, 2013, 30, 199-208.	2.3	123
190	Eating problems in adolescents with Typeâ€1 diabetes: a systematic review with metaâ€analysis. Diabetic Medicine, 2013, 30, 189-198.	2.3	286
191	Type1 diabetes structured education: what are the core selfâ€management behaviours?. Diabetic Medicine, 2013, 30, 724-730.	2.3	20
192	Hypoglycemia and Diabetes: A Report of a Workgroup of the American Diabetes Association and The Endocrine Society. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 1845-1859.	3.6	223
193	Does an intensive self-management structured education course improve outcomes for children and young people with type 1 diabetes? The Kids In Control OF Food (KICK-OFF) cluster-randomised controlled trial protocol: Table1. BMJ Open, 2013, 3, e002429.	1.9	12
194	Restoration of Self-Awareness of Hypoglycemia in Adults With Long-Standing Type 1 Diabetes. Diabetes Care, 2013, 36, 4063-4070.	8.6	46
195	Hypoglycemia and Diabetes: A Report of a Workgroup of the American Diabetes Association and The Endocrine Society. Diabetes Care, 2013, 36, 1384-1395.	8.6	1,125
196	Do high fasting glucose levels suggest nocturnal hypoglycaemia? The Somogyi effect-more fiction than fact?. Diabetic Medicine, 2013, 30, 914-917.	2.3	18
197	Using the Medical Research Council framework to develop a complex intervention to improve delivery of care for young people with Type 1 diabetes. Diabetic Medicine, 2013, 30, e223-8.	2.3	12
198	The costâ€effectiveness of the Dose Adjustment for Normal Eating (<scp>DAFNE</scp>) structured education programme: an update using the Sheffield Type1 Diabetes Policy Model. Diabetic Medicine, 2013, 30, 1236-1244.	2.3	37

#	ARTICLE	IF	CITATIONS
199	Meta-analysis of insulin aspart versus regular human insulin used in a basal-bolus regimen for the treatment of diabetes mellitus (abstract). <i>Diabetes Care</i> , 2012, 35, 1638-1642.	1.8	21
200	Linguistic and Psychometric Validation of the Diabetes-Specific Quality-of-Life Scale in U.K. English for Adults With Type 1 Diabetes. <i>Diabetes Care</i> , 2013, 36, 1117-1125.	8.6	26
201	Diagnostic Accuracy of an Amended Insulin-Glucose Ratio for the Biochemical Diagnosis of Insulinomas. <i>Annals of Internal Medicine</i> , 2013, 158, 500.	3.9	6
202	Effectiveness of a diabetes education and self management programme (DESMOND) for people with newly diagnosed type 2 diabetes mellitus: three year follow-up of a cluster randomised controlled trial in primary care. <i>BMJ</i> , The, 2012, 344, e2333-e2333.	6.0	268
203	Improved Biomedical and Psychological Outcomes 1 Year After Structured Education in Flexible Insulin Therapy for People With Type 1 Diabetes. <i>Diabetes Care</i> , 2012, 35, 1638-1642.	8.6	221
204	Morphological analysis of T-wave in vectorcardiographic leads system by a bi-Gaussian approach in patients under effect of salbutamol. <i>Journal of Electrocardiology</i> , 2012, 43, 549-557.		1
205	Insulin degludec, an ultra-longacting basal insulin, versus insulin glargine in basal-bolus treatment with mealtime insulin aspart in type 1 diabetes (BEGIN Basal-Bolus Type 1): a phase 3, randomised, open-label, treat-to-target non-inferiority trial. <i>Lancet</i> , The, 2012, 379, 1489-1497.	13.7	324
206	Patients' experiences of adjusting insulin doses when implementing flexible intensive insulin therapy: A longitudinal, qualitative investigation. <i>Diabetes Research and Clinical Practice</i> , 2012, 98, 236-242.	2.8	34
207	Does self monitoring of blood glucose as opposed to urinalysis provide additional benefit in patients newly diagnosed with type 2 diabetes receiving structured education? The DESMOND SMBG randomised controlled trial protocol. <i>BMC Family Practice</i> , 2012, 13, 18.	2.9	10
208	Supporting self-management after attending a structured education programme: a qualitative longitudinal investigation of type 1 diabetes patients' experiences and views. <i>BMC Public Health</i> , 2012, 12, 652.	2.9	48
209	The 5x1 DAFNE study protocol: a cluster randomised trial comparing a standard 5 day DAFNE course delivered over 1 week against DAFNE training delivered over 1 day a week for 5 consecutive weeks. <i>BMC Endocrine Disorders</i> , 2012, 12, 28.	2.2	11
210	Comparison of Optimised MDI versus Pumps with or without Sensors in Severe Hypoglycaemia (the Tj ETQqO 0 0 rgBT /Overlock 10 Tf 5	2.2	20
211	How to reduce the risk of failing to reach recruitment targets: lessons learnt from a pump pilot trial. <i>Diabetic Medicine</i> , 2012, 29, 1600-1601.	2.3	1
212	Pulmonary function over 2 years in diabetic patients treated with prandial inhaled Technosphere Insulin or usual antidiabetes treatment: a randomized trial. <i>Diabetes, Obesity and Metabolism</i> , 2012, 14, 163-173.	4.4	44
213	Working with young adults with Type 1 diabetes: Views of a multidisciplinary care team and implications for service delivery. <i>Diabetic Medicine</i> , 2012, 29, 677-681.	2.3	20
214	Experiences of using blood glucose targets when following an intensive insulin regimen: a qualitative longitudinal investigation involving patients with Type 1 diabetes. <i>Diabetic Medicine</i> , 2012, 29, 1079-1084.	2.3	28
215	Diversity in diabetes: the role of insulin aspart. <i>Diabetes/Metabolism Research and Reviews</i> , 2012, 28, 50-61.	4.0	8
216	Association of HbA1c levels with vascular complications and death in patients with type 2 diabetes: evidence of glycaemic thresholds. <i>Diabetologia</i> , 2012, 55, 636-643.	6.3	262

#	ARTICLE	IF	CITATIONS
217	EXamination of Cardiovascular Outcomes with AlogliptIN versus Standard of Care in Patients with Type 2 Diabetes Mellitus and Acute Coronary Syndrome (EXAMINE). American Heart Journal, 2011, 162, 620-626.e1.	2.7	138
218	Dose Adjustment for Normal Eating: A qualitative longitudinal exploration of the food and eating practices of type 1 diabetes patients converted to flexible intensive insulin therapy in the UK. Diabetes Research and Clinical Practice, 2011, 91, 87-93.	2.8	44
219	How and why do patients with Type 1 diabetes sustain their use of flexible intensive insulin therapy? A qualitative longitudinal investigation of patients' self-management practices following attendance at a Dose Adjustment for Normal Eating (DAFNE) course. Diabetic Medicine, 2011, 28, 532-538.	2.3	35
220	Willingness to Pay for Improvements in Chronic Long-Acting Insulin Therapy in Individuals With Type 1 or Type 2 Diabetes Mellitus. Clinical Therapeutics, 2011, 33, 1258-1267.	2.5	31
221	Overnight closed loop insulin delivery (artificial pancreas) in adults with type 1 diabetes: crossover randomised controlled studies. BMJ: British Medical Journal, 2011, 342, d1855-d1855.	2.3	217
222	Hypoglycaemia unawareness. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2011, 28, 227-232.	0.2	7
223	Understanding information and education gaps among people with type 1 diabetes: A qualitative investigation. Patient Education and Counseling, 2011, 83, 87-91.	2.2	39
224	Hypoglycemia and Cardiovascular Risks. Diabetes Care, 2011, 34, S132-S137.	8.6	305
225	Comparison of illness representations dimensions and illness representation clusters in predicting outcomes in the first year following diagnosis of type 2 diabetes: Results from the DESMOND trial. Psychology and Health, 2011, 26, 321-335.	2.2	42
226	Meta-Analysis of Overnight Closed-Loop Randomized Studies in Children and Adults with Type 1 Diabetes: The Cambridge Cohort. Journal of Diabetes Science and Technology, 2011, 5, 1352-1362.	2.2	20
227	Organizing and delivering diabetes education and self-care support: Findings of scoping project. Journal of Health Services Research and Policy, 2011, 16, 42-49.	1.7	7
228	Does Glycemic Control Offer Similar Benefits Among Patients With Diabetes in Different Regions of the World?. Diabetes Care, 2011, 34, 2491-2495.	8.6	32
229	Relationship Between Interstitial and Blood Glucose During Hypoglycemia in Subjects with Type 2 Diabetes. Diabetes Technology and Therapeutics, 2011, 13, 1121-1127.	4.4	12
230	Contemporary model for cardiovascular risk prediction in people with type 2 diabetes. European Journal of Cardiovascular Prevention and Rehabilitation, 2011, 18, 393-398.	2.8	127
231	The Framingham and UK Prospective Diabetes Study (UKPDS) risk equations do not reliably estimate the probability of cardiovascular events in a large ethnically diverse sample of patients with diabetes: the Action in Diabetes and Vascular Disease: Preterax and Diamicron-MR Controlled Evaluation (ADVANCE) Study. Diabetologia, 2010, 53, 821-831.	6.3	112
232	Hypoglycaemia in diabetes. Medicine, 2010, 38, 671-675.	0.4	8
233	Frequency of biochemical hypoglycaemia in adults with Type 1 diabetes with and without impaired awareness of hypoglycaemia: no identifiable differences using continuous glucose monitoring. Diabetic Medicine, 2010, 27, 666-672.	2.3	75
234	Depressive symptoms in the first year from diagnosis of Type 2 diabetes: results from the DESMOND trial. Diabetic Medicine, 2010, 27, 965-967.	2.3	32

#	ARTICLE	IF	CITATIONS
235	Hypoglycemia in Type 1 Diabetic Pregnancy. <i>Diabetes Care</i> , 2010, 33, 473-477.	8.6	58
236	Rate-dependent measures of repolarization predict inducibility of ventricular arrhythmias. <i>Europace</i> , 2010, 12, 553-560.	1.7	4
237	Delivering the diabetes education and self management for ongoing and newly diagnosed (DESMOND) programme for people with newly diagnosed type 2 diabetes: cost effectiveness analysis. <i>BMJ: British Medical Journal</i> , 2010, 341, c4093-c4093.	2.3	168
238	Severe Hypoglycemia and Risks of Vascular Events and Death. <i>New England Journal of Medicine</i> , 2010, 363, 1410-1418.	27.0	1,279
239	Using dynamic pupillometry as a simple screening tool to detect autonomic neuropathy in patients with diabetes: a pilot study. <i>BioMedical Engineering OnLine</i> , 2010, 9, 26.	2.7	75
240	Long-term biomedical and psychosocial outcomes following DAFNE (Dose Adjustment For Normal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 controlled Type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2010, 89, 22-29.	2.8	137
241	A Summary of the ADVANCE Trial. <i>Diabetes Care</i> , 2009, 32, S357-S361.	8.6	88
242	Combined Effects of Routine Blood Pressure Lowering and Intensive Glucose Control on Macrovascular and Microvascular Outcomes in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2009, 32, 2068-2074.	8.6	230
243	Comparison of insulin detemir and insulin glargine in a basalâ€”bolus regimen, with insulin aspart as the mealtime insulin, in patients with type 1 diabetes: A 52-week, multinational, randomized, open-label, parallel-group, Treat-to-Target noninferiority trial. <i>Clinical Therapeutics</i> , 2009, 31, 2086-2097.	2.5	85
244	Cognitive function and risks of cardiovascular disease and hypoglycaemia in patients with type 2 diabetes: the Action in Diabetes and Vascular Disease: Preterax and Diamicon Modified Release Controlled Evaluation (ADVANCE) trial. <i>Diabetologia</i> , 2009, 52, 2328-2336.	6.3	195
245	Comparing hormonal and symptomatic responses to experimental hypoglycaemia in insulinâ€”and sulphonylureaâ€”treated Type 2 diabetes. <i>Diabetic Medicine</i> , 2009, 26, 665-672.	2.3	14
246	Evaluation and Management of Adult Hypoglycemic Disorders: An Endocrine Society Clinical Practice Guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 709-728.	3.6	976
247	Frequency and motives of blood glucose self-monitoring in type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2009, 85, 183-188.	2.8	59
248	â€”Educator talkâ€”™ and patient change: some insights from the DESMOND (Diabetes Education and Self) Tj ETQq0 0 0 rgBT /Overlock 25, 1117-1120.	2.3	52
249	Biomedical, lifestyle and psychosocial characteristics of people newly diagnosed with Type 2 diabetes: baseline data from the DESMOND randomized controlled trial. <i>Diabetic Medicine</i> , 2008, 25, 1454-1461.	2.3	31
250	Continuous glucose monitoring in patients with insulinoma. <i>Clinical Endocrinology</i> , 2008, 68, 912-918.	2.4	38
251	Intensive Blood Glucose Control and Vascular Outcomes in Patients with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2008, 358, 2560-2572.	27.0	6,447
252	Hypoglycaemia in Type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, S108-S111.	2.8	10

#	ARTICLE	IF	CITATIONS
253	Minimizing Hypoglycemia While Maintaining Glycemic Control in Diabetes. <i>Diabetes</i> , 2008, 57, 3177-3183.	0.6	36
254	Pilot study of a novel educational programme for 11-16 year olds with type 1 diabetes mellitus: the KICK-OFF course. <i>Archives of Disease in Childhood</i> , 2008, 93, 927-931.	1.9	40
255	Effectiveness of the diabetes education and self management for ongoing and newly diagnosed (DESMOND) programme for people with newly diagnosed type 2 diabetes: cluster randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2008, 336, 491-495.	2.3	617
256	The DESMOND educational intervention. <i>Chronic Illness</i> , 2008, 4, 38-40.	1.5	8
257	Randomized, controlled, single-blind study on use of autologous keratinocytes on a transfer dressing to treat nonhealing diabetic ulcers. <i>Regenerative Medicine</i> , 2007, 2, 887-902.	1.7	84
258	Maternal Glycemic Control and Hypoglycemia in Type 1 Diabetic Pregnancy: A randomized trial of insulin aspart versus human insulin in 322 pregnant women. <i>Diabetes Care</i> , 2007, 30, 771-776.	8.6	241
259	Using Continuous Glucose Monitoring to Measure the Frequency of Low Glucose Values When Using Biphasic Insulin Aspart 30 Compared With Biphasic Human Insulin 30: A double-blind crossover study in individuals with type 2 diabetes. <i>Diabetes Care</i> , 2007, 30, 1044-1048.	8.6	67
260	Insulin's 85th anniversary—An enduring medical miracle. <i>Diabetes Research and Clinical Practice</i> , 2007, 78, 149-158.	2.8	58
261	Targeting acute hyperglycaemia in clinical practice. <i>Diabetes Research and Clinical Practice</i> , 2007, 78, S40-S46.	2.8	0
262	Effects of a fixed combination of perindopril and indapamide on macrovascular and microvascular outcomes in patients with type 2 diabetes mellitus (the ADVANCE trial): a randomised controlled trial. <i>Lancet</i> , The, 2007, 370, 829-840.	13.7	1,864
263	An Approach to the Assessment of Diabetic Neuropathy Based on Dynamic Pupillometry. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2007, 557-60.	0.5	18
264	Gestational diabetes: aetiology and management. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2007, 17, 345-348.	0.3	8
265	Hypoglycaemia in diabetes. <i>Medicine</i> , 2006, 34, 107-110.	0.4	0
266	The development of an innovative education curriculum for 11-16 yr old children with type 1 diabetes mellitus (T1DM). <i>Pediatric Diabetes</i> , 2006, 7, 322-328.	2.9	35
267	Improved glycaemic control with insulin glargine plus insulin lispro: a multicentre, randomized, cross-over trial in people with Type 1 diabetes. <i>Diabetic Medicine</i> , 2006, 23, 285-292.	2.3	108
268	Insulin detemir lowers the risk of hypoglycaemia and provides more consistent plasma glucose levels compared with NPH insulin in Type 1 diabetes. <i>Diabetic Medicine</i> , 2006, 23, 729-735.	2.3	108
269	Diabetes education and self-management for ongoing and newly diagnosed (DESMOND): Process modelling of pilot study. <i>Patient Education and Counseling</i> , 2006, 64, 369-377.	2.2	122
270	Surgery in patients with diabetes. <i>Medicine</i> , 2006, 34, 80-82.	0.4	0



#	ARTICLE	IF	CITATIONS
271	Aircrew and type 1 diabetes mellitus. <i>Aviation, Space, and Environmental Medicine</i> , 2006, 77, 456-8.	0.5	0
272	The effect of pramlintide on hormonal, metabolic or symptomatic responses to insulin-induced hypoglycaemia in patients with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2005, 7, 504-516.	4.4	25
273	Home blood glucose monitoring in Type 2 diabetes. <i>Diabetic Medicine</i> , 2005, 22, 11-13.	2.3	6
274	Adolescents' and their parents' views on the acceptability and design of a new diabetes education programme: a focus group analysis. <i>Child: Care, Health and Development</i> , 2005, 31, 283-289.	1.7	19
275	Effect of atenolol on QTc interval lengthening during hypoglycaemia in type 1 diabetes. <i>Diabetologia</i> , 2005, 48, 1269-1272.	6.3	35
276	Influence of Autonomic Neuropathy on QTc Interval Lengthening During Hypoglycemia in Type 1 Diabetes. <i>Diabetes</i> , 2004, 53, 1535-1542.	0.6	73
277	A new autologous keratinocyte dressing treatment for non-healing diabetic neuropathic foot ulcers. <i>Diabetic Medicine</i> , 2004, 21, 786-789.	2.3	86
278	Cost-effectiveness of flexible intensive insulin management to enable dietary freedom in people with Type 1 diabetes in the UK. <i>Diabetic Medicine</i> , 2004, 21, 460-467.	2.3	54
279	Hypoglycaemia with insulin aspart: a double-blind, randomised, crossover trial in subjects with Type 1 diabetes. <i>Diabetic Medicine</i> , 2004, 21, 769-775.	2.3	87
280	A clinical research network in diabetes for the UK. <i>Diabetic Medicine</i> , 2004, 21, 1061-1063.	2.3	6
281	Thoughts of a departing Editor. <i>Diabetic Medicine</i> , 2004, 21, 1261-1262.	2.3	0
282	Changes in cardiac repolarization during clinical episodes of nocturnal hypoglycaemia in adults with Type 1 diabetes. <i>Diabetologia</i> , 2004, 47, 312-315.	6.3	123
283	Prolonged cardiac repolarisation during spontaneous nocturnal hypoglycaemia in children and adolescents with type 1 diabetes. <i>Diabetologia</i> , 2004, 47, 1940-1947.	6.3	77
284	Severe hypoglycaemia in 1076 adult patients with type 1 diabetes: influence of risk markers and selection. <i>Diabetes/Metabolism Research and Reviews</i> , 2004, 20, 479-486.	4.0	316
285	Weight gain during insulin therapy in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2004, 65, S23-S27.	2.8	92
286	Effect of pramlintide on symptom, catecholamine, and glucagon responses to hypoglycemia in healthy subjects. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 1227-1232.	3.4	22
287	Comparative effect of human soluble insulin and insulin aspart upon hypoglycaemia-induced alterations in cardiac repolarization. <i>British Journal of Clinical Pharmacology</i> , 2003, 55, 246-251.	2.4	30
288	Effects of adrenaline and potassium on QTc interval and QT dispersion in man. <i>European Journal of Clinical Investigation</i> , 2003, 33, 93-98.	3.4	59

#	ARTICLE	IF	CITATIONS
289	Insulin lispro: a useful advance in insulin therapy. <i>Expert Opinion on Pharmacotherapy</i> , 2003, 4, 1407-1416.	1.8	8
290	Mechanisms of Abnormal Cardiac Repolarization During Insulin-Induced Hypoglycemia. <i>Diabetes</i> , 2003, 52, 1469-1474.	0.6	234
291	Feature extraction and classification of electrocardiogram (ECG) signals related to hypoglycaemia. , 2003, , .		48
292	Insulin Analogues. <i>Current Medical Research and Opinion</i> , 2002, 18, s40-s47.	1.9	7
293	Insulin aspart: promising early results borne out in clinical practice. <i>Expert Opinion on Pharmacotherapy</i> , 2002, 3, 183-195.	1.8	8
294	Surgery in Patients with Diabetes. <i>Medicine</i> , 2002, 30, 66-67.	0.4	0
295	Hypoglycaemia in Diabetes. <i>Medicine</i> , 2002, 30, 54-57.	0.4	1
296	Does insulin lispro preserve the physiological defences to hypoglycaemia during intensive insulin therapy with a conventional basal bolus regimen?. <i>Diabetes, Obesity and Metabolism</i> , 2002, 4, 106-112.	4.4	13
297	Reducing hypoglycaemia with insulin analogues. <i>International Journal of Obesity</i> , 2002, 26, S31-S36.	3.4	28
298	What we know about counterregulation in Type 2 diabetes. <i>Diabetes, Nutrition &amp; Metabolism</i> , 2002, 15, 372-5; discussion 375-6.	0.7	3
299	Cardiac arrhythmias in hypoglycaemia. <i>Diabetes, Nutrition &amp; Metabolism</i> , 2002, 15, 461-5; discussion 465-7.	0.7	7
300	Comparison of thyroid function in pregnant and non-pregnant Asian and western Caucasian women. <i>Clinica Chimica Acta</i> , 2001, 308, 91-98.	1.1	58
301	New electronic horizons for Diabetic Medicine. <i>Diabetic Medicine</i> , 2001, 18, 689-689.	2.3	0
302	Chairman' intorduciton and commentary. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2001, 18, S1-S1.	0.2	0
303	Does the choice of treatment for type 2 diabetes affect the physiological response to hypoglycemia?. <i>Diabetes Care</i> , 2000, 23, 1022-1023.	8.6	10
304	Is There A Relationship Between Baroreflex Sensitivity, Cardiac Autonomic Function And Cardiac Repolarisation In Type 1 Patients?. <i>Journal of the Peripheral Nervous System</i> , 2000, 5, 176-176.	3.1	0
305	Hypoglycaemia and associated hypokalaemia in diabetes: mechanisms, clinical implications and prevention. <i>Diabetes, Obesity and Metabolism</i> , 2000, 2, 75-82.	4.4	20
306	Chromium supplementation improves insulin resistance in patients with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2000, 17, 684-685.	2.3	58

#	ARTICLE	IF	CITATIONS
307	Reflections of a new Editor. <i>Diabetic Medicine</i> , 2000, 17, 819-819.	2.3	0
308	Association of elevated insulin-like growth factor binding protein-1 with insulin resistance in hyperthyroidism. <i>Clinical Endocrinology</i> , 2000, 52, 187-195.	2.4	24
309	Measurement of high resolution ECG QT interval during controlled euglycaemia and hypoglycaemia. <i>Physiological Measurement</i> , 2000, 21, 295-303.	2.1	32
310	<i>Glucose Metabolism.</i> , 1999, 24, 4-26.		1
311	Effect of the fast-acting insulin analog lispro on the risk of nocturnal hypoglycemia during intensified insulin therapy. U.K. Lispro Study Group. <i>Diabetes Care</i> , 1999, 22, 1607-1611.	8.6	147
312	The Shindig project: some lessons in implementing the GEHR architecture. <i>Health Informatics Journal</i> , 1999, 5, 200-204.	2.1	0
313	Sudden death in young patients with Type 1 diabetes: a consequence of disease, treatment or both?. <i>Diabetic Medicine</i> , 1999, 16, 623-625.	2.3	22
314	Chromium Homeostasis in Patients with Type II (NIDDM) Diabetes. <i>Journal of Trace Elements in Medicine and Biology</i> , 1999, 13, 57-61.	3.0	102
315	Diabetic hypoglycaemia. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 1999, 13, 279-294.	4.7	16
316	Dead in bed. <i>Diabetic Medicine</i> , 1999, 16, 782-5.	2.3	6
317	Population-based modeling to demonstrate extrapancreatic effects of tolbutamide. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 274, E758-E771.	3.5	6
318	Preservation of Physiological Responses to Hypoglycemia 2 Days After Antecedent Hypoglycemia in Patients With IDDM. <i>Diabetes Care</i> , 1997, 20, 1293-1298.	8.6	31
319	The Use of Tolbutamide-Induced Hypoglycemia to Examine the Intraislet Role of Insulin in Mediating Glucagon Release in Normal Humans*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 1458-1461.	3.6	40
320	Diabetes in the Undergraduate Medical Curriculum: A Response to "Tomorrow's" Doctors'. , 1997, 14, 275-278.		4
321	Further evidence for a high incidence of nocturnal hypoglycaemia in IDDM: no effect of dose for dose transfer between human and porcine insulins. , 1997, 14, 442-448.		12
322	Altered ventricular repolarization during hypoglycaemia in patients with diabetes. <i>Diabetic Medicine</i> , 1997, 14, 648-654.	2.3	211
323	Altered ventricular repolarization during hypoglycaemia in patients with diabetes. <i>Diabetic Medicine</i> , 1997, 14, 648-654.	2.3	23
324	Experimentally induced hypoglycaemia. <i>Lancet, The</i> , 1996, 348, 60-61.	13.7	3

#	ARTICLE	IF	CITATIONS
325	The Measurement of Cognitive Function During Acute Hypoglycaemia: Experimental Limitations and Their Effect on the Study of Hypoglycaemia Unawareness. <i>Diabetic Medicine</i> , 1996, 13, 607-615.	2.3	65
326	Similar Physiological and Symptomatic Responses to Sulphonylurea and Insulin Induced Hypoglycaemia in Normal Subjects. <i>Diabetic Medicine</i> , 1996, 13, 634-641.	2.3	15
327	A portable system for monitoring physiological responses to hypoglycaemia. <i>Journal of Medical Engineering and Technology</i> , 1996, 20, 196-202.	1.4	23
328	Prolonged but partial impairment of the hypoglycaemic physiological response following short-term hypoglycaemia in normal subjects. <i>Diabetologia</i> , 1995, 38, 1183-1190.	6.3	62
329	Prolonged but partial impairment of the hypoglycaemic physiological response following short-term hypoglycaemia in normal subjects. <i>Diabetologia</i> , 1995, 38, 1183-1190.	6.3	3
330	Unreliability of reports of hypoglycaemia by diabetic patients. <i>BMJ: British Medical Journal</i> , 1995, 310, 440-440.	2.3	38
331	Neurologic consequences of hypoglycemia and pathogenic mechanisms involved in diabetic neuropathy. <i>Current Opinion in Neurology and Neurosurgery</i> , 1993, 6, 423-8.	0.4	1
332	Brittle diabetes in the young. <i>Practitioner</i> , 1992, 236, 1126-9.	0.3	0
333	Increased symptoms of hypoglycaemia in the standing position in insulin-dependent diabetes mellitus. <i>Clinical Science</i> , 1991, 80, 583-586.	4.3	16
334	Physiological disturbances in hypoglycaemia: Effect on subjective awareness. <i>Clinical Science</i> , 1991, 81, 1-9.	4.3	46
335	Reduced Neuroendocrine and Symptomatic Responses to Subsequent Hypoglycemia After 1 Episode of Hypoglycemia in Nondiabetic Humans. <i>Diabetes</i> , 1991, 40, 223-226.	0.6	502
336	Reduced neuroendocrine and symptomatic responses to subsequent hypoglycemia after 1 episode of hypoglycemia in nondiabetic humans. <i>Diabetes</i> , 1991, 40, 223-226.	0.6	142
337	Alcohol causes hypoglycaemic unawareness in healthy volunteers and patients with Type 1 (insulin-dependent) diabetes. <i>Diabetologia</i> , 1990, 33, 216-221.	6.3	114
338	Beta-adrenoceptor blockade and hypoglycaemia. A randomised, double-blind, placebo controlled comparison of metoprolol CR, atenolol and propranolol LA in normal subjects.. <i>British Journal of Clinical Pharmacology</i> , 1990, 29, 685-693.	2.4	47
339	Group Education for Obese Patients with Type 2 Diabetes: Greater Success at Less Cost. <i>Diabetic Medicine</i> , 1988, 5, 552-556.	2.3	88
340	INFLUENCE OF SYMPATHETIC NERVOUS SYSTEM ON HYPOGLYCAEMIC WARNING SYMPTOMS. <i>Lancet</i> , The, 1987, 330, 359-363.	13.7	95
341	Counterregulation in Type 2 (non-insulin-dependent) diabetes mellitus. Normal endocrine and glycaemic responses, up to ten years after diagnosis. <i>Diabetologia</i> , 1987, 30, 924-929.	6.3	46
342	Renal Handling of Calcium and Sodium in Metastatic and Non-Metastatic Malignancy. <i>Journal of Urology</i> , 1986, 136, 752-752.	0.4	0

#	ARTICLE	IF	CITATIONS
343	Quantitation of the renal effect of calcitonin in the hypercalcaemia of malignancy. European Journal of Clinical Pharmacology, 1986, 31, 27-31.	1.9	8
344	QT measurement for TU fused ECG morphology as exhibited during hypoglycaemia. , 0, , .		0
345	Can changes in QT interval be used to predict the onset of hypoglycemia in type 1 diabetes?. , 0, , .		4
346	Classification of SAECG by autoregressive modelling and neural networks. , 0, , .		0
347	Mortality, Cardiovascular Morbidity and Possible Effects of Hypoglycaemia on Diabetic Complications. , 0, , 265-283.		5
348	Nocturnal Hypoglycaemia. , 0, , 83-99.		1