

# Edward R Watkins

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3560142/publications.pdf>

Version: 2024-02-01

165  
papers

17,954  
citations

34016

52  
h-index

14702

127  
g-index

172  
all docs

172  
docs citations

172  
times ranked

12038  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. <i>Clinical Psychological Science</i> , 2023, 11, 59-76.                    | 2.4 | 5         |
| 2  | A Rumination-Focused Cognitive-Behavioral Therapy Self-Help Program to Reduce Depressive Rumination in High-Ruminating Japanese Female University Students: A Case Series Study. <i>Cognitive and Behavioral Practice</i> , 2022, 29, 468-484.   | 0.9 | 5         |
| 3  | Is a High Association Between Repetitive Negative Thinking and Negative Affect Predictive of Depressive Symptoms? A Clustering Approach for Experience-Sampling Data. <i>Clinical Psychological Science</i> , 2022, 10, 74-89.   | 2.4 | 3         |
| 4  | Group Intervention "Drop it!" Decreases Repetitive Negative Thinking in Major Depressive Disorder and/or Generalized Anxiety Disorder: A Randomised Controlled Study. <i>Cognitive Therapy and Research</i> , 2022, 46, 182-196.   | 1.2 | 6         |
| 5  | The Relation Between Worry and Mental Health in Nonclinical Population and Individuals with Anxiety and Depressive Disorders: A Meta-Analysis. <i>Cognitive Therapy and Research</i> , 2022, 46, 480-501.  | 1.2 | 10        |
| 6  | Life events and treatment prognosis for depression: A systematic review and individual patient data meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 299, 298-308.   | 2.0 | 7         |
| 7  | Autobiographical memory style and clinical outcomes following mindfulness-based cognitive therapy (MBCT): An individual patient data meta-analysis. <i>Behaviour Research and Therapy</i> , 2022, 151, 104048.   | 1.6 | 3         |
| 8  | Self-Injury in Adolescence Is Associated with Greater Behavioral Risk Avoidance, Not Risk-Taking. <i>Journal of Clinical Medicine</i> , 2022, 11, 1288.  | 1.0 | 4         |
| 9  | Socioeconomic Indicators of Treatment Prognosis for Adults With Depression. <i>JAMA Psychiatry</i> , 2022, 79, 406.  | 6.0 | 30        |
| 10 | Components of smartphone cognitive-behavioural therapy for subthreshold depression among 1093 university students: a factorial trial. <i>Evidence-Based Mental Health</i> , 2022, 25, e18-e25.   | 2.2 | 16        |
| 11 | A Psychoeducational CBT-based Group Intervention ("Drop It") for Repetitive Negative Thinking: Theoretical Concepts and Treatment Processes. <i>International Journal of Group Psychotherapy</i> , 2022, 72, 257-292.  | 0.4 | 1         |
| 12 | Is social support pre-treatment associated with prognosis for adults with depression in primary care?. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 392-405.   | 2.2 | 17        |
| 13 | The acute effects of alcohol on state rumination in the laboratory. <i>Psychopharmacology</i> , 2021, 238, 1671-1686.  | 1.5 | 10        |
| 14 | Habitual Behavior as a Mediator Between Food-Related Behavioral Activation and Change in Symptoms of Depression in the MoodFOOD Trial. <i>Clinical Psychological Science</i> , 2021, 9, 649-665.   | 2.4 | 4         |
| 15 | Effects of dietary interventions on depressive symptom profiles: results from the MoodFOOD depression prevention study. <i>Psychological Medicine</i> , 2021, , 1-10.  | 2.7 | 5         |
| 16 | Overweight and obese individuals with depressive symptoms from the MoodFOOD prevention trial: Role of sociodemographic, somatic health, and weight related factors. <i>Journal of Affective Disorders Reports</i> , 2021, 4, 100126.   | 0.9 | 0         |
| 17 | Mechanisms of rumination change in adolescent depression (RuMeChange): study protocol for a Randomised controlled trial of rumination-focused cognitive behavioural therapy to reduce ruminative habit and risk of depressive relapse in high-ruminating adolescents. <i>BMC Psychiatry</i> , 2021, 21, 206. | 1.1 | 13        |
| 18 | The contribution of depressive "disorder characteristics" to determinations of prognosis for adults with depression: an individual patient data meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 1068-1081.  | 2.7 | 28        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Working memory updating training reduces state repetitive negative thinking: Proof-of-concept for a novel cognitive control training. <i>Behaviour Research and Therapy</i> , 2021, 142, 103871.   | 1.6 | 9         |
| 20 | Higher adiposity and mental health: causal inference using Mendelian randomization. <i>Human Molecular Genetics</i> , 2021, 30, 2371-2382.   | 1.4 | 29        |
| 21 | Reducing worry and rumination in young adults via a mobile phone app: study protocol of the ECoWeB (Emotional Competence for Well-Being in Young Adults) randomised controlled trial focused on repetitive negative thinking. <i>BMC Psychiatry</i> , 2021, 21, 519. | 1.1 | 5         |
| 22 | A Patient Stratification Approach to Identifying the Likelihood of Continued Chronic Depression and Relapse Following Treatment for Depression. <i>Journal of Personalized Medicine</i> , 2021, 11, 1295.  | 1.1 | 10        |
| 23 | Rumination-Focused Cognitive Behavioral Therapy. , 2021, , 402-417.  |     | 0         |
| 24 | Group rumination-focused cognitive-behavioural therapy (CBT) <i>v.</i> group CBT for depression: phase II trial. <i>Psychological Medicine</i> , 2020, 50, 11-19.  | 2.7 | 60        |
| 25 | Rumination-focused cognitive behaviour therapy for non-responsive chronic depression: an uncontrolled group study. <i>Behavioural and Cognitive Psychotherapy</i> , 2020, 48, 376-381.   | 0.9 | 4         |
| 26 | Effect of food-related behavioral activation therapy on food intake and the environmental impact of the diet: results from the MoodFOOD prevention trial. <i>European Journal of Nutrition</i> , 2020, 59, 2579-2591.  | 1.8 | 15        |
| 27 | Promotion of mental health in young adults via mobile phone app: study protocol of the ECoWeB (emotional competence for well-being in Young adults) cohort multiple randomised trials. <i>BMC Psychiatry</i> , 2020, 20, 458.  | 1.1 | 22        |
| 28 | Reflecting on rumination: Consequences, causes, mechanisms and treatment of rumination. <i>Behaviour Research and Therapy</i> , 2020, 127, 103573.   | 1.6 | 300       |
| 29 | Malleability of rumination: An exploratory model of CBT-based plasticity and long-term reduced risk for depressive relapse among youth from a pilot randomized clinical trial. <i>PLoS ONE</i> , 2020, 15, e0233539.   | 1.1 | 10        |
| 30 | Effects of food-related behavioral activation therapy on eating styles, diet quality and body weight change: Results from the MoodFOOD Randomized Clinical Trial. <i>Journal of Psychosomatic Research</i> , 2020, 137, 110206.                                      | 1.2 | 10        |
| 31 | Acceptability and feasibility of two interventions in the MoodFOOD Trial: a food-related depression prevention randomised controlled trial in overweight adults with subsyndromal symptoms of depression. <i>BMJ Open</i> , 2020, 10, e034025.                       | 0.8 | 4         |
| 32 | Supplementation-induced increase in circulating omega-3 serum levels is not associated with a reduction in depressive symptoms: Results from the MoodFOOD depression prevention trial. <i>Depression and Anxiety</i> , 2020, 37, 1079-1088.                          | 2.0 | 7         |
| 33 | Associations of Non-Alcoholic Beverages with Major Depressive Disorder History and Depressive Symptoms Clusters in a Sample of Overweight Adults. <i>Nutrients</i> , 2020, 12, 3202.   | 1.7 | 11        |
| 34 | Factorial Designs Help to Understand How Psychological Therapy Works. <i>Frontiers in Psychiatry</i> , 2020, 11, 429.  | 1.3 | 22        |
| 35 | Rumination-Focused Cognitive Behavioral Therapy Decreases Anxiety and Increases Behavioral Activation Among Remitted Adolescents. <i>Journal of Child and Family Studies</i> , 2020, 29, 1982-1991.  | 0.7 | 7         |
| 36 | Assessing repetitive negative thinking in daily life: Development of an ecological momentary assessment paradigm. <i>PLoS ONE</i> , 2020, 15, e0231783.  | 1.1 | 29        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Title is missing!. , 2020, 15, e0231783.   |     | 0         |
| 38 | Title is missing!. , 2020, 15, e0231783.   |     | 0         |
| 39 | Title is missing!. , 2020, 15, e0231783.   |     | 0         |
| 40 | Title is missing!. , 2020, 15, e0231783.   |     | 0         |
| 41 | Perseverative negative thinking predicts depression in people with acute coronary syndrome. General Hospital Psychiatry, 2019, 61, 16-25.  | 1.2 | 5         |
| 42 | Role of autobiographical memory in patient response to cognitive behavioural therapies for depression: protocol of an individual patient data meta-analysis. BMJ Open, 2019, 9, e031110.   | 0.8 | 7         |
| 43 | Effect of Multinutrient Supplementation and Food-Related Behavioral Activation Therapy on Prevention of Major Depressive Disorder Among Overweight or Obese Adults With Subsyndromal Depressive Symptoms. JAMA - Journal of the American Medical Association, 2019, 321, 858.                      | 3.8 | 88        |
| 44 | Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. Frontiers in Psychiatry, 2019, 10, 858.  | 1.3 | 11        |
| 45 | An overview of statistical methods for handling nonadherence to an intervention protocol in randomized control trials: a methodological review. Journal of Clinical Epidemiology, 2019, 108, 121-131.  | 2.4 | 17        |
| 46 | What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. Wellcome Open Research, 2019, 4, 69.  | 0.9 | 11        |
| 47 | Reducing Stress and Preventing Depression (RESPOND): Randomized Controlled Trial of Web-Based Rumination-Focused Cognitive Behavioral Therapy for High-Ruminating University Students. Journal of Medical Internet Research, 2019, 21, e11349.   | 2.1 | 60        |
| 48 | What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. Wellcome Open Research, 2019, 4, 69.  | 0.9 | 11        |
| 49 | The association between depression and eating styles in four European countries: The MoodFOOD prevention study. Journal of Psychosomatic Research, 2018, 108, 85-92.   | 1.2 | 46        |
| 50 | â€œDonâ€™t Believe in Leading a Life of My Own, I Lead His Lifeâ€œ: A Qualitative Investigation of Difficulties Experienced by Informal Caregivers of Stroke Survivors Experiencing Depressive and Anxious Symptoms. Clinical Gerontologist, 2018, 41, 293-307.                                    | 1.2 | 29        |
| 51 | Preventing PTSD, depression and associated health problems in student paramedics: protocol for PREVENT-PTSD, a randomised controlled trial of supported online cognitive training for resilience versus alternative online training and standard practice. BMJ Open, 2018, 8, bmjopen-2018-022292. | 0.8 | 20        |
| 52 | Habits in Depression: Understanding and Intervention. , 2018, , 267-284.   |     | 3         |
| 53 | Healthy Campus Trial: a multiphase optimization strategy (MOST) fully factorial trial to optimize the smartphone cognitive behavioral therapy (CBT) app for mental health promotion among university students: study protocol for a randomized controlled trial. Trials, 2018, 19, 353.            | 0.7 | 25        |
| 54 | Heightened ruminative disposition is associated with impaired attentional disengagement from negative relative to positive information: support for the â€œimpaired disengagementâ€œ hypothesis. Cognition and Emotion, 2017, 31, 422-434.   | 1.2 | 40        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Targeted psychological interventions may prevent depression in children and adolescents. Evidence-Based Mental Health, 2017, 20, 62-62.   | 2.2 | 0         |
| 56 | 537. Attenuated Intrinsic Connectivity within Cognitive Control Network among Individuals with Remitted Depression is Associated with Cognitive Control Deficits and Negative Cognitive Styles. Biological Psychiatry, 2017, 81, S217-S218.                                     | 0.7 | 0         |
| 57 | Psychological interventions for the treatment of depression, anxiety, alcohol misuse or anger in armed forces veterans and their families: systematic review and meta-analysis protocol. Systematic Reviews, 2017, 6, 112.  | 2.5 | 6         |
| 58 | Attenuated intrinsic connectivity within cognitive control network among individuals with remitted depression: Temporal stability and association with negative cognitive styles. Human Brain Mapping, 2017, 38, 2939-2954.   | 1.9 | 84        |
| 59 | Rumination in dysphoric mothers negatively affects mother's infant interactions. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2017, 58, 38-45.  | 3.1 | 23        |
| 60 | Neural correlates of rumination in adolescents with remitted major depressive disorder and healthy controls. Cognitive, Affective and Behavioral Neuroscience, 2017, 17, 394-405.   | 1.0 | 103       |
| 61 | Prevention of anxiety disorders and depression by targeting excessive worry and rumination in adolescents and young adults: A randomized controlled trial. Behaviour Research and Therapy, 2017, 90, 123-136.   | 1.6 | 172       |
| 62 | The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. Lancet Psychiatry, 2017, 4, 749-758.  | 3.7 | 459       |
| 63 | Mapping autobiographical memory in schizophrenia: Clinical implications. Clinical Psychology Review, 2017, 51, 96-108.  | 6.0 | 40        |
| 64 | Cost and outcome of behavioural activation versus cognitive behavioural therapy for depression (COBRA): a qualitative process evaluation. BMJ Open, 2017, 7, e014161.   | 0.8 | 16        |
| 65 | Does Rumination Cause Inhibitory Deficits?. Psychopathology Review, 2017, a4, 341-376.  | 0.9 | 13        |
| 66 | Cost and Outcome of Behavioural Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive behavioural therapy for depression. Health Technology Assessment, 2017, 21, 1-366.   | 1.3 | 24        |
| 67 | The association of perseverative negative thinking with depression, anxiety and emotional distress in people with long term conditions: A systematic review. Journal of Psychosomatic Research, 2016, 91, 89-101.   | 1.2 | 53        |
| 68 | Stuck in a sad place: Biased attentional disengagement in rumination.. Emotion, 2016, 16, 63-72.  | 1.5 | 58        |
| 69 | Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. Lancet, The, 2016, 388, 871-880.   | 6.3 | 427       |
| 70 | Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MoodFOOD prevention trial. BMC Psychiatry, 2016, 16, 192.   | 1.1 | 52        |
| 71 | Age and Gender Differences in Emotion Regulation Strategies: Autobiographical Memory, Rumination, Problem Solving and Distraction. Spanish Journal of Psychology, 2016, 19, E43.  | 1.1 | 28        |
| 72 | Implementing multifactorial psychotherapy research in online virtual environments (IMPROVE-2): study protocol for a phase III trial of the MOST randomized component selection method for internet cognitive-behavioural therapy for depression. BMC Psychiatry, 2016, 16, 345. | 1.1 | 46        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Guided, internet-based, rumination-focused cognitive behavioural therapy (i-RFCBT) versus a no-intervention control to prevent depression in high-ruminating young adults, along with an adjunct assessment of the feasibility of unguided i-RFCBT, in the REducing Stress and Preventing Depression trial (RESPOND): study protocol for a phase III randomised controlled trial. <i>Trials</i> , 2016, 17, 7. | 0.7 | 122       |
| 74 | Targeting Ruminative Thinking in Adolescents at Risk for Depressive Relapse: Rumination-Focused Cognitive Behavior Therapy in a Pilot Randomized Controlled Trial with Resting State fMRI. <i>PLoS ONE</i> , 2016, 11, e0163952.   | 1.1 | 73        |
| 75 | Do Females with Bulimia Nervosa and Eating Disorder Not Otherwise Specified Have Selective Memory Biases?. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 602-613.   | 0.9 | 4         |
| 76 | Rumination-focused cognitive behaviour therapy vs. cognitive behaviour therapy for depression: study protocol for a randomised controlled superiority trial. <i>Trials</i> , 2015, 16, 344.  | 0.7 | 18        |
| 77 | Psychological treatment of depressive rumination. <i>Current Opinion in Psychology</i> , 2015, 4, 32-36.   | 2.5 | 67        |
| 78 | Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. <i>Lancet, The</i> , 2015, 386, 63-73.  | 6.3 | 390       |
| 79 | Mechanisms of Repetitive Thinking. <i>Clinical Psychological Science</i> , 2015, 3, 568-573.   | 2.4 | 12        |
| 80 | The impact of maternal characteristics, infant temperament and contextual factors on maternal responsiveness to infant. , 2015, 40, 1-11.  |     | 30        |
| 81 | An Alternative Transdiagnostic Mechanistic Approach to Affective Disorders Illustrated With Research From Clinical Psychology. <i>Emotion Review</i> , 2015, 7, 250-255.   | 2.1 | 28        |
| 82 | For Ruminators, the Emotional Future Is Bound to the Emotional Past. <i>Clinical Psychological Science</i> , 2015, 3, 648-658.   | 2.4 | 8         |
| 83 | The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). <i>Health Technology Assessment</i> , 2015, 19, 1-124.  | 1.3 | 49        |
| 84 | Investigating Functional Properties of Depressive Rumination: Insight and Avoidance. <i>Journal of Experimental Psychopathology</i> , 2014, 5, 244-258.  | 0.4 | 20        |
| 85 | A habit-goal framework of depressive rumination.. <i>Journal of Abnormal Psychology</i> , 2014, 123, 24-34.  | 2.0 | 225       |
| 86 | Validation de la version française d'un questionnaire évaluant les pensées ruminatives constructives et non constructives.. <i>Canadian Journal of Behavioural Science</i> , 2014, 46, 185-192.  | 0.5 | 42        |
| 87 | Development and assessment of brief versions of the Penn State Worry Questionnaire and the Ruminative Response Scale. <i>British Journal of Clinical Psychology</i> , 2014, 53, 402-421.   | 1.7 | 60        |
| 88 | The association between perseverative negative cognitive processes and negative affect in people with long term conditions: a protocol for systematic review and meta-analysis. <i>Systematic Reviews</i> , 2014, 3, 5.  | 2.5 | 5         |
| 89 | Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2014, 15, 217.   | 0.7 | 12        |
| 90 | Supported cognitive-behavioural self-help versus treatment-as-usual for depressed informal carers of stroke survivors (CEDArS): study protocol for a feasibility randomized controlled trial. <i>Trials</i> , 2014, 15, 157.   | 0.7 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Why "why" seems better than "how": Processes underlining repetitive thinking in an Italian non-clinical sample. <i>Personality and Individual Differences</i> , 2014, 64, 18-23.  | 1.6 | 3         |
| 92  | The relationship between worry, rumination, and comorbidity: Evidence for repetitive negative thinking as a transdiagnostic construct. <i>Journal of Affective Disorders</i> , 2013, 151, 313-320.  | 2.0 | 327       |
| 93  | Maternal Parenting Behaviors and Adolescent Depression: The Mediating Role of Rumination. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2013, 42, 348-357.   | 2.2 | 45        |
| 94  | Involuntary and voluntary autobiographical memory specificity as a function of depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 7-13.   | 0.6 | 52        |
| 95  | Can concreteness training buffer against the negative effects of rumination on PTSD? An experimental analogue study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 396-403.  | 0.6 | 30        |
| 96  | The effect of rumination on craving across the continuum of drinking behaviour. <i>Addictive Behaviors</i> , 2013, 38, 2879-2883.   | 1.7 | 54        |
| 97  | Cueing an unresolved personal goal causes persistent ruminative self-focus: An experimental evaluation of control theories of rumination. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2013, 44, 449-455.                   | 0.6 | 50        |
| 98  | An Integrated Examination of Risk Factors for Repetitive Negative Thought. <i>Journal of Experimental Psychopathology</i> , 2013, 4, 161-181.   | 0.4 | 8         |
| 99  | A brief guided self-help intervention for psychological distress in palliative care patients: A randomised controlled trial. <i>Palliative Medicine</i> , 2012, 26, 197-205.  | 1.3 | 17        |
| 100 | The ups and downs of cognitive bias: Dissociating the attentional characteristics of positive and negative affectivity. <i>Journal of Cognitive Psychology</i> , 2012, 24, 33-53.   | 0.4 | 23        |
| 101 | Guided self-help concreteness training as an intervention for major depression in primary care: a Phase II randomized controlled trial. <i>Psychological Medicine</i> , 2012, 42, 1359-1371.  | 2.7 | 165       |
| 102 | Construal level, rumination, and psychological distress in palliative care. <i>Psycho-Oncology</i> , 2012, 21, 680-683.   | 1.0 | 25        |
| 103 | A Heuristic for Developing Transdiagnostic Models of Psychopathology. <i>Perspectives on Psychological Science</i> , 2011, 6, 589-609.  | 5.2 | 628       |
| 104 | When the ends outweigh the means: Mood and level of identification in depression. <i>Cognition and Emotion</i> , 2011, 25, 1214-1227.   | 1.2 | 9         |
| 105 | Dysregulation in level of goal and action identification across psychological disorders. <i>Clinical Psychology Review</i> , 2011, 31, 260-278.   | 6.0 | 104       |
| 106 | Rejection sensitivity prospectively predicts increased rumination. <i>Behaviour Research and Therapy</i> , 2011, 49, 597-605.   | 1.6 | 50        |
| 107 | Rumination-focused cognitive-behavioural therapy for residual depression: phase II randomised controlled trial. <i>British Journal of Psychiatry</i> , 2011, 199, 317-322.  | 1.7 | 307       |
| 108 | The psychosocial context of depressive rumination: Ruminative brooding predicts diminished relationship satisfaction in individuals with a history of past major depression. <i>British Journal of Clinical Psychology</i> , 2010, 49, 275-280. | 1.7 | 27        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2010, 11, 99. | 0.7 | 40        |
| 110 | Negative affect and ruminative self-focus during everyday goal pursuit. <i>Cognition and Emotion</i> , 2010, 24, 729-739.  | 1.2 | 140       |
| 111 | Psychosocial correlates of depressive rumination. <i>Behaviour Research and Therapy</i> , 2010, 48, 784-791.   | 1.6 | 46        |
| 112 | Submissive interpersonal style mediates the effect of brooding on future depressive symptoms. <i>Behaviour Research and Therapy</i> , 2010, 48, 966-973.   | 1.6 | 44        |
| 113 | How does mindfulness-based cognitive therapy work?. <i>Behaviour Research and Therapy</i> , 2010, 48, 1105-1112.   | 1.6 | 633       |
| 114 | Level of construal, mind wandering, and repetitive thought: Reply to McVay and Kane (2010).. <i>Psychological Bulletin</i> , 2010, 136, 198-201.   | 5.5 | 18        |
| 115 | Psychological Distress and Rumination in Palliative Care Patients and their Caregivers. <i>Journal of Palliative Medicine</i> , 2010, 13, 1345-1348.   | 0.6 | 22        |
| 116 | Thought Control Strategies, Thought Suppression, and Rumination in Depression. <i>International Journal of Cognitive Therapy</i> , 2009, 2, 235-251.   | 1.3 | 40        |
| 117 | Concreteness training reduces dysphoria: Proof-of-principle for repeated cognitive bias modification in depression.. <i>Journal of Abnormal Psychology</i> , 2009, 118, 55-64.   | 2.0 | 223       |
| 118 | Conceptual Foundations of the Transdiagnostic Approach to CBT. <i>Journal of Cognitive Psychotherapy</i> , 2009, 23, 6-19.   | 0.2 | 243       |
| 119 | Adaptive and Maladaptive Self-Focus: A Pilot Extension Study With Individuals High and Low in Fear of Negative Evaluation. <i>Behavior Therapy</i> , 2009, 40, 181-189.  | 1.3 | 43        |
| 120 | Depressive Rumination and Co-Morbidity: Evidence for Brooding as a Transdiagnostic Process. <i>Journal of Rational - Emotive and Cognitive - Behavior Therapy</i> , 2009, 27, 160-175.   | 1.0 | 132       |
| 121 | Concreteness training reduces dysphoria: A pilot proof-of-principle study. <i>Behaviour Research and Therapy</i> , 2009, 47, 48-53.  | 1.6 | 70        |
| 122 | Depressive Rumination: Investigating Mechanisms to Improve Cognitive Behavioural Treatments. <i>Cognitive Behaviour Therapy</i> , 2009, 38, 8-14.  | 1.9 | 70        |
| 123 | Constructive and unconstructive repetitive thought.. <i>Psychological Bulletin</i> , 2008, 134, 163-206.   | 5.5 | 1,771     |
| 124 | Mindfulness-based cognitive therapy to prevent relapse in recurrent depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2008, 76, 966-978.   | 1.6 | 635       |
| 125 | Non-ruminative processing reduces overgeneral autobiographical memory retrieval in students. <i>Behaviour Research and Therapy</i> , 2008, 46, 748-756.  | 1.6 | 53        |
| 126 | Ruminative self-focus, negative life events, and negative affect. <i>Behaviour Research and Therapy</i> , 2008, 46, 1034-1039.   | 1.6 | 126       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Effects of contextual questions on experimentally induced dysphoria. <i>Cognition and Emotion</i> , 2008, 22, 753-760.   | 1.2 | 1         |
| 128 | Cognitive Behavioral Processes Across Psychological Disorders: A Review of the Utility and Validity of the Transdiagnostic Approach. <i>International Journal of Cognitive Therapy</i> , 2008, 1, 181-191. | 1.3 | 118       |
| 129 | Repetitive Negative Thinking as a Transdiagnostic Process. <i>International Journal of Cognitive Therapy</i> , 2008, 1, 192-205.   | 1.3 | 683       |
| 130 | Processing mode causally influences emotional reactivity: Distinct effects of abstract versus concrete construal on emotional response.. <i>Emotion</i> , 2008, 8, 364-378.                                | 1.5 | 219       |
| 131 | Depressive rumination reduces specificity of autobiographical memory recall in acquired brain injury. <i>Journal of the International Neuropsychological Society</i> , 2008, 14, 63-70.                    | 1.2 | 11        |
| 132 | Ruminative self-focus and negative affect: An experience sampling study.. <i>Journal of Abnormal Psychology</i> , 2008, 117, 314-323.  | 2.0 | 318       |
| 133 | Reduced specificity of autobiographical memory and depression: The role of executive control.. <i>Journal of Experimental Psychology: General</i> , 2007, 136, 23-42.                                      | 1.5 | 371       |
| 134 | Rumination-focused cognitive behaviour therapy for residual depression: A case series. <i>Behaviour Research and Therapy</i> , 2007, 45, 2144-2154.  | 1.6 | 265       |
| 135 | Revealing negative thinking in recovered major depression: A preliminary investigation. <i>Behaviour Research and Therapy</i> , 2007, 45, 3069-3076.   | 1.6 | 22        |
| 136 | Autobiographical memory specificity and emotional disorder.. <i>Psychological Bulletin</i> , 2007, 133, 122-148.   | 5.5 | 1,269     |
| 137 | Reduced concreteness of rumination in depression: A pilot study. <i>Personality and Individual Differences</i> , 2007, 43, 1386-1395.  | 1.6 | 70        |
| 138 | Reducing specificity of autobiographical memory in nonclinical participants: The role of rumination and schematic models. <i>Cognition and Emotion</i> , 2006, 20, 328-350.                                | 1.2 | 29        |
| 139 | Rumination in adolescents at risk for depression. <i>Journal of Affective Disorders</i> , 2006, 96, 39-47.   | 2.0 | 94        |
| 140 | Processing Mode Influences the Relationship Between Trait Rumination and Emotional Vulnerability. <i>Behavior Therapy</i> , 2006, 37, 281-291.   | 1.3 | 104       |
| 141 | Positive beliefs about rumination in depressionâ€™ a replication and extension. <i>Personality and Individual Differences</i> , 2005, 39, 73-82.   | 1.6 | 91        |
| 142 | Relapse Prevention in Patients With Bipolar Disorder: Cognitive Therapy Outcome After 2 Years. <i>American Journal of Psychiatry</i> , 2005, 162, 324-329.   | 4.0 | 325       |
| 143 | Distinct modes of ruminative self-focus: Impact of abstract versus concrete rumination on problem solving in depression.. <i>Emotion</i> , 2005, 5, 319-328.   | 1.5 | 364       |
| 144 | Comparisons between rumination and worry in a non-clinical population. <i>Behaviour Research and Therapy</i> , 2005, 43, 1577-1585.  | 1.6 | 275       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | The effects of self-focused rumination on global negative self-judgements in depression. Behaviour Research and Therapy, 2005, 43, 1673-1681.  | 1.6  | 182       |
| 146 | Appraisals and strategies associated with rumination and worry. Personality and Individual Differences, 2004, 37, 679-694.   | 1.6  | 126       |
| 147 | Adaptive and maladaptive self-focus in depression. Journal of Affective Disorders, 2004, 82, 1-8.  | 2.0  | 407       |
| 148 | Rumination and future thinking in depression. British Journal of Clinical Psychology, 2004, 43, 129-142.   | 1.7  | 137       |
| 149 | Adaptive and maladaptive ruminative self-focus during emotional processing. Behaviour Research and Therapy, 2004, 42, 1037-1052.   | 1.6  | 271       |
| 150 | Contextual questions prevent mood primes from maintaining experimentally induced dysphoria. Cognition and Emotion, 2003, 17, 455-475.  | 1.2  | 26        |
| 151 | A Randomized Controlled Study of Cognitive Therapy for Relapse Prevention for Bipolar Affective Disorder. Archives of General Psychiatry, 2003, 60, 145.   | 13.8 | 539       |
| 152 | Excessive Appetites: A Psychological View of the Addictions (2nd ed.) Jim Orford Chichester: Wiley, 2001. pp. 406. 19.96 (paperback). ISBN 0-471-98231-8. Behavioural and Cognitive Psychotherapy, 2003, 31, 221-232.  | 0.9  | 0         |
| 153 | Depression in Context: Strategies for Guided Action Christopher R. Martell, Michael E. Addis and N. S. Jacobson New York: Norton, 2001. pp.223. 25.00 (hardback). ISBN: 0-393-70350-9. Behavioural and Cognitive Psychotherapy, 2003, 31, 221-232.   | 0.9  | 2         |
| 154 | Combining cognitive therapy with medication in bipolar disorder. Advances in Psychiatric Treatment, 2003, 9, 110-116.  | 0.6  | 2         |
| 155 | Cognitive Therapy for Bipolar Disorder: A Therapist's Guide to Concepts, Method and Practice Dominic H. Lam, Steven H. Jones, Peter Hayward and Jennifer A. Bright Chichester: Wiley Press, 1999. pp.320. £39.95 (hardback). ISBN: 0-4719-7939-2.. Behavioural and Cognitive Psychotherapy, 2002, 30, 117-122. | 0.9  | 0         |
| 156 | <i>A Clinician's Guide to Legal Issues in Psychotherapy or Proceed with Caution</i> William H. Reid Phoenix, Arizona: Zeig, Tucker & Co., 1999. pp.195. ISBN: 1-891944-08-8.. Behavioural and Cognitive Psychotherapy, 2002, 30, 117-122.  | 0.9  | 1         |
| 157 | Overcoming Depression: A Self-Help Guide Using Cognitive Behavioural Techniques Paul Gilbert London: Robinson Press, 1997, pp. 317. £7.99 (paperback). ISBN: 1-854-87434-9.. Behavioural and Cognitive Psychotherapy, 2002, 30, 243-248.   | 0.9  | 0         |
| 158 | Rumination and social problem-solving in depression. Behaviour Research and Therapy, 2002, 40, 1179-1189.  | 1.6  | 216       |
| 159 | Rumination and overgeneral memory in depression: Effects of self-focus and analytic thinking.. Journal of Abnormal Psychology, 2001, 110, 353-357.   | 2.0  | 463       |
| 160 | Treating Complex Cases: The Cognitive Behavioural Approach Nicholas Tarrier, Adrian Wells & Gillian Haddock Chichester, UK: Wiley, 1999. pp. 439. £19.96 (paperback). ISBN: 0-471-97839-6.. Behavioural and Cognitive Psychotherapy, 2001, 29, 385-397.  | 0.9  | 0         |
| 161 | Why do people ruminate in dysphoric moods?. Personality and Individual Differences, 2001, 30, 723-734.   | 1.6  | 141       |
| 162 | The New Handbook of Cognitive Therapy Techniques Rian E. McMullin New York: Norton, 2000. pp. 504. £30 (hardback). ISBN: 0-393-70313-4.. Behavioural and Cognitive Psychotherapy, 2001, 29, 385-397.   | 0.9  | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Scientific Foundations of Cognitive Theory and Therapy of Depression. David A. Clark and Aaron T. Beck with Brad A. Alford. New York: Wiley Press, 1999. pp. 494. \$57.50 (hardback).. Behavioural and Cognitive Psychotherapy, 2000, 28, 193-195. | 0.9 | 0         |
| 164 | Overgeneral autobiographical memories and their relationship to rumination. , 0, , 199-220.  |     | 5         |
| 165 | What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. Wellcome Open Research, 0, 4, 69.   | 0.9 | 1         |