

# Jon E Brommer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3561488/publications.pdf>

Version: 2024-02-01

129  
papers

6,125  
citations

81900

39  
h-index

82547

72  
g-index

132  
all docs

132  
docs citations

132  
times ranked

5959  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cold winters have morph-specific effects on natal dispersal distance in a wild raptor. <i>Behavioral Ecology</i> , 2022, 33, 419-427.	2.2	7
2	Protected area characteristics that help waterbirds respond to climate warming. <i>Conservation Biology</i> , 2022, 36, .	4.7	5
3	White-Tailed Deer <i>Odocoileus virginianus</i> (Zimmermann, 1780). <i>Handbook of the Mammals of Europe</i> , 2022, , 1-12.	0.3	1
4	Structural equation modeling reveals decoupling of ecological and self-perceived outcomes in a garden box social-ecological system. <i>Scientific Reports</i> , 2022, 12, 6425.	3.3	3
5	A strong decline of the endangered Apollo butterfly over 20 years in the archipelago of southern Finland. <i>Journal of Insect Conservation</i> , 2022, 26, 673-681.	1.4	1
6	Benefits of protected areas for nonbreeding waterbirds adjusting their distributions under climate warming. <i>Conservation Biology</i> , 2021, 35, 834-845.	4.7	18
7	Habitat use by post-fledging white-tailed eagles shows avoidance of human infrastructure and agricultural areas. <i>European Journal of Wildlife Research</i> , 2021, 67, 1.	1.4	1
8	Regime shift tipping point in hare population collapse associated with climatic and agricultural change during the very early 20th century. <i>Global Change Biology</i> , 2021, 27, 3732-3740.	9.5	6
9	Estimating preharvest density, adult sex ratio, and fecundity of white-tailed deer using noninvasive sampling techniques. <i>Ecology and Evolution</i> , 2021, 11, 14312-14326.	1.9	2
10	Fledging Mass Is Color Morph Specific and Affects Local Recruitment in a Wild Bird. <i>American Naturalist</i> , 2020, 196, 609-619.	2.1	14
11	Lining the nest with more feathers increases offspring recruitment probability: Selection on an extended phenotype in the blue tit. <i>Ecology and Evolution</i> , 2020, 10, 13327-13333.	1.9	9
12	Nest ornaments and feather composition form an extended phenotype syndrome in a wild bird. <i>Behavioral Ecology and Sociobiology</i> , 2020, 74, 1.	1.4	5
13	Bats and Wind Farms: The Role and Importance of the Baltic Sea Countries in the European Context of Power Transition and Biodiversity Conservation. <i>Environmental Science &amp; Technology</i> , 2020, 54, 10385-10398.	10.0	21
14	Can dominance genetic variance be ignored in evolutionary quantitative genetic analyses of wild populations?. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 1540-1550.	2.3	15
15	Within-season changes in habitat use of forest-dwelling boreal bats. <i>Ecology and Evolution</i> , 2020, 10, 4164-4174.	1.9	31
16	Exploratory behavior undergoes genotype-age interactions in a wild bird. <i>Ecology and Evolution</i> , 2019, 9, 8987-8994.	1.9	13
17	More evidence is needed to show that heritability and selection are not associated. <i>Nature Ecology and Evolution</i> , 2019, 3, 1407-1407.	7.8	3
18	Tail colour signals performance in blue tit nestlings. <i>Journal of Evolutionary Biology</i> , 2019, 32, 913-920.	1.7	6

#	ARTICLE	IF	CITATIONS
19	Estimating Population Density of the White-Tailed Deer in Finland using Non-Invasive Genetic Sampling and Spatial Capture-Recapture. <i>Annales Zoologici Fennici</i> , 2019, 56, 1.	0.6	4
20	Demographic measures of an individual's "pace of life": fecundity rate, lifespan, generation time, or a composite variable?. <i>Behavioral Ecology and Sociobiology</i> , 2018, 72, 1.	1.4	32
21	Red squirrels decline in abundance in the boreal forests of Finland and NW Russia. <i>Ecography</i> , 2018, 41, 1370-1379.	4.5	8
22	Assessing space use by pre-breeding white-tailed eagles in the context of wind-energy development in Finland. <i>Landscape and Urban Planning</i> , 2018, 177, 251-258.	7.5	4
23	Shared environmental effects bias phenotypic estimates of assortative mating in a wild bird. <i>Biology Letters</i> , 2018, 14, 20180106.	2.3	15
24	Immigration ensures population survival in the Iberian flying squirrel. <i>Ecology and Evolution</i> , 2017, 7, 1858-1868.	1.9	18
25	Phenotypic correlations capture between-individual correlations underlying behavioral syndromes. <i>Behavioral Ecology and Sociobiology</i> , 2017, 71, 1.	1.4	21
26	A statistical methodology for estimating assortative mating for phenotypic traits that are labile or measured with error. <i>Methods in Ecology and Evolution</i> , 2017, 8, 1910-1919.	5.2	30
27	Low heritability of nest construction in a wild bird. <i>Biology Letters</i> , 2017, 13, 20170246.	2.3	20
28	Population dynamics of two beaver species in Finland inferred from citizen-science census data. <i>Ecosphere</i> , 2017, 8, e01947.	2.2	16
29	Personality from the Perspective of Behavioral Ecology. , 2017, , 73-107.		8
30	Proximity to wind-power plants reduces the breeding success of the white-tailed eagle. <i>Animal Conservation</i> , 2016, 19, 265-272.	2.9	11
31	Demographic routes to variability and regulation in bird populations. <i>Nature Communications</i> , 2016, 7, 12001.	12.8	74
32	Growth and Age Structure in an Introduced and Hunted Cervid Population: White-Tailed Deer in Finland. <i>Annales Zoologici Fennici</i> , 2016, 53, 69-80.	0.6	10
33	Senescence of personality in a wild bird. <i>Behavioral Ecology and Sociobiology</i> , 2016, 70, 733-744.	1.4	34
34	Large-scale spatial synchrony in red squirrel ( <i>Sciurus vulgaris</i> ) sex ratios. <i>Journal of Mammalogy</i> , 2016, 97, 744-752.	1.3	1
35	The importance of genotype-by-age interactions for the development of repeatable behavior and correlated behaviors over lifetime. <i>Frontiers in Zoology</i> , 2015, 12, S2.	2.0	33
36	A strong genetic correlation underlying a behavioural syndrome disappears during development because of genotype-age interactions. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20142777.	2.6	31

#	ARTICLE	IF	CITATIONS
37	Reducing the loss of genetic diversity associated with assisted colonization-like introductions of animals. <i>Environmental Epigenetics</i> , 2015, 61, 827-834.	1.8	7
38	Using heterozygosityâ€“fitness correlations to study inbreeding depression in an isolated population of whiteâ€“tailed deer founded by few individuals. <i>Ecology and Evolution</i> , 2015, 5, 357-367.	1.9	16
39	Species and abundance of ectoparasitic flies (Diptera) in pied flycatcher nests in Fennoscandia. <i>Parasites and Vectors</i> , 2015, 8, 648.	2.5	14
40	Sympatric divergence and clinal variation in multiple coloration traits of <i>Ficedula</i> flycatchers. <i>Journal of Evolutionary Biology</i> , 2015, 28, 779-790.	1.7	23
41	Dissecting direct and indirect parental effects on reproduction in a wild bird of prey: dad affects when but not how much. <i>Behavioral Ecology and Sociobiology</i> , 2015, 69, 293-302.	1.4	18
42	Bergmann on the move: a temporal change in the latitudinal gradient in body mass of a wild passerine. <i>Journal of Ornithology</i> , 2015, 156, 1105-1112.	1.1	7
43	Evolutionary quantitative genetics of behavioral responses to handling in a wild passerine. <i>Ecology and Evolution</i> , 2014, 4, 427-440.	1.9	27
44	A sex-specific behavioral syndrome in a wild passerine. <i>Behavioral Ecology</i> , 2014, 25, 359-367.	2.2	41
45	Testing for between individual correlations of personality and physiological traits in a wild bird. <i>Behavioral Ecology and Sociobiology</i> , 2014, 68, 205-213.	1.4	53
46	Residual correlations, and not individual properties, determine a nest defense boldness syndrome. <i>Behavioral Ecology</i> , 2014, 25, 802-812.	2.2	37
47	Using average autonomy to test whether behavioral syndromes constrain evolution. <i>Behavioral Ecology and Sociobiology</i> , 2014, 68, 691-700.	1.4	11
48	Size differentiation in <i>Finnish</i> house sparrows follows Bergmann's rule with evidence of local adaptation. <i>Journal of Evolutionary Biology</i> , 2014, 27, 737-747.	1.7	21
49	Evolutionary demography of agricultural expansion in preindustrial northern Finland. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20141559.	2.6	8
50	Senescence: Detecting an Evolutionary Fingerprint in Plants. <i>Current Biology</i> , 2014, 24, R267-R269.	3.9	3
51	The quantitative genetics of senescence in wild animals. , 2014, , 68-83.		23
52	Evolutionary dynamics in response to climate change. , 2014, , 254-274.		34
53	Environmental correlates of annual survival differ between two ecologically similar and congeneric owls. <i>Ibis</i> , 2013, 155, 823-834.	1.9	13
54	Exploring patterns of variation in clutch sizeâ€“density reaction norms in a wild passerine bird. <i>Journal of Evolutionary Biology</i> , 2013, 26, 2031-2043.	1.7	26

#	ARTICLE	IF	CITATIONS
55	On between-individual and residual (co)variances in the study of animal personality: are you willing to take the "individual gambit"? Behavioral Ecology and Sociobiology, 2013, 67, 1027-1032.	1.4	101
56	Europe-Wide Dampening of Population Cycles in Keystone Herbivores. Science, 2013, 340, 63-66.	12.6	214
57	Quantitative genetic analysis of responses to larval food limitation in a polyphenic butterfly indicates environmental and trait-specific effects. Ecology and Evolution, 2013, 3, 3576-3589.	1.9	19
58	Context-specific repeatability of personality traits in a wild bird: a reaction-norm perspective. Behavioral Ecology, 2013, 24, 650-658.	2.2	56
59	Range margin shifts of birds revisited " the role of spatiotemporally varying survey effort. Global Change Biology, 2013, 19, 420-430.	9.5	32
60	Variation in plasticity of personality traits implies that the ranking of personality measures changes between environmental contexts: calculating the cross-environmental correlation. Behavioral Ecology and Sociobiology, 2013, 67, 1709-1718.	1.4	48
61	Phenotypic plasticity of labile traits in the wild. Environmental Epigenetics, 2013, 59, 485-505.	1.8	59
62	Brown tawny owls moult more flight feathers than grey ones. Journal of Avian Biology, 2013, 44, 235-244.	1.2	16
63	Morphometric differentiation across <i>H</i> ouse <i>S</i> parrow <i>P</i> asser domesticus populations in <i>F</i> inland in comparison with the neutral expectation for divergence. Ibis, 2012, 154, 846-857.	1.9	15
64	Exploring the genetics of nestling personality traits in a wild passerine bird: testing the phenotypic gambit. Ecology and Evolution, 2012, 2, 3032-3044.	1.9	57
65	The Breeding Ranges of Central European and Arctic Bird Species Move Poleward. PLoS ONE, 2012, 7, e43648.	2.5	78
66	Selection on plasticity of seasonal life-history traits using random regression mixed model analysis. Ecology and Evolution, 2012, 2, 695-704.	1.9	26
67	Quantitative genetics of behavioural reaction norms: genetic correlations between personality and behavioural plasticity vary across stickleback populations. Journal of Evolutionary Biology, 2012, 25, 485-496.	1.7	108
68	INTERACTIONS BETWEEN GENOTYPE AND SEXUAL CONFLICT ENVIRONMENT INFLUENCE TRANSGENERATIONAL FITNESS IN DROSOPHILA MELANOGASTER. Evolution; International Journal of Organic Evolution, 2012, 66, 517-531.	2.3	20
69	A simple cage test captures intrinsic differences in aspects of personality across individuals in a passerine bird. Animal Behaviour, 2012, 84, 279-287.	1.9	39
70	Heterozygosity in an Isolated Population of a Large Mammal Founded by Four Individuals Is Predicted by an Individual-Based Genetic Model. PLoS ONE, 2012, 7, e43482.	2.5	33
71	Body Size and Immune Defense of Nestling Blue Tits ( <i>Cyanistes caeruleus</i> ) in Response to Manipulation of Ectoparasites and Food Supply. Auk, 2011, 128, 556-563.	1.4	29
72	Increased genetic differentiation in house sparrows after a strong population decline: From panmixia towards structure in a common bird. Biological Conservation, 2011, 144, 2931-2940.	4.1	31

#	ARTICLE	IF	CITATIONS
73	Whither Pst? The approximation of Qst by Pst in evolutionary and conservation biology. <i>Journal of Evolutionary Biology</i> , 2011, 24, 1160-1168.	1.7	161
74	Blood parasites mediate morph-specific maintenance costs in a colour polymorphic wild bird. <i>Journal of Evolutionary Biology</i> , 2011, 24, 1783-1792.	1.7	29
75	Low genetic differentiation in a sedentary bird: house sparrow population genetics in a contiguous landscape. <i>Heredity</i> , 2011, 106, 183-190.	2.6	55
76	Experimental manipulation shows that the white wing patch in collared flycatchers is a male sexual ornament. <i>Ecology and Evolution</i> , 2011, 1, 546-555.	1.9	20
77	Adjusting the timing of hatching to changing environmental conditions has fitness costs in blue tits. <i>Behavioral Ecology and Sociobiology</i> , 2011, 65, 2091-2103.	1.4	24
78	Climate change drives microevolution in a wild bird. <i>Nature Communications</i> , 2011, 2, 208.	12.8	192
79	Olfaction and vision in host plant location by <i>Parnassius apollo</i> larvae: consequences for survival and dynamics. <i>Animal Behaviour</i> , 2010, 79, 313-320.	1.9	11
80	The return of the vole cycle in southern Finland refutes the generality of the loss of cycles through climate forcing. <i>Global Change Biology</i> , 2010, 16, 577-586.	9.5	64
81	Latitudinal variation in breeding time reaction norms in a passerine bird. <i>Journal of Animal Ecology</i> , 2010, 79, 836-842.	2.8	25
82	The rate of ageing in a long-lived bird is not heritable. <i>Heredity</i> , 2010, 104, 363-370.	2.6	25
83	Ural Owl Predation on Field Voles and Bank Voles by Size, Sex and Reproductive State. <i>Annales Zoologici Fennici</i> , 2010, 47, 90-98.	0.6	8
84	Hatching asynchrony is an individual property of female Ural owls which improves nestling survival. <i>Behavioral Ecology</i> , 2010, 21, 722-729.	2.2	14
85	Passerine Extrapair Mating Dynamics: A Bayesian Modeling Approach Comparing Four Species. <i>American Naturalist</i> , 2010, 176, 178-187.	2.1	31
86	Costs and Benefits of Experimentally Induced Changes in the Allocation of Growth versus Immune Function under Differential Exposure to Ectoparasites. <i>PLoS ONE</i> , 2010, 5, e10814.	2.5	12
87	Aggressive Ural owl mothers recruit more offspring. <i>Behavioral Ecology</i> , 2009, 20, 789-796.	2.2	103
88	Population dynamics in a cyclic environment: consequences of cyclic food abundance on tawny owl reproduction and survival. <i>Journal of Animal Ecology</i> , 2009, 78, 1050-1062.	2.8	64
89	Resources influence dispersal and population structure in an endangered butterfly. <i>Insect Conservation and Diversity</i> , 2009, 2, 176-182.	3.0	8
90	Parental allocation of additional food to own health and offspring growth in a variable environment. <i>Canadian Journal of Zoology</i> , 2009, 87, 8-19.	1.0	20

#	ARTICLE	IF	CITATIONS
91	Tawny owl reproduction and offspring sex ratios under variable food conditions. <i>Journal of Ornithology</i> , 2008, 149, 59-66.	1.1	27
92	“HIDDEN” REPRODUCTIVE CONFLICT BETWEEN MATES IN A WILD BIRD POPULATION. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 2326-2333.	2.3	86
93	Senescence rates are determined by ranking on the fast–slow life–history continuum. <i>Ecology Letters</i> , 2008, 11, 664-673.	6.4	317
94	Heritability, plasticity and canalization of Ural owl egg size in a cyclic environment. <i>Journal of Evolutionary Biology</i> , 2008, 21, 88-96.	1.7	19
95	Maternal effects on offspring lgs and egg size in relation to natural and experimentally improved food supply. <i>Functional Ecology</i> , 2008, 22, 682-690.	3.6	41
96	Exploring plasticity in the wild: laying date–temperature reaction norms in the common gull <i>Larus canus</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 687-693.	2.6	116
97	Is extrapair mating random? On the probability distribution of extrapair young in avian broods. <i>Behavioral Ecology</i> , 2007, 18, 895-904.	2.2	42
98	Exploring the Genetics of Aging in a Wild Passerine Bird. <i>American Naturalist</i> , 2007, 170, 643-650.	2.1	73
99	Nestling immune response to phytohaemagglutinin is not heritable in collared flycatchers. <i>Biology Letters</i> , 2007, 3, 418-421.	2.3	32
100	The evolutionary ecology of individual phenotypic plasticity in wild populations. <i>Journal of Evolutionary Biology</i> , 2007, 20, 831-844.	1.7	719
101	A possible link between parasite defence and residual reproduction. <i>Journal of Evolutionary Biology</i> , 2007, 20, 2248-2252.	1.7	8
102	Accounting for possible detectable distances in a comparison of dispersal: Apollo dispersal in different habitats. <i>Ecological Modelling</i> , 2007, 209, 407-411.	2.5	7
103	The Intersexual Genetic Correlation for Lifetime Fitness in the Wild and Its Implications for Sexual Selection. <i>PLoS ONE</i> , 2007, 2, e744.	2.5	115
104	Consequences of the spatial configuration of resources for the distribution and dynamics of the endangered <i>Parnassius apollo</i> butterfly. <i>Biological Conservation</i> , 2006, 130, 183-192.	4.1	47
105	Testing the genetics underlying the co-evolution of mate choice and ornament in the wild. <i>Nature</i> , 2006, 441, 84-86.	27.8	179
106	Evolution of mate choice in the wild (Reply). <i>Nature</i> , 2006, 444, E16-E17.	27.8	6
107	Generation time and temporal scaling of bird population dynamics. <i>Nature</i> , 2005, 436, 99-102.	27.8	172
108	NATURAL SELECTION AND GENETIC VARIATION FOR REPRODUCTIVE REACTION NORMS IN A WILD BIRD POPULATION. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1362-1371.	2.3	145

#	ARTICLE	IF	CITATIONS
109	The colour of fitness: plumage coloration and lifetime reproductive success in the tawny owl. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005, 272, 935-940.	2.6	78
110	NATURAL SELECTION AND GENETIC VARIATION FOR REPRODUCTIVE REACTION NORMS IN A WILD BIRD POPULATION. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1362.	2.3	3
111	TIME TO EXTINCTION OF BIRD POPULATIONS. <i>Ecology</i> , 2005, 86, 693-700.	3.2	61
112	Natural selection and genetic variation for reproductive reaction norms in a wild bird population. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1362-71.	2.3	39
113	Immunocompetence and its costs during development: an experimental study in blue tit nestlings. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004, 271, S110-3.	2.6	127
114	All is well when right is like left and left is like right. <i>Journal of Evolutionary Biology</i> , 2004, 17, 471-472.	1.7	0
115	Supplementary fed Ural owls increase their reproductive output with a one year time lag. <i>Oecologia</i> , 2004, 139, 354-358.	2.0	30
116	Single-Generation Estimates of Individual Fitness as Proxies for Long-Term Genetic Contribution. <i>American Naturalist</i> , 2004, 163, 505-517.	2.1	147
117	Title is missing!. <i>Journal of Insect Conservation</i> , 2003, 7, 85-98.	1.4	23
118	Ural owl sex allocation and parental investment under poor food conditions. <i>Oecologia</i> , 2003, 137, 140-147.	2.0	71
119	Life-history trade-off in two predator species sharing the same prey: a study on cassava-inhabiting mites. <i>Oikos</i> , 2003, 102, 533-542.	2.7	9
120	Life-history consequences of partial-moult asymmetry. <i>Journal of Animal Ecology</i> , 2003, 72, 1057-1063.	2.8	16
121	Cyclic variation in seasonal recruitment and the evolution of the seasonal decline in Ural owl clutch size. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2002, 269, 647-654.	2.6	15
122	Reproduction and Survival in a Variable Environment: Ural Owls ( <i>Strix Uralensis</i> ) and the Three-Year Vole Cycle. <i>Auk</i> , 2002, 119, 544-550.	1.4	40
123	Scale and seasonal sex-ratio trends in northern goshawk <i>Accipiter gentilis</i> broods. <i>Journal of Avian Biology</i> , 2002, 33, 399-406.	1.2	19
124	Reproductive timing and individual fitness. <i>Ecology Letters</i> , 2002, 5, 802-810.	6.4	121
125	REPRODUCTION AND SURVIVAL IN A VARIABLE ENVIRONMENT: URAL OWLS ( <i>STRIX URALENSIS</i> ) AND THE THREE-YEAR VOLE CYCLE. <i>Auk</i> , 2002, 119, 544.	1.4	34
126	The evolution of fitness in life-history theory. <i>Biological Reviews</i> , 2000, 75, 377-404.	10.4	132



#	ARTICLE	IF	CITATIONS
127	Reproductive Effort and Reproductive Values in Periodic Environments. <i>American Naturalist</i> , 2000, 155, 454-472.	2.1	66
128	Movement of the Apollo butterfly <i>Parnassius apollo</i> related to host plant and nectar plant patches. <i>Ecological Entomology</i> , 1999, 24, 125-131.	2.2	94
129	The effect of age at first breeding on Ural owl lifetime reproductive success and fitness under cyclic food conditions. <i>Journal of Animal Ecology</i> , 1998, 67, 359-369.	2.8	83