Marc P Y Desmulliez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3564327/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A Methodology for Remote Microwave Sterilization Applicable to the Coronavirus and Other Pathogens Using Retrodirective Antenna Arrays. IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology, 2022, 6, 41-51. | 3.4 | 5 |
| 2 | On the Use of Acoustic Methods for the Detection of Electrostatic Capture of Diaphragm in Capacitive MEMS Microphones. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2022, 12, 454-461. | 2.5 | 0 |
| 3 | Biosensors for the detection of waterborne pathogens. , 2021, , 189-235. | | 4 |
| 4 | Bandpass sorting of heterogeneous cells using a single surface acoustic wave transducer pair. Biomicrofluidics, 2021, 15, 014105. | 2.4 | 7 |
| 5 | Investigation Into Low Frequency Response of Acoustic MEMS for Determination of Failure Modes. IEEE Transactions on Semiconductor Manufacturing, 2021, 34, 262-269. | 1.7 | 2 |
| 6 | Use of a 3-D Wireless Power Transfer Technique as a Method for Capsule Localization. IEEE Access, 2021, 9, 131685-131695. | 4.2 | 6 |
| 7 | Ultrasound mediated delivery of quantum dots from a proof of concept capsule endoscope to the gastrointestinal wall. Scientific Reports, 2021, 11, 2584. | 3.3 | 16 |
| 8 | Built-In Self-Test (BIST) Methods for MEMS: A Review. Micromachines, 2021, 12, 40. | 2.9 | 14 |
| 9 | Automated Particle and Cell Phenotyping Using Object Recognition and Tracking Based on Machine Learning Algorithms. , 2021, , . | | 0 |
| 10 | Particle Trajectories and Transverse Dispersion in Acoustic Microfluidic Devices. , 2021, , . | | 0 |
| 11 | Fabrication of hollow polymer microstructures using dielectric and capillary forces. Microsystem Technologies, 2020, 26, 301-308. | 2.0 | 0 |
| 12 | Ultrasound Capsule Endoscopy With a Mechanically Scanning Micro-ultrasound: A Porcine Study. Ultrasound in Medicine and Biology, 2020, 46, 796-804. | 1.5 | 19 |
| 13 | Spinach-based photo-catalyst for selective plating on polyimide-based substrates for micro-patterning circuitry. Chemical Engineering Research and Design, 2020, 153, 839-848. | 5.6 | 7 |
| 14 | Acoustic methods for detection of specific failure modes in capacitive MEMS microphones. , 2020, , . | | 2 |
| 15 | Analysis of throwing power for megasonic assisted electrodeposition of copper inside THVs. Ultrasonics, 2020, 104, 106111. | 3.9 | 8 |
| 16 | Light based synthesis of metallic nanoparticles on surface-modified 3D printed substrates for high performance electronic systems. Additive Manufacturing, 2020, 34, 101367. | 3.0 | 9 |
| 17 | Wireless Power Transfer Techniques for Implantable Medical Devices: A Review. Sensors, 2020, 20, 3487. | 3.8 | 150 |
| 18 | <i>In-Vivo</i> Evaluation of Microultrasound and Thermometric Capsule Endoscopes. IEEE Transactions on Biomedical Engineering, 2019, 66, 632-639. | 4.2 | 25 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Reliability Testing and Stress Measurement of QFN Packages Encapsulated by an Open-Ended Microwave Curing System. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2019, 9, 173-180. | 2.5 | 6 |
| 20 | Selective Metallization of 3D Printable Thermoplastic Polyurethanes. IEEE Access, 2019, 7, 104947-104955. | 4.2 | 14 |
| 21 | Numerical Determination of the Secondary Acoustic Radiation Force on a Small Sphere in a Plane Standing Wave Field. Micromachines, 2019, 10, 431. | 2.9 | 13 |
| 22 | Intelligent magnetic manipulation for gastrointestinal ultrasound. Science Robotics, 2019, 4, . | 17.6 | 77 |
| 23 | Implementation of a Wireless Power Transfer System for Prosthetic Hands. , 2019, , . | | 0 |
| 24 | Implementation of a Dual Wireless Power Transfer and Rotation Monitoring System for Prosthetic Hands. IEEE Access, 2019, 7, 107616-107625. | 4.2 | 7 |
| 25 | Towards a Miniaturized 3D Receiver WPT System for Capsule Endoscopy. Micromachines, 2019, 10, 545. | 2.9 | 14 |
| 26 | Direct metallisation of polyetherimide substrates by activation with different metals. Surface and Coatings Technology, 2019, 360, 285-296. | 4.8 | 15 |
| 27 | Miniaturized 3-D Cross-Type Receiver for Wirelessly Powered Capsule Endoscopy. IEEE Transactions on Microwave Theory and Techniques, 2019, 67, 1985-1993. | 4.6 | 36 |
| 28 | Theoretical Framework of Radiation Force in Surface Acoustic Waves for Modulated Particle Sorting. Periodica Polytechnica Electrical Engineering and Computer Science, 2019, 63, 77-84. | 1.0 | 3 |
| 29 | Gastrointestinal diagnosis using non-white light imaging capsule endoscopy. Nature Reviews Gastroenterology and Hepatology, 2019, 16, 429-447. | 17.8 | 35 |
| 30 | Design of a wireless power transfer system for assisted living applications. Wireless Power Transfer, 2019, 6, 41-56. | 1.1 | 9 |
| 31 | A rapid technique for the direct metallization of PDMS substrates for flexible and stretchable electronics applications. Microelectronic Engineering, 2019, 209, 35-40. | 2.4 | 22 |
| 32 | Selective Electroless Copper Deposition by Using Photolithographic Polymer/Ag Nanocomposite. IEEE Transactions on Electron Devices, 2019, 66, 1843-1848. | 3.0 | 17 |
| 33 | Monte-Carlo Based Sensitivity Analysis of Acoustic Sorting Methods. Periodica Polytechnica Electrical Engineering and Computer Science, 2019, 63, 68-76. | 1.0 | 2 |
| 34 | Flexible Electronics: A Rapid Photopatterning Method for Selective Plating of 2D and 3D Microcircuitry on Polyetherimide (Adv. Funct. Mater. 6/2018). Advanced Functional Materials, 2018, 28, 1870041. | 14.9 | 0 |
| 35 | A Rapid Photopatterning Method for Selective Plating of 2D and 3D Microcircuitry on Polyetherimide. Advanced Functional Materials, 2018, 28, 1704451. | 14.9 | 27 |
| 36 | Copper electroplating of PCB interconnects using megasonic acoustic streaming. Ultrasonics Sonochemistry, 2018, 42, 434-444. | 8.2 | 17 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | In Vivo Characterization of a Wireless Telemetry Module for a Capsule Endoscopy System Utilizing a Conformal Antenna. IEEE Transactions on Biomedical Circuits and Systems, 2018, 12, 95-105. | 4.0 | 64 |
| 38 | Numerical Simulation of Particle Motion in a Phase Modulated Surface Acoustic Wave Microfluidic Device. , 2018, , . | | 0 |
| 39 | Challenges in developing collaborative interdisciplinary research between gastroenterologists and engineers. Journal of Medical Engineering and Technology, 2018, 42, 435-442. | 1.4 | 5 |
| 40 | Integrated Front End Circuitry for Microultrasound Capsule Endoscopy. , 2018, , . | | 1 |
| 41 | Nanocomposite-Based Microstructured Piezoresistive Pressure Sensors for Low-Pressure Measurement Range. Micromachines, 2018, 9, 43. | 2.9 | 25 |
| 42 | Towards a Design Process for Computer-Aided Biomimetics. Biomimetics, 2018, 3, 14. | 3.3 | 24 |
| 43 | Particle separation in surface acoustic wave microfluidic devices using reprogrammable, pseudo-standing waves. Applied Physics Letters, 2018, 113, . | 3.3 | 26 |
| 44 | Accurate Modeling of Coil Inductance for Near-Field Wireless Power Transfer. IEEE Transactions on Microwave Theory and Techniques, 2018, 66, 4158-4169. | 4.6 | 72 |
| 45 | Sensors for Fetal Hypoxia and Metabolic Acidosis: A Review. Sensors, 2018, 18, 2648. | 3.8 | 17 |
| 46 | Joint international master in smart systems integration: University collaboration for improved education. , 2018, , . | | 1 |
| 47 | A highly compact packaging concept for ultrasound transducer arrays embedded in neurosurgical needles. Microsystem Technologies, 2017, 23, 3881-3891. | 2.0 | 9 |
| 48 | Particle separation by phase modulated surface acoustic waves. Biomicrofluidics, 2017, 11, 054115. | 2.4 | 34 |
| 49 | Luminally expressed gastrointestinal biomarkers. Expert Review of Gastroenterology and Hepatology, 2017, 11, 1119-1134. | 3.0 | 10 |
| 50 | Numerical study of the faithful replication of micro/nanostructures on curved surfaces by the electrohydrodynamic instability process. Electrophoresis, 2017, 38, 525-532. | 2.4 | 1 |
| 51 | Translational trial outcomes for capsule endoscopy test devices. , 2017, , . | | 0 |
| 52 | Integration of Electrodeposited Ni-Fe in MEMS with Low-Temperature Deposition and Etch Processes. Materials, 2017, 10, 323. | 2.9 | 5 |
| 53 | Design, Manufacture and Testing of Capacitive Pressure Sensors for Low-Pressure Measurement Ranges. Micromachines, 2017, 8, 41. | 2.9 | 43 |
| 54 | Ultrasound capsule endoscopy: sounding out the future. Annals of Translational Medicine, 2017, 5, 201-201. | 1.7 | 28 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Design of conformai wideband antennas for capsule endoscopy within a body tissue environment. , 2016, , . | | 8 |
| 56 | Carbon screenâ€printed electrodes on ceramic substrates for labelâ€free molecular detection of antibiotic resistance. Journal of Interdisciplinary Nanomedicine, 2016, 1, 93-109. | 3.6 | 26 |
| 57 | Influence of electrode types on the electrohydrodynamic instability patterning process: a comparative study. RSC Advances, 2016, 6, 112300-112306. | 3.6 | 1 |
| 58 | Intraoperative Ultrasound-Guided Resection of Gliomas: A Meta-Analysis and Review of the Literature. World Neurosurgery, 2016, 92, 255-263. | 1.3 | 78 |
| 59 | Morphology and acoustic artefacts of copper deposits electroplated using megasonic assisted agitation. Circuit World, 2016, 42, 127-140. | 0.9 | 6 |
| 60 | Computer-Aided Biomimetics. Lecture Notes in Computer Science, 2016, , 131-143. | 1.3 | 7 |
| 61 | Megasound acoustic surface treatment process in the Printed Circuit Board industry. , 2016, , . | | 0 |
| 62 | Dual Orientation 16-MHz Single-Element Ultrasound Needle Transducers for Image-Guided Neurosurgical Intervention. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2016, 63, 233-244. | 3.0 | 5 |
| 63 | A Bio-Inspired Photopatterning Method to Deposit Silver Nanoparticles onto Non Conductive Surfaces Using Spinach Leaves Extract in Ethanol. Lecture Notes in Computer Science, 2016, , 71-78. | 1.3 | 2 |
| 64 | Ex-vivo navigation of neurosurgical biopsy needles using microultrasound transducers with M-mode imaging. , 2015, , . | | 1 |
| 65 | A compact packaging technique for the integration of ultrasound probes in surgical needles. , 2015, , . | | Ο |
| 66 | Simulation of an eddy current based inductive position sensor. , 2015, , . | | 0 |
| 67 | Conformal meander shaped antenna for biotelemetry in endoscopic capsules. , 2015, , . | | 7 |
| 68 | Optimised co-electrodeposition of Fe–Ga alloys for maximum magnetostriction effect. Sensors and Actuators A: Physical, 2015, 223, 91-96. | 4.1 | 11 |
| 69 | Microwave and thermal curing of an epoxy resin for microelectronic applications. Thermochimica Acta, 2015, 616, 100-109. | 2.7 | 40 |
| 70 | Impact of microfluidic processing on bacterial ribonucleic acid expression. Biomicrofluidics, 2015, 9, 031102. | 2.4 | 1 |
| 71 | Fabrication of Electrodeposited Ni–Fe Cantilevers for Magnetic MEMS Switch Applications. Journal of Microelectromechanical Systems, 2015, 24, 870-879. | 2.5 | 8 |
| 72 | Megasonic sonication for cost-effective and automatable elution of Cryptosporidium from filters and membranes. Journal of Microbiological Methods, 2015, 118, 123-127. | 1.6 | 6 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | CO2 Laser Manufacturing of Miniaturised Lenses for Lab-on-a-Chip Systems. Micromachines, 2014, 5, 457-471. | 2.9 | 6 |
| 74 | Integrated Magnetic MEMS Relays: Status of the Technology. Micromachines, 2014, 5, 622-653. | 2.9 | 25 |
| 75 | <italic>In-Situ</italic> Silver Nanoparticle Formation on Surface-Modified Polyetherimide Films. IEEE Nanotechnology Magazine, 2014, 13, 736-742. | 2.0 | 8 |
| 76 | Advanced electrical array interconnections for ultrasound probes integrated in surgical needles. , 2014, , . | | 4 |
| 77 | 15 MHz single element ultrasound needle transducers for neurosurgical applications. , 2014, , . | | 3 |
| 78 | Characterization and Theoretical Analysis of Rapidly Prototyped Capillary Action Autonomous Microfluidic Systems. Journal of Microelectromechanical Systems, 2014, 23, 1408-1416. | 2.5 | 12 |
| 79 | Validation of a fully integrated platform and disposable microfluidic chips enabling parallel purification of genome segments for assembly. Biotechnology and Bioengineering, 2014, 111, 1627-1637. | 3.3 | 5 |
| 80 | Biosensors for the Detection of Waterborne Pathogens. , 2014, , 189-229. | | 3 |
| 81 | Application of microfluidics in waterborne pathogen monitoring: A review. Water Research, 2014, 55, 256-271. | 11.3 | 73 |
| 82 | Integration of microfluidic channels with frequency selective surfaces for sensing and tuning. , 2014, , . | | 2 |
| 83 | Fabrication of micro-optical elements on curved substrates by electrostatic induced lithography. RSC Advances, 2014, 4, 38379-38383. | 3.6 | 6 |
| 84 | Autonomous capillary microfluidic system with embedded optics for improved troponin I cardiac biomarker detection. Biosensors and Bioelectronics, 2014, 61, 478-484. | 10.1 | 57 |
| 85 | Electrodeposited magnetostrictive Fe-Ga alloys for miniaturised actuators. , 2014, , . | | 0 |
| 86 | Statistical analysis of stencil technology for wafer-level bumping. Soldering and Surface Mount Technology, 2014, 26, 71-78. | 1.5 | 2 |
| 87 | Fabrication of a low temperature co-fired ceramic package using powder blasting technology. Microsystem Technologies, 2013, 19, 791-799. | 2.0 | 3 |
| 88 | Lamination based embossing technique for LTCC. Microsystem Technologies, 2013, 19, 801-807. | 2.0 | 9 |
| 89 | Electroplating for high aspect ratio vias in PCB manufacturing: enhancement capabilities of acoustic streaming. Advances in Manufacturing, 2013, 1, 211-217. | 6.1 | 9 |
| 90 | Planar lens integrated capillary action microfluidic immunoassay device for the optical detection of troponin I. Biomicrofluidics, 2013, 7, 064112. | 2.4 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Numerical modeling of the electroplating process for microvia fabrication. , 2013, , . | | 2 |
| 92 | Geometrical optimisation of a biochip microchannel fluidic separator. Computer Methods in Biomechanics and Biomedical Engineering, 2012, 15, 981-991. | 1.6 | 1 |
| 93 | A review of stencil printing for microelectronic packaging. Soldering and Surface Mount Technology, 2012, 24, 38-50. | 1.5 | 39 |
| 94 | Review of test methods used for the measurement of hermeticity in packages containing small cavities. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2012, 2, 430-438. | 2.5 | 34 |
| 95 | Encapsulation of Microelectronic Components Using Open-Ended Microwave Oven. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2012, 2, 799-806. | 2.5 | 10 |
| 96 | Progress towards filling through silicon vias with conductive ink. , 2012, , . | | 3 |
| 97 | Stencil technology for wafer level bumping. , 2012, , . | | 0 |
| 98 | Low temperature bonding of piezoelectric single crystal materials for miniaturized high resolution ultrasound transducers. , 2012, , . | | 0 |
| 99 | Simultaneously printing the redistribution layer and filling of TSVs using a microengineered screen. , 2012, , . | | 0 |
| 100 | Low temperature bonding of piezoelectric single crystal materials for miniaturized high resolution ultrasound transducers. , 2012, , . | | 1 |
| 101 | Detection of Cryptosporidium in miniaturised fluidic devices. Water Research, 2012, 46, 1641-1661. | 11.3 | 49 |
| 102 | On the Use of Silver Nanoparticles for Direct Micropatterning on Polyimide Substrates. IEEE Nanotechnology Magazine, 2012, 11, 139-147. | 2.0 | 6 |
| 103 | Inkjet printing of conductive materials: a review. Circuit World, 2012, 38, 193-213. | 0.9 | 371 |
| 104 | Self-encapsulated hollow microstructures formed by electric field-assisted capillarity. Microfluidics and Nanofluidics, 2012, 13, 75-82. | 2.2 | 18 |
| 105 | Analysis of fluid separation in microfluidic T-channels. Applied Mathematical Modelling, 2012, 36, 743-755. | 4.2 | 37 |
| 106 | Optimization and characterization of Drop-on-Demand inkjet printing process for platinum organometallic inks. , 2011, , . | | 10 |
| 107 | Investigation of high speed micro-bump formation through electrodeposition enhanced by megasonic agitation. , 2011, , . | | 0 |
| 108 | Design, manufacturing and packaging of high frequency micro ultrasonic transducers for medical applications. , 2011, , . | | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Modelling and simulation of the behaviour of a biofluid in a microchannel biochip separator. Computer Methods in Biomechanics and Biomedical Engineering, 2011, 14, 549-560. | 1.6 | 8 |
| 110 | Lab-on-a-chip based immunosensor principles and technologies for the detection of cardiac biomarkers: a review. Lab on A Chip, 2011, 11, 569-595. | 6.0 | 265 |
| 111 | Leak detection methods for glass capped and polymer sealed MEMS packaging. Microsystem Technologies, 2011, 17, 677-684. | 2.0 | 8 |
| 112 | Progress towards the design and numerical analysis of a 3D microchannel biochip separator. International Journal for Numerical Methods in Biomedical Engineering, 2011, 27, 1771-1792. | 2.1 | 5 |
| 113 | Modelling and optimisation study on the fabrication of nanoâ€structures using imprint forming process. Engineering Computations, 2011, 28, 93-111. | 1.4 | 2 |
| 114 | Streaming phenomena in microdroplets induced by Rayleigh surface acoustic wave. Journal of Applied Physics, 2011, 109, 114901. | 2.5 | 48 |
| 115 | Implementation of Cosserat theory into haptic sensing technology for miniaturised systems. International Journal of Industrial and Systems Engineering, 2010, 5, 366. | 0.2 | 1 |
| 116 | Laser-based joining for the packaging of miniature optoelectronic devices. Proceedings of SPIE, 2010, , . | 0.8 | 1 |
| 117 | Hydrodynamic blood plasma separation in microfluidic channels. Microfluidics and Nanofluidics, 2010, 8, 105-114. | 2.2 | 114 |
| 118 | Influence of Pulse Reverse Plating on the Properties of Ni-Fe Thin Films. IEEE Transactions on Magnetics, 2010, 46, 979-985. | 2.1 | 18 |
| 119 | Numerical algorithms for modelling electrodeposition: Tracking the deposition front under forced convection from megasonic agitation. International Journal for Numerical Methods in Fluids, 2010, 64, 237-268. | 1.6 | 11 |
| 120 | Current and emerging techniques of fetal cell separation from maternal blood. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 1905-1911. | 2.3 | 29 |
| 121 | Reliability improvement of a powder blasting process for micro-machining applications. , 2010, , . | | 0 |
| 122 | In-situ test structures for ultra low leak detection. , 2010, , . | | 4 |
| 123 | Fabrication of a Polymeric Optical Waveguide-On-Flex Using Electrostatic-Induced Lithography. IEEE Photonics Technology Letters, 2010, 22, 957-959. | 2.5 | 8 |
| 124 | Bespoke interconnect technologies for optoelectronic and biomedical products. , 2010, , . | | 0 |
| 125 | Validation of a blood plasma separation system by biomarker detection. Lab on A Chip, 2010, 10, 1587. | 6.0 | 67 |
| 126 | Future integration of silicon electronics with miniature piezoelectric ultrasonic transducers and | | 4 |

arrays. , 2010, , .

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Biofluid behaviour in 3D microchannel systems: Numerical analysis and design development of 3D microchannel biochip separators. , 2010, , . | | 0 |
| 128 | Progress towards the development of novel fabrication and assembly methods for the next generation of ultrasonic transducers. , 2010, , . | | 3 |
| 129 | Advances in laser based joining processes of micro-devices using localised heating. , 2009, , . | | Ο |
| 130 | Effect of fluid dynamics and device mechanism on biofluid behaviour in microchannel systems: Modelling biofluids in a microchannel biochip separator. , 2009, , . | | 0 |
| 131 | Parametrical modeling and design optimization of blood plasma separation device with microchannel mechanism. , 2009, , . | | Ο |
| 132 | Simultaneous determination of the Young's modulus and Poisson's ratio in micro/nano materials. Journal of Micromechanics and Microengineering, 2009, 19, 125027. | 2.6 | 9 |
| 133 | Investigation of the MeshFree RPIM Solution for a Haptic Sensing Approach to MEMS Design. , 2009, , . | | 0 |
| 134 | Optimisation modelling for thermal fatigue reliability of leadâ€free interconnects in fineâ€pitch flipâ€chip packaging. Soldering and Surface Mount Technology, 2009, 21, 11-24. | 1.5 | 25 |
| 135 | Design, Fabrication, and Characterization of Flip-Chip Bonded Microinductors. IEEE Transactions on Magnetics, 2009, 45, 3055-3063. | 2.1 | 7 |
| 136 | Design methodology and fabrication process of a microinductor for the next generation of DC–DC power converters. Microsystem Technologies, 2009, 15, 1233-1243. | 2.0 | 5 |
| 137 | Megasonic agitation for enhanced electrodeposition of copper. Microsystem Technologies, 2009, 15, 1245-1254. | 2.0 | 24 |
| 138 | Miniaturised optical encoder for ultra precision metrology systems. Precision Engineering, 2009, 33, 263-267. | 3.4 | 9 |
| 139 | MEMS ultra low leak detection methods: a review. Sensor Review, 2009, 29, 339-344. | 1.8 | 31 |
| 140 | High density indium bumping using electrodeposition enhanced by megasonic agitation. , 2009, , . | | 3 |
| 141 | Polymer cure modeling for microelectronics applications. , 2009, , . | | 9 |
| 142 | Fabrication of a MEMS accelerometer to detect heart bypass surgery complications. Sensor Review, 2009, 29, 319-325. | 1.8 | 10 |
| 143 | Progress towards waferâ€scale fabrication of ultrasound arrays for realâ€time highâ€resolution biomedical imaging. Sensor Review, 2009, 29, 333-338. | 1.8 | 8 |
| 144 | Ultra-violet direct patterning of metal on polyimide. Micro and Nano Letters, 2008, 3, 82. | 1.3 | 22 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Open-ended microwave oven for flip-chip assembly. IET Microwaves, Antennas and Propagation, 2008, 2, 53-58. | 1.4 | 10 |
| 146 | A micro-fabricated current sensor for arc fault detection of aircraft wiring. , 2008, , . | | 5 |
| 147 | Integrated biomedical device for blood preparation. , 2008, , . | | 1 |
| 148 | Design, modeling and characterization of a microinductor for future DC-DC power converters. , 2008, , . | | 1 |
| 149 | Challenges in modelling biofluids in microchannels. , 2008, , . | | 1 |
| 150 | Failure mechanisms of legacy aircraft wiring and interconnects. IEEE Transactions on Dielectrics and Electrical Insulation, 2008, 15, 808-822. | 2.9 | 30 |
| 151 | Microsystems technology for the separation of fetal cells from maternal blood. , 2008, , . | | Ο |
| 152 | Optical encoder readhead chip. , 2008, , . | | 1 |
| 153 | Influence of megasonic agitation on the electrodeposition of high aspect ratio blind vias. , 2008, , . | | 2 |
| 154 | Optimization of an Open-Ended Microwave Oven for Microelectronics Packaging. IEEE Transactions on Microwave Theory and Techniques, 2008, 56, 2635-2641. | 4.6 | 10 |
| 155 | Some applications of magnetic MEMS. , 2008, , . | | 1 |
| 156 | Design and fabrication of a miniaturized three-axis accelerometer for measuring heart wall motion. , 2008, , . | | 1 |
| 157 | Polymer Curing within an Optimised Open-Ended Microwave Oven. , 2008, , . | | Ο |
| 158 | Modelling the Nano-Imprint Forming process for the production of miniaturised 3D structures. , 2008, , . | | 0 |
| 159 | Porous alumina based capacitive MEMS RH sensor. , 2008, , . | | 6 |
| 160 | Selection of Wavelet for De-noising PD waveforms for Prognostics and Diagnostics of Aircraft Wiring. , 2008, , . | | 7 |
| 161 | Megasonic enhanced wafer bumping process to enable high density electronics interconnection. , 2008, , . | | 1 |
| 162 | Megasonic enhanced electrodeposition. , 2008, , . | | 6 |

Megasonic enhanced electrodeposition. , 2008, , . 162

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Design and fabrication of an implantable three-axis accelerometer for post-surgery monitoring of heart wall motion. , 2008, , . | | 0 |
| 164 | Minimising the risk of defects in nano-imprint forming. , 2008, , . | | 0 |
| 165 | UV direct-writing of metals on polyimide. , 2008, , . | | 1 |
| 166 | Miniaturised optical encoder. Proceedings of SPIE, 2008, , . | 0.8 | 1 |
| 167 | Ultra-Fine Pitch Stencil Printing for a Low Cost and Low Temperature Flip-Chip Assembly Process. IEEE Transactions on Components and Packaging Technologies, 2007, 30, 129-136. | 1.3 | 25 |
| 168 | Microengineered Two-Dimensional Arrays of Monomode Optical Fibers. Journal of Microelectromechanical Systems, 2007, 16, 1506-1514. | 2.5 | 1 |
| 169 | The evolution of paste pressure during stencil printing. Soldering and Surface Mount Technology, 2007, 19, 9-14. | 1.5 | 12 |
| 170 | Corrections to "Ultra-fine pitch stencil printing for a low cost and low temperature flip-chip assembly process". IEEE Transactions on Components and Packaging Technologies, 2007, 30, 359-359. | 1.3 | 0 |
| 171 | Computational modelling for reliable flip-chip packaging at sub-100î¼m pitch using isotropic conductive adhesives. Microelectronics Reliability, 2007, 47, 132-141. | 1.7 | 10 |
| 172 | MEMS-based packaging of a UV-LED array. Micro and Nano Letters, 2007, 2, 99. | 1.3 | 0 |
| 173 | Characterization of Core Materials for Microscale Magnetic Components Operating in the Megahertz Frequency Range. IEEE Transactions on Magnetics, 2007, 43, 3171-3180. | 2.1 | 20 |
| 174 | Haptic Technologies for MEMS Design. Journal of Physics: Conference Series, 2006, 34, 72-75. | 0.4 | 1 |
| 175 | An Analysis of a Microfabricated Solenoid Inductor. , 2006, , . | | 6 |
| 176 | A Comparison of Various magnetic thin films for the application of microscale magnetic components. Journal of Physics: Conference Series, 2006, 34, 112-117. | 0.4 | 8 |
| 177 | Two-dimensional monomode optical fibre array manufacture using microengineering techniques. Microsystem Technologies, 2006, 12, 965-972. | 2.0 | 5 |
| 178 | Fabrication process of a micro-inductor utilising a magnetic thin film core. Microsystem Technologies, 2006, 12, 923-933. | 2.0 | 13 |
| 179 | A design study of microscale magnetic components for operation in the MHz frequency range. Journal of Micromechanics and Microengineering, 2006, 16, 1811-1818. | 2.6 | 15 |
| 180 | Reliability modelling and analysis of thermal MEMS. Journal of Physics: Conference Series, 2006, 34, 235-240. | 0.4 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Assessment of MicroInductors for DC-DC Converters. , 2006, , . | | Ο |
| 182 | Manufacture and characterisation of micro-engineered DC-DC power converter using UV-LIGA process. Electronics Letters, 2005, 41, 1351. | 1.0 | 3 |
| 183 | Teaching and learning in microsystems engineering. European Journal of Engineering Education, 2005, 30, 341-352. | 2.3 | 4 |
| 184 | Operation of an optoelectronic crossbar switch containing a terabit-per-second free-space optical interconnect. IEEE Journal of Quantum Electronics, 2005, 41, 1024-1036. | 1.9 | 6 |
| 185 | Submicron alignment of a two-dimensional array of multiple single-mode fibers. IEEE Photonics Technology Letters, 2005, 17, 2634-2636. | 2.5 | 4 |
| 186 | MEMS reliability modelling methodology: application to wobble micromotor failure analysis Microelectronics Reliability, 2003, 43, 1945-1949. | 1.7 | 4 |
| 187 | VHDL–AMS modelling and simulation of a planar electrostatic micromotor. Journal of Micromechanics and Microengineering, 2003, 13, 580-590. | 2.6 | 20 |
| 188 | System level simulation of a double stator wobble electrostatic micromotor. Sensors and Actuators A: Physical, 2002, 99, 312-320. | 4.1 | 12 |
| 189 | Dedicated optoelectronic stochastic parallel processor for real-time image processing: motion-detection demonstration and design of a hybrid complementary-metal-oxide semiconductor– self-electro-optic-device-based prototype. Applied Óptics, 2001, 40, 6479. | 2.1 | 3 |
| 190 | Optically interconnected electronic chips: a tutorial and review of the technology. Electronics and Communication Engineering Journal, 2001, 13, 221-232. | 0.5 | 78 |
| 191 | Optoelectronics-VLSI system integration. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2000, 74, 269-275. | 3.5 | 10 |
| 192 | Architectural approach to the role of optics in monoprocessor and multiprocessor machines. Applied Optics, 2000, 39, 671. | 2.1 | 59 |
| 193 | Design and construction of an optoelectronic crossbar switch containing a terabit per second free-space optical interconnect. IEEE Journal of Selected Topics in Quantum Electronics, 1999, 5, 236-249. | 2.9 | 28 |
| 194 | Optical Interconnectivity in a Scalable Data-Parallel System. Journal of Parallel and Distributed Computing, 1997, 41, 120-130. | 4.1 | 18 |
| 195 | Optical clock distribution for multichip module. Optical Review, 1996, 3, A379-A380. | 2.0 | 4 |
| 196 | Leaky-waveguide modulator using distributed coupling of light. Optics Communications, 1994, 110, 60-66. | 2.1 | 1 |
| 197 | Tolerance analysis of cascaded self-electro-optic-effect-device arrays. Applied Optics, 1994, 33, 1368. | 2.1 | 4 |