

Marcella Capua

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3565485/publications.pdf>

Version: 2024-02-01

688
papers

32,913
citations

4960

84
h-index

11052

137
g-index

712
all docs

712
docs citations

712
times ranked

10639
citing authors

#	ARTICLE	IF	CITATIONS
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
2	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
3	Combined measurement and QCD analysis of the inclusive $e^{\pm} p$ scattering cross sections at HERA. Journal of High Energy Physics, 2010, 2010, 1.	4.7	458
4	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 292.	3.9	453
5	Combination of measurements of inclusive deep inelastic $e^{\pm} p$ scattering cross sections and QCD analysis of HERA data. European Physical Journal C, 2015, 75, 1.	3.9	383
6	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
7	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
8	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 581.	3.9	298
9	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
10	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
11	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
12	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
13	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248
14	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
15			

#	ARTICLE	IF	CITATIONS
19	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
20	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
21	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s}=8\text{ TeV}$ in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
22	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
23	Luminosity determination in pp collisions at $\sqrt{s}=7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
24	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
25	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
26	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
27	Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
28	Exclusive electroproduction of J/ψ mesons at HERA. Nuclear Physics B, 2004, 695, 3-37.	2.5	164
29	Evidence for a narrow baryonic state decaying to $K_S^0 p$ and $K_S^0 \bar{p}$, in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 7-22.	4.1	162
30	Measurement of the proton structure function F_2 at very low Q^2 at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 487, 53-73.	4.1	155
31	Measurement of the transverse momentum and ϕ^*_{η} distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
32	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7\text{ TeV}$. European Physical Journal C, 2011, 71, 1.	3.9	146
33	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
34	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
35	Precision measurement and interpretation of inclusive W^+W^+ , W^+W^- . European Physical Journal C, 2017, 77, 367.	3.9	145
36	Measurement of deeply virtual Compton scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 573, 46-62.	4.1	143

#	ARTICLE	IF	CITATIONS
37	Measurement of the $\sigma(\overline{t}t\hat{A}^-)$ production cross-section using $\mathcal{L} = 36.1 \text{ fb}^{-1}$ events with b -tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
38	ZEUS next-to-leading-order QCD analysis of data on deep inelastic scattering. Physical Review D, 2003, 67, .	4.7	139
39	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
40	Measurement of the F_2 structure function in deep inelastic e^+p scattering using 1994 data from the ZEUS detector at HERA. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 399-424.	1.5	137
41	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
42	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
43	Combination and QCD analysis of charm production cross section measurements in deep-inelastic ep scattering at HERA. European Physical Journal C, 2013, 73, 1.	3.9	134
44	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199.	3.9	132
45	Comparison of ZEUS data with standard model predictions for $e^+p \rightarrow e^+X$ scattering at high Q^2 . Zeitschrift für Physik C-Particles and Fields, 1997, 74, 207-220.	1.5	131
46	Measurement of the Z/\hat{A}^0 boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
47	ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	130
48	Measurement of the proton structure function F_2 and at low and very low x at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 407, 432-448.	4.1	129
49	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
50	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+\tau^-$ in $\overline{t}t$ events using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	126
51	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
52	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	124
53	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
54	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	3.9	121

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------

55			
----	--	--	--

#	ARTICLE	IF	CITATIONS
73	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
74	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
75	Measurement of elastic π^0 photoproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 437, 432-444.	4.1	94
76	Measurement of $D^* \Lambda_{\pm}$ production in deep inelastic e^{\pm} scattering at DESY HERA. Physical Review D, 2004, 69, .	4.7	94
77	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
78	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
79	production in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 407, 402-418.	4.1	91
80	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
81	Search for the $b\bar{b} \rightarrow \text{H}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
82	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
83	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
84	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
85	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
86	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
87	Inclusive jet cross sections in the Breit frame in neutral current deep inelastic scattering at HERA and determination of $\hat{\sigma}_{\pm}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 547, 164-180.	4.1	83
88	Exclusive electroproduction of ρ^0 mesons at HERA. Nuclear Physics B, 2005, 718, 3-31.	2.5	83
89	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
90	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	3.9	82

#	ARTICLE	IF	CITATIONS
91	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
92	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
93	Measurement of elastic $\tilde{\mu}$ photoproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 377, 259-272.	4.1	80
94	Leading neutron production in e+p collisions at HERA. Nuclear Physics B, 2002, 637, 3-56.	2.5	80
95	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
96	Search for single-top production in ep collisions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 559, 153-170.	4.1	79
97	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
98	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
99	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
100	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
101	Study of deep inelastic inclusive and diffractive scattering with the ZEUS forward plug calorimeter. Nuclear Physics B, 2005, 713, 3-80.	2.5	77
102	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
103	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
104	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	77
105	Angular analysis of $B^0 \rightarrow \bar{d} \ell^+ \ell^- K^+ \ell^-$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
106	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
107	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
108	Search for resonant diboson production in the $\ell\ell \rightarrow q\bar{q} \ell\ell$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74

#	ARTICLE	IF	CITATIONS
109	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
110	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
111	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
112	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
113	Search for supersymmetry at $\sqrt{s}=13\text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
114	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8\text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
115	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
116	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
117	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
118	Exclusive photoproduction of $\tilde{\eta}$ mesons at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 680, 4-12.	4.1	70
119	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8\text{ TeV}$. European Physical Journal C, 2015, 75, 303.	3.9	70
120	Search for resonances in diphoton events at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
121	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tilde{l}, \tilde{l}^{\pm} \tilde{l}^{\pm}/2$ in fully hadronic final states using pp collision data at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
122	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
123	Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68
124	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
125	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s}=8\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
126	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	67

#	ARTICLE	IF	CITATIONS
127	Exclusive $\tilde{t}\pm 0$ production in deep inelastic electron-proton scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 356, 601-616.	4.1	66
128	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
129	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
130	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
131	Inclusive-jet and dijet cross sections in deep inelastic scattering at HERA. Nuclear Physics B, 2007, 765, 1-30.	2.5	65
132	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
133	Measurement of the $W\gamma$ and $Z\gamma$ production cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64
134	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
135	Observation and measurements of the production of prompt and non-prompt Υ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
136	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
137	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
138	Measurement of the diffractive structure function $F_2^D(4)$ at HERA. European Physical Journal C, 1998, 1, 81-96.	3.9	63
139	Measurement of the differential cross-sections of prompt and non-prompt production of Υ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
140	Measurement of the longitudinal proton structure function at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 682, 8-22.	4.1	62
141	A QCD analysis of ZEUS diffractive data. Nuclear Physics B, 2010, 831, 1-25.	2.5	62
142	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
143	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 154.	3.9	62
144	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	3.9	61

#	ARTICLE	IF	CITATIONS
145	Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ $\tilde{\chi}^0$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
146	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	61
147	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
148	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
149	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
150	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
151	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
152	Summary of the searches for squarks and gluinos using $\sqrt{s}=8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
153	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s}=8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
154	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} / d\bar{d} / s\bar{s} / c\bar{c} / b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
155	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
156	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
157	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
158	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
159	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
160	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
161	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ and 5.0 TeV. European Physical Journal C, 2018, 78, 142.	3.9	59
162	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tau^{\pm} \nu_{\tau}$, in the $\tau^{\pm} + \text{jets}$ and $\tau^{\pm} + \text{lepton}$ final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	59

#	ARTICLE	IF	CITATIONS
163	Measurement of the diffractive structure function. European Physical Journal C, 1998, 1, 81.	3.9	59
164	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
165	Deep inelastic scattering with leading protons or large rapidity gaps at HERA. Nuclear Physics B, 2009, 816, 1-61.	2.5	57
166	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
167	Diffractive hard photoproduction at HERA and evidence for the gluon content of the pomeron. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 356, 129-146.	4.1	56
168	Rapidity gaps between jets in photoproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 369, 55-68.	4.1	56
169	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
170	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
171	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
172	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	56
173	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
174	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
175	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
176	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
177	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
178	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
179	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s}=7$ TeV proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
180	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53

#	ARTICLE	IF	CITATIONS
181	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow W^+W^-$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
182	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
183	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
184	Search for lepton-flavour-violating $H \rightarrow \tau\mu$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
185	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
186	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
187	Measurement of exclusive γ electroproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 487, 273-288.	4.1	51
188	Measurement of the photon-proton total cross section at a center-of-mass energy of 209 GeV at HERA. Nuclear Physics B, 2002, 627, 3-28.	2.5	51
189	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	3.9	51
190	Measurement of the top quark mass with the template method in the $t \rightarrow \text{lepton} + \text{jets}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	3.9	51
191	Search for minimal supersymmetric standard model Higgs Bosons H/A and for a Z^{\prime} boson in the $\text{au} \rightarrow \tau, \mu$, final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
192	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
193	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	3.9	51
194	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
195	High-Q ² neutral current cross sections in e+p deep inelastic scattering at $s = 318$ GeV. Physical Review D, 2004, 70, .	4.7	50
196	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
197	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
198	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb ⁻¹ of pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50

#	ARTICLE	IF	CITATIONS
199	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
200	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
201	Combination and QCD analysis of charm and beauty production cross-section measurements in deep inelastic ep scattering at HERA. European Physical Journal C, 2018, 78, 1.	3.9	49
202	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
203	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
204	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
205	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
206	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
207	Measurement of D [±] and D ⁰ production in deep inelastic scattering using a lifetime tag at HERA. European Physical Journal C, 2009, 63, 171-188.	3.9	47
208	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
209	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	3.9	47
210	Measurement of the top quark mass in the $t \rightarrow t \bar{t} \bar{t}$. European Physical Journal C, 2019, 79, 1.	3.9	47
211	Measurement of charm and beauty production in deep inelastic ep scattering from decays into muons at HERA. European Physical Journal C, 2010, 65, 65-79.	3.9	46
212	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
213	Study of the rare decays of $B^0 \rightarrow B_s^0$ and $B^0 \rightarrow B^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
214	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\mu$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
215	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	3.9	46
216	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46

#	ARTICLE	IF	CITATIONS
217	Measurement of high-Q ² charged current cross sections in e ⁺ p deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 539, 197-217.	4.1	45
218	Measurement of isolated photon production in deep inelastic ep scattering. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 687, 16-25.	4.1	45
219	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7, \text{TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
220	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	45
221	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	3.9	45
222	Measurement of the σ_{t} production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
223	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
224	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
225	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
226	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
227	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
228	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
229	Measurement of the open-charm contribution to the diffractive proton structure function. Nuclear Physics B, 2003, 672, 3-35.	2.5	43
230	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$, $H \rightarrow \tau \nu$, $H \rightarrow \tau \bar{\nu}$ decay mode in $\sqrt{s} = 7, \text{TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
231	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
232	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
233	Search for single top-quark production via flavour-changing neutral currents at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
234	Measurement of azimuthal asymmetries in deep inelastic scattering. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 481, 199-212.	4.1	42

#	ARTICLE	IF	CITATIONS
235	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	42
236	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
237	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
238	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	3.9	42
239	Diffraction photoproduction of dijets in ep collisions at HERA. European Physical Journal C, 2008, 55, 177-191.	3.9	41
240	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
241	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
242	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
243	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb ⁻¹ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
244	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
245	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
246	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
247	A search for t resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
248	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
249	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40
250	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
251	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{+} J/\psi D_s^+ \hat{+}$ and $B_c^+ \rightarrow J/\psi D_s^+ \hat{+} B_c^+ \hat{+} J/\psi D_s^+ \hat{+}$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
252	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40

#	ARTICLE	IF	CITATIONS
253	Measurements of b-jet tagging efficiency with the ATLAS detector using $\sqrt{s}=13$ TeV events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
254	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- Z Z$ final states using 139 fb ⁻¹ of proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
255	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
256	Inclusive-jet photoproduction at HERA and determination of. Nuclear Physics B, 2012, 864, 1-37.	2.5	39
257	Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 12.	3.9	39
258	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 87.	3.9	39
259	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
260	Measurement of the reaction in deep inelastic e+p scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 380, 220-234.	4.1	38
261	Measurement of beauty production in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 599, 173-189.	4.1	38
262	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
263	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
264	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
265	Search for Higgs boson pair production in the $gg \rightarrow b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
266	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
267	Search for resonance decays to lepton+jet at DESY HERA and limits on leptoquarks. Physical Review D, 2003, 68, .	4.7	37
268	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
269	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
270	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s}=8$ TeV in the lepton+jet channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37

#	ARTICLE	IF	CITATIONS
271	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
272	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
273	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
274	Leading neutron energy and distributions in deep inelastic scattering and photoproduction at HERA. Nuclear Physics B, 2007, 776, 1-37.	2.5	36
275	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	36
276	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	36
277	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	3.9	36
278	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	36
279	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	36
280	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
281	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36
282	Measurement of flow harmonics correlations with mean transverse momentum in lead–lead and proton–lead collisions at $\sqrt{s_{NN}} = 5.02$ – 8 TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
283	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
284	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
285	Inclusive charged particle distributions in deep inelastic scattering events at HERA. Zeitschrift für Physik C-Particles and Fields, 1996, 70, 1-15.	1.5	35
286	Measurement of inclusive prompt photon photoproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 472, 175-188.	4.1	35
287	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
288	Measurement of the production cross section of prompt J/ψ mesons in association with a W^{\pm} boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35

#	ARTICLE	IF	CITATIONS
289	Search for $W' \rightarrow tb \rightarrow qqbb$ $W \rightarrow t \bar{t} b \rightarrow qqbb$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35
290	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
291	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
292	Measurement of inclusive (D_s^\pm) photoproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 481, 213-227.	4.1	34
293	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
294	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
295	Measurements of top-quark pair differential and double-differential cross-sections in the $ell + jets$ channel with pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
296	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
297	Dijet angular distributions in direct and resolved photoproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 401-413.	4.1	33
298	Measurement of dijet production in neutral current deep inelastic scattering at high Q^2 and determination of $\hat{\sigma}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 507, 70-88.	4.1	33
299	Leading proton production in $e+p$ collisions at HERA. Nuclear Physics B, 2003, 658, 3-46.	2.5	33
300	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
301	Combined inclusive diffractive cross sections measured with forward proton spectrometers in deep inelastic ep scattering at HERA. European Physical Journal C, 2012, 72, 1.	3.9	33
302	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
303	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. Journal of High Energy Physics, 2014, 2014, 1.	4.7	33
304	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
305	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
306	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33

#	ARTICLE	IF	CITATIONS
307	Measurements of $\tilde{\chi}(2S)$ and $\tilde{\chi}(3872) \rightarrow J/\psi + \tilde{\chi}^0$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
308	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
309	Observation of events with an energetic forward neutron in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1996, 384, 388-400.	4.1	32
310	Dijet cross sections in photoproduction at HERA. European Physical Journal C, 1998, 1, 109-122.	3.9	32
311	Search for single-top production in ep collisions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 708, 27-36.	4.1	32
312	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
313	Measurement of $\tilde{t} \rightarrow c1$ and $\tilde{t} \rightarrow c2$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
314	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	3.9	32
315	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
316	Measurement of subjet multiplicities in neutral current deep inelastic scattering at HERA and determination of $\tilde{\alpha}_s$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 558, 41-58.	4.1	31
317	Bottom photoproduction measured using decays into muons in dijet events in ep collisions at $\sqrt{s} = 318$ GeV. Physical Review D, 2004, 70, .	4.7	31
318	Jet-radius dependence of inclusive-jet cross sections in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 649, 12-24.	4.1	31
319	Dijet production in diffractive deep inelastic scattering at HERA. European Physical Journal C, 2007, 52, 813-832.	3.9	31
320	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900$ GeV and $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31
321	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
322	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
323	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
324	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31

#	ARTICLE	IF	CITATIONS
325	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
326	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
327	Search for W^+W^-/ZZ resonance production in $\ell^+\ell^-q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
328	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
329	Search for contact interactions, large extra dimensions and finite quark radius in ep collisions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 591, 23-41.	4.1	30
330	Measurement of high-Q ² neutral current deep inelastic $e-p$ scattering cross sections with a longitudinally polarised electron beam at HERA. European Physical Journal C, 2009, 62, 625-658.	3.9	30
331	Deep inelastic cross-section measurements at large Q^2 with the ZEUS detector at HERA. Physical Review D, 2014, 90, ..	4.7	30
332	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
333	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
334	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
335	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
336	Searches for the $Z\ell\bar{\ell}$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
337	Study of $WW\gamma$ and $WZ\gamma$ production cross-sections as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	3.9	30
338	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
339	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	30
340	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
341	Searches for excited fermions in ep collisions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 549, 32-47.	4.1	29
342	Measurement of high-Q ² charged current deep inelastic scattering cross sections with a longitudinally polarised positron beam at HERA. European Physical Journal C, 2010, 70, 945-963.	3.9	29

#	ARTICLE	IF	CITATIONS
343	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	29
344	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
345	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
346	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
347	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $\hat{t}\hat{t}^*/2q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
348	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
349	Production of excited charm and charm-strange mesons at HERA. European Physical Journal C, 2009, 60, 25-45.	3.9	28
350	Measurement of charged current deep inelastic scattering cross sections with a longitudinally polarised electron beam at HERA. European Physical Journal C, 2009, 61, 223-235.	3.9	28
351	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
352	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
353	Measurement of $WW/WZ \rightarrow \ell u q \bar{q}'$ and $WW/WZ \rightarrow \ell \hat{t} \hat{t}^*$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
354	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
355	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a a^* 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
356	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
357	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	28
358	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	28
359	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
360	Dijet cross sections in photoproduction at HERA. European Physical Journal C, 1998, 1, 109.	3.9	27

#	ARTICLE	IF	CITATIONS
361	Study of the effective transverse momentum of partons in the proton using prompt photons in photoproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 511, 19-32.	4.1	27
362	Deep inelastic inclusive and diffractive scattering at $\sqrt{s} = 200$ GeV. Nuclear Physics B, 2008, 800, 1-76.	2.5	27
363	Inclusive dijet cross sections in neutral current deep inelastic scattering at HERA. European Physical Journal C, 2010, 70, 965-982.	3.9	27
364	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
365	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
366	Measurements of top-quark pair differential cross-sections in the e^+e^- channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
367	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
368	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
369	Measurement of the top-quark mass in t + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
370	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\bar{\nu}_\tau$ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
371	Measurement of F_2 from jet rates in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1995, 363, 201-216.	4.1	26
372	Inclusive jet cross sections and dijet correlations in photoproduction at HERA. Nuclear Physics B, 2005, 729, 492-525.	2.5	26
373	Event shapes in deep inelastic scattering at HERA. Nuclear Physics B, 2007, 767, 1-28.	2.5	26
374	Measurements of electroweak Wjj production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
375	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $ell\bar{b}b$ and $ell\bar{W}W$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
376	Observation of isolated high-ET photons in photoproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 413, 201-216.	4.1	25
377	Event shape analysis of deep inelastic scattering events with a large rapidity gap at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 421, 368-384.	4.1	25
378	Scaling violations and determination of F_2 from jet production in $\bar{p}p$ interactions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 560, 7-23.	4.1	25

#	ARTICLE	IF	CITATIONS
379	A search for τ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 2083.	3.9	25
380	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
381	Search for first-generation leptoquarks at HERA. Physical Review D, 2012, 86, .	4.7	25
382	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
383	Determination of the top-quark pole mass using $t \bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
384	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
385	Search for triboson $W^+W^-W^0$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
386	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
387	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
388	Measurement of prompt photons with associated jets in photoproduction at HERA. European Physical Journal C, 2007, 49, 511-522.	3.9	24
389	Inclusive jet cross sections in NC DIS at HERA and a comparison of the k_T and T algorithms, anti- k_R and SiScore jet algorithms. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 443, 394-408.	4.1	24
390	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
391	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions. European Physical Journal C, 2016, 76, 517.	3.9	24
392	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
393	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
394	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
395	Diffraction dijet cross sections in photoproduction at HERA. European Physical Journal C, 1998, 5, 41.	3.9	24
396	Measurement of three-jet distributions in photoproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 443, 394-408.	4.1	23

#	ARTICLE	IF	CITATIONS
397	High-mass dijet cross sections in photoproduction at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 531, 9-27.	4.1	23
398	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. European Physical Journal C, 2010, 70, 875-916.	3.9	23
399	Measurement of charm fragmentation fractions in photoproduction at HERA. Journal of High Energy Physics, 2013, 2013, 1.	4.7	23
400	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
401	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	3.9	23
402	A search for high-mass resonances decaying to $J/\psi, \psi(2S), \psi(3770)$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
403	Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
404	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
405	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
406	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
407	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
408	Observation of isolated high-ET photons in deep inelastic scattering. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 595, 86-100.	4.1	22
409	Search for pentaquarks decaying to $\Lambda b \bar{c}$ in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 610, 212-224.	4.1	22
410	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	22
411	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
412	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
413	Measurement of the $t \bar{t} W$ and $t \bar{t} Z$ production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
414	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
415	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	22
416	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	22
417	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
418	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
419	W production and the search for events with an isolated high-energy lepton and missing transverse momentum at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000, 471, 411-428.	4.1	21
420	Dijet angular distributions in photoproduction of charm at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003, 565, 87-101.	4.1	21
421	Forward jet production in deep inelastic ep scattering and low-x parton dynamics at HERA. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2006, 632, 13-26.	4.1	21
422	A deeply virtual Compton scattering amplitude. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2007, 645, 161-166.	4.1	21
423	Measurement of \tilde{t} polarization in $W\tilde{t}\tilde{t}^*$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2062.	3.9	21
424	Measurement of the production cross-section of $\tilde{t}(2S) \rightarrow J/\psi(\tilde{t}^* \tilde{t} + \tilde{t} \tilde{t}^*) + \tilde{t} \tilde{t}^*$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	21
425	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u$ $WW \rightarrow \tilde{t}^* \tilde{t} e$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	3.9	21
426	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
427	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
428	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
429	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, .	3.9	21
430	Measurement of dijet cross sections for events with a leading neutron in photoproduction at HERA. <i>Nuclear Physics B</i> , 2001, 596, 3-29.	2.5	20
431	Three- and four-jet final states in photoproduction at HERA. <i>Nuclear Physics B</i> , 2008, 792, 1-47.	2.5	20
432	Test beam results of 3D silicon pixel sensors for the ATLAS upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2011, 638, 33-40.	1.6	20

#	ARTICLE	IF	CITATIONS
433	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
434	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
435	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
436	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	3.9	20
437	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	20
438	Study of charged current interactions at $Q^2 > 200 \text{ GeV}^2$ with the ZEUS detector at HERA. Zeitschrift für Physik C-Particles and Fields, 1996, 72, 47-64.	1.5	19
439	Differential cross sections of photoproduction in ep collisions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 401, 192-206.	4.1	19
440	Measurement of open beauty production at HERA in the $D^* \ell$ final state. European Physical Journal C, 2007, 50, 299-314.	3.9	19
441	Measurement of beauty production in DIS and extraction at ZEUS. European Physical Journal C, 2010, 69, 347-360.	3.9	19
442	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
443	Measurement of k_T splitting scales in $W\ell^+\ell^-$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
444	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
445	Addendum to "Measurement of the $t\bar{t}$ production cross-section using $e\bar{\nu}_e$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	3.9	19
446	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
447	Probing lepton flavour violation via neutrinoless $\nu_e \rightarrow 3\mu$, $\nu_\tau \rightarrow 3\ell$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
448	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
449	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
450	Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
451	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ⁻¹ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
452	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb ⁻¹ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
453	Measurement of (anti)deuteron and (anti)proton production in DIS at HERA. Nuclear Physics B, 2007, 786, 181-205.	2.5	18
454	Search for stop production in R-parity-violating supersymmetry at HERA. European Physical Journal C, 2007, 50, 269.	3.9	18
455	Diffraction photoproduction of D* $\hat{A}\pm(2010)$ at HERA. European Physical Journal C, 2007, 51, 301-315.	3.9	18
456	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
457	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	18
458	Measurement of high- Q^2 neutral current deep inelastic scattering cross sections with a longitudinally polarized positron beam at HERA. Physical Review D, 2013, 87, .	4.7	18
459	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \gamma\gamma$, in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
460	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
461	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
462	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
463	The Q2 dependence of dijet cross sections in $\hat{p}p$ interactions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 479, 37-52.	4.1	17
464	Measurement of high- Q^2 neutral current deep inelastic scattering cross sections with a longitudinally polarized positron beam at HERA. Physical Review D, 2013, 87, .	4.1	17
465	Multijet production at low Q^2 in deep inelastic scattering at HERA. Nuclear Physics B, 2007, 786, 152-180.	2.5	17
466	Measurement of K^0_S , \hat{b} and \hat{b}_s production at HERA. European Physical Journal C, 2007, 51, 1-23.	3.9	17
467	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
468	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
469	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
470	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
471	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7 \text{ TeV}$ $s = 7$ TeV. European Physical Journal C, 2015, 75, 158.	3.9	17
472	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
473	Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
474	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
475	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \sqrt{s}=13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
476	Direct top-quark decay width measurement in the $\mathbf{\bar{t}} t \hat{A}^-$ lepton+jets channel at $\sqrt{s}=8 \text{ TeV}$ $s = 8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
477	Search for flavour-changing neutral current top-quark decays $t \hat{A}^+ qZ$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
478	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
479	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ TeV $s = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
480	Measurement of $W^{\pm} \gamma$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
481	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
482	Search for the $HH \hat{A}^+ \gamma \gamma$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
483	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
484	Measurement of the E_T^{jet2}/Q_2 dependence of forward-jet production at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2000, 474, 223-233.	4.1	16
485	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
486	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16

#	ARTICLE	IF	CITATIONS
487	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
488	Top-quark mass measurement in the all-hadronic $t\bar{t}\rightarrow\text{hadrons}$ decay channel at $s=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
489	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 847.	3.9	16
490	Search for exclusive Higgs and Z boson decays to $\tau^+\tau^-$ and $\tau^+\tau^-$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
491	Measurement of differential cross sections and W^+/W^0 cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
492	Photoproduction of D_s^\pm mesons associated with a leading neutron. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 590, 143-160.	4.1	15
493	Study of the pion trajectory in the photoproduction of leading neutrons at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 610, 199-211.	4.1	15
494	Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	15
495	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
496	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	15
497	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
498	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
499	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
500	Measurement of event-shape observables in $Z\rightarrow\ell^+\ell^-$ events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
501	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^*\rightarrow\ell^+\ell^-$ with the ATLAS detector at $s=8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
502	Search for strong gravity in multijet final states produced in pp collisions at $s=13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
503	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
504	Search for scalar resonances decaying into $\tau^+\tau^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
505	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
506	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
507	High-ETdijet photoproduction at HERA. <i>Physical Review D</i> , 2007, 76, .	4.7	14
508	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb ⁻¹ of ATLAS data. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	14
509	Measurement of the t dependence in exclusive photoproduction of γ γ pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 14-20.	4.1	14
510	Measurement of beauty and charm production in deep inelastic scattering at HERA and measurement of the beauty-quark mass. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	14
511	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
512	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
513	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
514	Studies of $Z\bar{\nu}\nu$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
515	Measurement of VH , $\mathcal{H}\mathcal{H}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
516	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
517	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
518	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
519	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
520	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
521	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
522	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	14

#	ARTICLE	IF	CITATIONS
523	Substructure dependence of jet cross sections at HERA and determination of. Nuclear Physics B, 2004, 700, 3-50.	2.5	13
524	Measurement of azimuthal asymmetries in neutral current deep inelastic scattering at HERA. European Physical Journal C, 2007, 51, 289-299.	3.9	13
525	Measurement of beauty production in deep inelastic scattering at HERA using decays into electrons. European Physical Journal C, 2011, 71, 1.	3.9	13
526	Measurement of heavy-quark jet photoproduction at HERA. European Physical Journal C, 2011, 71, 1.	3.9	13
527	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
528	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	13
529	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
530	Search for lepton flavour violation in the $e\bar{\nu}_\mu$ continuum with the ATLAS detector in $\sqrt{s} = 7\text{ TeV}$ pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	3.9	13
531	Production of the excited charm mesons and at HERA. Nuclear Physics B, 2013, 866, 229-254.	2.5	13
532	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7\text{ TeV}$ pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	3.9	13
533	Measurement of the cross-section ratio $\sigma_f(\gamma^* \rightarrow f\bar{f}) / \sigma_f(\gamma^* \rightarrow \mu^+\mu^-)$ in deep inelastic exclusive ep scattering at HERA. Nuclear Physics B, 2016, 909, 934-953.	2.5	13
534	Measurement of the CP-violating phase $\arg(\lambda_{cb})$ and the B_s^0 meson decay width difference with $B_s^0 \rightarrow \mu^+\mu^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
535	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
536	Search for anomalous couplings in the Wtb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
537	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
538	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2018, 78, 102.	3.9	13
539	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
540	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13

#	ARTICLE	IF	CITATIONS
541	Multiplicity moments in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 510, 36-54.	4.1	12
542	Search for resonance decays to $a_1^{1/2} \hat{A}^+$ plus jet ine+psscattering at DESY HERA. Physical Review D, 2001, 63, .	4.7	12
543	Study of the azimuthal asymmetry of jets in neutral current deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 551, 226-240.	4.1	12
544	Forward-jet production in deep inelastic ep scattering at HERA. European Physical Journal C, 2007, 52, 515-530.	3.9	12
545	Beauty photoproduction using decays into electrons at HERA. Physical Review D, 2008, 78, .	4.7	12
546	Measurement of J/ψ photoproduction at large momentum transfer at HERA. Journal of High Energy Physics, 2010, 2010, 1.	4.7	12
547	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
548	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s} = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
549	Measurement of the $\overline{b}b$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
550	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
551	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
552	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
553	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s} = 8.16 \text{ TeV}$ p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
554	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
555	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
556	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
557	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
558	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
559	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1.	3.9	12
560	Observation of scaling violations in scaled momentum distributions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1997, 414, 428-443.	4.1	11
561	Isolated tau leptons in events with large missing transverse momentum at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 583, 41-58.	4.1	11
562	Measurement of $W^{\pm}Z$ and $Z^{\pm}Z$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
563	Measurement of four-jet differential cross sections in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
564	Combined QCD and electroweak analysis of HERA data. Physical Review D, 2016, 93, .	4.7	11
565	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
566	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
567	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
568	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
569	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
570	Two-particle azimuthal correlations as a probe of collective behaviour in deep inelastic ep scattering at HERA. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
571	Measurement of diffractive production of $D^{\pm}(2010)$ mesons in deep-inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 545, 244-260.	4.1	10
572	Bose-Einstein correlations in one and two dimensions in deep inelastic scattering. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 583, 231-246.	4.1	10
573	Bose-Einstein correlations of charged and neutral kaons in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 652, 1-12.	4.1	10
574	Photoproduction of events with rapidity gaps between jets at HERA. European Physical Journal C, 2007, 50, 283-297.	3.9	10
575	Search for events with an isolated lepton and missing transverse momentum and a measurement of W production at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 672, 106-115.	4.1	10
576	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
577	Photoproduction of isolated photons, inclusively and with a jet, at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 730, 293-301.	4.1	10
578	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
579	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
580	Limits on the effective quark radius from inclusive ep scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 757, 468-472.	4.1	10
581	Production of exclusive dijets in diffractive deep inelastic scattering at HERA. European Physical Journal C, 2016, 76, 1.	3.9	10
582	Measurement of the $Z\gamma \rightarrow u\bar{u}\gamma$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
583	Measurement of the inclusive and fiducial $t\bar{t}\hat{A}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
584	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\hat{A}\pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
585	Measurement of J/ψ production in association with a $W\hat{A}\pm$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
586	Measurement of the $t\bar{t}\gamma$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
587	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
588	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
589	Three-jet production in diffractive deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2001, 516, 273-292.	4.1	9
590	Inclusive K_S^0 Production in pp collisions at HERA. Physical Review Letters, 2008, 101, 112003.	7.8	9
591	Measurement of isolated photons accompanied by jets in deep inelastic ep scattering. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 715, 88-97.	4.1	9
592	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
593	Measurement of the $\gamma\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
594	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9

#	ARTICLE	IF	CITATIONS
595	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ using the ZZ $\hat{t}^* \hat{t}^*$, $\hat{t}^* \hat{b}^*$, $\hat{t}^* \hat{c}^*$, $\hat{t}^* \hat{s}^*$ and ZZ $\hat{t}^* \hat{t}^*$, $\hat{t}^* \hat{b}^*$, $\hat{t}^* \hat{c}^*$, $\hat{t}^* \hat{s}^*$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		
596	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
597	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
598	Measurement of the $Z(\hat{t}^* \hat{t}^*, \hat{t}^* \hat{b}^*, \hat{t}^* \hat{c}^*)$ production cross-section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	9
599	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
600	Production and test of monitored drift tubes for the muon spectrometer of the ATLAS experiment. IEEE Transactions on Nuclear Science, 2002, 49, 1077-1079.	2.0	8
601	Observation of $K_S^0 K_S^0$ resonances in deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 578, 33-44.	4.1	8
602	Events with an isolated lepton and missing transverse momentum and measurement of W production at HERA. Journal of High Energy Physics, 2010, 2010, 1.	4.7	8
603	Measurement of $D^* \hat{A}^\pm$ production in deep inelastic scattering at HERA. Journal of High Energy Physics, 2013, 2013, 1.	4.7	8
604	Measurement of $D \hat{A}^\pm$ production in deep inelastic ep scattering with the ZEUS detector at HERA. Journal of High Energy Physics, 2013, 2013, 1.	4.7	8
605	Measurement of the relative width difference of the $B^0 \hat{A}^0$ $\{B\}^{\hat{O}hbox{-}} \{\overline{B}\}^{\hat{O}} \text{ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.}$	4.7	8
606	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
607	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
608	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
609	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
610	Limits on contact interactions and leptoquarks at HERA. Physical Review D, 2019, 99, .	4.7	8
611	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
612	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8

#	ARTICLE	IF	CITATIONS
613	Measurements of $W+W\hat{a}^{\sim}+1$ jet production cross-sections in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
614	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
615	Reconstruction and identification of boosted di- \tilde{t} , systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
616	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
617	Diffraction dijet cross sections in photoproduction at HERA. European Physical Journal C, 1998, 5, 41-56.	3.9	7
618	Properties of hadronic final states in diffractive deep inelastic scattering at DESY HERA. Physical Review D, 2002, 65, .	4.7	7
619	Observation of the strange sea in the proton via inclusive \tilde{t} -meson production in neutral current deep inelastic scattering at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 553, 141-158.	4.1	7
620	Measurement of meson production in scattering at low. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 649, 111-121.	4.1	7
621	Multi-lepton production at high transverse momentum at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 680, 13-23.	4.1	7
622	Subjet distributions in deep inelastic scattering at HERA. European Physical Journal C, 2009, 63, 527-548.	3.9	7
623	Measurement of dijet photoproduction for events with a leading neutron at HERA. Nuclear Physics B, 2010, 827, 1-33.	2.5	7
624	3D-FBK pixel sensors: Recent beam tests results with irradiated devices. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 650, 150-157.	1.6	7
625	Exclusive electroproduction of two pions at HERA. European Physical Journal C, 2012, 72, 1.	3.9	7
626	Measurement of inelastic J/ψ and Υ photoproduction at HERA. Journal of High Energy Physics, 2013, 2013, 1.	4.7	7
627	Measurement of σ_{pol} , polarisation in $Z/\gamma^* \rightarrow \text{au au } Z/\hat{\nu}^3$. European Physical Journal C, 2018, 78, 163.	3.9	7
628	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s}=13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
629	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
630	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7

#	ARTICLE	IF	CITATIONS
631	Search for lepton-flavor violation in e^+p collisions at DESY HERA. Physical Review D, 2002, 65, .	4.7	6
632	Multijet cross sections in charged current $e^{\pm}p$ scattering at HERA. Physical Review D, 2008, 78, .	4.7	6
633	Measurement of the energy dependence of the total photon-proton cross section at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 697, 184-193.	4.1	6
634	Production of $\langle \text{mml:math altimg= sr1.gif overflow= scroll} \rangle$ <small>xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/x</small>	4.1	6
635	Measurement of neutral current e^+p cross sections at high Bjorken x with the ZEUS detector. Physical Review D, 2014, 89, .	4.7	6
636	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
637	Measurement of ZZ production in the $\hat{a}, \hat{a}, \hat{1}/2$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
638	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	6
639	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022, 82, 1.	3.9	6
640	Search for selectron and squark production in e^+p collisions at HERA. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 1998, 434, 214-230.	4.1	5
641	Measurement of D^+ and \hat{c}^+ production in deep inelastic scattering at HERA. Journal of High Energy Physics, 2010, 2010, 1.	4.7	5
642	Study of proton parton distribution functions at high x <small>xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" <math>x</math></small>	4.7	5
643	Measurement of long-range two-particle azimuthal correlations in Z -boson tagged pp collisions at $\sqrt{s} = 8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	3.9	5
644	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
645	Search for phenomena beyond the Standard Model in events with large b -jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
646	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb^{-1} of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
647	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
648	Measurement of neutral current cross sections at high Bjorken x with the ZEUS detector at HERA. European Physical Journal C, 2007, 49, 523-544.	3.9	4

#	ARTICLE	IF	CITATIONS
649	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	4
650	Combination of differential D^{\pm} cross-section measurements in deep-inelastic ep scattering at HERA. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	4
651	Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
652	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019, 79, .	3.9	4
653	Charm production in charged current deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	4
654	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
655	Study of charged-current ν_e interactions at $Q^2 > 200, \sqrt{s} > 200 \text{ GeV}$ with the ZEUS detector at HERA. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1996, 72, 47-64.	1.5	4
656	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
657	Measurement of K_S^0 and Λ^0 production in $pp \rightarrow \tau^+ \tau^-$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	4
658	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \mu^{\pm} \nu_{\mu} (\rightarrow \pi^{\pm} \nu_{\mu}) u_{\text{had}} \bar{u}_{\text{had}}$ events in Run2 data. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	4
659	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
660	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
661	Measurement of the proton structure function F_2 at low x and low Q^2 at HERA. <i>Zeitschrift für Physik C-Particles and Fields</i> , 1995, 69, 607-620.	1.5	3
662	Further studies of the photoproduction of isolated photons with a jet at HERA. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	3
663	Measurement of the k_t splitting scales in $Z \rightarrow \bar{a} a$ events in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
664	Further studies of isolated photon production with a jet in deep inelastic scattering at HERA. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	3
665	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3
666	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3

#	ARTICLE	IF	CITATIONS
667	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
668	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. , 2015, 2015, 1.		3
669	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
670	Measurement of elastic π^0 photoproduction at HERA. Zeitschrift für Physik C-Particles and Fields, 1995, 69, 39-54.	1.5	2
671	Scaled momentum spectra in deep inelastic scattering at HERA. Journal of High Energy Physics, 2010, 2010, 1.	4.7	2
672	Angular correlations in three-jet events in ep collisions at HERA. Physical Review D, 2012, 85, .	4.7	2
673	Search for a narrow baryonic state decaying to $p\bar{K}^0$ and $p\bar{K}^+$. Physical Review D, 2017, 96, .	4.1	2
674	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
675	Studies of the diffractive photoproduction of isolated photons at HERA. Physical Review D, 2017, 96, .	4.7	2
676	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
677	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
678	FD2 at low Q ² at HERA. Nuclear Physics, Section B, Proceedings Supplements, 2001, 99, 148-151.	0.4	1
679	Construction and test of monitored drift tube for the muon spectrometer of ATLAS experiment. , 0, , .		1
680	Study of tau pair production at HERA. Journal of High Energy Physics, 2011, 2011, 1.	4.7	1
681	Scaled momentum distributions for K_S^0 and Λ in DIS at HERA. Journal of High Energy Physics, 2012, 2012, 1.	4.7	1
682	Measurement of D ⁺ photoproduction at three different centre-of-mass energies at HERA. Journal of High Energy Physics, 2014, 2014, 1.	4.7	1
683	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. , 2016, 76, 1.		1
684	ZEUS results on inclusive diffraction. Nuclear Physics, Section B, Proceedings Supplements, 2005, 146, 15-19.	0.4	0

#	ARTICLE	IF	CITATIONS
685	DVCS and high-t photons at HERA. , 2009, , .		0
686	Preface: Diffraction 2012. , 2013, , .		0
687	Top quark studies with the ATLAS detector. International Journal of Modern Physics Conference Series, 2015, 39, 1560092.	0.7	0
688	Research activity on radon at the physics department of the Calabria University in the context of the European directives regarding gas radon. AIP Conference Proceedings, 2018, , .	0.4	0