

# Raquel B De Boni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3571294/publications.pdf>

Version: 2024-02-01

85  
papers

2,155  
citations

257450

24  
h-index

276875

41  
g-index

91  
all docs

91  
docs citations

91  
times ranked

3310  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lifestyle behaviours during the COVID-19 "time to connect". <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 399-400.	4.5	183
2	Obesity following ART initiation is common and influenced by both traditional and HIV-/ART-specific risk factors. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 2177-2185.	3.0	139
3	Retention, engagement, and adherence to pre-exposure prophylaxis for men who have sex with men and transgender women in PrEP Brasil: 48 week results of a demonstration study. <i>Lancet HIV</i> , 2018, 5, e136-e145.	4.7	130
4	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021, 14, 16-26.	1.8	118
5	Epidemiology of HIV in Latin America and the Caribbean. <i>Current Opinion in HIV and AIDS</i> , 2014, 9, 192-198.	3.8	100
6	High pre-exposure prophylaxis uptake and early adherence among men who have sex with men and transgender women at risk for HIV Infection: the PrEP Brasil demonstration project. <i>Journal of the International AIDS Society</i> , 2017, 20, 21472.	3.0	98
7	Psychometric properties of the World Health Organization Quality of Life instrument (WHOQoL-BREF) in alcoholic males: A pilot study. <i>Quality of Life Research</i> , 2005, 14, 473-478.	3.1	77
8	Awareness and Willingness to Use Pre-exposure Prophylaxis (PrEP) Among Men Who Have Sex with Men and Transgender Women in Brazil. <i>AIDS and Behavior</i> , 2017, 21, 1278-1287.	2.7	76
9	Depression, Anxiety, and Lifestyle Among Essential Workers: A Web Survey From Brazil and Spain During the COVID-19 Pandemic. <i>Journal of Medical Internet Research</i> , 2020, 22, e22835.	4.3	56
10	Do men who have sex with men who report alcohol and illicit drug use before/during sex (chemsex) present moderate/high risk for substance use disorders?. <i>Drug and Alcohol Dependence</i> , 2020, 209, 107908.	3.2	51
11	Prescription and illicit psychoactive drugs in oral fluid "MS/MS method development and analysis of samples from Brazilian drivers. <i>Forensic Science International</i> , 2012, 223, 208-216.	2.2	47
12	Determination of amphetamine-type stimulants in oral fluid by solid-phase microextraction and gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2011, 696, 67-76.	5.4	45
13	Websurveys nos tempos de COVID-19. <i>Cadernos De Saude Publica</i> , 2020, 36, e00155820.	1.0	45
14	Highly reported prevalence of drinking and driving in Brazil: data from the first representative household study. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 125-130.	1.7	44
15	An Internet-Based HIV Self-Testing Program to Increase HIV Testing Uptake Among Men Who Have Sex With Men in Brazil: Descriptive Cross-Sectional Analysis. <i>Journal of Medical Internet Research</i> , 2019, 21, e14145.	4.3	43
16	Awareness of Prevention Strategies and Willingness to Use Preexposure Prophylaxis in Brazilian Men Who Have Sex With Men Using Apps for Sexual Encounters: Online Cross-Sectional Study. <i>JMIR Public Health and Surveillance</i> , 2018, 4, e11.	2.6	43
17	Factors associated with alcohol and drug use among traffic crash victims in southern Brazil. <i>Accident Analysis and Prevention</i> , 2011, 43, 1408-1413.	5.7	42
18	Factors associated with PrEP awareness according to age and willingness to use HIV prevention technologies: the 2017 online survey among MSM in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019, 31, 1193-1202.	1.2	40

#	ARTICLE	IF	CITATIONS
19	Risk behaviors for HCV- and HIV-seroprevalence among female crack users in Porto Alegre, Brazil. Archives of Women's Mental Health, 2010, 13, 185-191.	2.6	38
20	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. Journal of Affective Disorders, 2021, 295, 173-182.	4.1	32
21	Mortality in HIV-infected women, heterosexual men, and men who have sex with men in Rio de Janeiro, Brazil: an observational cohort study. Lancet HIV, 2016, 3, e490-e498.	4.7	30
22	Chlamydia trachomatis, Neisseria gonorrhoeae and syphilis among men who have sex with men in Brazil. BMC Public Health, 2015, 15, 686.	2.9	29
23	Substance Use and Adherence Among People Living with HIV/AIDS Receiving cART in Latin America. AIDS and Behavior, 2016, 20, 2692-2699.	2.7	28
24	Electronic cigarettes and narghile users in Brazil: Do they differ from cigarettes smokers?. Addictive Behaviors, 2019, 98, 106007.	3.0	28
25	Association Between Psychiatric Symptoms and Severity of Alcohol Dependence in a Sample of Brazilian Men. Journal of Nervous and Mental Disease, 2005, 193, 126-130.	1.0	25
26	Diagnosis and clinical outcomes of extrapulmonary tuberculosis in antiretroviral therapy programmes in low and middle income countries: a multicohort study. Journal of the International AIDS Society, 2019, 22, e25392.	3.0	24
27	Health-related quality of life assessment among people living with HIV in Rio de Janeiro, Brazil: a cross-sectional study. Quality of Life Research, 2019, 28, 1035-1045.	3.1	24
28	Factors Associated with Tobacco Smoking and Cessation among HIV-Infected Individuals under Care in Rio de Janeiro, Brazil. PLoS ONE, 2014, 9, e115900.	2.5	23
29	Brain injury markers (S100B and NSE) in chronic cocaine dependents. Revista Brasileira De Psiquiatria, 2007, 29, 134-139.	1.7	19
30	Traditional and HIV-specific risk factors for cardiovascular morbidity and mortality among HIV-infected adults in Brazil: a retrospective cohort study. BMC Infectious Diseases, 2016, 16, 376.	2.9	19
31	Self-testing, communication and information technology to promote HIV diagnosis among young gay and other men who have sex with men (MSM) in Brazil. Journal of the International AIDS Society, 2018, 21, e25116.	3.0	19
32	A comparison of alcohol and drug use by random motor vehicle drivers in Brazil and Norway. International Journal of Drug Policy, 2014, 25, 393-400.	3.3	18
33	Unprotected Sexual Practices Among Men Who Have Sex with Women and Men Who Have Sex with Men Living with HIV/AIDS in Rio de Janeiro. Archives of Sexual Behavior, 2015, 44, 357-365.	1.9	15
34	Evaluation of psychiatric symptoms in cocaine users in the Brazilian public health system: Need for data and structure. Public Health, 2008, 122, 1349-1355.	2.9	14
35	Alcohol, drugs, and risky sexual behavior are related to HIV infection in female adolescents. Revista Brasileira De Psiquiatria, 2010, 32, 361-368.	1.7	14
36	Predictors of positive Blood Alcohol Concentration (BAC) in a sample of Brazilian drivers. Revista Brasileira De Psiquiatria, 2012, 34, 277-285.	1.7	14

#	ARTICLE	IF	CITATIONS
37	Unprotected sex among men who have sex with men living with HIV in Brazil: a cross-sectional study in Rio de Janeiro. <i>BMC Public Health</i> , 2014, 14, 379.	2.9	14
38	Assessing the HIV Care Continuum in Latin America: progress in clinical retention, cART use and viral suppression. <i>Journal of the International AIDS Society</i> , 2016, 19, 20636.	3.0	14
39	Syndemics among individuals enrolled in the PrEP Brasil Study. <i>Drug and Alcohol Dependence</i> , 2018, 185, 168-172.	3.2	14
40	Substance use service availability in HIV treatment programs: Data from the global leDEA consortium, 2014-2015 and 2017. <i>PLoS ONE</i> , 2020, 15, e0237772.	2.5	13
41	Which Amphetamine-Type Stimulants Can Be Detected by Oral Fluid Immunoassays?. <i>Therapeutic Drug Monitoring</i> , 2012, 34, 98-109.	2.0	12
42	High rates of injured motorcycle drivers in emergency rooms and the association with substance use in Porto Alegre, Brazil: Table 1. <i>Emergency Medicine Journal</i> , 2012, 29, 205-207.	1.0	12
43	Traffic Crashes and Alcohol Outlets in a Brazilian State Capital. <i>Traffic Injury Prevention</i> , 2013, 14, 86-91.	1.4	12
44	Fenproporex and Amphetamine Pharmacokinetics in Oral Fluid After Controlled Oral Administration of Fenproporex. <i>Therapeutic Drug Monitoring</i> , 2012, 34, 545-553.	2.0	11
45	Binge drinking is associated with differences in weekday and weekend adherence in HIV-infected individuals. <i>Drug and Alcohol Dependence</i> , 2016, 159, 174-180.	3.2	11
46	Poor retention in early care increases risk of mortality in a Brazilian HIV-infected clinical cohort. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 263-267.	1.2	11
47	The Intersection of HIV, Social Vulnerability, and Reproductive Health: Analysis of Women Living with HIV in Rio de Janeiro, Brazil from 1996 to 2016. <i>AIDS and Behavior</i> , 2019, 23, 1541-1551.	2.7	11
48	Is substance use associated with HIV cascade outcomes in Latin America?. <i>PLoS ONE</i> , 2018, 13, e0194228.	2.5	11
49	Psychiatric disorders among individuals who drive after the recent use of alcohol and drugs. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 314-320.	1.7	10
50	Regional differences associated with drinking and driving in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 306-313.	1.7	10
51	Differences between attendance in emergency care of male and female victims of traffic accidents in Porto Alegre, Rio Grande do Sul state, Brazil. <i>Ciencia E Saude Coletiva</i> , 2014, 19, 3925-3930.	0.5	10
52	Unrecorded alcohol in Rio de Janeiro: Assessing its misusers through Respondent Driven Sampling. <i>Drug and Alcohol Dependence</i> , 2014, 139, 169-173.	3.2	10
53	Retention in Early Care at an HIV Outpatient Clinic in Rio de Janeiro, Brazil, 2000-2013. <i>AIDS and Behavior</i> , 2016, 20, 1039-1048.	2.7	10
54	Practical Considerations of Real Life of Hepatocellular Carcinoma in a Tertiary Center of Brazil. <i>Annals of Hepatology</i> , 2017, 16, 255-262.	1.5	10

#	ARTICLE	IF	CITATIONS
55	Reaching the Hard-to-Reach: A Probability Sampling Method for Assessing Prevalence of Driving under the Influence after Drinking in Alcohol Outlets. PLoS ONE, 2012, 7, e34104.	2.5	10
56	Non-medical use of opioid analgesics in contemporary Brazil: Findings from the 2015 Brazilian National Household Survey on Substance Use. Global Public Health, 2020, 15, 299-306.	2.0	9
57	Self-rated health and substance use among individuals in HIV care in Rio de Janeiro, Brazil: a cross-sectional study. International Journal of STD and AIDS, 2017, 28, 1175-1183.	1.1	8
58	The cumulative effect of multiple dimensions of lifestyle on risky drinking during the Covid-19 pandemic. Preventive Medicine, 2021, 150, 106718.	3.4	8
59	Is the Prevalence of Driving After Drinking Higher in Entertainment Areas?. Alcohol and Alcoholism, 2013, 48, 356-362.	1.6	7
60	Drug use among drivers who drank on alcohol outlets from Porto Alegre, Brazil. Accident Analysis and Prevention, 2014, 62, 137-142.	5.7	7
61	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. International Journal of Environmental Research and Public Health, 2021, 18, 8133.	2.6	7
62	Global temporal changes in the proportion of children with advanced disease at the start of combination antiretroviral therapy in an era of changing criteria for treatment initiation. Journal of the International AIDS Society, 2018, 21, e25200.	3.0	6
63	What Are We Measuring When We Evaluate Digital Interventions for Improving Lifestyle? A Scoping Meta-Review. Frontiers in Public Health, 2021, 9, 735624.	2.7	6
64	Age and gender as risk factors for the transmission of HIV in a sample of drug users of Porto Alegre, Brazil. Revista Brasileira De Psiquiatria, 2002, 24, 137-140.	1.7	5
65	Have drivers at alcohol outlets changed their behavior after the new traffic law?. Revista Brasileira De Psiquiatria, 2014, 36, 11-15.	1.7	5
66	Reproducibility on science: Challenges and advances in Brazilian alcohol surveys. International Journal of Drug Policy, 2019, 74, 285-291.	3.3	5
67	Substance use, self-rated health and HIV status in Brazil. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 1358-1362.	1.2	5
68	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. Revista De Psiquiatria Y Salud Mental (English Edition), 2021, 14, 16-26.	0.3	5
69	Prevalência de tabagismo em uma unidade de internação psiquiátrica de Porto Alegre. Revista De Psiquiatria Do Rio Grande Do Sul, 2003, 25, 475-478.	0.3	4
70	Awareness of legal blood alcohol concentration limits amongst respondents of a national roadside survey for alcohol and traffic behaviours in Brazil. International Journal of Drug Policy, 2012, 23, 166-168.	3.3	4
71	Polysubstance use in a Brazilian National Sample: Correlates of co-use of Alcohol and Prescription Drugs. Substance Abuse, 2022, 43, 520-526.	2.3	4
72	Multilevel Analysis of Individual and Neighborhood Characteristics Associated with Viral Suppression Among Adults with HIV in Rio de Janeiro, Brazil. AIDS and Behavior, 2022, 26, 947-962.	2.7	4

#	ARTICLE	IF	CITATIONS
73	Young people's blood alcohol concentration and the alcohol consumption city law, Brazil. <i>Revista De Saude Publica</i> , 2008, 42, 1101-1104.	1.7	4
74	Consumo de Álcool entre adolescentes do sexo feminino. <i>Revista De Psiquiatria Clinica</i> , 2011, 38, 209-210.	0.6	4
75	Clinical signs of alcohol intoxication as markers of refusal to provide blood alcohol readings in emergency rooms: an exploratory study. <i>Clinics</i> , 2010, 65, 1391-1392.	1.5	3
76	Substance use among HIV-infected patients in Rio de Janeiro, Brazil: Agreement between medical records and the ASSIST questionnaire. <i>Drug and Alcohol Dependence</i> , 2017, 178, 115-118.	3.2	3
77	Possible risk compensation, attitudes, and beliefs among Brazilian individuals potentially eligible for pre-exposure prophylaxis. <i>International Journal of STD and AIDS</i> , 2021, 32, 806-815.	1.1	3
78	Underage drinking in Brazil: findings from a community household survey. <i>Revista Brasileira De Psiquiatria</i> , 2022, 44, 257-263.	1.7	3
79	Satisfaction and burden of mental health personnel: data from healthcare services for substance users and their families. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 403-409.	1.7	2
80	Lifestyle predictors of depression and anxiety during COVID-19: a machine learning approach. <i>Trends in Psychiatry and Psychotherapy</i> , 2022, , .	0.8	2
81	Association of syndemic conditions and quality of life among people living with HIV/AIDS. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2023, 35, 1508-1517.	1.2	2
82	Uso de bebidas alcoólicas em postos de gasolina de Porto Alegre: estudo piloto. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2008, 30, 65-68.	0.3	1
83	Cannabis and Traffic Accidents. , 2017, , 234-243.		0
84	Development of algorithms to estimate EQ-5D and derive health utilities from WHOQOL-HIV Bref: a mapping study. <i>Quality of Life Research</i> , 2020, 29, 2497-2508.	3.1	0
85	Lifestyle Behaviors, Depression, and Anxiety Among Individuals Living in Canada During the COVID-19 Pandemic. <i>American Journal of Lifestyle Medicine</i> , 0, , 155982762211020.	1.9	0