

# Raquel B De Boni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3571294/publications.pdf>

Version: 2024-02-01

85  
papers

2,155  
citations

257450

24  
h-index

276875

41  
g-index

91  
all docs

91  
docs citations

91  
times ranked

3310  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of syndemic conditions and quality of life among people living with HIV/AIDS. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2023, 35, 1508-1517.	1.2	2
2	Polysubstance use in a Brazilian National Sample: Correlates of co-use of Alcohol and Prescription Drugs. <i>Substance Abuse</i> , 2022, 43, 520-526.	2.3	4
3	Multilevel Analysis of Individual and Neighborhood Characteristics Associated with Viral Suppression Among Adults with HIV in Rio de Janeiro, Brazil. <i>AIDS and Behavior</i> , 2022, 26, 947-962.	2.7	4
4	Lifestyle predictors of depression and anxiety during COVID-19: a machine learning approach. <i>Trends in Psychiatry and Psychotherapy</i> , 2022, , .	0.8	2
5	Underage drinking in Brazil: findings from a community household survey. <i>Revista Brasileira De Psiquiatria</i> , 2022, 44, 257-263.	1.7	3
6	Substance use, self-rated health and HIV status in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, 33, 1358-1362.	1.2	5
7	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021, 14, 16-26.	1.8	118
8	The assessment of lifestyle changes during the COVID-19 pandemic using a multidimensional scale. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2021, 14, 16-26.	0.3	5
9	Possible risk compensation, attitudes, and beliefs among Brazilian individuals potentially eligible for pre-exposure prophylaxis. <i>International Journal of STD and AIDS</i> , 2021, 32, 806-815.	1.1	3
10	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8133.	2.6	7
11	The cumulative effect of multiple dimensions of lifestyle on risky drinking during the Covid-19 pandemic. <i>Preventive Medicine</i> , 2021, 150, 106718.	3.4	8
12	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , 2021, 295, 173-182.	4.1	32
13	What Are We Measuring When We Evaluate Digital Interventions for Improving Lifestyle? A Scoping Meta-Review. <i>Frontiers in Public Health</i> , 2021, 9, 735624.	2.7	6
14	Non-medical use of opioid analgesics in contemporary Brazil: Findings from the 2015 Brazilian National Household Survey on Substance Use. <i>Global Public Health</i> , 2020, 15, 299-306.	2.0	9
15	Substance use service availability in HIV treatment programs: Data from the global leDEA consortium, 2014-2015 and 2017. <i>PLoS ONE</i> , 2020, 15, e0237772.	2.5	13
16	Do men who have sex with men who report alcohol and illicit drug use before/during sex (chemsex) present moderate/high risk for substance use disorders?. <i>Drug and Alcohol Dependence</i> , 2020, 209, 107908.	3.2	51
17	Lifestyle behaviours during the COVID-19 "time to connect". <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 399-400.	4.5	183
18	Websurveys nos tempos de COVID-19. <i>Cadernos De Saude Publica</i> , 2020, 36, e00155820.	1.0	45

#	ARTICLE	IF	CITATIONS
19	Depression, Anxiety, and Lifestyle Among Essential Workers: A Web Survey From Brazil and Spain During the COVID-19 Pandemic. <i>Journal of Medical Internet Research</i> , 2020, 22, e22835.	4.3	56
20	Development of algorithms to estimate EQ-5D and derive health utilities from WHOQOL-HIV Bref: a mapping study. <i>Quality of Life Research</i> , 2020, 29, 2497-2508.	3.1	0
21	Reproducibility on science: Challenges and advances in Brazilian alcohol surveys. <i>International Journal of Drug Policy</i> , 2019, 74, 285-291.	3.3	5
22	Diagnosis and clinical outcomes of extrapulmonary tuberculosis in antiretroviral therapy programmes in low- and middle-income countries: a multicohort study. <i>Journal of the International AIDS Society</i> , 2019, 22, e25392.	3.0	24
23	The Intersection of HIV, Social Vulnerability, and Reproductive Health: Analysis of Women Living with HIV in Rio de Janeiro, Brazil from 1996 to 2016. <i>AIDS and Behavior</i> , 2019, 23, 1541-1551.	2.7	11
24	Electronic cigarettes and narghile users in Brazil: Do they differ from cigarettes smokers?. <i>Addictive Behaviors</i> , 2019, 98, 106007.	3.0	28
25	Factors associated with PrEP awareness according to age and willingness to use HIV prevention technologies: the 2017 online survey among MSM in Brazil. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019, 31, 1193-1202.	1.2	40
26	Health-related quality of life assessment among people living with HIV in Rio de Janeiro, Brazil: a cross-sectional study. <i>Quality of Life Research</i> , 2019, 28, 1035-1045.	3.1	24
27	An Internet-Based HIV Self-Testing Program to Increase HIV Testing Uptake Among Men Who Have Sex With Men in Brazil: Descriptive Cross-Sectional Analysis. <i>Journal of Medical Internet Research</i> , 2019, 21, e14145.	4.3	43
28	Syndemics among individuals enrolled in the PrEP Brasil Study. <i>Drug and Alcohol Dependence</i> , 2018, 185, 168-172.	3.2	14
29	Retention, engagement, and adherence to pre-exposure prophylaxis for men who have sex with men and transgender women in PrEP Brasil: 48 week results of a demonstration study. <i>Lancet HIV</i> , 2018, 5, e136-e145.	4.7	130
30	Obesity following ART initiation is common and influenced by both traditional and HIV-/ART-specific risk factors. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 2177-2185.	3.0	139
31	Global temporal changes in the proportion of children with advanced disease at the start of combination antiretroviral therapy in an era of changing criteria for treatment initiation. <i>Journal of the International AIDS Society</i> , 2018, 21, e25200.	3.0	6
32	Satisfaction and burden of mental health personnel: data from healthcare services for substance users and their families. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 403-409.	1.7	2
33	Self-testing, communication and information technology to promote HIV diagnosis among young gay and other men who have sex with men (MSM) in Brazil. <i>Journal of the International AIDS Society</i> , 2018, 21, e25116.	3.0	19
34	Is substance use associated with HIV cascade outcomes in Latin America?. <i>PLoS ONE</i> , 2018, 13, e0194228.	2.5	11
35	Awareness of Prevention Strategies and Willingness to Use Preexposure Prophylaxis in Brazilian Men Who Have Sex With Men Using Apps for Sexual Encounters: Online Cross-Sectional Study. <i>JMIR Public Health and Surveillance</i> , 2018, 4, e11.	2.6	43
36	Self-rated health and substance use among individuals in HIV care in Rio de Janeiro, Brazil: a cross-sectional study. <i>International Journal of STD and AIDS</i> , 2017, 28, 1175-1183.	1.1	8

#	ARTICLE	IF	CITATIONS
37	Substance use among HIV-infected patients in Rio de Janeiro, Brazil: Agreement between medical records and the ASSIST questionnaire. <i>Drug and Alcohol Dependence</i> , 2017, 178, 115-118.	3.2	3
38	Poor retention in early care increases risk of mortality in a Brazilian HIV-infected clinical cohort. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 263-267.	1.2	11
39	Awareness and Willingness to Use Pre-exposure Prophylaxis (PrEP) Among Men Who Have Sex with Men and Transgender Women in Brazil. <i>AIDS and Behavior</i> , 2017, 21, 1278-1287.	2.7	76
40	Cannabis and Traffic Accidents. , 2017, , 234-243.		0
41	Practical Considerations of Real Life of Hepatocellular Carcinoma in a Tertiary Center of Brazil. <i>Annals of Hepatology</i> , 2017, 16, 255-262.	1.5	10
42	High pre-exposure prophylaxis uptake and early adherence among men who have sex with men and transgender women at risk for HIV Infection: the PrEP Brasil demonstration project. <i>Journal of the International AIDS Society</i> , 2017, 20, 21472.	3.0	98
43	Assessing the HIV Care Continuum in Latin America: progress in clinical retention, cART use and viral suppression. <i>Journal of the International AIDS Society</i> , 2016, 19, 20636.	3.0	14
44	Binge drinking is associated with differences in weekday and weekend adherence in HIV-infected individuals. <i>Drug and Alcohol Dependence</i> , 2016, 159, 174-180.	3.2	11
45	Substance Use and Adherence Among People Living with HIV/AIDS Receiving cART in Latin America. <i>AIDS and Behavior</i> , 2016, 20, 2692-2699.	2.7	28
46	Mortality in HIV-infected women, heterosexual men, and men who have sex with men in Rio de Janeiro, Brazil: an observational cohort study. <i>Lancet HIV</i> , 2016, 3, e490-e498.	4.7	30
47	Traditional and HIV-specific risk factors for cardiovascular morbidity and mortality among HIV-infected adults in Brazil: a retrospective cohort study. <i>BMC Infectious Diseases</i> , 2016, 16, 376.	2.9	19
48	Retention in Early Care at an HIV Outpatient Clinic in Rio de Janeiro, Brazil, 2000-2013. <i>AIDS and Behavior</i> , 2016, 20, 1039-1048.	2.7	10
49	Chlamydia trachomatis, Neisseria gonorrhoeae and syphilis among men who have sex with men in Brazil. <i>BMC Public Health</i> , 2015, 15, 686.	2.9	29
50	Unprotected Sexual Practices Among Men Who Have Sex with Women and Men Who Have Sex with Men Living with HIV/AIDS in Rio de Janeiro. <i>Archives of Sexual Behavior</i> , 2015, 44, 357-365.	1.9	15
51	Factors Associated with Tobacco Smoking and Cessation among HIV-Infected Individuals under Care in Rio de Janeiro, Brazil. <i>PLoS ONE</i> , 2014, 9, e115900.	2.5	23
52	Have drivers at alcohol outlets changed their behavior after the new traffic law?. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 11-15.	1.7	5
53	Differences between attendance in emergency care of male and female victims of traffic accidents in Porto alegre, Rio Grande do Sul state, Brazil. <i>Ciencia E Saude Coletiva</i> , 2014, 19, 3925-3930.	0.5	10
54	Epidemiology of HIV in Latin America and the Caribbean. <i>Current Opinion in HIV and AIDS</i> , 2014, 9, 192-198.	3.8	100

#	ARTICLE	IF	CITATIONS
55	Unrecorded alcohol in Rio de Janeiro: Assessing its misusers through Respondent Driven Sampling. <i>Drug and Alcohol Dependence</i> , 2014, 139, 169-173.	3.2	10
56	Drug use among drivers who drank on alcohol outlets from Porto Alegre, Brazil. <i>Accident Analysis and Prevention</i> , 2014, 62, 137-142.	5.7	7
57	Unprotected sex among men who have sex with men living with HIV in Brazil: a cross-sectional study in Rio de Janeiro. <i>BMC Public Health</i> , 2014, 14, 379.	2.9	14
58	A comparison of alcohol and drug use by random motor vehicle drivers in Brazil and Norway. <i>International Journal of Drug Policy</i> , 2014, 25, 393-400.	3.3	18
59	Is the Prevalence of Driving After Drinking Higher in Entertainment Areas?. <i>Alcohol and Alcoholism</i> , 2013, 48, 356-362.	1.6	7
60	Traffic Crashes and Alcohol Outlets in a Brazilian State Capital. <i>Traffic Injury Prevention</i> , 2013, 14, 86-91.	1.4	12
61	Which Amphetamine-Type Stimulants Can Be Detected by Oral Fluid Immunoassays?. <i>Therapeutic Drug Monitoring</i> , 2012, 34, 98-109.	2.0	12
62	High rates of injured motorcycle drivers in emergency rooms and the association with substance use in Porto Alegre, Brazil: Table 1. <i>Emergency Medicine Journal</i> , 2012, 29, 205-207.	1.0	12
63	Fenproporex and Amphetamine Pharmacokinetics in Oral Fluid After Controlled Oral Administration of Fenproporex. <i>Therapeutic Drug Monitoring</i> , 2012, 34, 545-553.	2.0	11
64	Prescription and illicit psychoactive drugs in oral fluid—LC-MS/MS method development and analysis of samples from Brazilian drivers. <i>Forensic Science International</i> , 2012, 223, 208-216.	2.2	47
65	Predictors of positive Blood Alcohol Concentration (BAC) in a sample of Brazilian drivers. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 277-285.	1.7	14
66	Psychiatric disorders among individuals who drive after the recent use of alcohol and drugs. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 314-320.	1.7	10
67	Regional differences associated with drinking and driving in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 306-313.	1.7	10
68	Awareness of legal blood alcohol concentration limits amongst respondents of a national roadside survey for alcohol and traffic behaviours in Brazil. <i>International Journal of Drug Policy</i> , 2012, 23, 166-168.	3.3	4
69	Reaching the Hard-to-Reach: A Probability Sampling Method for Assessing Prevalence of Driving under the Influence after Drinking in Alcohol Outlets. <i>PLoS ONE</i> , 2012, 7, e34104.	2.5	10
70	Factors associated with alcohol and drug use among traffic crash victims in southern Brazil. <i>Accident Analysis and Prevention</i> , 2011, 43, 1408-1413.	5.7	42
71	Determination of amphetamine-type stimulants in oral fluid by solid-phase microextraction and gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2011, 696, 67-76.	5.4	45
72	Consumo de Alcool entre adolescentes do sexo feminino. <i>Revista De Psiquiatria Clinica</i> , 2011, 38, 209-210.	0.6	4

#	ARTICLE	IF	CITATIONS
73	Risk behaviors for HCV- and HIV-seroprevalence among female crack users in Porto Alegre, Brazil. Archives of Women's Mental Health, 2010, 13, 185-191.	2.6	38
74	Clinical signs of alcohol intoxication as markers of refusal to provide blood alcohol readings in emergency rooms: an exploratory study. Clinics, 2010, 65, 1391-1392.	1.5	3
75	Alcohol, drugs, and risky sexual behavior are related to HIV infection in female adolescents. Revista Brasileira De Psiquiatria, 2010, 32, 361-368.	1.7	14
76	Highly reported prevalence of drinking and driving in Brazil: data from the first representative household study. Revista Brasileira De Psiquiatria, 2009, 31, 125-130.	1.7	44
77	Evaluation of psychiatric symptoms in cocaine users in the Brazilian public health system: Need for data and structure. Public Health, 2008, 122, 1349-1355.	2.9	14
78	Young people's blood alcohol concentration and the alcohol consumption city law, Brazil. Revista De Saude Publica, 2008, 42, 1101-1104.	1.7	4
79	Uso de bebidas alcoólicas em postos de gasolina de Porto Alegre: estudo piloto. Revista De Psiquiatria Do Rio Grande Do Sul, 2008, 30, 65-68.	0.3	1
80	Brain injury markers (S100B and NSE) in chronic cocaine dependents. Revista Brasileira De Psiquiatria, 2007, 29, 134-139.	1.7	19
81	Association Between Psychiatric Symptoms and Severity of Alcohol Dependence in a Sample of Brazilian Men. Journal of Nervous and Mental Disease, 2005, 193, 126-130.	1.0	25
82	Psychometric properties of the World Health Organization Quality of Life instrument (WHOQoL-BREF) in alcoholic males: A pilot study. Quality of Life Research, 2005, 14, 473-478.	3.1	77
83	Prevalência de tabagismo em uma unidade de internação psiquiátrica de Porto Alegre. Revista De Psiquiatria Do Rio Grande Do Sul, 2003, 25, 475-478.	0.3	4
84	Age and gender as risk factors for the transmission of HIV in a sample of drug users of Porto Alegre, Brazil. Revista Brasileira De Psiquiatria, 2002, 24, 137-140.	1.7	5
85	Lifestyle Behaviors, Depression, and Anxiety Among Individuals Living in Canada During the COVID-19 Pandemic. American Journal of Lifestyle Medicine, 0, , 155982762211020.	1.9	0