

# Gabriele Chiodini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3572887/publications.pdf>

Version: 2024-02-01

615  
papers

27,771  
citations

6613  
79  
h-index

13771  
129  
g-index

636  
all docs

636  
docs citations

636  
times ranked

10419  
citing authors

#	ARTICLE	IF	CITATIONS
1	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
2	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
3	Muon reconstruction performance of the ATLAS detector in protonâ€“proton collision data at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2016, 76, 292.	3.9	453
4	Improved luminosity determination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
5	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
6	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s}=8\text{TeV}$ . European Physical Journal C, 2016, 76, 581.	3.9	298
7	Luminosity determination in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
8	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7\text{TeV}$ and $8\text{TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
9	Jet energy measurement and its systematic uncertainty in protonâ€“proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
10	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	3.9	259
11	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	3.9	248
12	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
13			

#	ARTICLE	IF	CITATIONS
19	Search for an additional, heavy Higgs boson in the $\rightarrow ZZ \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8$ TeV in $p p$ collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
20	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	3.9	181
21	Luminosity determination in $p p$ collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
22	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
23	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
24	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
25	Search for new high-mass phenomena in the dilepton final state using $36 \text{ fb}^{-1}$ of proton-proton collision data at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	168
26	Measurement of the transverse momentum and $\phi^*$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
27	Measurement of the top quark-pair production cross section with ATLAS in $p p$ collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	146
28	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in $p p$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
29	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
30	Precision measurement and interpretation of inclusive $W^+ + W^-$ . European Physical Journal C, 2017, 77, 367.	3.9	145
31	Measurement of the $t\bar{t}$ production cross-section using $e \mu$ events with $b$ -tagged jets in $p p$ collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
32	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
33	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
34	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
35	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
36	Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in $p p$ collisions at $s = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131

#	ARTICLE	IF	CITATIONS
37	ATLAS b-jet identification performance and efficiency measurement with $\text{t}\{\text{ar}\{\text{t}\}\}$ events in pp collisions at $\sqrt{s}=13\text{TeV}$ . European Physical Journal C, 2019, 79, 1.	3.9	130
38	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8\text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
39	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	126
40	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13\text{TeV}$ $s = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
41	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13\text{TeV}$ pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	124
42	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in $\text{pp}$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
43	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	3.9	121

#	ARTICLE	IF	CITATIONS
55	Search for heavy resonances decaying into WW in the $\text{eu mu u } \text{e}^{\frac{1}{2}} \bar{\nu}^{\frac{1}{2}}$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
56	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	3.9	105
57	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	102
58	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 2056.	3.9	101
59	Search for heavy ZZ resonances in the $\ell^+ \ell^- \ell^+ \ell^-$ final states using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
60	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	100
61	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	3.9	95
62	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
63	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
64	Charm system tests of CPT and Lorentz invariance with FOCUS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 556, 7-13.	4.1	94
65	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93
66	Measurements of the $W\bar{W}$ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
67	Search for Higgs boson pair production in the $\bar{b}\bar{b} b\bar{b} b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
68	Search for the $b\bar{b} \rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
69	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	4.7	88
70	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
71	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
72	Measurement of multi-particle azimuthal correlations in pp, p-Pb and low-multiplicity Pb-Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86

#	ARTICLE	IF	CITATIONS
73	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
74	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
75	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2021, 81, 1.	3.9	82
76	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.	4.7	81
77	Measurement of the prompt $J/\psi \rightarrow \ell^+ \ell^-$ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
78	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
79	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
80	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
81	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
82	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
83	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
84	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
85	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2019, 79, 1.	3.9	77
86	Angular analysis of $B_0 \rightarrow K^{*-} \pi^{+} \pi^{-}$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
87	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
88	Measurement of quarkonium production in proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
89	Search for resonant diboson production in the $\mathcal{Q}\bar{q} \mathcal{Q}\bar{q}$ final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
90	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73

#	ARTICLE	IF	CITATIONS
91	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	73
92	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73
93	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	3.9	73
94	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 259.	3.9	72
95	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	71
96	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71
97	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	71
98	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.	3.9	71
99	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 303.	3.9	70
100	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	70
101	Evidence for new interference phenomena in the decay $D \rightarrow K^{\ast} \rightarrow \pi^+ \eta'/\eta$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002, 535, 43-51.	4.1	69
102	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ , $A \pm \frac{1}{2}$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	69
103	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	3.9	68
104	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	67
105	Search for direct pair production of a chargino and a neutralino decaying to the $125 \text{ GeV}$ Higgs boson in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67
106	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	67
107	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	66
108	A search for $t \bar{t} \rightarrow t \bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66

#	ARTICLE	IF	CITATIONS
109	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
110	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
111	Measurement of the $W \rightarrow l^+ l^-$ and $Z \rightarrow l^+ l^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64
112	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
113	Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
114	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
115	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
116	Measurement of the differential cross-sections of prompt and non-prompt production of $J/\psi$ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
117	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 120.	3.9	62
118	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 154.	3.9	62
119	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	3.9	61
120	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and limits on anomalous ZZZ and ZZ $\tilde{l}^3$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
121	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2013, 73, 1.	3.9	61
122	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
123	Performance of algorithms that reconstruct missing transverse momentum in proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
124	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
125	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
126	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60

#	ARTICLE	IF	CITATIONS
127	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
128	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
129	Search for a new resonance decaying to a $W$ or $Z$ boson and a Higgs boson in the $\ell\ell u\bar{u} + b\bar{b}$ final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 263.	3.9	60
130	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	3.9	60
131	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 18.	3.9	60
132	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	59
133	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	59
134	Measurement of the production of a $W$ boson in association with a charm quark in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
135	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	59
136	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}}=2.76 \text{ TeV}$ and 5.0. <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
137	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu_\tau$ , in the $\tau^\pm + \text{jets}$ and $\tau^\pm + \text{lepton}$ final states with $36 \text{ fb}^{-1}$ of pp collision data recorded at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	59
138	Dalitz plot analysis of $D_s^+$ and $D^+$ decay to $\pi^+\pi^-\pi^+$ using the K-matrix formalism. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004, 585, 200-212.	4.1	58
139	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034.	3.9	58
140	Measurement of the $W$ boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	57
141	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	56
142	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318.	3.9	56
143	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at $8 \text{ TeV}$ using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 531.	3.9	56
144	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	56

#	ARTICLE	IF	CITATIONS
145	Search for direct top squark pair production in events with a $\$Z\$$ $Z$ boson, $\$b\$$ $b$ -jets and missing transverse momentum in $\$sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
146	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 " interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
147	Search for pair production of Higgs bosons in the $\$overline{b} overline{b}$ final state using proton-proton collisions at $\$sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
148	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
149	Search for high-mass resonances decaying to dilepton final states in $pp$ collisions at $\$sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
150	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional $b$ -jets in $pp$ collisions at $\$sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
151	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7 \text{ fb}^{-1}$ of $\$sqrt{s}=7$ TeV $pp$ collisions. Journal of High Energy Physics, 2012, 2012, 1.	4.7	53
152	Measurement of the cross-section for $W$ boson production in association with $b$ -jets in $pp$ collisions at $\$sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53
153	Search for Higgs boson pair production in the $\gamma\gamma WW^{\ast\ast}\rightarrow l^+l^-WW$ channel using $pp$ collision data recorded at $\$sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
154	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in $pp$ collisions at $\$sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
155	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\$sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
156	Search for lepton-flavour-violating $H \rightarrow l^+l^-$ , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
157	Measurement of the top quark mass in the $t\bar{t} \rightarrow l^+l^- + jets$ channel using $pp$ collisions at $\$sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
158	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\$sqrt{s}=13$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
159	Measurements of the dependence of the and form factors. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2005, 607, 233-242.	4.1	51
160	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	3.9	51
161	Measurement of the top quark mass with the template method in the $\$star{t}+jets$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	3.9	51
162	Search for minimal supersymmetric standard model Higgs Bosons $H/A$ and for a $Z'$ boson in the $au au$ final state produced in $pp$ collisions at $\$sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51

#	ARTICLE	IF	CITATIONS
163	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
164	Measurement of jet fragmentation in $\text{Pb+Pb}$ and $\text{pp}$ collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ . European Physical Journal C, 2017, 77, 379.	3.9	51
165	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{ext}}} = 5.02 \text{ TeV}$ $\text{Pb+Pb}$ collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
166	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
167	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
168	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of $\text{pp}$ collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
169	Search for heavy neutral leptons in decays of $W$ bosons produced in $13 \text{ TeV}$ $\text{pp}$ collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
170	Search for invisible decays of a Higgs boson using vector-boson fusion in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
171	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13 \text{ TeV}$ $\text{pp}$ collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	49
172	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ $\text{pp}$ collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
173	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
174	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
175	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ $\text{pp}$ collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	48
176	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
177	Measurements of the production cross section of a $Z$ boson in association with jets in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2017, 77, 361.	3.9	47
178	Measurement of the top quark mass in the $t \rightarrow t \bar{t}$ decay. European Physical Journal C, 2019, 79, 1.	3.9	47
179	Measurement of distributions sensitive to the underlying event in inclusive $Z$ -boson production in $\text{pp}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
180	Study of the rare decays of $B^0 \rightarrow D^- \pi^+$ and $B^0 \rightarrow D^0 \pi^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46

#	ARTICLE	IF	CITATIONS
181	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^{\ast} \rightarrow 4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	46
182	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	46
183	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	46
184	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	45
185	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
186	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
187	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2328.	3.9	45
188	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s=8$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
189	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
190	Search for supersymmetry at $\sqrt{s}=8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
191	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
192	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
193	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	44
194	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$ decay mode in $\sqrt{s}=7$ TeV pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	43
195	Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at $s=8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	43
196	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 442.	3.9	43
197	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55.	3.9	43
198	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42

#	ARTICLE	IF	CITATIONS
199	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
200	Two-particle Bose-Einstein correlations in pp collisions at $s = 0.9 \text{ and } 7 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 466.	3.9	42
201	Diamond detectors for high energy physics experiments. <i>Journal of Instrumentation</i> , 2018, 13, C01029-C01029.	1.2	42
202	Performance of top-quark and $\varvec{W}$ -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
203	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $s = 7 \text{ TeV}$ proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	41
204	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	41
205	Measurement of the production and lepton charge asymmetry of $W$ bosons in Pb+Pb collisions at $s = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 23.	3.9	41
206	Measurement of $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of $p\bar{p}$ collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 40.	3.9	41
207	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in $p\bar{p}$ collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	41
208	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	41
209	Limits on the production of the standard model Higgs boson in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	40
210	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	40
211	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3117.	3.9	40
212	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
213	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using $p\bar{p}$ collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
214	Study of the $B_c \rightarrow J/\psi D_s^+$ and $B_c \rightarrow J/\psi D_s^-$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 4.	3.9	40
215	Search for heavy resonances decaying into a $W$ or $Z$ boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $s = 13 \text{ TeV}$ $p\bar{p}$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
216	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $s = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40

#	ARTICLE	IF	CITATIONS
217	Search for heavy resonances decaying into a pair of Z bosons in the $\ell^+ \ell^- \ell^+ \ell^-$ final states using 139 $\text{fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
218	Dalitz plot analysis of the $\ell^+ \ell^- \ell^+ \ell^-$ final states using 139 $\text{fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2007, 653, 1-11.		
219	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
220	Search for flavour-changing neutral top-quark decays to $\varvec{q}Z$ in $\varvec{pp}$ collision data collected with the ATLAS detector at $\sqrt{s}=8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 12.	3.9	39
221	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $\text{pp}$ collision data at $\sqrt{s}=8 \text{ TeV}$ . European Physical Journal C, 2016, 76, 87.	3.9	39
222	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	39
223	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
224	Measurement of the double-differential high-mass Drell-Yan cross section in $\text{pp}$ collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
225	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
226	Search for Higgs boson pair production in the $\gamma\gamma\bar{b}b$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
227	Measurements of WH and ZH production in the $H \rightarrow \gamma\gamma \bar{b}b$ decay channel in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
228	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	37
229	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	3.9	37
230	Measurement of the W boson polarisation in $t\bar{t}\ell^-\ell^+$ events from pp collisions at $\sqrt{s}=8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
231	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
232	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
233	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 $\text{fb}^{-1}$ of $\sqrt{s}=13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
234	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	36

#	ARTICLE	IF	CITATIONS
235	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	36
236	Measurement of the polarisation of $W$ bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	36
237	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	36
238	Search for heavy lepton resonances decaying to a $Z$ boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
239	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	3.9	36
240	Search for pair production of heavy vector-like quarks decaying to high-p $T$ $W$ bosons and $b$ quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
241	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	36
242	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	36
243	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
244	Search for pair and single production of new heavy quarks that decay to a $Z$ boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
245	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W \pm$ boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
246	Search for $W \rightarrow tb \rightarrow q\bar{q}bb$ $W \rightarrow t\bar{t}$ $t\bar{t} \rightarrow q\bar{q}bb$ decays in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35
247	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	35
248	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
249	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
250	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362.	3.9	34
251	Measurements of top-quark pair differential and double-differential cross-sections in the $e\mu + \text{jets}$ channel with pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	34
252	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34

#	ARTICLE	IF	CITATIONS
253	The S-wave from the Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2009, 681, 14-21.	4.1	33
254	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
255	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
256	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
257	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
258	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
259	Measurements of $\tilde{\chi}(2S)$ and $X(3872) \rightarrow J/\psi + \pi^+$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
260	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
261	New measurements of the $D \rightarrow K^{*-0} \ell^+ \ell^-$ form factor ratios. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 544, 89-96.	4.1	32
262	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
263	Measurement of $t\bar{t} c_1$ and $t\bar{t} c_2$ production with $\sqrt{s} = 7 \text{ TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
264	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2017, 77, 872.	3.9	32
265	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $\ell^+ \ell^-$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2020, 80, 1.	3.9	32
266	The target silicon detector for the FOCUS spectrometer. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 516, 364-376.	1.6	31
267	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s} = 900 \text{ GeV}$ and $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31
268	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
269	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
270	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31

#	ARTICLE	IF	CITATIONS
271	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
272	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
273	Search for supersymmetry in final states with two same-sign or three leptons and jets using $36 \text{ fb}^{-1}$ of $\sqrt{s}=13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
274	Search for $WW/WZ$ resonance production in $\tilde{\chi}_1^0 q\bar{q}$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
275	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
276	Search for T violation in charm meson decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2005, 622, 239-248.	4.1	30
277	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79.	3.9	30
278	Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in $7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	30
279	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
280	Charged-particle distributions in pp interactions at $\sqrt{s}=8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
281	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
282	Study of $WW\gamma$ and $WZ\gamma$ production in pp collisions at $\sqrt{s}=13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
283	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
284	Searches for third-generation scalar leptoquarks in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
285	Evidence for $t\bar{t} \rightarrow t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2010, 64, 1-10. <i>JHEP</i> 10, 030. <i>Mass spectrum analysis of <math>t\bar{t}</math> production in proton-proton collisions at <math>\sqrt{s}=13 \text{ TeV}</math> with the ATLAS detector</i> . <i>European Physical Journal C</i> , 2010, 64, 1-10. <i>JHEP</i> 10, 030.	3.9	30
286	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.1	29
287	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29

#	ARTICLE	IF	CITATIONS
289	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
290	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
291	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $\tilde{t}\tilde{t} \rightarrow q\bar{q}$ final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
292	Search for heavy diboson resonances in semileptonic final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
293	<small>xmlNs:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlNs:xs="http://www.w3.org/2001/XMLSchema" xmlNs:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mm="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"</small> Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.1	28
294	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . <i>European Physical Journal C</i> , 2017, 77, 804.	4.7	28
295	Measurement of $WW/WZ$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $s = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
296	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28
297	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow 4b$ channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	28
298	Search for long-lived neutral particles in pp collisions at $s = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
299	In situ calibration of large-radius jet energy and mass in $13 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
300	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28
301	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS experiment. <i>European Physical Journal C</i> , 2015, 75, 407.	3.9	27
302	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $s = 7 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	27
303	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 292.	3.9	27
304	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 625.	3.9	27
305	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27

#	ARTICLE	IF	CITATIONS
307	Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
308	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{l}_{\mu}$ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
309	Study of the Cabibbo-suppressed decay modes $D0 \rightarrow l^+ \bar{e}^-$ and $D0 \rightarrow K^+ \bar{K}^-$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003, 555, 167-173.	4.1	26
310	Diamond graphitization by laser-writing for all-carbon detector applications. <i>Diamond and Related Materials</i> , 2017, 75, 25-33.	3.9	26
311	Measurements of electroweak $W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 474.	3.9	26
312	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $ell ell$ and $WW$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
313	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 $\text{fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 2083.	3.9	25
314	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	25
315	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	25
316	Determination of the top-quark pole mass using $t\bar{t}$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
317	Searches for heavy diboson resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
318	Search for triboson $W^{pm} W^{pm} W^{mp}$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 141.	3.9	25
319	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
320	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
321	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
322	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\varvec{s}$ $\hat{s} = 13$ TeV $\varvec{pp}$ . <i>European Physical Journal C</i> , 2016, 76, 517.	3.9	24
323	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24
324	Measurement of fiducial and differential $W^+ + W^-$ production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24

#	ARTICLE	IF	CITATIONS
325	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
326	The Level-1 Trigger Muon Barrel System of the ATLAS experiment at CERN. Journal of Instrumentation, 2009, 4, P04010-P04010.	1.2	23
327	Commissioning of the ATLAS Muon Spectrometer with $\bar{\Lambda}$ cosmic rays. European Physical Journal C, 2010, 70, 875-916.	3.9	23
328	A measurement of the ratio of the production cross sections for $W$ and $Z$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
329	Measurement of the underlying event in jet events from $7\text{TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	3.9	23
330	A search for high-mass resonances decaying to $t, \bar{t}, \mu^+, \mu^-$ in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
331	Measurement of three-jet production cross-sections in $p\ p$ collisions at $7\text{TeV}$ centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
332	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
333	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
334	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . Journal of High Energy Physics, 2021, 2021, 1.	4.7	23
335	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
336	FPIX2, the BTeV pixel readout chip. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2005, 549, 165-170. <small>Study of the decay asymmetry parameter and CP violation parameter in the <math>\pi^+\pi^-</math> annihilation. <math>\text{altimg}="sil1.gif"</math> overflow= scroll' xmlns:xocs= <a href="http://www.elsevier.com/xml/xocs/dtd">http://www.elsevier.com/xml/xocs/dtd</a></small>	1.6	22
337	<small>xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tei="http://www.elsevier.com/xml/common/tei/1.0" xmlns:sbe="http://www.elsevier.com/xml/sbe/1.0"</small>	4.1	22
338	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{TeV}$ . European Physical Journal C, 2012, 72, 1.	3.9	22
339	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
340	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
341	Measurement of the $t\ t\bar{t}\ W$ and $t\ t\bar{t}\ Z$ production cross sections in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
342	Study of $(W/Z)H$ production and Higgs boson couplings using $H\rightarrow W W^*$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
343	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	22
344	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+dijet events in proton+proton collisions at a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	22
345	Measurements of top-quark pair spin correlations in the $e\mu$ channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
346	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
347	Application of genetic programming to high energy physics event selection. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005, 551, 504-527.	1.6	21
348	Measurement of the polarization in $W \rightarrow l^{\pm} l^{\mp}$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 2062.	3.9	21
349	Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow J/\psi(\ell^+\ell^- + \ell^+\ell^-)$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	21
350	Determination of spin and parity of the Higgs boson in the $WW^* \rightarrow e\mu u\bar{u}$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231.	3.9	21
351	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
352	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
353	Search for Higgs boson pair production in the $WW^*(*)WW^*$ decay channel using ATLAS data recorded at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
354	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2019, 79, .	3.9	21
355	Search for rare and forbidden 3-body di-muon decays of the charmed mesons D+ and Ds+. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003, 572, 21-31.	4.1	20
356	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
357	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20
358	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
359	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
360	Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
361	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using $pp$ collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	19
362	Measurement of $k_T$ splitting scales in $W\rightarrow t\bar{t}l^+l^-$ events at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
363	Search for flavour-changing neutral current top quark decays $t\rightarrow b\bar{b}H$ in $pp$ collisions at $s=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
364	Addendum to "Measurement of the $t\bar{t}H$ production cross-section using $e\mu$ events with $b$ -tagged jets in $pp$ collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1.	3.9	19
365	Search for the production of single vector-like and excited quarks in the $Wt$ final state in $pp$ collisions at $s=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
366	Probing lepton flavour violation via neutrinoless $\nu \rightarrow 3\mu$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19
367	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
368	Prompt and non-prompt $J/\psi$ elliptic flow in $Pb+Pb$ collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
369	Search for top-quark decays $t\rightarrow b\bar{b}H$ with $36\text{ fb}^{-1}$ of $pp$ collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	19
370	Search for squarks and gluinos in final states with same-sign leptons and jets using $139\text{ fb}^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
371	Measurement of light-by-light scattering and search for axion-like particles with $2.2\text{ nb}^{-1}$ of $Pb+Pb$ data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	19
372	Study of the $\eta'$ resonance in $Pb+Pb$ collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.1	18
373	Search for a strongly decaying neutral charmed pentaquark. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2005, 622, 229-238.	4.1	18
374	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	18
375	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	18
376	Search for top quark decays $t\rightarrow b\bar{b}H$ , with $H\rightarrow b\bar{b}\gamma\gamma$ , in $s=13$ TeV $pp$ collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
377	Search for dark matter in association with an energetic photon in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
378	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18

#	ARTICLE	IF	CITATIONS
379	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
380	Measurement of the ratio of the vector to pseudoscalar charm semileptonic decay rate $\frac{V}{P}$ . <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.1	17
381	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	17
382	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	17
383	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	17
384	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
385	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17
386	Identification of high transverse momentum top quarks in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
387	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
388	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
389	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
390	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
391	Search for flavour-changing neutral current top-quark decays $t \rightarrow t'$ qZ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
392	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
393	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
394	Measurement of $W^{\pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
395	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
396	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
397	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
398	Search for a pentaquark decaying to $\Lambda\bar{\Lambda}\Lambda\bar{\Lambda}\Lambda$ . <i>European Physical Journal C</i> , 2021, 81, 1.	4.1	16
399	Study of the D0 $\rightarrow \pi^+ \pi^- \pi^+ \pi^-$ decay. <i>Physical Review D</i> , 2007, 75, .	4.7	16
400	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	16
401	Laser induced nano-graphite electrical contacts on synthetic polycrystalline CVD diamond for nuclear radiation detection. <i>Diamond and Related Materials</i> , 2013, 38, 32-35.	3.9	16
402	Beam tests of an integrated prototype of the ATLAS Forward Proton detector. <i>Journal of Instrumentation</i> , 2016, 11, P09005-P09005.	1.2	16
403	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
404	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
405	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16
406	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2018, 78, 847.	3.9	16
407	Search for exclusive Higgs and Z boson decays to $\ell^+\ell^-$ and $\tau^+\tau^-$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
408	Measurement of differential cross sections and $W^+/W^+$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
409	Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	4.1	15
410	Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	15
411	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
412	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	15
413	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
414	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	15

#	ARTICLE	IF	CITATIONS
415	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton- $\bar{\text{p}}$ ton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	2.9	15
416	Measurement of event-shape observables in $Z \rightarrow e^+ e^-$ events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
417	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow \ell^+\ell^-\ell^+\ell^-$ with the ATLAS detector at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
418	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
419	Characterization of surface graphitic electrodes made by excimer laser on CVD diamond. <i>Diamond and Related Materials</i> , 2016, 65, 137-143.	3.9	15
420	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
421	Search for scalar resonances decaying into $\ell^+\ell^-\ell^+\ell^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
422	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton- $\bar{\text{p}}$ ton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
423	Determination of jet calibration and energy resolution in proton- $\bar{\text{p}}$ ton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	15
424	A new measurement of the $\bar{c}c$ lifetime. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2001, 523, 53-59.	4.1	14
425	Observation of a 1750 MeV/c <sup>2</sup> enhancement in the diffractive photoproduction of K+K-. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2002, 545, 50-56.	4.1	14
426	Ageing test of the ATLAS RPCs at X5-GIF. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004, 533, 98-101. <small>Measurement of the branching ratio of the decay <math>\chi_{10}^0 \rightarrow \pi^0 \gamma</math> using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i>, 2004, 533, 98-101.</small>	1.6	14
427	<small>xml�:xcos= http://www.elsevier.com/xml/xcos/dtd xmlns:xs= http://www.w3.org/2001/XMLSchema xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns="http://www.elsevier.com/xml/common/html/htd" xmlns:inside="http://w3c.org/2001/XMLSchema-instance"</small>	4.1	14
428	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb <sup>-1</sup> of ATLAS data. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	14
429	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
430	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
431	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
432	Studies of $Z\bar{Z}$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
433	Measurement of VH, $\mathrm{H} \rightarrow \mathrm{b}\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	14
434	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13 \text{ TeV}$ in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
435	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
436	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
437	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
438	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
439	Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	3.9	14
440	New measurements of the $D_s^+ \rightarrow l^+ l^- l^+ l^-$ form factor ratios. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004, 586, 183-190.	4.1	13
441	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
442	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13
443	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13
444	Search for lepton flavour violation in the $e^{\pm} e^{\mp}$ continuum with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at the LHC. <i>European Physical Journal C</i> , 2012, 72, 2040.	3.9	13
445	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13
446	Measurement of the CP-violating phase $\delta_s$ and the $B_s \rightarrow D_s^0 \pi^0$ meson decay width difference with $B_s \rightarrow D_s^0 \pi^0$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
447	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
448	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	4.7	13
449	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ , 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13

#	ARTICLE	IF	CITATIONS
451	Search for new phenomena in high-mass final states with a photon and a jet from $\sqrt{s}$ pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2018, 78, 102.	3.9	13
452	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
453	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
454	New measurements of the D0 and D+ lifetimes. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 537, 192-200.	4.1	12
455	Measurements of $t\bar{t}c\bar{c}$ branching ratios. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 571, 139-147.	4.1	12
456	System test of the ATLAS muon spectrometer in the H8 beam at the CERN SPS. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2008, 593, 232-254.	1.6	12
457	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	12
458	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20 \text{ fb}^{-1}$ of $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
459	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
460	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12
461	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
462	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
463	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
464	Search for supersymmetry in events with four or more charged leptons in $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
465	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
466	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
467	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
468	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7$ , 8 and 13 TeV. European Physical Journal C, 2022, 82, 1.	3.9	12

#	ARTICLE	IF	CITATIONS
469	Measurement of the D+ and Ds+ decays into K+K̄K+. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 541, 227-233.	4.1	11
470	Measurement of W̄³ and Z̄³ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
471	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
472	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
473	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
474	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
475	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
476	A study of the radiation tolerance of poly-crystalline and single-crystalline CVD diamond to 800 MeV and 24 GeV protons. Journal Physics D: Applied Physics, 2019, 52, 465103.	2.8	11
477	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
478	Study of the decay mode $D\bar{D} \rightarrow K^+K^- \pi^+\pi^-$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 575, 190-197.	4.1	10
479	Study of the doubly and singly Cabibbo suppressed decays $D \rightarrow K^+ \pi^-$ and $D_s \rightarrow K^+ \pi^-$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 601, 10-19. Search for $\langle \text{mml:math altimg="s1.gif" overflow="scroll"} \rangle$	4.1	10
480	$\text{xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/x}$	4.1	10
481	The RPC first level muon trigger in the barrel of the ATLAS experiment. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 11-15.	0.4	10
482	Study of the ATLAS MDT spectrometer using high energy CERN combined test beam data. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 598, 400-415.	1.6	10
483	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
484	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
485	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
486	Measurement of the $Z\gamma \rightarrow \nu\bar{\nu}$ production cross section in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
487	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the European Physical Journal C, 2018, 78, 487.	3.9	10
488	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\pm$ and $Z$ boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
489	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
490	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
491	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
492	New measurements of the and branching ratios. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 541, 243-250.	4.1	9
493	Measurement of the $\tau_0$ lifetime. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 561, 41-48.	4.1	9
494	RPC cosmic ray tests in the ATLAS experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 581, 213-216.	1.6	9
495	Construction of the optical part of a time-of-flight detector prototype for the AFP detector. Optics Express, 2016, 24, 27951.	3.4	9
496	Diamond Particle Detectors for High Energy Physics. Nuclear and Particle Physics Proceedings, 2016, 273-275, 1023-1028.	0.5	9
497	A new method to distinguish hadronically decaying boosted $Z$ bosons from $W$ bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
498	A 3D diamond detector for particle tracking. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 824, 402-405.	1.6	9
499	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
500	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
501	Measurement of the $ZZ$ production cross section in proton-proton collisions at $s = 8$ TeV using the $ZZ$ and $Z Z$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
502	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
503	Performance of the diamond active target prototype for the PADME experiment at the DA $\times$ mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" id="mml10" display="block" altimg="si3.gif"> $\int_{-\infty}^{\infty} \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} \hat{A}_1(\vec{x}) \hat{A}_2(\vec{y}) \hat{A}_3(\vec{z}) \text{NE BTF.}$ Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 898, 105-110.	1.6	9
504	Diamond detector technology, status and perspectives. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 924, 297-300.	1.6	9

#	ARTICLE	IF	CITATIONS
505	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
506	Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
507	Beam test results of the BTeV silicon pixel detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 465, 125-130.	1.6	8
508	Test and performances of the RPC trigger chambers of the ATLAS experiment at LHC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 533, 193-198.	1.6	8
509	New results on ATLAS RPC's aging at CERN's GIF. IEEE Transactions on Nuclear Science, 2006, 53, 567-571.	2.0	8
510	Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+ \pi^-$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
511	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
512	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
513	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
514	Results on radiation tolerance of diamond detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 924, 241-244.	1.6	8
515	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
516	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
517	Measurements of $W+W^+$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
518	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
519	Reconstruction and identification of boosted di-lepton systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
520	Characterisation and performance of the PADME electromagnetic calorimeter. Journal of Instrumentation, 2020, 15, T10003-T10003.	1.2	8
521	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
522	IV and CV curves for irradiated prototype BTeV silicon pixel sensors. IEEE Transactions on Nuclear Science, 2002, 49, 2914-2918.	2.0	7

#	ARTICLE	IF	CITATIONS
523	Measurement of natural widths of $\bar{\Lambda}^0 c$ and $\bar{\Lambda}^+ c$ baryons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 525, 205-210.	4.1	7
524	A new measurement of the $\bar{\Lambda}^0 c$ lifetime. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 541, 211-218. A study of the $\bar{\Lambda}^0 c$ lifetime - <a href="#">View article</a> - <a href="#">View PDF</a> - <a href="#">View citations</a> - <a href="#">View all articles</a> - <a href="#">View all articles by GABRIELE CHIODINI</a>	4.1	7
525	xmins:xocs= <a href="http://www.elsevier.com/xml/xocs/dtd">http://www.elsevier.com/xml/xocs/dtd</a> xmlns:xs= <a href="http://www.w3.org/2001/XMLSchema">http://www.w3.org/2001/XMLSchema</a> xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:chem="http://www.elsevier.com/xml/common/chem/dtd/1.0" Cluster counting drift chamber as high precision tracker for ILC experiments. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 598, 98-101.	4.1	7
526	Studies of electron drift velocity and charge spectra in RPC by a UV laser source. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 602, 757-760.	1.6	7
527	Measurement of $\text{au } \text{au } \bar{\ell}$ , polarisation in $Z/\gamma \rightarrow \text{au au } Z / \bar{\ell}^3$ . European Physical Journal C, 2018, 78, 163.	3.9	7
528	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13\text{TeV}$ proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
529	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
530	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
531	Development of a high density pixel multichip module at Fermilab. IEEE Transactions on Advanced Packaging, 2002, 25, 36-42.	1.6	6
532	Characterization of prototype BTeV silicon pixel sensors before and after irradiation. IEEE Transactions on Nuclear Science, 2002, 49, 1743-1749.	2.0	6
533	Performance of prototype BTeV silicon pixel detectors in a high-energy pion beam. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 485, 411-425.	1.6	6
534	Measurements of relative branching ratios of $\bar{\Lambda}^0 c$ decays into states containing $\bar{\Lambda}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2002, 540, 25-32.	4.1	6
535	Studies of correlations between D and D mesons in high energy photoproduction. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2003, 566, 51-60.	4.1	6
536	The RPC LVL1 trigger system of the muon spectrometer of the ATLAS experiment at LHC. IEEE Transactions on Nuclear Science, 2004, 51, 1581-1589.	2.0	6
537	A CMOS high-speed front-end for cluster counting techniques in ionization detectors., 2007, , .	6	
538	Search for a pentaquark decaying to $\Lambda^0 c \bar{q} q \bar{q}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2008, 661, 14-21.	4.1	6
539	Radiation damage of polycrystalline diamond exposed to 62MeV protons. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 730, 152-154.	1.6	6

#	ARTICLE	IF	CITATIONS
541	HV-CMOS detectors in BCD8 technology. <i>Journal of Instrumentation</i> , 2016, 11, C11038-C11038.	1.2	6
542	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
543	Measurement of ZZ production in the $\tilde{\chi}_1^0 \tilde{\chi}_1^0$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
544	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
545	A diamond active target for the PADME experiment. <i>Journal of Instrumentation</i> , 2017, 12, C02036-C02036.	1.2	6
546	Performance of the ATLAS Level-1 topological trigger in Run2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	6
547	Study of hadronic five-body decays of charmed mesons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2003, 561, 225-232. Study of $\langle \text{mm} \rangle$ . <code>xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema"</code> <code>xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd"</code> <code>xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mm="http://www.w3.org/1998/Math/MathML"</code> <code>xmlns:tb="http://www.elsevier.com/xml/common/table/dtd"</code> <code>xmlns:sb="http://www.elsevier.com/xml/common/struct-bib/dtd"</code> <code>xmlns:ce="http://www.elsevier.com/x</code>	4.1	5
548	Off-line time calibration of the ATLAS RPC system. <i>Journal of Instrumentation</i> , 2013, 8, T02004-T02004.	1.2	5
550	New test beam results of 3D and pad detectors constructed with poly-crystalline CVD diamond. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2020, 958, 162675.	1.6	5
551	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
552	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
553	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using $36 \text{ fb}^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
554	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	3.9	5
555	Radiation tolerance of prototype BTeV pixel detector readout chips. <i>IEEE Transactions on Nuclear Science</i> , 2002, 49, 2895-2901.	2.0	4
556	Single event effects in the pixel readout chip for BTeV. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2003, 501, 183-188.	1.6	4
557	Measurement of the Ds+Lifetime. <i>Physical Review Letters</i> , 2005, 95, 052003.	7.8	4
558	First look at the beam test results of the FPIX2 readout chip for the BTeV silicon pixel detector. <i>IEEE Transactions on Nuclear Science</i> , 2006, 53, 409-413.	2.0	4

#	ARTICLE	IF	CITATIONS
559	Measurement of the $\eta$ dependence of the $\Lambda\bar{\Lambda}$ production cross section at $\sqrt{s} = 200$ GeV. Nuclear Physics, Section A, 2006, 770, 133-146.	4.1	4
560	Measurements of drift velocity in the ATLAS RPC gas mixture. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 133-136.	0.4	4
561	ATLAS performance of the ATLAS RPC detector measuring the $\eta$ dependence of the $\Lambda\bar{\Lambda}$ production cross section at $\sqrt{s} = 200$ GeV. Nuclear Physics, Section A, 2006, 770, 133-146.	4.1	4
562	ATLAS RPC certification with cosmic rays. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2009, 602, 700-704.	1.6	4
563	Excimer laser-induced diamond graphitization for high-energy nuclear applications. Applied Physics B: Lasers and Optics, 2013, 113, 373-378.	2.2	4
564	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
565	Measurement of jet activity in top quark events using the $e^{\pm}/\sqrt{s}$ final state with two b-tagged jets in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
566	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	3.9	4
567	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
568	Search for top squarks in events with a Higgs or Z boson using $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
569	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+ \rightarrow \pi^+ \pi^- \pi^+$ events in Run2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
570	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
571	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
572	Electrical characterization of irradiated prototype silicon pixel sensors for BTeV. IEEE Transactions on Nuclear Science, 2003, 50, 1136-1141.	2.0	3
573	Pomone, a PCI based data acquisition system. , 2003, , .		3
574	Measurements of six-body hadronic decays of the D0 charmed meson. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 586, 21-26.	4.1	3
575	Study of hadronic five-body decays of charmed mesons involving K0. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 586, 191-197.	4.1	3
576	Status of the ATLAS Level-1 Central Trigger and Muon Barrel Trigger and First Results from Cosmic-Ray Data. IEEE Transactions on Nuclear Science, 2008, 55, 139-144.	2.0	3

#	ARTICLE	IF	CITATIONS
577	Measurement of the $k_t$ splitting scales in $Z \rightarrow l^+ l^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
578	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3
579	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
580	Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}=7) \text{ TeV}$ using 4.5 fb $^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.		3
581	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
582	The LECCE cosmic ray testing facility for the ATLAS RPC. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2006, 565, 450-456.	1.6	2
583	The ATLAS level-1 trigger: Status of the system and first results from cosmic-ray data. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007, 581, 476-481.	1.6	2
584	Study of the Performances of the Level-1 Trigger System for Muons in the Barrel of ATLAS with Cosmic Rays. , 2008, , .		2
585	HV-CMOS detectors for high energy physics: Characterization of BCD8 technology and controlled hybridization technique. , 2016, , .		2
586	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021.	2.9	2
587	Search for exotic decays of the Higgs boson into $b \bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	2
588	Measurement of the energy asymmetry in $t\bar{t}$ production at $13 \text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. <i>European Physical Journal C</i> , 2022, 82, .	3.9	2
589	Beam test of BTeV pixel detectors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2001, 473, 119-123.	1.6	1
590	Characterization of prototype BTeV silicon pixel sensors before and after irradiation. , 0, , .		1
591	Single event upset rate of 140 Mb/s pixel-data serializer. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2004, 518, 507-508.	1.6	1
592	Charm-anticharm baryon production asymmetries in photon-nucleon interactions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2004, 581, 39-48.	4.1	1
593	The ATLAS LVL1 Barrel Muon Trigger Commissioning with Cosmic Rays. , 2006, , .		1
594	Status of the ATLAS Level-1 Central Trigger and Muon Barrel Trigger and First Results from Cosmic-Ray Data. , 2007, , .		1

#	ARTICLE	IF	CITATIONS
595	Laser beam characterization of the ATLAS RPC gas mixture. Nuclear Physics, Section B, Proceedings Supplements, 2007, 172, 284-288. Study of Cabibbo suppressed decays of the $D \rightarrow K S$ charmed-strange meson involving a $D_s \rightarrow K_s S$ First cosmic ray results of the RPC commissioning in the ATLAS cavern. Nuclear Physics, Section B, Proceedings Supplements, 2008, 177-178, 335-338.	0.4	1
596	overflow="scroll"><mml:msubsup><mml:mi>D</mml:mi><mml:mi>S</mml:mi><mml:mo>+</mml:mo></mml:msubsup></mml:math>	4.1	
597	overflow="scroll"><mml:msubsup><mml:mi>K</mml:mi><mml:mi>S</mml:mi><mml:mn>0</mml:mn></mml:msubsup></mml:math>	0.4	1
598	A low power 0.13&m ADC for drift chambers. , 2009, , .		1
599	Comparative timing performances of S-CVD diamond detectors with different particle beams and readout electronics. , 2012, , .		1
600	The PADME experiment for dark mediator searches at the Frascati BTF. Journal of Instrumentation, 2017, 12, C02037-C02037.	1.2	1
601	The ATLAS Simulation Infrastructure. , 2010, 70, 823.		1
602	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s})=8\text{ TeV}$ with the ATLAS detector. , 2016, 76, 1.		1
603	Temperature dependent performance of ATLAS RPC. Nuclear Physics, Section B, Proceedings Supplements, 2006, 158, 204-207.	0.4	0
604	ATLAS RPC QA results at INFN Lecce. AIP Conference Proceedings, 2006, , .	0.4	0
605	The ATLAS level-1 trigger: Status of the system and experience from commissioning with cosmic ray muons. , 2007, , .		0
606	Characterization of non-uniformly irradiated silicon micro-strip sensors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 571, 636-643.	1.6	0
607	Characterization with a nitrogen laser of a small size RPC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 572, 173-174.	1.6	0
608	Preliminary performance results for the ATLAS RPC test stand in Lecce. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 572, 18-19.	1.6	0
609	ATLAS RPC thermal studies. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 572, 36-37.	1.6	0
610	A 0.13&m CMOS VGA for drift chambers. , 2009, , .		0
611	Diamond particle detectors for high energy physics. , 2011, , .		0
612	Preface: International Workshop on Quantum Chromodynamics - Theory and Experiment. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
613	Diamond detector time resolution for large angle tracks. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 796, 38-41.	1.6	0
614	Jet Substructure Measurements Sensitive to Soft QCD effects with the ATLAS Detector. EPJ Web of Conferences, 2018, 192, 00007.	0.3	0
615	Minimum Ionizing Particle Timing with Grazing Diamond. Acta Physica Polonica B, Proceedings Supplement, 2014, 7, 665.	0.1	0