Zhong-Mei Zou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3576432/publications.pdf Version: 2024-02-01



<u> 7нолс-Меі 7он</u>

#	Article	lF	CITATIONS
1	Natural biflavones are potent inhibitors against SARS-CoV-2 papain-like protease. Phytochemistry, 2022, 193, 112984.	2.9	17
2	New caffeoyl derivatives from <i>Elephantopus scaber</i> . Journal of Asian Natural Products Research, 2022, 24, 713-721.	1.4	1
3	Gut microbiota and gut tissue metabolites involved in development and prevention of depression. Journal of Affective Disorders, 2022, 297, 8-17.	4.1	12
4	Quality markers of Baizhu dispensing granules based on multi-component qualitative and quantitative analysis combined with network pharmacology and chemometric analysis. Journal of Ethnopharmacology, 2022, 288, 114968.	4.1	11
5	Circulating Palmitoyl Sphingomyelin Is Associated With Cardiovascular Disease in Individuals With Type 2 Diabetes: Findings From the China Da Qing Diabetes Study. Diabetes Care, 2022, 45, 666-673.	8.6	9
6	Silencing Tautomerization to Isolate Unstable Physalins from <i>Physalis minima</i> . Journal of Natural Products, 2022, 85, 1522-1539.	3.0	8
7	Anti-inflammatory constituents in the root and rhizome of Polygonum cuspidatum by UPLC-PDA-QTOF/MS and lipopolysaccharide-activated RAW264.7 macrophages. Journal of Pharmaceutical and Biomedical Analysis, 2021, 195, 113839.	2.8	17
8	Molecular classification and clinical diagnosis of acute-on-chronic liver failure patients by serum metabolomics. Journal of Pharmaceutical and Biomedical Analysis, 2021, 198, 114004.	2.8	7
9	New stilbenoligan and flavonoid from the roots of Caragana stenophylla Pojark. and their anti-inflammatory activity. Journal of Asian Natural Products Research, 2021, 23, 627-636.	1.4	1
10	Salvia miltiorrhiza and Pueraria lobata, two eminent herbs in Xin-Ke-Shu, ameliorate myocardial ischemia partially by modulating the accumulation of free fatty acids in rats. Phytomedicine, 2021, 89, 153620.	5.3	11
11	Sesquiterpenoids from the rhizomes of Atractylodes macrocephala and their protection against lipopolysaccharide-induced neuroinflammation in microglia BV-2 cells. Journal of Functional Foods, 2021, 83, 104541.	3.4	7
12	Bioactive-guided isolation and identification of oligostilbenes as anti-rheumatoid arthritis constituents from the roots of Caragana stenophylla. Journal of Ethnopharmacology, 2021, 280, 114134.	4.1	6
13	Naturally occurring physalins from the genus Physalis: A review. Phytochemistry, 2021, 191, 112925.	2.9	20
14	New phenolic acids from the whole herb of <i>Elephantopus scaber</i> Linn. and their anti-inflammatory activity. Natural Product Research, 2021, 35, 3667-3674.	1.8	8
15	Antidepressant-like effect and phytochemical profile of supercritical COâ,, extract from. Die Pharmazie, 2021, 76, 249-255.	0.5	5
16	Five new 5,6-β-epoxywithanolides from Physalis minima. Fìtoterapìâ, 2020, 140, 104413.	2.2	8
17	Discovery of New Secondary Metabolites by Epigenetic Regulation and NMR Comparison from the Plant Endophytic Fungus Monosporascus eutypoides. Molecules, 2020, 25, 4192.	3.8	13
18	A facile metal-free one-pot synthesis of 3-aminoisoquinolines by intramolecular transannulation of 1-sulfonyl-4-(2-aminomethylphenyl)-1,2,3-triazoles. RSC Advances, 2020, 10, 39067-39071.	3.6	3

#	Article	IF	CITATIONS
19	Serum metabolomics reveals the intervention mechanism and compatible regularity of Chaihu Shu Gan San on chronic unpredictable mild stress-induced depression rat model. Journal of Pharmacy and Pharmacology, 2020, 72, 1133-1143.	2.4	8
20	Design and Synthesis of Molecular Hybrids of Sophora Alkaloids and Cinnamic Acids as Potential Antitumor Agents. Molecules, 2020, 25, 1168.	3.8	15
21	Anti-inflammatory Withanolides from <i>Physalis minima</i> . ACS Omega, 2020, 5, 12148-12153.	3.5	18
22	Anti-inflammatory chemical constituents of <i>Flos Chrysanthemi Indici</i> determined by UPLC-MS/MS integrated with network pharmacology. Food and Function, 2020, 11, 6340-6351.	4.6	44
23	Chetocochliodins A-I, Epipoly(thiodioxopiperazines) from Chaetomium cochliodes. Journal of Natural Products, 2020, 83, 805-813.	3.0	12
24	Gut Microbiota Is the Key to the Antidepressant Effect of Chaihu-Shu-Gan-San. Metabolites, 2020, 10, 63.	2.9	11
25	Cecal Gut Microbiota and Metabolites Might Contribute to the Severity of Acute Myocardial Ischemia by Impacting the Intestinal Permeability, Oxidative Stress, and Energy Metabolism. Frontiers in Microbiology, 2019, 10, 1745.	3.5	70
26	Neuroprotective Effect of Cyperi rhizome against Corticosterone-Induced PC12 Cell Injury via Suppression of Ca2+ Overloading. Metabolites, 2019, 9, 244.	2.9	6
27	Sesquiterpenoids and mycotoxin swainsonine from the locoweed endophytic fungus Alternaria oxytropis. Phytochemistry, 2019, 164, 154-161.	2.9	29
28	Design and Synthesis of Matrine Derivatives as Novel Anti-Pulmonary Fibrotic Agents via Repression of the TGFβ/Smad Pathway. Molecules, 2019, 24, 1108.	3.8	20
29	Trematosphones A and B, Two Unique Dimeric Structures from the Desert Plant Endophytic Fungus <i>Trematosphaeria terricola</i> . Organic Letters, 2019, 21, 2139-2142.	4.6	26
30	New antiproliferative germacranolides from <i>Carpesium divaricatum</i> . RSC Advances, 2019, 9, 11493-11502.	3.6	6
31	Two azafluoranthene alkaloids and a phytoecdysone from the stems of Cyclea barbata. Journal of Asian Natural Products Research, 2019, 21, 217-226.	1.4	5
32	Chinese patent medicine Xin-Ke-Shu inhibits Ca 2+ overload and dysfunction of fatty acid β -oxidation in rats with myocardial infarction induced by LAD ligation. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1079, 85-94.	2.3	14
33	Spiciferone analogs from an endophytic fungus Phoma betae collected from desert plants in West China. Journal of Antibiotics, 2018, 71, 613-617.	2.0	23
34	Isobutylhydroxyamides from Sichuan Pepper and Their Protective Activity on PC12 Cells Damaged by Corticosterone. Journal of Agricultural and Food Chemistry, 2018, 66, 3408-3416.	5.2	31
35	Highly Photosensitive Poly-Sulfur-Bridged Chetomin Analogues fromChaetomium cochliodes. Organic Letters, 2018, 20, 1806-1809.	4.6	12
36	Chemical profiling of Di-Wu-Yang-Gan Granules by ultra performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry with MS ^E technology. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2018, 73, 107-116.	1.4	1

#	Article	IF	CITATIONS
37	Longitudinal trend of global artemisinin research in chemistry subject areas (1983–2017). Bioorganic and Medicinal Chemistry, 2018, 26, 5379-5387.	3.0	12
38	Glycerophosphatidylcholine PC(36:1) absence and 3′-phosphoadenylate (pAp) accumulation are hallmarks of the human glioma metabolome. Scientific Reports, 2018, 8, 14783.	3.3	10
39	Isolation, Structure Elucidation, and Absolute Configuration of Germacrane Isomers from Carpesium divaricatum. Scientific Reports, 2018, 8, 12418.	3.3	15
40	Metabolic profiling of hypoxia/reoxygenation injury in H9c2 cells reveals the accumulation of phytosphingosine and the vital role of Dan-Shen in Xin-Ke-Shu. Phytomedicine, 2018, 49, 83-94.	5.3	20
41	Phytotoxic Secondary Metabolites from the Endolichenic Fungus Myxotrichum sp Chemistry of Natural Compounds, 2018, 54, 638-641.	0.8	4
42	Bioactive Resorcylic Acid Lactones with Different Ring Systems from Desert Plant Endophytic Fungus <i>Chaetosphaeronema hispidulur</i> . Journal of Agricultural and Food Chemistry, 2018, 66, 8976-8982.	5.2	21
43	Pharmacokinetics of costunolide and dehydrocostuslactone after oral administration of <i>Radix aucklandiae</i> extract in normal and gastric ulcer rats. Journal of Asian Natural Products Research, 2018, 20, 1055-1063.	1.4	15
44	Molecular epigenetic approach activates silent gene cluster producing dimeric bis-spiro-azaphilones in Chaetomium globosum CBS148.51. Journal of Antibiotics, 2017, 70, 801-804.	2.0	8
45	Variations in gut microbiota and fecal metabolic phenotype associated with depression by 16S rRNA gene sequencing and LC/MS-based metabolomics. Journal of Pharmaceutical and Biomedical Analysis, 2017, 138, 231-239.	2.8	263
46	Urinary and Fecal Metabonomics Study of the Protective Effect of Chaihu-Shu-Gan-San on Antibiotic-Induced Gut Microbiota Dysbiosis in Rats. Scientific Reports, 2017, 7, 46551.	3.3	45
47	Trichoderpyrone, a Unique Polyketide Hybrid with a Cyclopentenone–Pyrone Skeleton from the Plant Endophytic Fungus <i>Trichoderma gamsii</i> . Journal of Natural Products, 2017, 80, 1944-1947.	3.0	25
48	Chaihu-Shu-Gan-San regulates phospholipids and bile acid metabolism against hepatic injury induced by chronic unpredictable stress in rat. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1064, 14-21.	2.3	41
49	The Effect of Chinese Herbal Medicine Formula mKG on Allergic Asthma by Regulating Lung and Plasma Metabolic Alternations. International Journal of Molecular Sciences, 2017, 18, 602.	4.1	31
50	Polyketide-Terpene Hybrid Metabolites from an Endolichenic Fungus <i> Pestalotiopsis</i> sp BioMed Research International, 2017, 2017, 1-10.	1.9	13
51	The Chinese Herbal Medicine Formula mKG Suppresses Pulmonary Fibrosis of Mice Induced by Bleomycin. International Journal of Molecular Sciences, 2016, 17, 238.	4.1	24
52	Semisynthetic and SAR Studies of Amide Derivatives of Neocrotocembraneic Acid as Potential Antitumor Agents. Molecules, 2016, 21, 1581.	3.8	0
53	Standardized Chinese Formula Xin-Ke-Shu inhibits the myocardium Ca2+ overloading and metabolic alternations in isoproterenol-induced myocardial infarction rats. Scientific Reports, 2016, 6, 30208.	3.3	21
54	Allelopathic Polyketides from an Endolichenic Fungus Myxotrichum SP. by Using OSMAC Strategy. Scientific Reports, 2016, 6, 19350.	3.3	31

#	Article	IF	CITATIONS
55	Fimbriatols A–J, Highly Oxidized ent-Kaurane Diterpenoids from Traditional Chinese Plant Flickingeria fimbriata (B1.) Hawkes. Scientific Reports, 2016, 6, 30560.	3.3	10
56	Quercetin inhibits angiogenesis by targeting calcineurin in the xenograft model of human breast cancer. European Journal of Pharmacology, 2016, 781, 60-68.	3.5	81
57	LncRNA and mRNA expression profiles of glioblastoma multiforme (GBM) reveal the potential roles of IncRNAs in GBM pathogenesis. Tumor Biology, 2016, 37, 14537-14552.	1.8	34
58	Chronic unpredictive mild stress leads to altered hepatic metabolic profile and gene expression. Scientific Reports, 2016, 6, 23441.	3.3	57
59	Identification of candidate diagnostic biomarkers for adolescent idiopathic scoliosis using UPLC/QTOF-MS analysis: a first report of lipid metabolism profiles. Scientific Reports, 2016, 6, 22274.	3.3	19
60	Overexpression of the Global Regulator LaeA in <i>Chaetomium globosum</i> Leads to the Biosynthesis of Chaetoglobosin Z. Journal of Natural Products, 2016, 79, 2487-2494.	3.0	43
61	New Highly Oxygenated Germacranolides from Carpesium divaricatum and their Cytotoxic Activity. Scientific Reports, 2016, 6, 27237.	3.3	12
62	Rhodium(<scp>ii</scp>)-catalyzed intramolecular annulation of 1-sulfonyl-1,2,3-triazoles with indoles: facile synthesis of functionalized tetrahydro-β-carbolines. RSC Advances, 2016, 6, 30835-30839.	3.6	16
63	Aberrant purine metabolism in allergic asthma revealed by plasma metabolomics. Journal of Pharmaceutical and Biomedical Analysis, 2016, 120, 181-189.	2.8	50
64	Metabolism of glycerophospholipid, bile acid and retinol is correlated with the early outcomes of autoimmune hepatitis. Molecular BioSystems, 2016, 12, 1574-1585.	2.9	35
65	Identification of the Chemical Constituents in Aqueous Extract of Zhi-Qiao and Evaluation of Its Antidepressant Effect. Molecules, 2015, 20, 6925-6940.	3.8	37
66	Synthesis and Evaluation of New Podophyllotoxin Derivatives with in Vitro Anticancer Activity. Molecules, 2015, 20, 12266-12279.	3.8	6
67	Metabolic responses to water deprivation in C57BL/6J mice using a proton nuclear magnetic resonance-based metabonomics approach. RSC Advances, 2015, 5, 80142-80149.	3.6	2
68	Trichoderamides A and B, a pair of stereoisomers from the plant endophytic fungus Trichoderma gamsii. Journal of Antibiotics, 2015, 68, 409-413.	2.0	8
69	Role of Bai-Shao towards the antidepressant effect of Chaihu-Shu-Gan-San using metabonomics integrated with chemical fingerprinting. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1006, 16-29.	2.3	22
70	Immunizations with hepatitis B viral antigens and a TLR7/8 agonist adjuvant induce antigen-specific immune responses in HBV-transgenic mice. International Journal of Infectious Diseases, 2014, 29, 31-36.	3.3	27
71	Metabolic pathways involved in Xin-Ke-Shu protecting against myocardial infarction in rats using ultra high-performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2014, 90, 35-44.	2.8	56
72	Hippocampus and serum metabolomic studies to explore the regulation of Chaihu-Shu-Gan-San on metabolic network disturbances of rats exposed to chronic variable stress. Molecular BioSystems, 2014, 10, 549.	2.9	39

#	Article	IF	CITATIONS
73	Synthesis and evaluation of novel podophyllotoxin derivatives as potential antitumor agents. European Journal of Medicinal Chemistry, 2014, 85, 498-507.	5.5	26
74	Trichodermone, a Spiro-cytochalasan with a Tetracyclic Nucleus (7/5/6/5) Skeleton from the Plant Endophytic Fungus <i>Trichoderma gamsii</i> . Journal of Natural Products, 2014, 77, 164-167.	3.0	43
75	A caryophyllane-type sesquiterpene, caryophyllenol A from Valeriana amurensis. Fìtoterapìâ, 2014, 96, 18-24.	2.2	11
76	Stereochemical determination of new cytochalasans from the plant endophytic fungus Trichoderma gamsii. FA¬toterapA¬A¢, 2014, 96, 115-122.	2.2	34
77	UPLC-Q/TOF MS standardized Chinese formula Xin-Ke-Shu for the treatment of atherosclerosis in a rabbit model. Phytomedicine, 2014, 21, 1364-1372.	5.3	53
78	Dichrocephones A and B, two cytotoxic sesquiterpenoids with the unique [3.3.3] propellane nucleus skeleton from Dichrocephala benthamii. RSC Advances, 2013, 3, 7880.	3.6	21
79	Comparative Pharmacokinetics of Naringin in Rat after Oral Administration of Chaihu-Shu-Gan-San Aqueous Extract and Naringin Alone. Metabolites, 2013, 3, 867-880.	2.9	23
80	Trichoderones A and B: Two Pentacyclic Cytochalasans from the Plant Endophytic Fungus <i>Trichoderma gamsii</i> . European Journal of Organic Chemistry, 2012, 2012, 2516-2519.	2.4	49
81	Pestaloquinols A and B, Isoprenylated Epoxyquinols fromPestalotiopsissp Journal of Natural Products, 2011, 74, 286-291.	3.0	44
82	Urinary metabonomics study of anti-depressive effect of Chaihu-Shu-Gan-San on an experimental model of depression induced by chronic variable stress in rats. Journal of Pharmaceutical and Biomedical Analysis, 2011, 55, 533-539.	2.8	101
83	QSAR studies on imidazothienopyrazines as IKKâ€ <i>β</i> inhibitors: from 2D to 3D. Journal of Chemometrics, 2009, 23, 304-314.	1.3	6
84	Inositol angelates from the whole herb of Inula cappa. Fìtoterapìâ, 2008, 79, 393-394.	2.2	11
85	New Cytotoxic Saponins from Lysimachia davurica Ledeb Journal of Integrative Plant Biology, 2006, 48, 232-235.	8.5	3
86	New antitumor triterpene saponin from Lysimachia capillipes. Chemistry of Natural Compounds, 2006, 42, 328-331.	0.8	9
87	Two New Saponins from Lysimachia capillipes Hemsl Journal of Integrative Plant Biology, 2005, 47, 1271-1275.	8.5	2
88	Sphingosine Derivatives from the Seeds ofAllium Tuberosum. Journal of Asian Natural Products Research, 1999, 2, 55-61.	1.4	4