

# Therese M Jay

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3577325/publications.pdf>

Version: 2024-02-01

104  
papers

9,028  
citations

57758

44  
h-index

40979

93  
g-index

120  
all docs

120  
docs citations

120  
times ranked

9869  
citing authors

#	ARTICLE	IF	CITATIONS
1	Phenotypical Screening on Neuronal Plasticity in Hippocampal-Prefrontal Cortex Connectivity Reveals an Antipsychotic with a Novel Profile. <i>Cells</i> , 2022, 11, 1181.	4.1	1
2	Dopamine-induced pruning in monocyte-derived-neuronal-like cells (MDNCs) from patients with schizophrenia. <i>Molecular Psychiatry</i> , 2022, 27, 2787-2802.	7.9	11
3	Brain circuits at risk in psychiatric diseases and pharmacological pathways. <i>Therapie</i> , 2021, 76, 75-86.	1.0	2
4	Fluoroethylnormemantine, A Novel Derivative of Memantine, Facilitates Extinction Learning Without Sensorimotor Deficits. <i>International Journal of Neuropsychopharmacology</i> , 2021, 24, 519-531.	2.1	7
5	Biomarkers of resilience and susceptibility in rodent models of stress. , 2020, , 311-321.		2
6	Selective activation of D1 dopamine receptors exerts antidepressant-like activity in rats. <i>Journal of Psychopharmacology</i> , 2020, 34, 1443-1448.	4.0	6
7	Antidepressants Promote and Prevent Cancers. <i>Cancer Investigation</i> , 2020, 38, 572-598.	1.3	4
8	Cognition- and circuit-based dysfunction in a mouse model of 22q11.2 microdeletion syndrome: effects of stress. <i>Translational Psychiatry</i> , 2020, 10, 41.	4.8	18
9	Stress, Cortisol and NR3C1 in At-Risk Individuals for Psychosis: A Mendelian Randomization Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 680.	2.6	3
10	Stress, Cortisol and NR3C1 in At-Risk Individuals for Psychosis: A Mendelian Randomization Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 680.	2.6	3
11	M51 CONVERGENT METHYLOMIC SIGNATURE OF CANNABIS EXPOSURE DURING ADOLESCENCE IN HUMAN BLOOD SAMPLES AND RAT PREFRONTAL AREA. <i>European Neuropsychopharmacology</i> , 2019, 29, S193.	0.7	0
12	Exposure to cannabinoids can lead to persistent cognitive and psychiatric disorders. <i>European Journal of Pain</i> , 2019, 23, 1225-1233.	2.8	37
13	A Resting-State Functional MR Imaging and Spectroscopy Study of the Dorsal Hippocampus in the Chronic Unpredictable Stress Rat Model. <i>Journal of Neuroscience</i> , 2019, 39, 3640-3650.	3.6	28
14	The SIGMA rat brain templates and atlases for multimodal MRI data analysis and visualization. <i>Nature Communications</i> , 2019, 10, 5699.	12.8	73
15	P.542 Epigenetic regulation in the dorsal hippocampus of rats exposed to methylazoxymethanol acetate; a model of schizophrenia. <i>European Neuropsychopharmacology</i> , 2019, 29, S381-S382.	0.7	0
16	The dynamics of stress: a longitudinal MRI study of rat brain structure and connectome. <i>Molecular Psychiatry</i> , 2018, 23, 1998-2006.	7.9	60
17	Transdifferentiation of Human Circulating Monocytes Into Neuronal-Like Cells in 20 Days and Without Reprograming. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 323.	2.9	14
18	A Single Exposure to GSM-1800MHz Signals in the Course of an Acute Neuroinflammatory Reaction can Alter Neuronal Responses and Microglial Morphology in the Rat Primary Auditory Cortex. <i>Neuroscience</i> , 2018, 385, 11-24.	2.3	13

#	ARTICLE	IF	CITATIONS
19	White matter changes in microstructure associated with a maladaptive response to stress in rats. <i>Translational Psychiatry</i> , 2017, 7, e1009-e1009.	4.8	27
20	Activation of beta- and alpha-2-adrenoceptors in the basolateral amygdala has opposing effects on hippocampal-prefrontal long-term potentiation. <i>Neurobiology of Learning and Memory</i> , 2017, 137, 163-170.	1.9	14
21	Defining the brain circuits involved in psychiatric disorders: IMI-NEWMEDS. <i>Nature Reviews Drug Discovery</i> , 2017, 16, 1-2.	46.4	35
22	Acute Neuroinflammation Promotes Cell Responses to 1800MHz GSM Electromagnetic Fields in the Rat Cerebral Cortex. <i>Neurotoxicity Research</i> , 2017, 32, 444-459.	2.7	12
23	Clozapine counteracts a ketamine-induced depression of hippocampal-prefrontal neuroplasticity and alters signaling pathway phosphorylation. <i>PLoS ONE</i> , 2017, 12, e0177036.	2.5	22
24	Rats can acquire conditional fear of faint light leaking through the acrylic resin used to mount fiber optic cannulas. <i>Learning and Memory</i> , 2016, 23, 684-688.	1.3	4
25	The hippocampal to prefrontal cortex circuit in mice: a promising electrophysiological signature in models for psychiatric disorders. <i>Brain Structure and Function</i> , 2016, 221, 2385-2391.	2.3	14
26	Dynamic Regulation of AMPAR Phosphorylation In Vivo Following Acute Behavioral Stress. <i>Cellular and Molecular Neurobiology</i> , 2016, 36, 1331-1342.	3.3	19
27	Chronic cannabinoid exposure during adolescence leads to long-term structural and functional changes in the prefrontal cortex. <i>European Neuropsychopharmacology</i> , 2016, 26, 55-64.	0.7	66
28	Salivary cortisol in early psychosis: New findings and meta-analysis. <i>Psychoneuroendocrinology</i> , 2016, 63, 262-270.	2.7	76
29	Acute tianeptine treatment selectively modulates neuronal activation in the central nucleus of the amygdala and attenuates fear extinction. <i>Molecular Psychiatry</i> , 2015, 20, 1420-1427.	7.9	5
30	Hyper-responsivity to stress in rats is associated with a large increase in amygdala volume. A 7 T MRI study. <i>European Neuropsychopharmacology</i> , 2015, 25, 828-835.	0.7	15
31	Behavioral stress induces regionally-distinct shifts of brain mineralocorticoid and glucocorticoid receptor levels. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 19.	2.0	35
32	Long-term consequences of adolescent cannabinoid exposure in adult psychopathology. <i>Frontiers in Neuroscience</i> , 2014, 8, 361.	2.8	108
33	Psychotomimetic effects at initiation of cannabis use are associated with cannabinoid receptor 1 (CNR1) variants in healthy students. <i>Molecular Psychiatry</i> , 2014, 19, 402-403.	7.9	14
34	Limbic versus cognitive target for deep brain stimulation in treatment-resistant depression: Accumbens more promising than caudate. <i>European Neuropsychopharmacology</i> , 2014, 24, 1229-1239.	0.7	56
35	Paraventricular Hypothalamic Regulation of Trigeminovascular Mechanisms Involved in Headaches. <i>Journal of Neuroscience</i> , 2013, 33, 8827-8840.	3.6	120
36	The hippocampal-prefrontal pathway: The weak link in psychiatric disorders?. <i>European Neuropsychopharmacology</i> , 2013, 23, 1165-1181.	0.7	354

#	ARTICLE	IF	CITATIONS
37	Long-term cognitive impairments induced by chronic cannabinoid exposure during adolescence in rats: a strain comparison. <i>Psychopharmacology</i> , 2013, 225, 781-790.	3.1	74
38	Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. <i>Nature Reviews Drug Discovery</i> , 2012, 11, 141-168.	46.4	960
39	Factoring neurotrophins into a neurite-based pathophysiological model of schizophrenia. <i>Progress in Neurobiology</i> , 2011, 94, 77-90.	5.7	26
40	Effect of Exposure to 1,800 MHz Electromagnetic Fields on Heat Shock Proteins and Glial Cells in the Brain of Developing Rats. <i>Neurotoxicity Research</i> , 2011, 20, 109-119.	2.7	35
41	Effect of antipsychotics on spontaneous hyperactivity and hypersensitivity to MK-801-induced hyperactivity in rats prenatally exposed to methylazoxymethanol. <i>Journal of Psychopharmacology</i> , 2011, 25, 822-835.	4.0	21
42	Cellular Plasticity and the Pathophysiology of Depression. , 2011, , 41-55.		3
43	The neurobiological properties of tianeptine (Stablon): from monoamine hypothesis to glutamatergic modulation. <i>Molecular Psychiatry</i> , 2010, 15, 237-249.	7.9	362
44	A New Strategy for Antidepressant Prescription. <i>Frontiers in Neuroscience</i> , 2010, 4, 192.	2.8	37
45	Acute Stress Induces Contrasting Changes in AMPA Receptor Subunit Phosphorylation within the Prefrontal Cortex, Amygdala and Hippocampus. <i>PLoS ONE</i> , 2010, 5, e15282.	2.5	48
46	Locus coeruleus stimulation and noradrenergic modulation of hippocampo-prefrontal cortex long-term potentiation. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 1219-1231.	2.1	38
47	Role of noradrenaline in basolateral amygdala modulation of hippocampal-prefrontal cortical long-term potentiation. <i>Neuroscience Research</i> , 2010, 68, e448.	1.9	0
48	Neuropathological and Reelin Deficiencies in the Hippocampal Formation of Rats Exposed to MAM; Differences and Similarities with Schizophrenia. <i>PLoS ONE</i> , 2010, 5, e10291.	2.5	30
49	S.08.04 Restoring normal synaptic function in frontal networks as a new approach to treat mood disorders. <i>European Neuropsychopharmacology</i> , 2010, 20, S176.	0.7	0
50	Behavioral Perturbations After Prenatal Neurogenesis Disturbance in Female Rat. <i>Neurotoxicity Research</i> , 2009, 15, 311-320.	2.7	47
51	Potential application as screening and drug designing tools of cytoarchitectural deficiencies present in three animal models of schizophrenia. <i>Expert Opinion on Drug Discovery</i> , 2009, 4, 257-278.	5.0	6
52	Antidepressants reverse the attenuation of the neurotrophic MEK/MAPK cascade in frontal cortex by elevated platform stress; reversal of effects on LTP is associated with GluA1 phosphorylation. <i>Neuropharmacology</i> , 2009, 56, 37-46.	4.1	91
53	One-carbon metabolism and schizophrenia: current challenges and future directions. <i>Trends in Molecular Medicine</i> , 2009, 15, 562-570.	6.7	76
54	Interaction of dopamine D1 with NMDA NR1 receptors in rat prefrontal cortex. <i>European Neuropsychopharmacology</i> , 2009, 19, 296-304.	0.7	50

#	ARTICLE	IF	CITATIONS
55	Protection of stress-induced impairment of hippocampal/prefrontal LTP through blockade of glucocorticoid receptors. <i>Experimental Neurology</i> , 2008, 211, 593-596.	4.1	43
56	The Prefrontal Cortex as a Key Target of the Maladaptive Response to Stress. <i>Journal of Neuroscience</i> , 2007, 27, 2781-2787.	3.6	502
57	TIMP-1 Abolishes MMP-9-Dependent Long-lasting Long-term Potentiation in the Prefrontal Cortex. <i>Biological Psychiatry</i> , 2007, 62, 359-362.	1.3	136
58	Phosphorylation of CREB and DARPP-32 during late LTP at hippocampal to prefrontal cortex synapses in vivo. <i>Synapse</i> , 2007, 61, 24-28.	1.2	26
59	Anticonvulsive Effect of a Selective mGluR8 Agonist (S)-3,4-Dicarboxyphenylglycine (S-3,4-DCPG) in the Mouse Pilocarpine Model of Status Epilepticus. <i>Epilepsia</i> , 2007, 48, 783-792.	5.1	11
60	Effects of acute and chronic antidepressant treatments on memory performance: a comparison between paroxetine and imipramine. <i>Psychopharmacology</i> , 2007, 191, 353-364.	3.1	40
61	Dopamine D1 and Glutamate N-Methyl-D-Aspartate Receptors: An Essential Interplay in Prefrontal Cortex Synaptic Plasticity. , 2007, , 153-164.		0
62	D1 receptor modulation of memory retrieval performance is associated with changes in pCREB and pDARPP-32 in rat prefrontal cortex. <i>Behavioural Brain Research</i> , 2006, 171, 127-133.	2.2	62
63	Peri-pubertal maturation after developmental disturbance: A model for psychosis onset in the rat. <i>Neuroscience</i> , 2006, 143, 395-405.	2.3	130
64	Common efficacy of psychotropic drugs in restoring stress-induced impairment of prefrontal plasticity. <i>Neurotoxicity Research</i> , 2006, 10, 193-198.	2.7	31
65	A pathophysiological paradigm for the therapy of psychiatric disease. <i>Nature Reviews Drug Discovery</i> , 2005, 4, 467-476.	46.4	70
66	Opposite behaviours in the forced swimming test are linked to differences in spatial working memory performances in the rat. <i>Neuroscience</i> , 2005, 130, 285-293.	2.3	39
67	Modulation of recognition and temporal order memory retrieval by dopamine D1 receptor in rats. <i>Neurobiology of Learning and Memory</i> , 2005, 84, 85-92.	1.9	76
68	Acute Stress-induced Changes in Hippocampal/Prefrontal Circuits in Rats: Effects of Antidepressants. <i>Cerebral Cortex</i> , 2004, 14, 224-229.	2.9	270
69	Plasticity at hippocampal to prefrontal cortex synapses is impaired by loss of dopamine and stress: Importance for psychiatric diseases. <i>Neurotoxicity Research</i> , 2004, 6, 233-244.	2.7	123
70	Working memory deficits in adult rats after prenatal disruption of neurogenesis. <i>Behavioural Pharmacology</i> , 2004, 15, 287-292.	1.7	117
71	Up and Down Regulation of Synaptic Strength at Hippocampal to Prefrontal Cortex Synapses. , 2004, , 107-130.		3
72	Dopamine: a potential substrate for synaptic plasticity and memory mechanisms. <i>Progress in Neurobiology</i> , 2003, 69, 375-390.	5.7	501

#	ARTICLE	IF	CITATIONS
73	Head-only exposure to GSM 900-MHz electromagnetic fields does not alter rats' memory in spatial and non-spatial tasks. <i>Behavioural Brain Research</i> , 2003, 145, 51-61.	2.2	87
74	Does head-only exposure to GSM-900 electromagnetic fields affect the performance of rats in spatial learning tasks?. <i>Behavioural Brain Research</i> , 2002, 129, 203-210.	2.2	76
75	Effect of long-term potentiation induction on gamma-band electroencephalograms in prefrontal cortex following stimulation of rat hippocampus in vivo. <i>Neuroscience Letters</i> , 2001, 305, 57-60.	2.1	12
76	Plasticity at hippocampal to prefrontal cortex synapses: Dual roles in working memory and consolidation. <i>Hippocampus</i> , 2000, 10, 438-446.	1.9	306
77	Essential Role of D1 But Not D2 Receptors in the NMDA Receptor-Dependent Long-Term Potentiation at Hippocampal-Prefrontal Cortex Synapses <i>In Vivo</i> . <i>Journal of Neuroscience</i> , 2000, 20, RC106-RC106.	3.6	317
78	Excitotoxicity in neurological disorders – the glutamate paradox. <i>International Journal of Developmental Neuroscience</i> , 2000, 18, 281-287.	1.6	101
79	Long-Term Potentiation in the Dentate Gyrus Is Not Linked to Increased Extracellular Glutamate Concentration. <i>Journal of Neurophysiology</i> , 1999, 81, 1741-1748.	1.8	21
80	Induction of stable long-term depression in vivo in the hippocampal-prefrontal cortex pathway. <i>European Journal of Neuroscience</i> , 1999, 11, 4145-4148.	2.6	90
81	Integrity of the mesocortical dopaminergic system is necessary for complete expression of in vivo hippocampal-prefrontal cortex long-term potentiation. <i>Neuroscience</i> , 1999, 94, 1019-1027.	2.3	167
82	Rapid increase in PKA activity during long-term potentiation in the hippocampal afferent fibre system to the prefrontal cortex in vivo. <i>European Journal of Neuroscience</i> , 1998, 10, 3302-3306.	2.6	48
83	Reversal of LTP in the Hippocampal Afferent Fiber System to the Prefrontal Cortex In Vivo With Low-Frequency Patterns of Stimulation That Do Not Produce LTD. <i>Journal of Neurophysiology</i> , 1997, 78, 1155-1160.	1.8	66
84	Plasticity of the hippocampal-prefrontal cortex synapses. <i>Journal of Physiology (Paris)</i> , 1996, 90, 361-366.	2.1	94
85	Inhibition of hippocampo-prefrontal cortex excitatory responses by the mesocortical DA system. <i>NeuroReport</i> , 1995, 6, 1845-1848.	1.2	73
86	NMDA Receptor-dependent Long-term Potentiation in the Hippocampal Afferent Fibre System to the Prefrontal Cortex in the Rat. <i>European Journal of Neuroscience</i> , 1995, 7, 247-250.	2.6	162
87	Anatomical and Electrophysiological Evidence for an Excitatory Amino Acid Pathway from the Thalamic Mediodorsal Nucleus to the Prefrontal Cortex in the Rat. <i>European Journal of Neuroscience</i> , 1994, 6, 1225-1234.	2.6	101
88	Excitatory Amino Acid Pathway from the Hippocampus to the Prefrontal Cortex. Contribution of AMPA Receptors in Hippocampo-prefrontal Cortex Transmission. <i>European Journal of Neuroscience</i> , 1992, 4, 1285-1295.	2.6	166
89	Distribution of hippocampal CA1 and subicular efferents in the prefrontal cortex of the rat studied by means of anterograde transport of Phaseolus vulgaris-leucoagglutinin. <i>Journal of Comparative Neurology</i> , 1991, 313, 574-586.	1.6	770
90	Metabolic Stability of 3-O-Methyl-d-Glucose in Brain and Other Tissues. <i>Journal of Neurochemistry</i> , 1990, 55, 989-1000.	3.9	34

#	ARTICLE	IF	CITATIONS
91	Optimal Duration of Experimental Period in Measurement of Local Cerebral Glucose Utilization with the Deoxyglucose Method. <i>Journal of Neurochemistry</i> , 1990, 54, 307-319.	3.9	47
92	Long-term potentiation in the prefrontal cortex following stimulation of the hippocampal CA1/subicular region. <i>Neuroscience Letters</i> , 1990, 114, 184-190.	2.1	257
93	Refinement of the Kinetic Model of the 2-[ <sup>14</sup> C]Deoxyglucose Method to Incorporate Effects of Intracellular Compartmentation in Brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1989, 9, 290-303.	4.3	38
94	Selectivity of the hippocampal projection to the prelimbic area of the prefrontal cortex in the rat. <i>Brain Research</i> , 1989, 505, 337-340.	2.2	266
95	Measurement of Local Cerebral Blood Flow with [ <sup>14</sup> C]Iodoantipyrine in the Mouse. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1988, 8, 121-129.	4.3	135
96	Local cerebral glucose utilization non-selectively elevated in rapid eye movement sleep of the fetus. <i>Developmental Brain Research</i> , 1988, 40, 65-70.	1.7	33
97	Local cerebral glucose utilization in the free moving mouse: a comparison during two stages of the activity-rest cycle. <i>Brain Research</i> , 1985, 342, 297-306.	2.2	40
98	Application of the 2-Deoxy- <sup>14</sup> C-Glucose Method to the Mouse for Measuring Local Cerebral Glucose Utilization. <i>European Neurology</i> , 1981, 20, 169-172.	1.4	9
99	Differential radioautographic visualization of central catecholaminergic neurons following intracisternal or intraventricular injection of tritiated norepinephrine. <i>Brain Research</i> , 1978, 152, 567-572.	2.2	18
100	Chick phasic bioelectric activity at the time of hatching and the effects of previous nialamide injection. <i>Brain Research</i> , 1976, 101, 148-154.	2.2	6
101	A longitudinal study of bioelectric activity in the pre- and post-hatch chick. <i>Developmental Psychobiology</i> , 1976, 9, 539-547.	1.6	14
102	Effects of early post-natal ?-methyl-Dopa treatment on behavior in the rat. <i>Psychopharmacology</i> , 1975, 42, 95-97.	3.1	6
103	Servo bandwidth and positioning accuracy design for high track density disk drives. , 0, , .		4
104	In search of the mechanisms of ketamine's antidepressant effects: How robust is the evidence behind the mTor activation hypothesis. <i>F1000Research</i> , 0, 5, 634.	1.6	28