

Hongyao Xie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3579411/publications.pdf>

Version: 2024-02-01

43
papers

2,603
citations

236925

25
h-index

254184

43
g-index

43
all docs

43
docs citations

43
times ranked

1928
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced Thermoelectric Properties of Cu_2SnSe_3 -Based Materials with Ag_2Se Addition. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 5439-5446.	8.0	7
2	Weak-Bonding Elements Lead to High Thermoelectric Performance in BaSnS_3 and SrSnS_3 : A First-Principles Study. <i>Chemistry of Materials</i> , 2022, 34, 1289-1301.	6.7	19
3	Low Thermal Conductivity in Heteroanionic Materials with Layers of Homoleptic Polyhedra. <i>Journal of the American Chemical Society</i> , 2022, 144, 2569-2579.	13.7	13
4	Hidden Local Symmetry Breaking in Silver Diamondoid Compounds is Root Cause of Ultralow Thermal Conductivity. <i>Advanced Materials</i> , 2022, 34, e2202255.	21.0	20
5	Valence Disproportionation of GeS in the PbS Matrix Forms $\text{Pb}_5\text{Ge}_5\text{S}_{12}$ Inclusions with Conduction Band Alignment Leading to High n-Type Thermoelectric Performance. <i>Journal of the American Chemical Society</i> , 2022, 144, 7402-7413.	13.7	24
6	High Thermoelectric Performance in Chalcopyrite $\text{Cu}_2\text{AgGaTe}_2$ — ZnTe : Nontrivial Band Structure and Dynamic Doping Effect. <i>Journal of the American Chemical Society</i> , 2022, 144, 9113-9125.	13.7	29
7	Achieving superior performance in thermoelectric $\text{Bi}_{0.4}\text{Sb}_{1.6}\text{Te}_{3.72}$ by enhancing texture and inducing high-density line defects. <i>Science China Materials</i> , 2021, 64, 1507-1520.	6.3	20
8	Scalable nanomanufacturing of chalcogenide inks: a case study on thermoelectric VI nanoplates. <i>Journal of Materials Chemistry A</i> , 2021, 9, 22555-22562.	10.3	10
9	Ultralow Thermal Conductivity in Diamondoid Structures and High Thermoelectric Performance in $(\text{Cu}_2\text{Ag})_2(\text{InGa})_2\text{Te}_4$. <i>Journal of the American Chemical Society</i> , 2021, 143, 5978-5989.	13.7	49
10	High band degeneracy and weak chemical bonds leading to enhanced thermoelectric transport properties in 2H-MoTe_2 . <i>Journal of Solid State Chemistry</i> , 2021, 300, 122227.	2.9	2
11	High Thermoelectric Performance through Crystal Symmetry Enhancement in Triply Doped Diamondoid Compound Cu_2SnSe_3 . <i>Advanced Energy Materials</i> , 2021, 11, 2100661.	19.5	39
12	Synergistically Enhanced Thermoelectric Performance of Cu_2SnSe_3 -Based Composites via Ag Doping Balance. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 55178-55187.	8.0	9
13	Optical phonon dominated heat transport: A first-principles thermal conductivity study of BaSnS_2 . <i>Physical Review B</i> , 2021, 104, .	13.7	28
14	Impurity states in $\text{Mo}_x\text{M}_x\text{Se}_2$ compounds doped with group VB elements and their electronic and thermal transport properties. <i>Journal of Materials Chemistry C</i> , 2020, 8, 619-629.	5.5	11
15	Unraveling the Critical Role of Melt-Spinning Atmosphere in Enhancing the Thermoelectric Performance of p-Type $\text{Bi}_{0.52}\text{Sb}_{1.48}\text{Te}_3$ Alloys. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 36186-36195.	8.0	28
16	Origin of the Distinct Thermoelectric Transport Properties of Chalcopyrite ABTe_2 (A) $\text{Tj ETQq0 0 0 rgBTj/Qverlock 10 Tf 50}$	14.9	50
17	Ultralow thermal conductivity in diamondoid lattices: high thermoelectric performance in chalcopyrite $\text{Cu}_{0.8+y}\text{Ag}_{0.2}\text{In}_y\text{Te}_2$. <i>Energy and Environmental Science</i> , 2020, 13, 3693-3705.	30.8	52
18	Anomalously Large Seebeck Coefficient of CuFeS_2 Derives from Large Asymmetry in the Energy Dependence of Carrier Relaxation Time. <i>Chemistry of Materials</i> , 2020, 32, 2639-2646.	6.7	26

#	ARTICLE	IF	CITATIONS
19	All-Inorganic Halide Perovskites as Potential Thermoelectric Materials: Dynamic Cation off-Centering Induces Ultralow Thermal Conductivity. <i>Journal of the American Chemical Society</i> , 2020, 142, 9553-9563.	13.7	155
20	Quasilinear dispersion in electronic band structure and high Seebeck coefficient in CuFeS_2 -based thermoelectric materials. <i>Physical Review Materials</i> , 2020, 4, .	2.4	7
21	3D Printing of highly textured bulk thermoelectric materials: mechanically robust BiSbTe alloys with superior performance. <i>Energy and Environmental Science</i> , 2019, 12, 3106-3117.	30.8	125
22	Enhanced Mechanical Properties of $\text{Na}_{0.02}\text{Pb}_{0.98}\text{Te}/\text{MoTe}_2$ Thermoelectric Composites Through in-Situ-Formed MoTe_2 . <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 41472-41481.	8.0	12
23	Large Thermal Conductivity Drops in the Diamondoid Lattice of CuFeS_2 by Discordant Atom Doping. <i>Journal of the American Chemical Society</i> , 2019, 141, 18900-18909.	13.7	66
24	Origin of Intrinsically Low Thermal Conductivity in Talnakhite $\text{Cu}_{17.6}\text{Fe}_{17.6}\text{S}_{32}$ Thermoelectric Material: Correlations between Lattice Dynamics and Thermal Transport. <i>Journal of the American Chemical Society</i> , 2019, 141, 10905-10914.	13.7	50
25	Synergistically Improved Electronic and Thermal Transport Properties in Nb-Doped $\text{Nb}_x\text{Mo}_{1-x}\text{Se}_2$ Solid Solutions Due to Alloy Phonon Scattering and Increased Valley Degeneracy. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 26069-26081.	8.0	9
26	High Thermoelectric Performance in the Wide Bandgap $\text{AgGa}_{1-x}\text{Te}_2$ Compounds: Directional Negative Thermal Expansion and Intrinsically Low Thermal Conductivity. <i>Advanced Functional Materials</i> , 2019, 29, 1806534.	14.9	65
27	Modification of Bulk Heterojunction and Cl Doping for High-Performance Thermoelectric $\text{SnSe}_2/\text{SnSe}$ Nanocomposites. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 15793-15802.	8.0	39
28	Realization of non-equilibrium process for high thermoelectric performance Sb-doped GeTe. <i>Science Bulletin</i> , 2018, 63, 717-725.	9.0	49
29	Rhombohedral to Cubic Conversion of GeTe via MnTe Alloying Leads to Ultralow Thermal Conductivity, Electronic Band Convergence, and High Thermoelectric Performance. <i>Journal of the American Chemical Society</i> , 2018, 140, 2673-2686.	13.7	307
30	High thermoelectric performance in $\text{Bi}_{0.46}\text{Sb}_{1.54}\text{Te}_3$ nanostructured with ZnTe. <i>Energy and Environmental Science</i> , 2018, 11, 1520-1535.	30.8	239
31	Understanding the combustion process for the synthesis of mechanically robust SnSe thermoelectrics. <i>Nano Energy</i> , 2018, 44, 53-62.	16.0	51
32	Electron Density Optimization and the Anisotropic Thermoelectric Properties of Ti Self-Intercalated $\text{Ti}_{1+x}\text{S}_2$ Compounds. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 32344-32354.	8.0	23
33	Ultrafast Synthesis and Thermoelectric Properties of Mn_{1+x}Te Compounds. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 25519-25528.	8.0	22
34	High thermoelectric performance of p-BiSbTe compounds prepared by ultra-fast thermally induced reaction. <i>Energy and Environmental Science</i> , 2017, 10, 2638-2652.	30.8	138
35	Thermoelectric performance of CuFeS_2+2x composites prepared by rapid thermal explosion. <i>NPG Asia Materials</i> , 2017, 9, e390-e390.	7.9	38
36	The Role of Zn in Chalcopyrite CuFeS_2 : Enhanced Thermoelectric Properties of $\text{Cu}_{1-x}\text{Zn}_x\text{FeS}_2$ with In Situ Nanoprecipitates. <i>Advanced Energy Materials</i> , 2017, 7, 1601299.	19.5	147

#	ARTICLE	IF	CITATIONS
37	Nonmagnetic In Substituted $\text{CuFe}_{1-x}\text{In}_x\text{S}_2$ Solid Solution Thermoelectric. <i>Journal of Physical Chemistry C</i> , 2016, 120, 27895-27902.	3.1	42
38	Enhanced ZT and attempts to chemically stabilize Cu_2Se via Sn doping. <i>Journal of Materials Chemistry A</i> , 2016, 4, 17225-17235.	10.3	84
39	Manipulating the Combustion Wave during Self-Propagating Synthesis for High Thermoelectric Performance of Layered Oxychalcogenide $\text{Bi}_{1-x}\text{Pb}_x\text{CuSeO}$. <i>Chemistry of Materials</i> , 2016, 28, 4628-4640.	6.7	88
40	Phase Segregation and Superior Thermoelectric Properties of $\text{Mg}_2\text{Si}_{1-x}\text{Sb}_x$ (0 $\leq x \leq$ 0.025) Prepared by Ultrafast Self-Propagating High-Temperature Synthesis. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 3268-3276.	8.0	45
41	Thermoelectric Properties of Ga/Ag Codoped Type-III $\text{Ba}_{24}\text{Ge}_{100}$ Clathrates with in Situ Nanostructures. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 19172-19178.	8.0	10
42	Mechanically Robust BiSbTe Alloys with Superior Thermoelectric Performance: A Case Study of Stable Hierarchical Nanostructured Thermoelectric Materials. <i>Advanced Energy Materials</i> , 2015, 5, 1401391.	19.5	304
43	High-Temperature Mechanical and Thermoelectric Properties of p-Type $\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_3$ Commercial Zone Melting Ingots. <i>Journal of Electronic Materials</i> , 2014, 43, 2017-2022.	2.2	57