
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3579575/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Frequently asked questions about in vivo chlorophyll fluorescence: practical issues. Photosynthesis Research, 2014, 122, 121-158.	2.9	585
2	Frequently asked questions about chlorophyll fluorescence, the sequel. Photosynthesis Research, 2017, 132, 13-66.	2.9	419
3	Antioxidant capacity, ascorbic acid, total phenols and carotenoids changes during harvest and after storage of Hayward kiwifruit. Food Chemistry, 2008, 107, 282-288.	8.2	264
4	The biosynthesis of flavonoids is enhanced similarly by UV radiation and root zone salinity in L. vulgare leaves. Journal of Plant Physiology, 2011, 168, 204-212.	3.5	263
5	Chlorophyll Fluorescence, Photoinhibition and Abiotic Stress: Does it Make Any Difference the Fact to Be a C3 or C4 Species?. Frontiers in Plant Science, 2019, 10, 174.	3.6	219

Biochemical Study of Leaf Browning in Minimally Processed Leaves of Lettuce (Lactuca sativaL.) Tj ETQq0 0 0 rgBT (Overlock 10 Tf 50 54

7	On the role of flavonoids in the integrated mechanisms of response of Ligustrum vulgare and Phillyrea latifolia to high solar radiation. New Phytologist, 2005, 167, 457-470.	7.3	153
8	The effect of nitrogen deficiency on leaf gas exchange and chlorophyll fluorescence parameters in sunflower. Plant Science, 1996, 118, 177-184.	3.6	152
9	Arabidopsis thaliana MYB75/PAP1 transcription factor induces anthocyanin production in transgenic tomato plants. Functional Plant Biology, 2008, 35, 606.	2.1	141
10	Are Flavonoids Effective Antioxidants in Plants? Twenty Years of Our Investigation. Antioxidants, 2020, 9, 1098.	5.1	133
11	Isoprenoids and phenylpropanoids are part of the antioxidant defense orchestrated daily by droughtâ€stressed <i><scp>P</scp>latanusÂ</i> × <i>Âacerifolia</i> plants during Mediterranean summers. New Phytologist, 2015, 207, 613-626.	7.3	127
12	Effect of rootstocks and harvesting time on the nutritional quality of peel and flesh of peach fruits. Food Chemistry, 2008, 110, 361-367.	8.2	126
13	Drought stress has contrasting effects on antioxidant enzymes activity and phenylpropanoid biosynthesis in Fraxinus ornus leaves: An excess light stress affair?. Journal of Plant Physiology, 2012, 169, 929-939.	3.5	124
14	Physiological basis of sensitivity to enzymatic browning in  lettuce',  escarole' and â€~rocket saladâ€ stored as fresh-cut products. Food Chemistry, 2007, 104, 209-215.	™ when 8.2	123
15	Isoprenoids and phenylpropanoids are key components of the antioxidant defense system of plants facing severe excess light stress. Environmental and Experimental Botany, 2015, 119, 54-62.	4.2	107
16	The effect of salinity on photosynthetic activity in potassium-deficient barley species. Journal of Plant Physiology, 2009, 166, 1968-1981.	3.5	102
17	The use of chlorophyll fluorescence and leaf gas exchange as methods for studying the different responses to ozone of two bean cultivars. Journal of Experimental Botany, 1997, 48, 173-179.	4.8	95
18	Antioxidant and photosynthetic response of a purple-leaved and a green-leaved cultivar of sweet basil (Ocimum basilicum) to boron excess. Environmental and Experimental Botany, 2013, 85, 64-75.	4.2	88

#	Article	IF	CITATIONS
19	Salt-tolerant rootstock increases yield of pepper under salinity through maintenance of photosynthetic performance and sinks strength. Journal of Plant Physiology, 2016, 193, 1-11.	3.5	88
20	Combined cadmium and ozone treatments affect photosynthesis and ascorbateâ€dependent defences in sunflower. New Phytologist, 2001, 151, 627-636.	7.3	86
21	Photoprotection by foliar anthocyanins mitigates effects of boron toxicity in sweet basil (Ocimum) Tj ETQq1 1 0.	.784314 3.2	rgBT /Overloc
22	Mediterranean Wild Edible Plants: Weeds or "New Functional Crops�. Molecules, 2018, 23, 2299.	3.8	81
23	Epidermal coumaroyl anthocyanins protect sweet basil against excess light stress: multiple consequences of light attenuation. Physiologia Plantarum, 2014, 152, 585-598.	5.2	77
24	Photosynthetic Activity of Ripening Tomato Fruit. Photosynthetica, 2001, 39, 75-78.	1.7	74
25	Effects of ozone exposure or fungal pathogen on white lupin leaves as determined by imaging of chlorophyll a fluorescence. Plant Physiology and Biochemistry, 2007, 45, 851-857.	5.8	73
26	ANTIOXIDANT AND PHOTOSYNTHETIC RESPONSES IN PLANTS UNDER BORON TOXICITY: A REVIEW. American Journal of Agricultural and Biological Science, 2012, 7, 255-270.	0.4	73
27	Variations in physiological and biochemical traits of oak seedlings grown under drought and ozone stress. Physiologia Plantarum, 2016, 157, 69-84.	5.2	68
28	Photosynthetic response of tomato plants to vascular wilt diseases. Plant Science, 1997, 124, 143-152.	3.6	66
29	Effects of cadmium on growth ofHelianthus annuusseedlings: physiological aspects. New Phytologist, 1999, 144, 65-71.	7.3	65
30	Non-invasive tools to estimate stress-induced changes in photosynthetic performance in plants inhabiting Mediterranean areas. Environmental and Experimental Botany, 2014, 103, 42-52.	4.2	58
31	Photosynthetic process and activities of enzymes involved in the phenylpropanoid pathway in resistant and sensitive genotypes of Lycopersicon esculentum L. exposed to ozone. Plant Science, 2005, 168, 153-160.	3.6	57
32	Antioxidant defences and oxidative damage in salt-treated olive plants under contrasting sunlight irradiance. Tree Physiology, 2009, 29, 1187-1198.	3.1	55
33	Effects of water stress and rootstocks on fruit phenolic composition and physical/chemical quality in Suncrest peach. Annals of Applied Biology, 2011, 158, 226-233.	2.5	54
34	Effects of high light and ozone fumigation on photosynthesis in Phaseolus vulgaris. Plant Physiology and Biochemistry, 2000, 38, 717-725.	5.8	52
35	Role of ascorbic acid in the inhibition of polyphenol oxidase and the prevention of browning in different browningâ€sensitive <i>Lactuca sativa</i> var. <i>capitata</i> (L) and <i>Eruca sativa</i> (Mill.) stored as freshâ€cut produce. Journal of the Science of Food and Agriculture, 2013, 93, 1814-1819.	3.5	51
36	Interaction effects of root-zone salinity and solar irradiance on the physiology and biochemistry of Olea europaea. Environmental and Experimental Botany, 2009, 65, 210-219.	4.2	50

#	Article	IF	CITATIONS
37	UV radiation promotes flavonoid biosynthesis, while negatively affecting the biosynthesis and the de-epoxidation of xanthophylls: Consequence for photoprotection?. Environmental and Experimental Botany, 2016, 127, 14-25.	4.2	49
38	Effects of boron on leaf chlorophyll fluorescence of greenhouse tomato grown with saline water. Environmental and Experimental Botany, 2011, 73, 57-63.	4.2	48
39	Boron excess affects photosynthesis and antioxidant apparatus of greenhouse Cucurbita pepo and Cucumis sativus. Journal of Plant Research, 2013, 126, 775-786.	2.4	45
40	Preliminary characterisation of peach cultivars for their antioxidant capacity. International Journal of Food Science and Technology, 2008, 43, 810-815.	2.7	44
41	CO2 fixation and chlorophyll a fluorescence in leaves of Ramonda serbica during a dehydration–rehydration cycle. Journal of Plant Physiology, 2008, 165, 723-733.	3.5	44
42	Bioactive Compounds during Storage of Fresh-Cut Spinach: The Role of Endogenous Ascorbic Acid in the Improvement of Product Quality. Journal of Agricultural and Food Chemistry, 2009, 57, 2925-2931.	5.2	44
43	Multiple Consequences Induced by Epidermally-Located Anthocyanins in Young, Mature and Senescent Leaves of Prunus. Frontiers in Plant Science, 2018, 9, 917.	3.6	44
44	Assimilation of CO 2 , enzyme activation and photosynthetic electron transport in bean leaves, as affected by high light and ozone. New Phytologist, 2002, 156, 377-388.	7.3	43
45	Dissecting molecular and physiological response mechanisms to high solar radiation in cyanic and acyanic leaves: a case study on red and green basil. Journal of Experimental Botany, 2017, 68, 2425-2437.	4.8	42
46	Characterisation of the photosynthetic response of tobacco leaves to ozone: CO2 assimilation and chlorophyll fluorescence. Journal of Plant Physiology, 2002, 159, 845-853.	3.5	41
47	Ozone effects on carbon metabolism in sensitive and insensitive Phaseolus cultivars. Environmental and Experimental Botany, 2009, 66, 117-125.	4.2	41
48	Characterization of a pigment-deficient mutant of sunflower (Helianthus annuus L.) with abnormal chloroplast biogenesis, reduced PS II activity and low endogenous level of abscisic acid. Plant Science, 2004, 167, 79-89.	3.6	40
49	The impact of UV-radiation on the physiology and biochemistry of Ligustrum vulgare exposed to different visible-light irradiance. Environmental and Experimental Botany, 2011, 70, 88-95.	4.2	39
50	Effects of NaCl or Na2SO4 salinity on plant growth, ion content and photosynthetic activity in Ocimum basilicum L Acta Physiologiae Plantarum, 2012, 34, 607-615.	2.1	39
51	Editorial: Chlorophyll Fluorescence Imaging Analysis in Biotic and Abiotic Stress. Frontiers in Plant Science, 2021, 12, 658500.	3.6	38
52	Losing the Warning Signal: Drought Compromises the Cross-Talk of Signaling Molecules in Quercus ilex Exposed to Ozone. Frontiers in Plant Science, 2017, 8, 1020.	3.6	37
53	Purple <i>versus</i> greenâ€leafed <i>Ocimum basilicum</i> : Which differences occur with regard to photosynthesis under boron toxicity?. Journal of Plant Nutrition and Soil Science, 2013, 176, 942-951.	1.9	34
54	Anthocyanins in photoprotection: knowing theÂactors in play to solve thisÂcomplex ecophysiological issue. New Phytologist, 2021, 232, 2228-2235.	7.3	34

#	Article	IF	CITATIONS
55	PHENOLIC COMPOUNDS AND ANTIOXIDANT POWER IN MINIMALLY PROCESSED SALAD. Journal of Food Biochemistry, 2008, 32, 642-653.	2.9	32
56	The harsh life of an urban tree: the effect of a single pulse of ozone in salt-stressed <i>Quercus ilex</i> saplings. Tree Physiology, 2017, 37, 246-260.	3.1	32
57	Artemisia spp. essential oils against the disease-carrying blowfly Calliphora vomitoria. Parasites and Vectors, 2017, 10, 80.	2.5	32
58	Effect of Chlorine Dioxide and Ascorbic Acid on Enzymatic Browning and Shelf Life of Fresh-Cut Red Delicious and Granny Smith Apples. Journal of Food Processing and Preservation, 2015, 39, 2925-2934.	2.0	31
59	Boron accumulation and tolerance in sweet basil (Ocimum basilicum L.) with green or purple leaves. Plant and Soil, 2015, 395, 375-389.	3.7	31
60	Unveiling the shade nature of cyanic leaves: A view from the "blue absorbing side―of anthocyanins. Plant, Cell and Environment, 2021, 44, 1119-1129.	5.7	31
61	When "thirsty―means "less able to activate the signalling wave trigged by a pulse of ozone― A case of study in two Mediterranean deciduous oak species with different drought sensitivity. Science of the Total Environment, 2019, 657, 379-390.	8.0	30
62	Girled-induced anthocyanin accumulation in red-leafed Prunus cerasifera: Effect on photosynthesis, photoprotection and sugar metabolism. Plant Science, 2020, 294, 110456.	3.6	30
63	In Vicia faba leaves Photoinhibition from Ozone Fumigation in Light Precedes a Decrease in Quantum Yield of Functional PSII Centres. Journal of Plant Physiology, 1999, 154, 167-172.	3.5	29
64	Effect of nitrate fertilization and saline stress on the contents of active constituents of Echinacea angustifolia DC. Food Chemistry, 2008, 107, 1461-1466.	8.2	29
65	Ozone effects on high light-induced photoinhibition in Phaseolus vulgaris. Plant Science, 2008, 174, 590-596.	3.6	29
66	Polygalacturonase and β-galactosidase activities in Hayward kiwifruit as affected by light exposure, maturity stage and storage time. Scientia Horticulturae, 2009, 120, 342-347.	3.6	29
67	The effect of biochar amendment on the growth, morphology and physiology of Quercus castaneifolia seedlings under water-deficit stress. European Journal of Forest Research, 2019, 138, 967-979.	2.5	29
68	Effect of Chronic O <sub>3</sub> Fumigation on the Activity of Some Calvin Cycle Enzymes in Two Poplar Clones. Photosynthetica, 2002, 40, 121-126.	1.7	27
69	Effect of Drying Methods on Phenolic Compounds and Antioxidant Activity of Urtica dioica L. Leaves. Horticulturae, 2021, 7, 10.	2.8	27
70	Ancient apple cultivars from Garfagnana (Tuscany, Italy): A potential source for â€~nutrafruit' production. Food Chemistry, 2019, 294, 518-525.	8.2	26
71	De Novo Assembly and Comparative Transcriptome Analyses of Red and Green Morphs of Sweet Basil Grown in Full Sunlight. PLoS ONE, 2016, 11, e0160370.	2.5	25
72	Quenching analysis in poplar clones exposed to ozone. Tree Physiology, 1999, 19, 607-612.	3.1	24

#	Article	IF	CITATIONS
73	Ozoneâ€response mechanisms in tobacco: implications of polyamine metabolism. New Phytologist, 2002, 156, 389-398.	7.3	24
74	Cross-Talk between Physiological and Metabolic Adjustments Adopted by Quercus cerris to Mitigate the Effects of Severe Drought and Realistic Future Ozone Concentrations. Forests, 2017, 8, 148.	2.1	24
75	Comparison of Three Domestications and Wild-Harvested Plants for Nutraceutical Properties and Sensory Profiles in Five Wild Edible Herbs: Is Domestication Possible?. Foods, 2020, 9, 1065.	4.3	24
76	"Help is in the airâ€: volatiles from salt-stressed plants increase the reproductive success of receivers under salinity. Planta, 2020, 251, 48.	3.2	24
77	Photosynthesis of two poplar clones under long-term exposure to ozone. Physiologia Plantarum, 1998, 104, 707-712.	5.2	23
78	Biochemical aspects in two minimally processed lettuces upon storage. International Journal of Food Science and Technology, 2007, 42, 214-219.	2.7	23
79	Ozone tolerance in Phaseolus vulgaris depends on more than one mechanism. Environmental Pollution, 2010, 158, 3164-3171.	7.5	23
80	CO2 photoassimilation and chlorophyll fluorescence in two clover species showing different response to O3. Plant Physiology and Biochemistry, 2003, 41, 485-493.	5.8	22
81	Effects of elevated ozone on chlorophyll a fluorescence in symptomatic and asymptomatic leaves of two tomato genotypes. Biologia Plantarum, 2007, 51, 313-321.	1.9	22
82	Toxicity and oviposition deterrence of essential oils of Clinopodium nubigenum and Lavandula angustifolia against the myiasis-inducing blowfly Lucilia sericata. PLoS ONE, 2019, 14, e0212576.	2.5	22
83	First Characterization of the Formation of Anthocyanin–Ge and Anthocyanin–B Complexes through UV–Vis Spectroscopy and Density Functional Theory Quantum Chemical Calculations. Journal of Agricultural and Food Chemistry, 2021, 69, 1272-1282.	5.2	22
84	Living in a Mediterranean city in 2050: broadleaf or evergreen †̃citizens'?. Environmental Science and Pollution Research, 2018, 25, 8161-8173.	5.3	21
85	Image changes in chlorophyll fluorescence of cucumber leaves in response to iron deficiency and resupply. Journal of Plant Nutrition and Soil Science, 2013, 176, 734-742.	1.9	20
86	Metabolic plasticity in the hygrophyte Moringa oleifera exposed to water stress. Tree Physiology, 2018, 38, 1640-1654.	3.1	20
87	Overexpression of L-galactono-1,4-lactone dehydrogenase (L-GalLDH) gene correlates with increased ascorbate concentration and reduced browning in leaves of Lactuca sativa L. after cutting. Plant Cell, Tissue and Organ Culture, 2015, 123, 109-120.	2.3	19
88	Photosynthesis of two poplar clones contrasting in O. Trees - Structure and Function, 1998, 12, 196.	1.9	19
89	The influence of chilling on photosynthesis and activities of some enzymes of sucrose metabolism in Lycopersicon esculentum Mill. Acta Physiologiae Plantarum, 2000, 22, 95-101.	2.1	18

#	Article	IF	CITATIONS
91	Leaf Responses to Reduced Iron Availability in Two Tomato Genotypes: T3238FER (Iron Efficient) and T3238fer (Iron Inefficient). Journal of Plant Nutrition, 2003, 26, 2137-2148.	1.9	16

Molecular and biochemical responses to wounding in mesocarp of ripe peach (Prunus persica L.) Tj ETQq000 rgBT (Overlock 10 Tf 50 7)

93	Change in biochemical parameters of Persian oak (Quercus brantii Lindl.) seedlings inoculated by pathogens of charcoal disease under water deficit conditions. Trees - Structure and Function, 2018, 32, 1595-1608.	1.9	16
94	Effect of Grafting on the Production, Physico-Chemical Characteristics and Nutritional Quality of Fruit from Pepper Landraces. Antioxidants, 2020, 9, 501.	5.1	16
95	Comparative phytochemical profile of the elephant garlic (Allium ampeloprasum var. holmense) and the common garlic (Allium sativum) from the Val di Chiana area (Tuscany, Italy) before and after in vitro gastrointestinal digestion. Food Chemistry, 2021, 338, 128011.	8.2	16
96	Ozone-induced changes in chlorophyll fluorescence kinetics and CO2 assimilation in Vicia faba. Journal of Plant Physiology, 1993, 141, 545-550.	3.5	15
97	How Quercus ilex L. saplings face combined salt and ozone stress: a transcriptome analysis. BMC Genomics, 2018, 19, 872.	2.8	15
98	Hydroponically Grown Sanguisorba minor Scop.: Effects of Cut and Storage on Fresh-Cut Produce. Antioxidants, 2019, 8, 631.	5.1	15
99	Photosynthesis of Hedera Canariensis var. Azorica Variegated Leaves as Affected by Ozone. Photosynthetica, 1998, 35, 247-253.	1.7	14
100	Effects of 1â€methylcyclopropene and postâ€controlled atmosphere air storage treatments on freshâ€cut Ambrosia apple slices. Journal of the Science of Food and Agriculture, 2013, 93, 262-270.	3.5	14
101	Are the Physiological and Biochemical Characteristics in Dandelion Plants Growing in an Urban Area (Pisa, Italy) Indicative of Soil Pollution?. Water, Air, and Soil Pollution, 2015, 226, 1.	2.4	14
102	Nutritional and nutraceutical properties of raw and traditionally obtained flour from chestnut fruit grown in Tuscany. European Food Research and Technology, 2020, 246, 1867-1876.	3.3	14
103	Contrasting response mechanisms to root-zone salinity in three co-occurring Mediterranean woody evergreens: a physiological and biochemical study. Functional Plant Biology, 2009, 36, 551.	2.1	13
104	Imaging of Chlorophyll a Fluorescence: A Tool to Study Abiotic Stress in Plants. , 0, , .		13
105	Seasonal and daily variations in primary and secondary metabolism of three maquis shrubs unveil different adaptive responses to Mediterranean climate. , 2019, 7, coz070.		13
106	Differential response strategies of pomegranate cultivars lead to similar tolerance to increasing salt concentrations. Scientia Horticulturae, 2020, 271, 109441.	3.6	13
107	Phytotoxicity of sea-water aerosols on forest plants with special reference to the role of surfactants. Environmental and Experimental Botany, 1988, 28, 85-94.	4.2	11
108	The effects of sulphur dioxide on the parasitism of the rust fungus Uromyces viciae-fabae on Vicia faba. Environmental Pollution, 1990, 68, 1-14.	7.5	11

#	Article	IF	CITATIONS
109	Comparisons of Photosynthetic Responses of Sunflower and Soybean to Mild Water Stress. Biochemie Und Physiologie Der Pflanzen, 1992, 188, 321-331.	0.5	11
110	Evaluation of Major Minerals and Trace Elements in Wild and Domesticated Edible Herbs Traditionally Used in the Mediterranean Area. Biological Trace Element Research, 2021, 199, 3553-3561.	3.5	11
111	Photoprotective Role of Photosynthetic and Non-Photosynthetic Pigments in Phillyrea latifolia: Is Their "Antioxidant―Function Prominent in Leaves Exposed to Severe Summer Drought?. International Journal of Molecular Sciences, 2021, 22, 8303.	4.1	11
112	Effects of Green Compost on Soil Biochemical Characteristics and Nutritive Quality of Leafy Vegetables. Compost Science and Utilization, 2011, 19, 114-122.	1.2	10
113	Salinity stress constrains photosynthesis in Fraxinus ornus more when growing in partial shading than in full sunlight: consequences for the antioxidant defence system. Annals of Botany, 2014, 114, 525-538.	2.9	10
114	Effect of superheated steam and conventional steam roasting on nutraceutical quality of several vegetables. LWT - Food Science and Technology, 2021, 149, 112014.	5.2	10
115	Growth dynamics of wheat (Triticum aestivum L.) exposed to sulfur dioxide pollution. Bulletin of Environmental Contamination and Toxicology, 1990, 45, 408-414.	2.7	9
116	Do Sun- versus Shade-Grown Kiwifruits Perform Differently upon Storage? An Overview of Fruit Maturity and Nutraceutical Properties of Whole and Fresh-Cut Produce. Journal of Agricultural and Food Chemistry, 2014, 62, 4377-4383.	5.2	9
117	Combined effects of cadmium and ozone on photosynthesis of Lycopersicon esculentum. Photosynthetica, 2014, 52, 179-185.	1.7	9
118	Bioactive Properties of Fruits and Leafy Vegetables Managed with Integrated, Organic, and Organic No-Tillage Practices in the Mediterranean Area: A Two-Year Rotation Experiment. Agronomy, 2020, 10, 841.	3.0	9
119	Girdling stimulates anthocyanin accumulation and promotes sugar, organic acid, amino acid level and antioxidant activity in red plum: An overview of skin and pulp metabolomics. Scientia Horticulturae, 2021, 280, 109907.	3.6	9
120	Antioxidant Defenses in Plants: A Dated Topic of Current Interest. Antioxidants, 2021, 10, 855.	5.1	9
121	An integrated overview of physiological and biochemical responses of Celtis australis to drought stress. Urban Forestry and Urban Greening, 2019, 46, 126480.	5.3	8
122	Influences of Postharvest Storage and Processing Techniques on Antioxidant and Nutraceutical Properties of Rubus idaeus L.: A Mini-Review. Horticulturae, 2020, 6, 105.	2.8	8
123	Suitability of Hydroponically-Grown Rumex acetosa L. as Fresh-Cut Produce. Horticulturae, 2020, 6, 4.	2.8	8
124	Red versus green leaves: transcriptomic comparison of foliar senescence between two Prunus cerasifera genotypes. Scientific Reports, 2020, 10, 1959.	3.3	8
125	Response of Italian cultivars of wheat, barley, maize and grasses to longâ€ŧerm fumigations with sulphur dioxide. Environmental Technology (United Kingdom), 1990, 11, 679-684.	2.2	6
126	The dominant Basilicum Leaf mutation of sunflower controls leaf development multifariously and modifies the photosynthetic traits. Flora: Morphology, Distribution, Functional Ecology of Plants, 2010, 205, 853-861.	1.2	6

#	Article	IF	CITATIONS
127	Chlorophyll a Fluorescence in Abiotic Stress. , 2012, , 359-398.		6
128	Differences in the phenolic composition and nutraceutical properties of freeze dried and oven-dried wild and domesticated samples of Sanguisorba minor Scop. LWT - Food Science and Technology, 2021, 145, 111335.	5.2	6
129	Seasonal Fluctuations of Crop Yield, Total Phenolic Content and Antioxidant Activity in Fresh or Cooked Borage (Borago officinalis L.), Mallow (Malva sylvestris L.) and Buck's-Horn Plantain (Plantago coronopus L.) Leaves. Horticulturae, 2022, 8, 253.	2.8	5
130	mesophyll cell defective1, a mutation that disrupts leaf mesophyll differentiation in sunflower. Photosynthetica, 2010, 48, 135-142.	1.7	4
131	Modulation of photorespiration and nitrogen recycling in Fe-deficient cucumber leaves. Plant Physiology and Biochemistry, 2020, 154, 142-150.	5.8	4
132	Effect of cut on secondary metabolite profile in hydroponically-grown <i>Rumex acetosa</i> L. seedlings: a metabolomic approach. Natural Product Research, 2021, 35, 4089-4093.	1.8	4
133	Assessment of leaf photosynthetic performances and bioaccumulation of trace metals by lettuce leaves and strawberry fruits amended with sewage sludge: Which possible re-use in agriculture?. Scientia Horticulturae, 2022, 295, 110884.	3.6	3
134	Antioxidant capacity in urban soils. Landscape and Urban Planning, 2014, 124, 66-75.	7.5	2
135	Discerning between Two Tuscany (Italy) Ancient Apple cultivars, â€~Rotella' and â€~Casciana', through Polyphenolic Fingerprint and Molecular Markers. Molecules, 2019, 24, 1758.	3.8	2
136	Gas exchange analysis and chlorophyll a fluorescence in cotyledons of the xan1 sunflower mutant with defects in light energy utilization. Environmental and Experimental Botany, 2006, 56, 182-189.	4.2	1
137	Photoinhibition of Vicia faba plants treated with ozone. Giornale Botanico Italiano (Florence, Italy:) Tj ETQq1 1 0.	784314 rg 0.0	gBT_/Overloc
138	Nutritional and Antioxidant Value of Horticulturae Products. Horticulturae, 2022, 8, 4.	2.8	0
139	Measurements of Anthocyanin Content of Prunus Leaves Using Proximal Sensing Spectroscopy and Statistical Machine Learning. IEEE Transactions on Instrumentation and Measurement, 2022, 71, 1-10.	4.7	0