

David McKenzie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3581227/publications.pdf>

Version: 2024-02-01

572
papers

19,998
citations

15001

68
h-index

26792

111
g-index

577
all docs

577
docs citations

577
times ranked

15318
citing authors

#	ARTICLE	IF	CITATIONS
1	Current and future perspectives on biomaterials for segmental mandibular defect repair. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2023, 72, 725-737.	1.8	5
2	Deployment Opportunities for Space Photovoltaics and the Prospects for Perovskite Solar Cells. <i>Advanced Materials Technologies</i> , 2022, 7, .	3.0	25
3	Plasma immersion ion-implanted 3D-printed PEEK bone implants: In vivo sheep study shows strong osseointegration. <i>Plasma Processes and Polymers</i> , 2022, 19, .	1.6	11
4	Radiation responses of cancer and normal cells to split dose fractions with uniform and grid fields: increasing the therapeutic ratio. <i>International Journal of Radiation Biology</i> , 2022, , 1-8.	1.0	0
5	The gray body approximation for radiative heat transfer in evacuated tube solar collectors: Effects of envelope infrared transparency. <i>Journal of Applied Physics</i> , 2022, 131, 125001.	1.1	0
6	Publisher's Note: "The gray body approximation for radiative heat transfer in evacuated tube solar collectors: Effects of envelope infrared transparency" [J. Appl. Phys. 131, 125001 (2022)]. <i>Journal of Applied Physics</i> , 2022, 131, .	1.1	0
7	Plasma activated liquid synergistically enhances response to radiation for improved cancer therapy. <i>Plasma Processes and Polymers</i> , 2022, 19, .	1.6	1
8	Perovskite solar cells for building integrated photovoltaics"glazing applications. <i>Joule</i> , 2022, 6, 1446-1474.	11.7	39
9	Plasma ion implantation of 3D-printed PEEK creates optimal host conditions for bone ongrowth and mineralisation. <i>Plasma Processes and Polymers</i> , 2021, 18, 2000219.	1.6	13
10	Neutron diffraction discriminates between models for the nanoarchitecture of graphene sheets in glassy carbon. <i>Journal of Non-Crystalline Solids</i> , 2021, 554, 120610.	1.5	9
11	Room-Temperature Negative Differential Resistance in Amorphous Carbon: The Role of Electron Trapping Defects at Device Interfaces. <i>IEEE Transactions on Electron Devices</i> , 2021, 68, 720-725.	1.6	2
12	Quantifying Moisture Penetration in Encapsulated Devices by Heavy Water Mass Spectrometry: A Standard Moisture Leak Using Poly(ether-ether-ketone). <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 13666-13675.	4.0	7
13	Silicate glass-to-glass hermetic bonding for encapsulation of next-generation optoelectronics: A review. <i>Materials Today</i> , 2021, 47, 131-155.	8.3	18
14	External magnetic field guiding in HiPIMS to control sp ³ fraction of tetrahedral amorphous carbon films. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 045002.	1.3	10
15	Recent progress and future prospects of perovskite tandem solar cells. <i>Applied Physics Reviews</i> , 2021, 8, .	5.5	71
16	Applying the Hashin-Shtrikman bounds to predict stiffness of multicomponent 3D printed structures: Towards regenerative orthopaedic medicine. <i>Journal of Composite Materials</i> , 2020, 54, 2173-2183.	1.2	2
17	The importance of total hemispherical emittance in evaluating performance of building-integrated silicon and perovskite solar cells in insulated glazings. <i>Applied Energy</i> , 2020, 276, 115490.	5.1	11
18	Investigation of Room Temperature Formation of the Ultra-Hard Nanocarbons Diamond and Lonsdaleite. <i>Small</i> , 2020, 16, e2004695.	5.2	11

#	ARTICLE	IF	CITATIONS
19	Cancer treatment with gas plasma and with gas plasma-activated liquid: positives, potentials and problems of clinical translation. <i>Biophysical Reviews</i> , 2020, 12, 989-1006.	1.5	40
20	Atmospheric Pressure Plasma Jet Treatment of Polymers Enables Reagent-Free Covalent Attachment of Biomolecules for Bioprinting. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 38730-38743.	4.0	18
21	Covalent Immobilization of N-Acetylcysteine on a Polyvinyl Chloride Substrate Prevents Bacterial Adhesion and Biofilm Formation. <i>Langmuir</i> , 2020, 36, 13023-13033.	1.6	6
22	Quantification of dose in plasma immersion ion implantation of polymer bone scaffolds: Probe diagnostics of a pulsed dielectric barrier discharge. <i>Plasma Processes and Polymers</i> , 2020, 17, 2000113.	1.6	8
23	Unifying the optical and electrical properties of amorphous carbon: application to hopping photoconductivity and memristance. <i>Journal of Applied Physics</i> , 2020, 128, 215109.	1.1	2
24	Electric field assisted copper diffusion in soda-lime glass: a study of ion migration, activation energy and ion interactions. <i>Journal of the Ceramic Society of Japan</i> , 2020, 128, 186-193.	0.5	1
25	The mechanical response of glassy carbon recovered from high pressure. <i>Journal of Applied Physics</i> , 2020, 127, .	1.1	6
26	Gas chromatography-mass spectrometry analyses of encapsulated stable perovskite solar cells. <i>Science</i> , 2020, 368, .	6.0	306
27	Extending the Debye scattering equation for diffraction from a cylindrically averaged group of atoms: detecting molecular orientation at an interface. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2020, 76, 468-473.	0.0	1
28	Atomic-Scale Patterning of Arsenic in Silicon by Scanning Tunneling Microscopy. <i>ACS Nano</i> , 2020, 14, 3316-3327.	7.3	36
29	Covalent Biofunctionalization of the Inner Surfaces of a Hollow-Fiber Capillary Bundle Using Packed-Bed Plasma Ion Implantation. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 32163-32174.	4.0	9
30	Covalent binding of molecules to plasma immersion ion implantation-activated microparticles for delivery into cells. <i>Engineering Reports</i> , 2020, 2, e12087.	0.9	1
31	Direct Determination of Total Hemispherical Emittance of Perovskite and Silicon Solar Cells. <i>Cell Reports Physical Science</i> , 2020, 1, 100008.	2.8	3
32	Imaging prior to radiotherapy impacts in-vitro survival. <i>Physics and Imaging in Radiation Oncology</i> , 2020, 16, 138-143.	1.2	2
33	The composition, structure and properties of four different glassy carbons. <i>Journal of Non-Crystalline Solids</i> , 2019, 522, 119561.	1.5	18
34	Single Step Plasma Process for Covalent Binding of Antimicrobial Peptides on Catheters To Suppress Bacterial Adhesion. <i>ACS Applied Bio Materials</i> , 2019, 2, 5739-5748.	2.3	17
35	In situ analysis of the structural transformation of glassy carbon under compression at room temperature. <i>Physical Review B</i> , 2019, 99, .	1.1	21
36	Carbon films deposited by mixed-mode high power impulse magnetron sputtering for high wear resistance: The role of argon incorporation. <i>Thin Solid Films</i> , 2019, 688, 137353.	0.8	20

#	ARTICLE	IF	CITATIONS
37	Light-gated amorphous carbon memristors with indium-free transparent electrodes. Carbon, 2019, 152, 59-65.	5.4	15
38	Electric field assisted ion exchange of silver in soda-lime glass: A study of ion depletion layers and interactions with potassium. Journal of Applied Physics, 2019, 125, .	1.1	15
39	Linker-protein G mediated functionalization of polystyrene-encapsulated upconversion nanoparticles for rapid gene assay using convective PCR. Mikrochimica Acta, 2019, 186, 346.	2.5	5
40	Temperature sensitivity and short-term memory in electroforming-free low power carbon memristors. Applied Physics Letters, 2019, 114, .	1.5	7
41	Tin oxide artificial synapses for low power temporal information processing. Nanotechnology, 2019, 30, 325201.	1.3	8
42	Chemical toughening of glass by potassium diffusion: how non-bridging oxygen and a surface calcium barrier limit the process. Journal of the Ceramic Society of Japan, 2019, 127, 98-104.	0.5	3
43	Conducting carbon films with covalent binding sites for biomolecule attachment. Journal of Applied Physics, 2019, 125, .	1.1	4
44	A plasma ion bombardment process enabling reagent-free covalent binding of multiple functional molecules onto magnetic particles. Materials Science and Engineering C, 2019, 98, 118-124.	3.8	6
45	The shear-driven transformation mechanism from glassy carbon to hexagonal diamond. Carbon, 2019, 142, 475-481.	5.4	22
46	Plasma-Activated Substrate with a Tropoelastin Anchor for the Maintenance and Delivery of Multipotent Adult Progenitor Cells. Macromolecular Bioscience, 2019, 19, 1800233.	2.1	5
47	Fundamentals of siRNA and miRNA therapeutics and a review of targeted nanoparticle delivery systems in breast cancer. Biophysical Reviews, 2018, 10, 69-86.	1.5	146
48	Resistive switching and transport characteristics of an all-carbon memristor. Carbon, 2018, 136, 280-285.	5.4	34
49	External magnetic field increases both plasma generation and deposition rate in HiPIMS. Surface and Coatings Technology, 2018, 352, 671-679.	2.2	37
50	Sensory gating in bilayer amorphous carbon memristors. Nanoscale, 2018, 10, 20272-20278.	2.8	10
51	A thruster using magnetic reconnection to create a high-speed plasma jet. EPJ Applied Physics, 2018, 84, 20801.	0.3	7
52	Plasma processing of PDMS based spinal implants for covalent protein immobilization, cell attachment and spreading. Journal of Materials Science: Materials in Medicine, 2018, 29, 178.	1.7	7
53	Plasma ion implantation enabled bio-functionalization of PEEK improves osteoblastic activity. APL Bioengineering, 2018, 2, 026109.	3.3	31
54	Graphitization of Glassy Carbon after Compression at Room Temperature. Physical Review Letters, 2018, 120, 215701.	2.9	50

#	ARTICLE	IF	CITATIONS
55	Quantifying plasma immersion ion implantation of insulating surfaces in a dielectric barrier discharge: how to control the dose. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2018, 474, 20180263.	1.0	8
56	Models for the bystander effect in gradient radiation fields: Range and signalling type. Journal of Theoretical Biology, 2018, 455, 16-25.	0.8	10
57	Observation and characterization of memristive silver filaments in amorphous zinc-tin-oxide. MRS Communications, 2018, 8, 1104-1110.	0.8	2
58	HiPIMS carbon coatings show covalent protein binding that imparts enhanced hemocompatibility. Carbon, 2018, 139, 118-128.	5.4	27
59	Codeposition of amorphous zinc tin oxide using high power impulse magnetron sputtering: characterisation and doping. Semiconductor Science and Technology, 2017, 32, 045013.	1.0	2
60	The behaviour of arcs in carbon mixed-mode high-power impulse magnetron sputtering. Journal Physics D: Applied Physics, 2017, 50, 145205.	1.3	8
61	Laser fabrication of electrical feedthroughs in polymer encapsulations for active implantable medical devices. Medical Engineering and Physics, 2017, 42, 105-110.	0.8	5
62	Benzene and Pyridine on Silicon (001): A Trial Ground for Long-Range Corrections in Density Functional Theory. Journal of Physical Chemistry C, 2017, 121, 10484-10500.	1.5	2
63	Electrodeless plasma thrusters for spacecraft: a review. Plasma Science and Technology, 2017, 19, 083001.	0.7	81
64	Grid therapy using high definition multileaf collimators: realizing benefits of the bystander effect. Acta Oncologica, 2017, 56, 1048-1059.	0.8	22
65	Evolution of target condition in reactive HiPIMS as a function of duty cycle: An opportunity for refractive index grading. Journal of Applied Physics, 2017, 121, .	1.1	24
66	Plasma treatments of dressings for wound healing: a review. Biophysical Reviews, 2017, 9, 895-917.	1.5	22
67	Dosimetric consequences of gold nanoparticle clustering during photon irradiation. Medical Physics, 2017, 44, 6560-6569.	1.6	18
68	Antireflection coating of barriers to enhance electron tunnelling: exploring the matter wave analogy of superluminal optical phase velocity. Scientific Reports, 2017, 7, 12772.	1.6	7
69	Structural Analysis and Protein Functionalization of Electroconductive Polypyrrole Films Modified by Plasma Immersion Ion Implantation. ACS Biomaterials Science and Engineering, 2017, 3, 2247-2258.	2.6	10
70	Åpost Gurney quantum mechanical perspective on the electrolysis of water: ion neutralization in solution. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2017, 473, 20170371.	1.0	2
71	Corrections to Graham's Law of Effusion for Predicting Leak Rates Through Hermetic Seals. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2017, 7, 379-386.	1.4	4
72	Is There More to Radiotherapy than Hitting the Target?. Journal of Nursing and Health Studies, 2017, 02, .	0.1	0

#	ARTICLE	IF	CITATIONS
73	Experimental investigation of plasma-immersion ion implantation treatment for biocompatible polyurethane implants production. IOP Conference Series: Materials Science and Engineering, 2016, 123, 012003.	0.3	1
74	Nanocrystalline hexagonal diamond formed from glassy carbon. Scientific Reports, 2016, 6, 37232.	1.6	66
75	A HiPIMS plasma source with a magnetic nozzle that accelerates ions: application in a thruster. EPJ Applied Physics, 2016, 76, 30801.	0.3	7
76	Memristor and selector devices fabricated from HfO ₂ xN _x . Applied Physics Letters, 2016, 108, .	1.5	30
77	Covalent linker-free immobilization of conjugatable oligonucleotides on polypropylene surfaces. RSC Advances, 2016, 6, 83328-83336.	1.7	12
78	A simulation of gas flow: The dependence of the tangential momentum accommodation coefficient on molecular mass. Physics of Fluids, 2016, 28, .	1.6	15
79	Small field detector correction factors: effects of the flattening filter for Elekta and Varian linear accelerators. Journal of Applied Clinical Medical Physics, 2016, 17, 223-235.	0.8	22
80	Pulsed external magnetic fields increase the deposition rate in reactive HiPIMS while preserving stoichiometry: An application to amorphous HfO ₂ . Journal of Applied Physics, 2016, 120, .	1.1	9
81	Mixed-mode high-power impulse magnetron sputter deposition of tetrahedral amorphous carbon with pulse-length control of ionization. Journal of Applied Physics, 2016, 119, .	1.1	33
82	Reaction paths of phosphine dissociation on silicon (001). Journal of Chemical Physics, 2016, 144, 014705.	1.2	36
83	A centre-triggered magnesium fuelled cathodic arc thruster uses sublimation to deliver a record high specific impulse. Applied Physics Letters, 2016, 109, .	1.5	8
84	Duty cycle control in reactive high-power impulse magnetron sputtering of hafnium and niobium. Journal Physics D: Applied Physics, 2016, 49, 245201.	1.3	12
85	Dose enhancement and cytotoxicity of gold nanoparticles in colon cancer cells when irradiated with kilo- and mega-voltage radiation. Bioengineering and Translational Medicine, 2016, 1, 94-102.	3.9	24
86	Small field correction factors for the IBA Razor. Physica Medica, 2016, 32, 1025-1029.	0.4	13
87	Predator-prey dynamics stabilised by nonlinearity explain oscillations in dust-forming plasmas. Scientific Reports, 2016, 6, 24040.	1.6	10
88	Nanoscale Capillary Flows in Alumina: Testing the Limits of Classical Theory. Journal of Physical Chemistry Letters, 2016, 7, 2647-2652.	2.1	13
89	The mechanical properties of energetically deposited non-crystalline carbon thin films. Carbon, 2016, 98, 391-396.	5.4	5
90	Optimizing HiPIMS pressure for deposition of high-k (k = 18.3) amorphous HfO ₂ . Applied Surface Science, 2016, 365, 336-341.	3.1	9

#	ARTICLE	IF	CITATIONS
91	Effects of pulse voltage and deposition time on the adhesion strength of graded metal/carbon films deposited on bendable stainless steel foils by hybrid cathodic arc glow discharge plasma assisted chemical vapor deposition. <i>Applied Surface Science</i> , 2016, 366, 535-544.	3.1	4
92	The physics of confined flow and its application to water leaks, water permeation and water nanoflows: a review. <i>Reports on Progress in Physics</i> , 2016, 79, 025901.	8.1	33
93	Plasma immersion ion implantation of a two-phase blend of polysulfone and polyvinylpyrrolidone. <i>Materials and Design</i> , 2016, 97, 381-391.	3.3	8
94	Back Cover: Plasma Process. <i>Polym. 2015</i> . <i>Plasma Processes and Polymers</i> , 2015, 12, 194-194.	1.6	0
95	Influence of nitrogen-related defects on optical and electrical behaviour in HfO ₂ xN _x deposited by high-power impulse magnetron sputtering. <i>Applied Physics Letters</i> , 2015, 107, .	1.5	11
96	Imaging dose affects in vitro survival following subsequent therapeutic irradiation. <i>Biomedical Physics and Engineering Express</i> , 2015, 1, 045016.	0.6	1
97	Co-deposition of band-gap tuned Zn _{1-x} Mg _x O using high impulse power- and dc-magnetron sputtering. <i>Journal Physics D: Applied Physics</i> , 2015, 48, 135301.	1.3	8
98	The role of pulse length in target poisoning during reactive HiPIMS: application to amorphous HfO ₂ . <i>Plasma Sources Science and Technology</i> , 2015, 24, 035015.	1.3	35
99	On the use of test gases of various radii to investigate molecular sieving in leak channels. , 2015, 2015, 813-6.		0
100	Enhanced water vapour flow in silica microchannels and interdiffusive water vapour flow through anodic aluminium oxide (AAO) membranes. <i>Proceedings of SPIE</i> , 2015, , .	0.8	0
101	Bio-functionalisation of polyether ether ketone using plasma immersion ion implantation. <i>Proceedings of SPIE</i> , 2015, , .	0.8	1
102	Bio-Activation of Polyether Ether Ketone Using Plasma Immersion Ion Implantation: A Kinetic Model. <i>Plasma Processes and Polymers</i> , 2015, 12, 180-193.	1.6	24
103	Reaction pathways for pyridine adsorption on silicon (O ₂). <i>Journal of Physics Condensed Matter</i> , 2015, 27, 054001.	0.7	3
104	On the measurement of dose in-air for small radiation fields: choice of mini-phantom material. <i>Physics in Medicine and Biology</i> , 2015, 60, 2391-2402.	1.6	2
105	Covalent immobilization of enzymes and yeast: Towards a continuous simultaneous saccharification and fermentation process for cellulosic ethanol. <i>Biomass and Bioenergy</i> , 2015, 81, 234-241.	2.9	19
106	Evaluation of corrosion resistance and cytocompatibility of graded metal carbon film on Ti and NiTi prepared by hybrid cathodic arc/glow discharge plasma-assisted chemical vapor deposition. <i>Corrosion Science</i> , 2015, 97, 126-138.	3.0	38
107	Depth-Resolved Structural and Compositional Characterization of Ion-Implanted Polystyrene that Enables Direct Covalent Immobilization of Biomolecules. <i>Journal of Physical Chemistry C</i> , 2015, 119, 16793-16803.	1.5	21
108	Orientation and conformation of anti-CD34 antibody immobilised on untreated and plasma treated polycarbonate. <i>Acta Biomaterialia</i> , 2015, 19, 128-137.	4.1	28

#	ARTICLE	IF	CITATIONS
109	A feedback model of magnetron sputtering plasmas in HIPIMS. <i>Plasma Sources Science and Technology</i> , 2015, 24, 025018.	1.3	9
110	Mechanical Properties of Plasma Immersion Ion Implanted PEEK for Bioactivation of Medical Devices. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 23029-23040.	4.0	44
111	Science of Water Leaks: Validated Theory for Moisture Flow in Microchannels and Nanochannels. <i>Langmuir</i> , 2015, 31, 11740-11747.	1.6	14
112	Atomic layer deposition of Al ₂ O ₃ and Al ₂ O ₃ /TiO ₂ barrier coatings to reduce the water vapour permeability of polyetheretherketone. <i>Thin Solid Films</i> , 2015, 591, 131-136.	0.8	27
113	Enhanced Water Vapor Flow in Silica Microchannels: The Effect of Adsorbed Water on Tangential Momentum Accommodation. <i>Journal of Physical Chemistry C</i> , 2015, 119, 22072-22079.	1.5	17
114	Temperature Activated Diffusion of Radicals through Ion Implanted Polymers. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 26340-26345.	4.0	16
115	Synthesis of highly tetrahedral amorphous carbon by mixed-mode HiPIMS sputtering. <i>Journal Physics D: Applied Physics</i> , 2015, 48, 442001.	1.3	25
116	Graded metal carbon protein binding films prepared by hybrid cathodic arc " Glow discharge plasma assisted chemical vapor deposition. <i>Surface and Coatings Technology</i> , 2015, 265, 222-234.	2.2	10
117	Electrochemical corrosion behavior of biodegradable Mg-Y-RE and Mg-Zn-Zr alloys in Ringer's solution and simulated body fluid. <i>Corrosion Science</i> , 2015, 91, 160-184.	3.0	162
118	Over-response of synthetic microDiamond detectors in small radiation fields. <i>Physics in Medicine and Biology</i> , 2014, 59, 5873-5881.	1.6	76
119	Small field in-air output factors: The role of miniphantom design and dosimeter type. <i>Medical Physics</i> , 2014, 41, 021723.	1.6	7
120	A combinatorial comparison of DC and high power impulse magnetron sputtered Cr ₂ AlC. <i>Surface and Coatings Technology</i> , 2014, 259, 746-750.	2.2	13
121	Ion implantation treatment of beads for covalent binding of molecules: Application to bioethanol production using thermophilic beta-glucosidase. <i>Enzyme and Microbial Technology</i> , 2014, 54, 20-24.	1.6	18
122	Effects of zirconium and oxygen plasma ion implantation on the corrosion behavior of ZK60 Mg alloy in simulated body fluids. <i>Corrosion Science</i> , 2014, 82, 7-26.	3.0	106
123	A combinatorial investigation of sputtered Ta-Al-C thin films. <i>Thin Solid Films</i> , 2014, 558, 99-103.	0.8	1
124	Can small field diode correction factors be applied universally?. <i>Radiotherapy and Oncology</i> , 2014, 112, 442-446.	0.3	21
125	Revisiting Maxwell's accommodation coefficient: A study of nitrogen flow in a silica microtube across all flow regimes. <i>Annals of Physics</i> , 2014, 351, 828-836.	1.0	8
126	Cell surface antigen profiling using a novel type of antibody array immobilised to plasma ion-implanted polycarbonate. <i>Cellular and Molecular Life Sciences</i> , 2014, 71, 3841-3857.	2.4	10

#	ARTICLE	IF	CITATIONS
127	Increasing binding density of yeast cells by control of surface charge with allylamine grafting to ion modified polymer surfaces. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 122, 537-544.	2.5	3
128	Cluster of differentiation antibody microarrays on plasma immersion ion implanted polycarbonate. <i>Materials Science and Engineering C</i> , 2014, 35, 434-440.	3.8	16
129	Profiling of the secretome of human cancer cells: Preparation of supernatant for proteomic analysis. <i>Electrophoresis</i> , 2014, 35, 2626-2633.	1.3	5
130	Effects of zirconium and nitrogen plasma immersion ion implantation on the electrochemical corrosion behavior of Mg-RE alloy in simulated body fluid and cell culture medium. <i>Corrosion Science</i> , 2014, 86, 239-251.	3.0	53
131	Surface plasma modification and tropoelastin coating of a polyurethane co-polymer for enhanced cell attachment and reduced thrombogenicity. <i>Biomaterials</i> , 2014, 35, 6797-6809.	5.7	74
132	Sticky nano-thin films for the adhesion of polymers. <i>Applied Surface Science</i> , 2013, 285, 893-899.	3.1	5
133	Influence of pH on yeast immobilization on polystyrene surfaces modified by energetic ion bombardment. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 104, 145-152.	2.5	22
134	An energy landscape for carbon network solids. <i>Carbon</i> , 2013, 63, 416-422.	5.4	8
135	Molecular adsorption on silicon (001): A systematic evaluation of size effects in slab and cluster models. <i>AIP Advances</i> , 2013, 3, 042117.	0.6	13
136	The Vroman effect: Competitive protein exchange with dynamic multilayer protein aggregates. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013, 103, 395-404.	2.5	240
137	Native oxides and their effect on electrochemical characteristics of ta-C:N films. <i>Surface and Coatings Technology</i> , 2013, 228, S486-S489.	2.2	1
138	An integrated solution for rapid biosensing with robust linker free covalent bindingsurfaces. <i>Biosensors and Bioelectronics</i> , 2013, 42, 447-452.	5.3	8
139	Autohesion of semi-crystalline PEEK near and under the glass transition temperature. <i>Applied Surface Science</i> , 2013, 282, 571-577.	3.1	21
140	Twisted pair of optic fibers for background removal in radiation fields. <i>Applied Optics</i> , 2013, 52, 5500.	0.9	1
141	Ion implanted, radical-rich surfaces for the rapid covalent immobilization of active biomolecules. , 2013, , .		2
142	Characterization of small-field stereotactic radiosurgery beams with modern detectors. <i>Physics in Medicine and Biology</i> , 2013, 58, 7595-7608.	1.6	45
143	Electronic structure of phosphorus and arsenic ¹ -doped germanium. <i>Physical Review B</i> , 2013, 88, .	1.1	4
144	Electronic structure of two interacting phosphorus \langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\hat{\Gamma}$ \rangle -doped layers in silicon. <i>Physical Review B</i> , 2013, 87, .	1.1	20

#	ARTICLE	IF	CITATIONS
145	A method to remove residual signals in fibre optic luminescence dosimeters. <i>Physics in Medicine and Biology</i> , 2013, 58, 1581-1590.	1.6	2
146	CelB and β -glucosidase immobilization for carboxymethyl cellulose hydrolysis. <i>RSC Advances</i> , 2013, 3, 23604.	1.7	13
147	Array of square waveguides for scintillation dosimetry in external radiotherapy. <i>Journal of Physics: Conference Series</i> , 2013, 444, 012061.	0.3	0
148	Scintillators for 3D and 4D dosimetry: current status and future potential for clinical translation. <i>Journal of Physics: Conference Series</i> , 2013, 444, 012075.	0.3	0
149	Mechanisms for Covalent Immobilization of Horseradish Peroxidase on Ion-Beam-Treated Polyethylene. <i>Scientifica</i> , 2012, 2012, 1-28.	0.6	22
150	The time-dependent development of electric double-layers in pure water at metal electrodes: the effect of an applied voltage on the local pH. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2012, 468, 18-34.	1.0	22
151	Ion-implanted polytetrafluoroethylene enhances <i>Saccharomyces cerevisiae</i> biofilm formation for improved immobilization. <i>Journal of the Royal Society Interface</i> , 2012, 9, 2923-2935.	1.5	16
152	Reply to the comment on: "Plastic scintillation dosimetry: comparison of three solutions for the Cerenkov challenge". <i>Physics in Medicine and Biology</i> , 2012, 57, 3667-3673.	1.6	4
153	Optimization of temporal dose modulation: Comparison of theory and experiment. <i>Medical Physics</i> , 2012, 39, 3181-3188.	1.6	7
154	Technological advances for polymers in active implantable medical devices. , 2012, , 239-272.		2
155	Fuel Selection for Pulsed Cathodic Arc Thrusters. <i>Journal of Propulsion and Power</i> , 2012, 28, 218-221.	1.3	6
156	Small field diode correction factors derived using an air core fibre optic scintillation dosimeter and EBT2 film. <i>Physics in Medicine and Biology</i> , 2012, 57, 2587-2602.	1.6	106
157	Changes in lung tumor shape during respiration. <i>Physics in Medicine and Biology</i> , 2012, 57, 919-935.	1.6	13
158	Light propagation in multimoded square hollow waveguides. <i>Journal of Optics (United Kingdom)</i> , 2012, 14, 105703.	1.0	0
159	Real-time scintillation array dosimetry for radiotherapy: The advantages of photomultiplier detectors. <i>Medical Physics</i> , 2012, 39, 1688-1695.	1.6	24
160	Nonequilibrium Route to Nanodiamond with Astrophysical Implications. <i>Physical Review Letters</i> , 2012, 108, 075503.	2.9	20
161	Cell patterning via linker-free protein functionalization of an organic conducting polymer (polypyrrole) electrode. <i>Acta Biomaterialia</i> , 2012, 8, 2538-2548.	4.1	40
162	$\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{-Type Doping of Germanium from Phosphine: Early Stages Resolved at the Atomic Level. } \langle \text{mml:math} \rangle \text{Physical Review Letters, 2012, 109, 076101.}$	2.9	18

#	ARTICLE	IF	CITATIONS
163	InÂvivo biocompatibility of a plasma-activated, coronary stent coating. <i>Biomaterials</i> , 2012, 33, 7984-7992.	5.7	57
164	Linker Free Nitrogen Doped Plasma Polymer Biosensors with Label Free Ellipsometric Diagnosis Technique. <i>Procedia Chemistry</i> , 2012, 6, 149-154.	0.7	0
165	Cell Adhesion to PEEK Treated by Plasma Immersion Ion Implantation and Deposition for Active Medical Implants. <i>Plasma Processes and Polymers</i> , 2012, 9, 355-362.	1.6	56
166	Free Radicals Generated by Ion Bombardment of a Semiâ€Crystalline PEEK Surface. <i>Plasma Processes and Polymers</i> , 2012, 9, 174-179.	1.6	14
167	Optimisation of exposure conditions for in vitro radiobiology experiments. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2012, 35, 151-157.	1.4	17
168	Free radical kinetics in a plasma immersion ion implanted polystyrene: Theory and experiment. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2012, 280, 26-35.	0.6	55
169	Comparison on protein adsorption properties of diamond-like carbon and nitrogen-containing plasma polymer surfaces. <i>Thin Solid Films</i> , 2012, 520, 3021-3025.	0.8	15
170	Dynamic modeling of lung tumor motion during respiration. <i>Physics in Medicine and Biology</i> , 2011, 56, 2999-3013.	1.6	20
171	Substrate orientation effects on the nucleation and growth of the Mn+1AX _n phase Ti ₂ AlC. <i>Journal of Applied Physics</i> , 2011, 109, 014903.	1.1	18
172	Carbon diffusion in alumina from carbon and Ti ₂ AlC thin films. <i>Journal of Applied Physics</i> , 2011, 109, 083503.	1.1	14
173	Optimizing efficiency of Ti ionized deposition in HIPIMS. <i>Plasma Sources Science and Technology</i> , 2011, 20, 035021.	1.3	22
174	Linker-free covalent thermophilic Î²-glucosidase functionalized polymeric surfaces. <i>Journal of Materials Chemistry</i> , 2011, 21, 17832.	6.7	16
175	Controlled glow to arc transition in sputtering for high rate deposition of carbon films. <i>Diamond and Related Materials</i> , 2011, 20, 68-74.	1.8	40
176	Directed cell attachment by tropoelastin on masked plasma immersion ion implantation treated PTFE. <i>Biomaterials</i> , 2011, 32, 6710-6718.	5.7	28
177	Design of shallow acceptors in ZnO through early transition metals codoped with N acceptors. <i>Physical Review B</i> , 2011, 83, .	1.1	26
178	Binding of the cell adhesive protein tropoelastin to PTFE through plasma immersion ion implantation treatment. <i>Biomaterials</i> , 2011, 32, 5100-5111.	5.7	67
179	Tropoelastin Switch and Modulated Endothelial Cell Binding to PTFE. <i>BioNanoScience</i> , 2011, 1, 123-127.	1.5	8
180	Hidden stressors in the clonogenic assay used in radiobiology experiments. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2011, 34, 345-350.	1.4	7

#	ARTICLE	IF	CITATIONS
181	A comparison of the strength of autohesion of plasma treated amorphous and semi-crystalline PEEK films. <i>Polymers for Advanced Technologies</i> , 2011, 22, 2496-2502.	1.6	33
182	Clinical Trials of a Urethral Dose Measurement System in Brachytherapy Using Scintillation Detectors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011, 79, 609-615.	0.4	46
183	Autohesion of plasma treated semi-crystalline PEEK: Comparative study of argon, nitrogen and oxygen treatments. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011, 374, 88-95.	2.3	84
184	Gas permeability reduction in PEEK film: Comparison of tetrahedral amorphous carbon and titanium nanofilm coatings. <i>Journal of Membrane Science</i> , 2011, 378, 265-271.	4.1	10
185	Ellipsometry analysis of conformational change of immobilized protein monolayer on plasma polymer surfaces. <i>Thin Solid Films</i> , 2011, 519, 2968-2971.	0.8	7
186	The influence of deposition rate on the stress and microstructure of AlN films deposited from a filtered cathodic vacuum arc. <i>Thin Solid Films</i> , 2011, 519, 3573-3577.	0.8	8
187	Phosphorus δ -doped silicon: mixed-atom pseudopotentials and dopant disorder effects. <i>Nanotechnology</i> , 2011, 22, 065701.	1.3	34
188	Comment on "Shear stiffness in nanolaminar Ti_3SiC_2 challenges ab initio calculations". <i>Journal of Physics Condensed Matter</i> , 2011, 23, 268001.	0.7	1
189	Free radicals created by plasmas cause autohesive bonding in polymers. <i>Applied Physics Letters</i> , 2011, 98, 211504.	1.5	15
190	Optimal process parameters for thermoplastic polyetheretherketone joints fabricated using transmission laser welding and Lumogen [®] IR absorptive pigment. <i>Journal of Laser Applications</i> , 2011, 23, .	0.8	6
191	Energetic deposition of carbon in a cathodic vacuum arc with a biased mesh. <i>Journal of Applied Physics</i> , 2011, 109, .	1.1	10
192	Fizeau interferometer system for fast high resolution studies of spectral line shapes. <i>Review of Scientific Instruments</i> , 2011, 82, 023105.	0.6	6
193	Universal Biomolecule Binding Interlayers Created by Energetic Ion Bombardment. <i>Materials Research Society Symposia Proceedings</i> , 2011, 1354, 3.	0.1	0
194	Plastic scintillation dosimetry: comparison of three solutions for the Cerenkov challenge. <i>Physics in Medicine and Biology</i> , 2011, 56, 5805-5821.	1.6	60
195	Free radical functionalization of surfaces to prevent adverse responses to biomedical devices. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 14405-14410.	3.3	178
196	Air core metallic light guides for scintillation dosimetry in radiotherapy. , 2010, , .		0
197	Production of highly ionized species in high-current pulsed cathodic arcs. <i>Applied Physics Letters</i> , 2010, 96, 221501.	1.5	8
198	The immobilization of recombinant human tropoelastin on metals using a plasma-activated coating to improve the biocompatibility of coronary stents. <i>Biomaterials</i> , 2010, 31, 8332-8340.	5.7	96

#	ARTICLE	IF	CITATIONS
199	Comment on "Transformation of C-type defects on surface at room temperature STM/STS study [Surf. Sci. 602 (2008) 2835]" Surface Science, 2010, 604, 235-236.	0.8	2
200	Welding methods for joining thermoplastic polymers for the hermetic enclosure of medical devices. Medical Engineering and Physics, 2010, 32, 690-699.	0.8	162
201	Plasma modified surfaces for covalent immobilization of functional biomolecules in the absence of chemical linkers: towards better biosensors and a new generation of medical implants. Biophysical Reviews, 2010, 2, 55-65.	1.5	144
202	Transmission laser welding of amorphous and semi-crystalline poly-ether-ether-ketone for applications in the medical device industry. Materials & Design, 2010, 31, 4823-4830.	5.1	85
203	The linker-free covalent attachment of collagen to plasma immersion ion implantation treated polytetrafluoroethylene and subsequent cell-binding activity. Biomaterials, 2010, 31, 2526-2534.	5.7	60
204	Cathodic arc co-deposition of highly oriented hexagonal Ti and Ti ₂ AlC MAX phase thin films. Thin Solid Films, 2010, 519, 766-769.	0.8	26
205	Protein immobilization capacity and covalent binding coverage of pulsed plasma polymer surfaces. Applied Surface Science, 2010, 256, 4984-4989.	3.1	18
206	Energetic deposition of carbon clusters with preferred orientation using a new mixed mode cathodic arc "Sputtering process. Carbon, 2010, 48, 918-921.	5.4	20
207	Direct Evidence of Covalent Immobilisation of Microperoxidase-11 on Plasma Polymer Surfaces. Plasma Processes and Polymers, 2010, 7, 708-714.	1.6	14
208	Plasma Activation and Self Bonding of PEEK for the Use in the Encapsulation of Medical Implants. Plasma Processes and Polymers, 2010, 7, 866-875.	1.6	22
209	Enhanced Autohesive Bonding of Polyetheretherketone (PEEK) for Biomedical Applications Using a Methane/Oxygen Plasma Treatment. Plasma Processes and Polymers, 2010, 7, 1010-1021.	1.6	36
210	Ion energy measurements during plasma immersion ion implantation of an insulator. Plasma Sources Science and Technology, 2010, 19, 045002.	1.3	7
211	Pathways for thermal phosphorus desorption from the silicon (001) surface. Physical Review B, 2010, 82, .	1.1	4
212	Scintillation dosimeter arrays using air core light guides: simulation and experiment. Physics in Medicine and Biology, 2010, 55, 3401-3415.	1.6	13
213	Dose mapping of the rectal wall during brachytherapy with an array of scintillation dosimeters. Medical Physics, 2010, 37, 2247-2255.	1.6	38
214	A prototype scintillation dosimeter customized for small and dynamic megavoltage radiation fields. Physics in Medicine and Biology, 2010, 55, 1115-1126.	1.6	53
215	Oxygen incorporation in Ti ₂ AlC: Tuning of anisotropic conductivity. Applied Physics Letters, 2010, 97, .	1.5	44
216	A Comparison of Covalent Immobilization and Physical Adsorption of a Cellulase Enzyme Mixture. Langmuir, 2010, 26, 14380-14388.	1.6	116

#	ARTICLE	IF	CITATIONS
217	A mathematical framework for separating the direct and bystander components of cellular radiation response. <i>Acta Oncologica</i> , 2010, 49, 1334-1343.	0.8	35
218	A review of in vitro experimental evidence for the effect of spatial and temporal modulation of radiation dose on response. <i>Acta Oncologica</i> , 2010, 49, 1344-1353.	0.8	10
219	A self-checking fiber optic dosimeter for monitoring common errors in brachytherapy applications. <i>Medical Physics</i> , 2009, 36, 2985-2991.	1.6	1
220	Electronic structure models of phosphorus-doped silicon. <i>Physical Review B</i> , 2009, 79, .	1.1	48
221	Formation of the M ₂ AX phase oxycarbide. <i>Physical Review B</i> , 2009, 80, .	1.1	35
222	Diffusion pathways of phosphorus atoms on silicon (001). <i>Physical Review B</i> , 2009, 79, .	1.1	19
223	A comprehensive survey of M ₂ AX phase elastic properties. <i>Journal of Physics Condensed Matter</i> , 2009, 21, 305403.	0.7	138
224	The angular dependence and effective point of measurement of a cylindrical scintillation dosimeter with and without a radio-opaque marker for brachytherapy. <i>Physics in Medicine and Biology</i> , 2009, 54, 2217-2227.	1.6	7
225	A pulsed cathodic arc spacecraft propulsion system. <i>Plasma Sources Science and Technology</i> , 2009, 18, 045005.	1.3	19
226	Cathode-Spot Dynamics in a High-Current Pulsed Arc: A Noise Study. <i>IEEE Transactions on Plasma Science</i> , 2009, 37, 365-368.	0.6	12
227	Direct current reactive sputtering Cr ₂ O ₃ cermet solar selective surfaces for solar hot water applications. <i>Thin Solid Films</i> , 2009, 517, 1601-1606.	0.8	50
228	Plasma Polymer Surfaces Compatible with a CMOS Process for Direct Covalent Enzyme Immobilization. <i>Plasma Processes and Polymers</i> , 2009, 6, 68-75.	1.6	27
229	Covalently Bound Biomimetic Layers on Plasma Polymers with Graded Metallic Interfaces for in vivo Implants. <i>Plasma Processes and Polymers</i> , 2009, 6, 658-666.	1.6	36
230	Elastic properties of a material composed of alternating layers of negative and positive Poisson's ratio. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 505, 111-115.	2.6	57
231	Covalent immobilisation of tropoelastin on a plasma deposited interface for enhancement of endothelialisation on metal surfaces. <i>Biomaterials</i> , 2009, 30, 1675-1681.	5.7	118
232	Acetylene plasma coated surfaces for covalent immobilization of proteins. <i>Thin Solid Films</i> , 2009, 517, 5343-5346.	0.8	19
233	Acetylene plasma polymerized surfaces for covalent immobilization of dense bioactive protein monolayers. <i>Surface and Coatings Technology</i> , 2009, 203, 1310-1316.	2.2	50
234	Mechanisms for surface energy changes observed in plasma immersion ion implanted polyethylene: The roles of free radicals and oxygen-containing groups. <i>Polymer Degradation and Stability</i> , 2009, 94, 638-646.	2.7	63

#	ARTICLE	IF	CITATIONS
235	The structural phases of non-crystalline carbon prepared by physical vapour deposition. Carbon, 2009, 47, 3263-3270.	5.4	56
236	Linker-free covalent attachment of the extracellular matrix protein tropoelastin to a polymer surface for directed cell spreading. Acta Biomaterialia, 2009, 5, 3371-3381.	4.1	44
237	Microstructural investigation supporting an abrupt stress induced transformation in amorphous carbon films. Journal of Applied Physics, 2009, 105, .	1.1	20
238	van der Pauw method for measuring resistivity of a plane sample with distant boundaries. Review of Scientific Instruments, 2009, 80, 075109.	0.6	31
239	Cerenkov light spectrum in an optical fiber exposed to a photon or electron radiation therapy beam. Applied Optics, 2009, 48, 3362.	2.1	27
240	Relation of optical and electrical properties to the microstructure of intrinsic transparent conducting ZnO thin films. , 2009, , .		0
241	Semiconductor properties and redox responses at a-C:N thin film electrochemical electrodes. Diamond and Related Materials, 2009, 18, 1211-1217.	1.8	18
242	A New Surface for Immobilizing and Maintaining the Function of Enzymes in a Freeze-Dried State. Biomacromolecules, 2009, 10, 2577-2583.	2.6	20
243	Optimizing filter efficiency in pulsed cathodic vacuum arcs operating at high currents. Plasma Sources Science and Technology, 2009, 18, 045007.	1.3	7
244	Enhancing the hardness of Al/W nanostructured coatings. Journal of Physics Condensed Matter, 2009, 21, 055003.	0.7	1
245	The origin of preferred orientation during carbon film growth. Journal of Physics Condensed Matter, 2009, 21, 225003.	0.7	15
246	Codoping of aluminum and gallium with nitrogen in ZnO: A comparative first-principles investigation. Physical Review B, 2009, 79, .	1.1	59
247	Correlation of film structure and molecular oxygen reduction at nitrogen doped amorphous carbon thin film electrochemical electrodes. Diamond and Related Materials, 2009, 18, 1102-1108.	1.8	10
248	Reply to "Comments on "Cellular response to modulated radiation fields". Physics in Medicine and Biology, 2009, 54, L15-L21.	1.6	3
249	Detecting and exploring partially unfolded states of proteins using a sensor with chaperone bound to its surface. Biosensors and Bioelectronics, 2008, 24, 963-969.	5.3	6
250	Surface adsorption and wetting properties of amorphous diamond-like carbon thin films for biomedical applications. Thin Solid Films, 2008, 516, 5157-5161.	0.8	26
251	Reducing Water Permeability while Maintaining Transparency of PET: A Plasma Immersion Ion Implantation Study. Plasma Processes and Polymers, 2008, 5, 834-839.	1.6	10
252	Plasma immersion ion implantation treatment of polyethylene for enhanced binding of active horseradish peroxidase. Journal of Biomedical Materials Research - Part A, 2008, 85A, 605-610.	2.1	23

#	ARTICLE	IF	CITATIONS
253	Non-thermal effects in the microwave induced unfolding of proteins observed by chaperone binding. Bioelectromagnetics, 2008, 29, 324-330.	0.9	57
254	Elastic properties of $Ti_{1-x}Al_x$ and $Ti_{1-x}Al_x$ MAX phases. Advanced Engineering Materials, 2008, 10, 935-938.	1.6	46
255	Correlation between film structures and potential limits for hydrogen and oxygen evolutions at a-C:N film electrochemical electrodes. Carbon, 2008, 46, 663-670.	5.4	20
256	Deposition of a-C:N films and evaluation of their robustness in electrochemical applications. Thin Solid Films, 2008, 516, 5231-5235.	0.8	4
257	Abrupt Stress Induced Transformation in Amorphous Carbon Films with a Highly Conductive Transition Phase. Physical Review Letters, 2008, 100, 176101.	2.9	81
258	Water on silicon (001): defects and initial steps of surface oxidation. Physical Review B, 2008, 77, .	1.1	36
259	Oxygen incorporation in Ti_2AlC thin films. Applied Physics Letters, 2008, 92, .	1.5	53
260	The radiobiological effect of intra-fraction dose-rate modulation in intensity modulated radiation therapy (IMRT). Physics in Medicine and Biology, 2008, 53, 3567-3578.	1.6	54
261	A solid phase reaction between TiC_x thin films and Al_2O_3 substrates. Journal of Applied Physics, 2008, 103, .	1.1	21
262	Characterization of a Filtered High Current Pulsed Cathodic Vacuum Arc Plasma Source: Plasma Transport Analysis.. AIP Conference Proceedings, 2008, , .	0.3	0
263	Cerenkov-free scintillation dosimetry in external beam radiotherapy with an air core light guide. Physics in Medicine and Biology, 2008, 53, 3071-3080.	1.6	87
264	Automated cell colony counting and analysis using the circular Hough image transform algorithm (CHiTA). Physics in Medicine and Biology, 2008, 53, 5991-6008.	1.6	52
265	Real-time monitoring and diagnosis of scintillation dosimeters using an ultraviolet light emitting diode. Physics in Medicine and Biology, 2008, 53, 2303-2312.	1.6	11
266	Oriented graphite layer formation in Ti/C and TiC/C multilayers deposited by high current pulsed cathodic arc. Journal of Applied Physics, 2008, 104, .	1.1	2
267	Amorphous and crystalline phases in thermal quench simulations of alumina. Journal of Chemical Physics, 2007, 126, 204709.	1.2	17
268	Effect of implanted argon on hardness of novel magnetron sputtered Si-C-N materials: experiments and ab initio simulations. Journal of Physics Condensed Matter, 2007, 19, 196228.	0.7	17
269	Time dependent plasma properties during microarcing in radio frequency plasmas. Applied Physics Letters, 2007, 91, .	1.5	7
270	Single hydrogen atoms on the Si(001) surface. Physical Review B, 2007, 76, .	1.1	28

#	ARTICLE	IF	CITATIONS
271	Effects of layer patterns on magnetic and other properties of single and multilayered Fe/C films. Journal of Applied Physics, 2007, 101, 034902.	1.1	1
272	Bonding statistics and electronic structure of novel Si-B-C-N materials: <i>Ab initio</i> calculations and experimental verification. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2007, 25, 1411-1416.	0.9	21
273	Large Core Fibers for Short-Distance Communication in Radiation Fields. , 2007, , .		0
274	Åerenkov Radiation in Optical Fiber Communication. , 2007, , .		0
275	Transmission of Åerenkov radiation in optical fibers. Optics Letters, 2007, 32, 1205.	1.7	37
276	Optimal coupling of light from a cylindrical scintillator into an optical fiber. Applied Optics, 2007, 46, 397.	2.1	19
277	Single P and As dopants in the Si(001) surface. Journal of Chemical Physics, 2007, 127, 184706.	1.2	8
278	In vivodosimeters for HDR brachytherapy: A comparison of a diamond detector, MOSFET, TLD, and scintillation detector. Medical Physics, 2007, 34, 1759-1765.	1.6	108
279	Tomographic interferometry of a filtered high-current vacuum arc plasma. Journal of Applied Physics, 2007, 101, 073302.	1.1	4
280	Hemocompatibility and anti-bacterial properties of silver doped diamond-like carbon prepared by pulsed filtered cathodic vacuum arc deposition. Diamond and Related Materials, 2007, 16, 1353-1360.	1.8	100
281	Cellular response to modulated radiation fields. Physics in Medicine and Biology, 2007, 52, 5469-5482.	1.6	100
282	Single Phosphorus Atoms in Si(001):% Doping-Induced Charge Transfer into Isolated Si Dangling Bonds. Journal of Physical Chemistry C, 2007, 111, 6428-6433.	1.5	5
283	Cracking of titanium nitride films grown on polycarbonate. Surface and Coatings Technology, 2007, 201, 5596-5600.	2.2	13
284	Characteristics of phosphorus-doped diamond-like carbon films synthesized by plasma immersion ion implantation and deposition (PIII and D). Surface and Coatings Technology, 2007, 201, 6643-6646.	2.2	10
285	Study of adhesion of TiN grown on a polymer substrate. Surface and Coatings Technology, 2007, 201, 6742-6744.	2.2	9
286	Raman spectroscopy study of DLC films prepared by RF plasma and filtered cathodic arc. Surface and Coatings Technology, 2007, 201, 6734-6736.	2.2	49
287	Investigation of cytocompatibility of surface-treated cellulose nitrate films by using plasma immersion ion implantation. Surface and Coatings Technology, 2007, 201, 6897-6900.	2.2	2
288	Nanoindentation response of PEEK modified by mesh-assisted plasma immersion ion implantation. Surface and Coatings Technology, 2007, 201, 7961-7969.	2.2	39

#	ARTICLE	IF	CITATIONS
289	Doping and STM tip-induced changes to single dangling bonds on Si(001). <i>Surface Science</i> , 2007, 601, 4036-4040.	0.8	10
290	The attachment of catalase and poly-L-lysine to plasma immersion ion implantation-treated polyethylene. <i>Acta Biomaterialia</i> , 2007, 3, 695-704.	4.1	53
291	Soft ferromagnetic materials based on iron/carbon multilayers. <i>Physica B: Condensed Matter</i> , 2007, 394, 273-276.	1.3	0
292	Electric field effects on adsorption/desorption of proteins and colloidal particles on a gold film observed using surface plasmon resonance. <i>Physica B: Condensed Matter</i> , 2007, 394, 203-207.	1.3	27
293	A fibre optic dosimeter customised for brachytherapy. <i>Radiation Measurements</i> , 2007, 42, 929-932.	0.7	90
294	Plasma-treated Polyethylene Surfaces for Improved Binding of Active Protein. <i>Plasma Processes and Polymers</i> , 2007, 4, 583-590.	1.6	42
295	Influence of Gas Entry Point on Plasma Chemistry, Ion Energy and Deposited Alumina Thin Films in Filtered Cathodic Arc. <i>Plasma Chemistry and Plasma Processing</i> , 2007, 27, 599-608.	1.1	2
296	Breathing as a low frequency wave propagation in nonlinear elastic permeable medium. <i>Physica B: Condensed Matter</i> , 2007, 394, 311-314.	1.3	3
297	Thermal dissociation and desorption of PH ₃ on Si(001): A reinterpretation of spectroscopic data. <i>Physical Review B</i> , 2006, 74, .	1.1	57
298	A fibre optic dosimeter for prostate cancer therapy. , 2006, , .		0
299	All particle simulations of cathodic arc plasmas. <i>Journal of Applied Physics</i> , 2006, 99, 093304.	1.1	4
300	Biocompatibility of calcium and phosphorus doped diamond-like carbon thin films synthesized by plasma immersion ion implantation and deposition. <i>Diamond and Related Materials</i> , 2006, 15, 893-897.	1.8	52
301	Nanosecond Responses of Proteins to Ultra-High Temperature Pulses. <i>Biophysical Journal</i> , 2006, 91, L66-L68.	0.2	24
302	The time-dependent development of electric double-layers in saline solutions. <i>Journal Physics D: Applied Physics</i> , 2006, 39, 937-943.	1.3	32
303	Phosphine Dissociation and Diffusion on Si(001) Observed at the Atomic Scale. <i>Journal of Physical Chemistry B</i> , 2006, 110, 3173-3179.	1.2	28
304	Flat-topped broadband rugate filters. <i>Applied Optics</i> , 2006, 45, 7841.	2.1	18
305	Optical fiber design and the trapping of Cerenkov radiation. <i>Applied Optics</i> , 2006, 45, 9151.	2.1	27
306	1P519 Nanosecond responses of proteins to ultra-high temperature pulses(25. New methods and tools) Tj ETQq0 0,0 rgBT /Qoverlock 10	0,0	0

#	ARTICLE	IF	CITATIONS
307	Raman spectra of partially oriented sp ² carbon films: Experimental and modelled. <i>Vibrational Spectroscopy</i> , 2006, 41, 232-239.	1.2	18
308	Titanium nitride/vanadium nitride alloy coatings: mechanical properties and adhesion characteristics. <i>Surface and Coatings Technology</i> , 2006, 200, 3605-3611.	2.2	64
309	The origins of self-bias on dielectric substrates in RF plasma processing. <i>Surface and Coatings Technology</i> , 2006, 200, 3670-3674.	2.2	14
310	A novel method for thickness profile control in RF PECVD deposition on large area substrates. <i>Surface and Coatings Technology</i> , 2006, 200, 4339-4344.	2.2	11
311	A comprehensive model of stress generation and relief processes in thin films deposited with energetic ions. <i>Surface and Coatings Technology</i> , 2006, 200, 4345-4354.	2.2	117
312	Control of stress and delamination in single and multi-layer carbon thin films prepared by cathodic arc and RF plasma deposition and implantation. <i>Surface and Coatings Technology</i> , 2006, 200, 6405-6408.	2.2	16
313	The effect of plasma immersion ion implantation on the contact pressure and composition of titanium nitride thin films. <i>Surface and Coatings Technology</i> , 2006, 201, 396-400.	2.2	7
314	Dielectric substrate self-bias and plasma confinement in two-dimensional scanning radio frequency plasma-enhanced chemical vapour deposition. <i>Vacuum</i> , 2006, 81, 441-445.	1.6	0
315	Combined influences of mechanical properties and surface roughness on the tribological properties of amorphous carbon coatings. <i>Wear</i> , 2006, 260, 62-74.	1.5	23
316	Characterization of a large area scanning PECVD deposition system with small size RF electrodes. <i>Thin Solid Films</i> , 2006, 515, 307-312.	0.8	1
317	Effect of B and the Si/C ratio on high-temperature stability of Si ₃ N ₄ materials. <i>Europhysics Letters</i> , 2006, 76, 512-518.	0.7	34
318	The effect of argon on the structure of amorphous SiBCN materials: an experimental and ab initio study. <i>Journal of Physics Condensed Matter</i> , 2006, 18, 2337-2348.	0.7	19
319	Analytic analysis on asymmetrical micro arcing in high plasma potential RF plasma systems. <i>Plasma Sources Science and Technology</i> , 2006, 15, 99-104.	1.3	14
320	The distribution and depth of ion doses implanted into wedges by plasma immersion ion implantation in drifting and stationary plasmas. <i>Plasma Sources Science and Technology</i> , 2006, 15, 384-390.	1.3	1
321	The microstructure and stability of Al ⁿ AlN multilayered films. <i>Journal of Applied Physics</i> , 2006, 100, 013504.	1.1	6
322	Importance of charging in atomic resolution scanning tunneling microscopy: Study of a single phosphorus atom in a Si(001) surface. <i>Physical Review B</i> , 2006, 74, .	1.1	14
323	A plastic scintillation dosimeter for high dose rate brachytherapy. <i>Physics in Medicine and Biology</i> , 2006, 51, 5505-5516.	1.6	107
324	Cherenkov radiation in optical fibres. , 2006, , .		3

#	ARTICLE	IF	CITATIONS
325	Atomic-scale observation and control of the reaction of phosphine with silicon. E-Journal of Surface Science and Nanotechnology, 2006, 4, 609-613.	0.1	5
326	Development of the nanotiter plate for use in antibody and cell array technologies. , 2005, , .		0
327	Accurate determination of optical and electronic properties of ultra-thin silver films for biosensor applications. Sensors and Actuators B: Chemical, 2005, 109, 146-152.	4.0	15
328	Electrical conductivity as a measure of the continuity of titanium and vanadium thin films. Thin Solid Films, 2005, 474, 341-345.	0.8	12
329	A model for stress generation and stress relief mechanisms applied to as-deposited filtered cathodic vacuum arc amorphous carbon films. Thin Solid Films, 2005, 482, 69-73.	0.8	23
330	Synthesis and in-situ ellipsometric monitoring of Ti/C nanostructured multilayers using a high-current, dual source pulsed cathodic arc. Thin Solid Films, 2005, 482, 133-137.	0.8	18
331	Ohmic contact to nitrogen doped amorphous carbon films. Surface and Coatings Technology, 2005, 198, 202-205.	2.2	29
332	Intrinsic stress induced by substrate bias in amorphous hydrogenated silicon thin films. Surface and Coatings Technology, 2005, 198, 156-160.	2.2	12
333	Ab initio studies of amorphous carbon films. Surface and Coatings Technology, 2005, 198, 212-216.	2.2	5
334	The structure and annealing properties of multilayer carbon films. Surface and Coatings Technology, 2005, 198, 217-222.	2.2	13
335	Microarcing instability in RF PECVD plasma system. Surface and Coatings Technology, 2005, 198, 379-383.	2.2	8
336	Defect-induced dimer pinning on the Si(001) surface. Surface Science, 2005, 587, 185-192.	0.8	14
337	Towards the Routine Fabrication of P in Si Nanostructures: Understanding P Precursor Molecules on Si(001). Materials Research Society Symposia Proceedings, 2005, 864, 541.	0.1	2
338	The effect of phase difference between powered electrodes on RF plasmas. Plasma Sources Science and Technology, 2005, 14, 407-411.	1.3	9
339	Real-time verification of HDR brachytherapy source location: implementation of detector redundancy. Physics in Medicine and Biology, 2005, 50, 319-327.	1.6	26
340	Deposition of Iron-Containing Single-And Multi-Layered Amorphous Carbon Films using Dual-Target Filtered Pulsed Cathodic Vacuum Arc (FCVA). IEEE International Conference on Plasma Science, 2005, , .	0.0	0
341	Enhancement of microarcing at a grounded chamber wall by nonvanishing ion sheath in a radio-frequency capacitive discharged plasma. Applied Physics Letters, 2005, 87, 181501.	1.5	7
342	Phosphine adsorption and dissociation on the Si(001) surface: Anab initiosurvey of structures. Physical Review B, 2005, 72, .	1.1	44

#	ARTICLE	IF	CITATIONS
343	Simulation of a semitransparent conducting mesh electrode for plasma immersion ion implantation. <i>Physics of Plasmas</i> , 2005, 12, 093507.	0.7	7
344	Ab initio simulations of nitrogen evolution in quenched CN _x and SiBCN amorphous materials. <i>Physical Review B</i> , 2005, 72, .	1.1	25
345	Production of amorphous carbon by plasma immersion ion implantation of polymers. <i>Diamond and Related Materials</i> , 2005, 14, 1577-1582.	1.8	23
346	Molecular dynamics simulation of the thermal spike in amorphous carbon thin films. <i>Diamond and Related Materials</i> , 2005, 14, 921-927.	1.8	19
347	Ion implantation induced phase transformation in carbon and boron nitride thin films. <i>Diamond and Related Materials</i> , 2005, 14, 1395-1401.	1.8	12
348	Intrafractional motion during proton beam scanning. <i>Physics in Medicine and Biology</i> , 2005, 50, 4853-4862.	1.6	90
349	Dark field microscopy for diffraction analysis of amorphous carbon solids. <i>Journal of Non-Crystalline Solids</i> , 2005, 351, 413-417.	1.5	8
350	Characterization of cathodic arc deposited titanium aluminium nitride films prepared using plasma immersion ion implantation. <i>Journal of Physics Condensed Matter</i> , 2005, 17, 2791-2800.	0.7	6
351	Phosphine Dissociation on the Si(001) Surface. <i>Physical Review Letters</i> , 2004, 93, 226102.	2.9	65
352	Effect of intrinsic stress on preferred orientation in AlN thin films. <i>Journal of Applied Physics</i> , 2004, 95, 2130-2134.	1.1	47
353	Stress relief and texture formation in aluminium nitride by plasma immersion ion implantation. <i>Journal of Physics Condensed Matter</i> , 2004, 16, 1751-1760.	0.7	19
354	Apparatus for exposing cell membranes to rapid temperature transients. <i>European Biophysics Journal</i> , 2004, 33, 117-120.	1.2	3
355	Practical Plasma Immersion Ion Implantation for Stress Regulation and Treatment of Insulators. <i>Contributions To Plasma Physics</i> , 2004, 44, 465-471.	0.5	10
356	Use of low energy and high frequency PBI during thin film deposition to achieve relief of intrinsic stress and microstructural changes. <i>Surface and Coatings Technology</i> , 2004, 186, 21-28.	2.2	32
357	Modification of polymers by plasma-based ion implantation for biomedical applications. <i>Surface and Coatings Technology</i> , 2004, 186, 239-244.	2.2	35
358	Disturbance of a Langmuir Probe at the Steady-State Sheath Boundary in a Drifting Plasma. <i>IEEE Transactions on Plasma Science</i> , 2004, 32, 422-428.	0.6	9
359	Correlation between stress and hardness in pulsed cathodic arc deposited titanium/vanadium nitride alloys. <i>Journal of Physics Condensed Matter</i> , 2004, 16, 7947-7954.	0.7	22
360	Percolation threshold in ultrathin titanium films determined by in situ spectroscopic ellipsometry. <i>Physical Review B</i> , 2004, 70, .	1.1	37

#	ARTICLE	IF	CITATIONS
361	Raman characterisation of PIII multilayer carbon films. <i>Diamond and Related Materials</i> , 2004, 13, 1422-1426.	1.8	24
362	Mechanisms for the behavior of carbon films during annealing. <i>Physical Review B</i> , 2004, 70, .	1.1	51
363	Signal versus noise in fiber-coupled radiation dosimeters for medical applications. , 2004, 5317, 105.		3
364	Numerical simulation of metal plasma-immersion ion implantation and deposition on a cone. <i>Journal of Applied Physics</i> , 2004, 96, 6045-6052.	1.1	7
365	Micro-arcing in radio frequency plasmas. <i>Journal Physics D: Applied Physics</i> , 2004, 37, 2871-2875.	1.3	17
366	Mechanisms for the Behaviour of Amorphous Carbon Films During Annealing. <i>Microscopy and Microanalysis</i> , 2004, 10, 614-615.	0.2	0
367	Dark Field Microscopy for Diffraction Analysis of Non Crystalline Materials. <i>Microscopy and Microanalysis</i> , 2004, 10, 800-801.	0.2	0
368	Functional attachment of horse radish peroxidase to plasma-treated surfaces. , 2004, , .		0
369	Relation between microstructure and stress in titanium nitride films grown by plasma immersion ion implantation. <i>Journal of Applied Physics</i> , 2003, 93, 4283-4288.	1.1	34
370	Electron microscopy study on the grain-boundary precipitation during aging of Fe-10Ni-5Mn steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2003, 34, 2421-2428.	1.1	37
371	Electric probe measurements of high-voltage sheath collapse in cathodic arc plasmas due to surface charging of insulators. <i>IEEE Transactions on Plasma Science</i> , 2003, 31, 438-443.	0.6	23
372	Application of the heat equation to the calculation of temperature rises from pulsed microwave exposure. <i>Journal of Theoretical Biology</i> , 2003, 222, 403-405.	0.8	12
373	Structural colours through photonic crystals. <i>Physica B: Condensed Matter</i> , 2003, 338, 182-185.	1.3	55
374	A novel pin-on-apparatus. <i>Wear</i> , 2003, 254, 111-119.	1.5	13
375	Wannier function analysis of tetrahedral amorphous networks. <i>Diamond and Related Materials</i> , 2003, 12, 2026-2031.	1.8	6
376	Multilayered carbon films for tribological applications. <i>Diamond and Related Materials</i> , 2003, 12, 178-184.	1.8	23
377	Carbon coating of Ti-6Al-4V for reduced wear in combined impact and sliding applications. <i>Tribology International</i> , 2003, 36, 873-882.	3.0	17
378	Optimizing the triggering mode for stable operation of a pulsed cathodic arc deposition system. <i>Plasma Sources Science and Technology</i> , 2003, 12, 508-512.	1.3	12

#	ARTICLE	IF	CITATIONS
379	A high-current pulsed cathodic vacuum arc plasma source. Review of Scientific Instruments, 2003, 74, 4750-4754.	0.6	32
380	Control of stress and microstructure in cathodic arc deposited films. IEEE Transactions on Plasma Science, 2003, 31, 939-944.	0.6	46
381	The importance of bias pulse rise time for determining shallow implanted dose in plasma immersion ion implantation. Applied Physics Letters, 2003, 82, 1827-1829.	1.5	26
382	Determination of the equilibrium ion sheath in the drifting plasma by numerical simulation. IEEE Transactions on Plasma Science, 2003, 31, 1044-1051.	0.6	12
383	High dose-rate brachytherapy source localization: positional resolution using a diamond detector. Physics in Medicine and Biology, 2003, 48, 2133-2146.	1.6	35
384	Wannier function analysis of silicon-carbon alloys. Journal of Physics Condensed Matter, 2003, 15, 165-173.	0.7	21
385	Nanoindentation studies of brittle thin films on a titanium alloy substrate. Journal of Materials Research, 2002, 17, 861-870.	1.2	4
386	Surface structure and sputtering in amorphous carbon thin films: a tight-binding study of film deposition. Journal of Physics Condensed Matter, 2002, 14, 723-730.	0.7	25
387	Wannier function analysis for understanding disordered structures generated using Car-Parrinello molecular dynamics. Molecular Simulation, 2002, 28, 971-979.	0.9	4
388	Comparison of density-functional, tight-binding, and empirical methods for the simulation of amorphous carbon. Physical Review B, 2002, 65, .	1.1	143
389	A technique for microsecond heating and cooling of a thin (submicron) biological sample. European Biophysics Journal, 2002, 31, 378-382.	1.2	5
390	Influence of gas flow rate and entry point on ion charge, ion counts and ion energy distribution in a filtered cathodic arc. Surface and Coatings Technology, 2002, 156, 110-114.	2.2	20
391	Plasma-based ion implantation utilising a cathodic arc plasma. Surface and Coatings Technology, 2002, 156, 136-142.	2.2	90
392	Plasma immersion ion implantation using polymeric substrates with a sacrificial conductive surface layer. Surface and Coatings Technology, 2002, 156, 332-337.	2.2	20
393	PBII deposition of thick carbon coatings from a cathodic arc plasma. Surface and Coatings Technology, 2002, 156, 143-148.	2.2	15
394	Electron tomography and computer visualisation of a three-dimensional "photonic" crystal in a butterfly wing-scale. Micron, 2002, 33, 483-487.	1.1	82
395	Physical and psychophysical measures of the distinctiveness of Australian banknotes. Australian Journal of Psychology, 2002, 54, 150-156.	1.4	0
396	The mechanism of light reflectance in silverfish. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2001, 457, 511-518.	1.0	11

#	ARTICLE	IF	CITATIONS
397	Applications of tetrahedral amorphous carbon in limited volatility memory and in field programmable gate arrays. <i>Diamond and Related Materials</i> , 2001, 10, 230-233.	1.8	10
398	Combined deposition and implantation in the cathodic arc for thick film preparation. <i>Surface and Coatings Technology</i> , 2001, 136, 188-191.	2.2	36
399	An efficient tab initial calculation of powder diffraction intensity using Debye's equation. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2001, 57, 739-740.	0.3	15
400	Effect of sputtering-gas pressure on properties of silicon nitride films produced by helicon plasma sputtering. <i>Thin Solid Films</i> , 2001, 384, 46-52.	0.8	29
401	Thermodynamic theory for preferred orientation in materials prepared by energetic condensation. <i>Thin Solid Films</i> , 2001, 382, 280-287.	0.8	52
402	Mobile phones, heat shock proteins and cancer. <i>Differentiation</i> , 2001, 67, 93-97.	1.0	104
403	The Sea Mouse and the Photonic Crystal. <i>Australian Journal of Chemistry</i> , 2001, 54, 241.	0.5	45
404	Aphrodite's iridescence. <i>Nature</i> , 2001, 409, 36-37.	13.7	254
405	Biological Effects of Electromagnetic Fields – Mechanisms for the Effects of Pulsed Microwave Radiation on Protein Conformation. <i>Journal of Theoretical Biology</i> , 2000, 206, 291-298.	0.8	68
406	Cycling effects in nitrogen doped tetrahedral amorphous carbon non-volatile memory cells. <i>Solid-State Electronics</i> , 2000, 44, 1641-1645.	0.8	3
407	Breakdown mechanism of Al ₂ O ₃ based metal-to-metal antifuses. <i>Solid-State Electronics</i> , 2000, 44, 1557-1562.	0.8	18
408	Structural properties and nitrogen-loss characteristics in sputtered tungsten nitride films. <i>Thin Solid Films</i> , 2000, 372, 257-264.	0.8	44
409	Ab initio simulations of the structure of amorphous carbon. <i>Physical Review B</i> , 2000, 61, 2349-2355.	1.1	168
410	Metal ion implantation using a filtered cathodic vacuum arc. <i>Journal of Applied Physics</i> , 2000, 87, 4198-4204.	1.1	26
411	Residual stress, microstructure, and structure of tungsten thin films deposited by magnetron sputtering. <i>Journal of Applied Physics</i> , 2000, 87, 177-187.	1.1	185
412	Ab initio simulation of structure in amorphous hydrogenated carbon. <i>Physical Review B</i> , 2000, 62, 3071-3077.	1.1	38
413	Ab initio study of structure in boron nitride, aluminum nitride and mixed aluminum boron nitride amorphous alloys. <i>Journal of Applied Physics</i> , 2000, 88, 5028-5032.	1.1	31
414	Composition, residual stress, and structural properties of thin tungsten nitride films deposited by reactive magnetron sputtering. <i>Journal of Applied Physics</i> , 2000, 88, 1380-1388.	1.1	103

#	ARTICLE	IF	CITATIONS
415	A comparative study of the on-off switching behavior of metal-insulator-metal antifuses. IEEE Electron Device Letters, 2000, 21, 295-297.	2.2	11
416	Electron diffraction from polycrystalline materials showing stress induced preferred orientation. Journal of Applied Physics, 1999, 86, 230-236.	1.1	38
417	Carbon Structures Containing Negatively Curved Sheets. Fullerenes, Nanotubes, and Carbon Nanostructures, 1999, 7, 1145-1149.	0.6	0
418	Oxygen-induced amorphous structure of tungsten thin films. Applied Physics Letters, 1999, 75, 2211-2213.	1.5	19
419	Childhood leukaemia and TV towers: the debate continues. Australian and New Zealand Journal of Public Health, 1999, 23, 553-555.	0.8	2
420	Effect of ion modification of commonly used orthopedic materials on the attachment of human bone-derived cells. , 1999, 45, 345-354.		35
421	Structural effects in ion-beam-modified polymers. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1999, 79, 391-402.	0.8	4
422	Childhood incidence of acute lymphoblastic leukaemia and exposure to broadcast radiation in Sydney – a second look. Australian and New Zealand Journal of Public Health, 1998, 22, 360-367.	0.8	54
423	A unique form of light reflector and the evolution of signalling in <i>Ovalipes</i> (Crustacea: Decapoda: Tj ETQq1 1 0.784314 rgBT /Overlo	1.2	42
424	Thermodynamic theory for preferred orientation in carbon and cubic BN. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1998, 16, 2733-2734.	0.9	16
425	Nonvolatile memory effects in nitrogen doped tetrahedral amorphous carbon thin films. Journal of Applied Physics, 1998, 84, 5647-5651.	1.1	38
426	Influence of gas pressure and cathode composition on ion energy distributions in filtered cathodic vacuum arcs. Journal of Applied Physics, 1998, 83, 2965-2970.	1.1	88
427	Multilayer Reflectors in Animals Using Green and Gold Beetles as Contrasting Examples. Journal of Experimental Biology, 1998, 201, 1307-1313.	0.8	180
428	Patterns of energy dissipation in three-dimensional face-centred cubic lattices after ion impact. Journal of Physics Condensed Matter, 1997, 9, 5015-5026.	0.7	2
429	Nonvolatile Memory Effects in Doped Tetrahedral Amorphous Carbon Thin Films. Materials Research Society Symposia Proceedings, 1997, 498, 121.	0.1	0
430	New developments in processing cathodic arc plasmas. IEEE Transactions on Plasma Science, 1997, 25, 652-659.	0.6	7
431	Electromagnetic radiation at 835 MHz changes the morphology and inhibits proliferation of a human astrocytoma cell line. Bioelectrochemistry, 1997, 43, 13-18.	1.0	42
432	EFFECTS OF EXPOSURE TO ELECTROMAGNETIC RADIATION AT 835 MHz ON GROWTH, MORPHOLOGY AND SECRETORY CHARACTERISTICS OF A MAST CELL ANALOGUE, RBL-2H3. Cell Biology International, 1997, 21, 427-439.	1.4	41

#	ARTICLE	IF	CITATIONS
433	MD simulations of Ag film growth using the Lennard-Jones potential. Journal of Physics Condensed Matter, 1996, 8, 8753-8762.	0.7	41
434	A study of filter transport mechanisms in filtered cathodic vacuum arcs. IEEE Transactions on Plasma Science, 1996, 24, 1165-1173.	0.6	46
435	Interactions of the directed plasma from a cathodic arc with electrodes and magnetic fields. IEEE Transactions on Plasma Science, 1996, 24, 1291-1298.	0.6	49
436	Ab initio simulations of tetrahedral amorphous carbon. Physical Review B, 1996, 54, 9703-9714.	1.1	144
437	The orientation dependence of elastic strain energy in cubic crystals and its application to the preferred orientation in titanium nitride thin films. Journal of Physics Condensed Matter, 1996, 8, 5883-5890.	0.7	67
438	Tetrahedral bonding in amorphous carbon. Reports on Progress in Physics, 1996, 59, 1611-1664.	8.1	363
439	Film growth. , 1996, , 467-493.		1
440	Molecular-dynamics study of compressive stress generation. Physical Review B, 1996, 53, 4117-4124.	1.1	86
441	Microscopic Structure of Tetrahedral Amorphous Carbon. Physical Review Letters, 1996, 76, 768-771.	2.9	177
442	New technology for PACVD. Surface and Coatings Technology, 1996, 82, 326-333.	2.2	12
443	Use of in situ ellipsometry to observe phase transitions during boron nitride thin film deposition. Surface and Coatings Technology, 1996, 81, 72-78.	2.2	9
444	The application of the cathodic arc to plasma assisted chemical vapor deposition of carbon. Journal of Applied Physics, 1996, 79, 1563-1568.	1.1	15
445	Structural investigation of two carbon nitride solids produced by cathodic arc deposition and nitrogen implantation. Journal of Applied Physics, 1996, 79, 6914-6919.	1.1	64
446	Highly tetrahedral amorphous carbon films with low stress. Applied Physics Letters, 1996, 69, 2344-2346.	1.5	107
447	Properties of TiN films deposited at low temperature in a new plasma-based deposition system. Journal of Applied Physics, 1996, 80, 6279-6285.	1.1	43
448	Substrate bias effects on the structural and electronic properties of tetrahedral amorphous carbon. Physical Review B, 1996, 54, 14504-14510.	1.1	47
449	Effect of ion energy on the optical and structural properties of SiO ₂ grown by plasma-enhanced chemical vapor deposition. Journal of Applied Physics, 1996, 80, 4707-4714.	1.1	17
450	Electric field control of plasma and macroparticles in cathodic arc deposition as a practical alternative to magnetic fields in ducts. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1996, 14, 3059-3064.	0.9	5

#	ARTICLE	IF	CITATIONS
451	Energetic Condensation as a Means of Inducing the Growth of Films Containing High Pressure Phases. , 1996, , 250-262.		2
452	NMR evidence for strained carbon bonding in tetrahedral amorphous carbon. Chemical Physics, 1995, 193, 167-172.	0.9	35
453	Optical resonances of three-phase composites and anomalies in transmission. Optics Communications, 1995, 117, 151-169.	1.0	30
454	Adherent carbon film deposition by cathodic arc with implantation. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1995, 13, 406-411.	0.9	33
455	New plasma-assisted deposition technique using helicon activated reactive evaporation. Review of Scientific Instruments, 1995, 66, 2908-2913.	0.6	24
456	Ion implantation in tetrahedral amorphous carbon. Physical Review B, 1995, 52, 850-857.	1.1	102
457	Time-dependent phenomena in plasma-assisted chemical vapor deposition of rugate optical films. Applied Optics, 1995, 34, 5659.	2.1	10
458	Gap states, doping and bonding in tetrahedral amorphous carbon. Diamond and Related Materials, 1995, 4, 637-640.	1.8	40
459	Magnetic and spin properties of tetrahedral amorphous carbon. Diamond and Related Materials, 1995, 4, 912-916.	1.8	38
460	Molecular dynamics study of ion impact phenomena. Journal of Physics Condensed Matter, 1994, 6, 7833-7846.	0.7	5
461	Thickness-dependent stress in sputtered carbon films. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1994, 12, 727-732.	0.9	44
462	Photoresponse characteristics of n-type tetrahedral amorphous carbon/p-type Si heterojunction diodes. Applied Physics Letters, 1994, 64, 2297-2299.	1.5	50
463	Hydrogen-free amorphous carbon preparation and properties. Diamond and Related Materials, 1994, 3, 353-360.	1.8	99
464	Substitutional nitrogen doping of tetrahedral amorphous carbon. The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties, 1994, 69, 1133-1140.	0.6	111
465	The structure of boron-, phosphorus- and nitrogen-doped tetrahedral amorphous carbon deposited by cathodic arc. Journal of Non-Crystalline Solids, 1994, 170, 46-50.	1.5	45
466	Properties of tetrahedral amorphous carbon films deposited in a filtered cathodic arc in the presence of hydrogen. The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties, 1994, 69, 1121-1131.	0.6	16
467	¹³ C NMR and FTIR study of thermal annealing of amorphous hydrogenated carbon. Carbon, 1993, 31, 569-575.	5.4	46
468	Optical and electronic properties of amorphous diamond. Diamond and Related Materials, 1993, 2, 782-787.	1.8	89

#	ARTICLE	IF	CITATIONS
469	Control of defects in optical fibers-a study using cathodoluminescence spectroscopy. Journal of Lightwave Technology, 1993, 11, 1793-1801.	2.7	23
470	Compressive stress induced formation of cubic boron nitride. Diamond and Related Materials, 1993, 2, 970-976.	1.8	260
471	n-type doping of highly tetrahedral diamond-like amorphous carbon. Journal of Physics Condensed Matter, 1993, 5, L169-L174.	0.7	134
472	Interferometric measurements of the energy of sputtered copper atoms in a magnetron discharge. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1993, 11, 2758-2764.	0.9	11
473	Generation and applications of compressive stress induced by low energy ion beam bombardment. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 1993, 11, 1928.	1.6	135
474	Molecular Dynamics Study of Ion Impact Phenomena and Compressive Stress in Thin Films. Materials Research Society Symposia Proceedings, 1993, 317, 497.	0.1	1
475	The structure of highly tetrahedral amorphous diamond-like carbon. The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties, 1992, 66, 155-169.	0.6	49
476	Gas-plasma interactions in a filtered cathodic arc. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1992, 10, 3493-3498.	0.9	12
477	Smooth thin film C/diamond membranes with controllable optical band gaps. Diamond and Related Materials, 1992, 1, 612-618.	1.8	6
478	Monte Carlo calculations of the properties of sputtered atoms at a substrate surface in a magnetron discharge. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1992, 10, 455-461.	0.9	52
479	Neutron scattering studies of the structure of a highly tetrahedral form of amorphous carbon. Journal of Non-Crystalline Solids, 1992, 150, 126-131.	1.5	7
480	The structure of the C70 molecule. Nature, 1992, 355, 622-624.	13.7	225
481	Cathodic arc ablation as a new method of high-Tc superconductor deposition. Physica C: Superconductivity and Its Applications, 1992, 197, 147-150.	0.6	8
482	Amorphous diamond-Si semiconductor heterojunctions. Applied Physics Letters, 1991, 59, 69-71.	1.5	87
483	Properties of tetrahedral amorphous carbon prepared by vacuum arc deposition. Diamond and Related Materials, 1991, 1, 51-59.	1.8	241
484	Electron optical characterization of cubic boron nitride thin films prepared by reactive ion plating. Journal of Applied Physics, 1991, 70, 3007-3012.	1.1	85
485	Neutron-scattering studies of the structure of highly tetrahedral amorphous diamondlike carbon. Physical Review Letters, 1991, 67, 1286-1289.	2.9	171
486	Synthesis, structure and applications of amorphous diamond. Thin Solid Films, 1991, 206, 198-203.	0.8	67

#	ARTICLE	IF	CITATIONS
487	Anomalous voltage-current characteristics in the sputtering of YBaCuO. <i>Physica C: Superconductivity and Its Applications</i> , 1991, 183, 172-176.	0.6	0
488	Optical properties and microstructure of thin silver films. <i>Optics Communications</i> , 1991, 85, 70-82.	1.0	40
489	Compressive-stress-induced formation of thin-film tetrahedral amorphous carbon. <i>Physical Review Letters</i> , 1991, 67, 773-776.	2.9	919
490	Influence of dc bias voltage on the refractive index and stress of carbon-diamond films deposited from a CH ₄ /Ar rf plasma. <i>Journal of Applied Physics</i> , 1991, 70, 5374-5379.	1.1	47
491	Electron diffraction of amorphous thin films using PEELS. <i>Microscopy Microanalysis Microstructures</i> , 1991, 2, 359-366.	0.4	35
492	Electron optical techniques for microstructural and compositional analysis of thin films. <i>Thin Solid Films</i> , 1990, 193-194, 418-430.	0.8	30
493	Spatial variations in the stoichiometry of sputtered YBaCuO thin films: theory and experiment. <i>Physica C: Superconductivity and Its Applications</i> , 1990, 170, 473-480.	0.6	3
494	Properties of ZrN x prepared by ion-assisted deposition. <i>Journal of Materials Science Letters</i> , 1990, 9, 972-974.	0.5	39
495	An electron diffraction study of amorphous hydrogenated germanium-carbon thin films. <i>Journal of Applied Physics</i> , 1990, 68, 3194-3197.	1.1	28
496	Light emission from a titanium vacuum arc using Fizeau interferometry with parallel detection. <i>Applied Optics</i> , 1990, 29, 5145.	2.1	6
497	Optical properties of chemically ordered a-Si ^{1-x} C _x : H alloys. <i>Journal of Applied Physics</i> , 1989, 65, 1694-1698.	1.1	22
498	Ion-assisted deposition of mixed TiO ₂ -SiO ₂ films. <i>Journal of Applied Physics</i> , 1989, 66, 1805-1809.	1.1	119
499	Using ELNES with parallel EELS for differentiating between a-Si:X thin films. <i>Ultramicroscopy</i> , 1989, 31, 217-221.	0.8	21
500	Applications of the near-edge and low-loss fine structure in the analysis of diamond. <i>Ultramicroscopy</i> , 1989, 28, 43-46.	0.8	8
501	An XPS study of chemical order in hydrogenated amorphous silicon-carbon alloy films. <i>Physica Status Solidi (B): Basic Research</i> , 1989, 152, 475-480.	0.7	12
502	Silver-magnesium fluoride cermet films 2: Optical and electrical properties. <i>Applied Optics</i> , 1989, 28, 2744.	2.1	28
503	Properties of powders deposited by silane/hydrogen and silane/methane plasmas. <i>Journal of Non-Crystalline Solids</i> , 1989, 109, 318-326.	1.5	2
504	Cathode spot phenomena in titanium vacuum arcs. <i>Journal of Applied Physics</i> , 1989, 66, 505-512.	1.1	37

#	ARTICLE	IF	CITATIONS
505	Monte Carlo calculation of the thermalization of atoms sputtered from the cathode of a sputtering discharge. <i>Journal of Applied Physics</i> , 1989, 65, 3671-3679.	1.1	130
506	Electron diffraction analysis of polycrystalline and amorphous thin films. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 1988, 44, 870-878.	0.3	177
507	Structure and hardness of diamond-like carbon films prepared by arc evaporation. <i>Journal of Materials Science Letters</i> , 1988, 7, 410-412.	0.5	144
508	EELS analysis of vacuum arc-deposited diamond-like films. <i>Philosophical Magazine Letters</i> , 1988, 57, 285-290.	0.5	563
509	Optical constants of amorphous hydrogenated germanium thin films. <i>Applied Optics</i> , 1988, 27, 3344.	2.1	16
510	Electron energy loss study of bonding in amorphous silicon-carbon alloy films prepared with hydrogen dilution. <i>Applied Physics Letters</i> , 1988, 53, 2284-2286.	1.5	8
511	The structure and properties of ion-beam-synthesized boron nitride films. <i>Journal of Applied Physics</i> , 1988, 64, 3980-3986.	1.1	37
512	Growth dynamics of aluminum nitride and aluminum oxide thin films synthesized by ion-assisted deposition. <i>Journal of Applied Physics</i> , 1988, 63, 760-769.	1.1	39
513	Twin structures, transformation and symmetry of superconducting $Y_{1-x}Ba_2Cu_3O_{7-x}$, observed by transmission electron microscopy. <i>Philosophical Magazine Letters</i> , 1988, 57, 157-163.	0.5	12
514	Electron-diffraction study of chemical ordering in glow-discharge $a-Si_1-xC_x:H$. <i>Physical Review B</i> , 1988, 37, 8875-8881.	1.1	47
515	Electron diffraction study of the structure of boron-and phosphorus-doped hydrogenated amorphous silicon. <i>The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties</i> , 1988, 57, 753-761.	0.6	9
516	Characterization of a Ti vacuum arc and the structure of deposited Ti and TiN films. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1987, 5, 22-28.	0.9	61
517	Influence of ion assistance on the optical properties of MgF ₂ . <i>Applied Optics</i> , 1987, 26, 1235.	2.1	41
518	Microstructure of zirconium films deposited with ion assistance. <i>Journal of Materials Science</i> , 1987, 22, 3725-3731.	1.7	19
519	Characteristics of titanium arc evaporation processes. <i>Thin Solid Films</i> , 1987, 153, 91-102.	0.8	116
520	Accuracy of optical data derived from electron energy loss spectra by kramers-krönig analysis. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , 1987, 43, 53-59.	0.8	6
521	An interferometric investigation of the thermalization of copper atoms in a magnetron sputtering discharge. <i>Journal of Applied Physics</i> , 1986, 59, 720-724.	1.1	40
522	Steady-state photoconductivity in $a-Si:H$ prepared by d.c. magnetron methods. <i>The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties</i> , 1986, 54, 255-272.	0.6	4

#	ARTICLE	IF	CITATIONS
523	Structural study of hydrogenated amorphous silicon-carbon alloys. The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties, 1986, 54, 113-131.	0.6	57
524	Properties of indium tin oxide films prepared by ion-assisted deposition. Thin Solid Films, 1986, 137, 207-214.	0.8	22
525	Bonding in a-Si _{1-x} C _x : H films studied by electron energy loss near edge structure. Solid State Communications, 1986, 59, 325-329.	0.9	25
526	Electron Imaging and Energy Loss Studies of the Crystallization of Hydrogenated Amorphous Silicon. Physica Status Solidi A, 1986, 96, 67-73.	1.7	1
527	Infrared absorption and bonding in amorphous hydrogenated silicon-carbon alloys. Journal Physics D: Applied Physics, 1985, 18, 1935-1948.	1.3	86
528	dc magnetron production of amorphous silicon solar cells. Journal of Applied Physics, 1984, 56, 2356-2361.	1.1	7
529	DC magnetron glow discharge amorphous silicon. Solar Energy Materials and Solar Cells, 1984, 11, 45-56.	0.4	9
530	Long term performance of evacuated tubular solar water heaters in Sydney, Australia. Solar Energy, 1984, 32, 785-791.	2.9	51
531	Unambiguous determination of optical constants of absorbing films by reflectance and transmittance measurements. Applied Optics, 1984, 23, 1197.	2.1	77
532	Analysis of films prepared by plasma polymerization of acetylene in a D.C. magnetron. Thin Solid Films, 1983, 108, 247-256.	0.8	68
533	Electron spin resonance study of amorphous hydrogenated carbon films. Thin Solid Films, 1983, 108, 257-264.	0.8	60
534	Optical properties of thin amorphous silicon and amorphous hydrogenated silicon films produced by ion beam techniques. Thin Solid Films, 1983, 100, 141-148.	0.8	23
535	Optical constants of amorphous hydrogenated carbon and silicon-carbon alloy films and their application in high temperature solar selective surfaces. Solar Energy Materials and Solar Cells, 1983, 9, 113-126.	0.4	38
536	Trends in optical parameters and band structure with increasing hydrogenation of amorphous silicon. Solid State Communications, 1983, 48, 189-193.	0.9	25
537	Properties and structure of amorphous hydrogenated carbon films. The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties, 1983, 48, 341-364.	0.6	117
538	Electron-Diffraction Evidence for Threefold Coordination in Amorphous Hydrogenated Carbon Films. Physical Review Letters, 1983, 51, 280-283.	2.9	52
539	Optical properties of a-Si and a-Si:H prepared by DC magnetron techniques. Journal of Physics C: Solid State Physics, 1983, 16, 4933-4944.	1.5	21
540	<title>Low Emittance Coatings For High Temperature Solar Collectors</title>. Proceedings of SPIE, 1983, 0428, 166.	0.8	3

#	ARTICLE	IF	CITATIONS
541	Hydrogenated carbon films produced by sputtering in argon-hydrogen mixtures. Applied Optics, 1982, 21, 3615.	2.1	39
542	Optical constants and microstructure of stainless steel-carbon films prepared by reactive magnetron sputtering. Solar Energy Materials and Solar Cells, 1982, 6, 455-466.	0.4	17
543	Analysis of graded metal-carbon films produced by dual-cathode sputtering. Thin Solid Films, 1982, 91, 123-130.	0.8	3
544	Prediction of reflectance of metal carbon solar absorbing films for their enhancement by annealing. Solar Energy Materials and Solar Cells, 1982, 7, 75-84.	0.4	5
545	Extraction of structural information from measured transport properties of composites. Applied Physics A: Solids and Surfaces, 1982, 29, 19-27.	1.4	51
546	Colloidally deposited high-temperature solar selective surfaces. Applied Optics, 1981, 20, 4051.	2.1	3
547	Transport properties of arrays of intersecting cylinders. Applied Physics Berlin, 1981, 25, 23-30.	1.4	77
548	Optimization of solar selectivity in colloidally produced solar selective coatings. Thin Solid Films, 1981, 85, 191-195.	0.8	4
549	Properties of hydrogenated carbon films produced by reactive magnetron sputtering. Solar Energy Materials and Solar Cells, 1981, 6, 97-106.	0.4	31
550	Enhancement of absorptance of selective coatings with colloidal films. Solar Energy Materials and Solar Cells, 1981, 6, 107-111.	0.4	4
551	Magnetron sputtering of solar coatings inside tubes. Journal of Vacuum Science and Technology, 1981, 19, 700-703.	1.9	1
552	Properties of solar absorbing films produced by an in-line sputter coating plant. Journal of Vacuum Science and Technology, 1981, 19, 181-184.	1.9	4
553	In-line production system for sputter deposition of graded index solar absorbing films. Journal of Vacuum Science and Technology, 1981, 19, 93-95.	1.9	8
554	Electrostatic and optical resonances of arrays of cylinders. Applied Physics Berlin, 1980, 23, 223-235.	1.4	72
555	Selective absorber design. Solar Energy Materials and Solar Cells, 1980, 2, 395-401.	0.4	13
556	Production of solar absorbing cermet films by dual cathode d.c. magnetron sputtering. Thin Solid Films, 1979, 62, 317-325.	0.8	15
557	Optical properties of dense regular cermets with relevance to selective solar absorbers. Thin Solid Films, 1979, 57, 321-326.	0.8	26
558	Cylindrical magnetron sputtering system for coating solar selective surfaces onto batches of tubes. Journal of Vacuum Science and Technology, 1979, 16, 2105-2108.	1.9	50

#	ARTICLE	IF	CITATIONS
559	Gold, silver, chromium, and copper cermet selective surfaces for evacuated solar collectors. Applied Physics Letters, 1979, 34, 25-28.	1.5	40
560	Gold black and gold cermet absorbing surfaces. Gold Bulletin, 1978, 11, 49-53.	3.2	8
561	Exact modelling of cubic lattice permittivity and conductivity. Nature, 1977, 265, 128-129.	13.7	69
562	Selective nature of gold-black deposits. Journal of the Optical Society of America, 1976, 66, 249.	1.2	25
563	The dc sputter coating of solar-selective surfaces onto tubes. Journal of Vacuum Science and Technology, 1976, 13, 1073-1075.	1.9	17
564	Neutron and Raman study of the lattice dynamics of deuterated thiourea. Journal of Physics C: Solid State Physics, 1975, 8, 2003-2010.	1.5	16
565	The antiferroelectric transition in thiourea studied by thermal neutron scattering. Journal of Physics C: Solid State Physics, 1975, 8, 1607-1619.	1.5	34
566	Dielectric properties and ferroelectric transitions of thiourea. Journal of Physics C: Solid State Physics, 1973, 6, 767-773.	1.5	22
567	Lattice dynamics of urea. Journal of Physics C: Solid State Physics, 1971, 4, 2304-2312.	1.5	4
568	Far-infrared transmission spectrum of thiourea. Solid State Communications, 1970, 8, 2059-2061.	0.9	14
569	An integrated solution for rapid biosensing combining linker free binding, freeze drying and high sensitivity ellipsometric detection. Nature Precedings, 0, , .	0.1	1
570	Structural effects in ion-beam-modified polymers. , 0, .		1
571	Optical properties of plasma-treated PEEK: Monitoring colour and crystallinity for applications in medicine and dentistry using ellipsometry. Plasma Processes and Polymers, 0, , .	1.6	1
572	Plasma deposited high surface area-activated carbon coatings: Theory combining particle generation, aggregation and deposition explains microstructure. Plasma Processes and Polymers, 0, , .	1.6	0