

Audny Anke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3588418/publications.pdf>

Version: 2024-02-01

42
papers

2,458
citations

471509

17
h-index

265206

42
g-index

47
all docs

47
docs citations

47
times ranked

3514
citing authors

#	ARTICLE	IF	CITATIONS
1	Motivating Physical Activity for Individuals with Intellectual Disability through Indoor Bike Cycling and Exergaming. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2914.	2.6	3
2	mHealth Support to Stimulate Physical Activity in Individuals With Intellectual Disability: Protocol for a Mixed Methods Pilot Study. <i>JMIR Research Protocols</i> , 2022, 11, e37849.	1.0	4
3	Stroke-Specific Quality of Life one-year post-stroke in two Scandinavian country-regions with different organisation of rehabilitation services: a prospective study. <i>Disability and Rehabilitation</i> , 2021, 43, 3810-3820.	1.8	19
4	Factors associated with met and unmet rehabilitation needs after stroke: A multicentre cohort study in Denmark and Norway. <i>Journal of Rehabilitation Medicine</i> , 2021, .	1.1	3
5	Rehabilitation Needs, Service Provision, and Costs in the First Year Following Traumatic Injuries: Protocol for a Prospective Cohort Study. <i>JMIR Research Protocols</i> , 2021, 10, e25980.	1.0	5
6	How do multimorbidity and lifestyle factors impact the perceived health of adults with intellectual disabilities?. <i>Journal of Intellectual Disability Research</i> , 2021, 65, 772-783.	2.0	9
7	Factors associated with non-completion of and scores on physical capability tests in health surveys: The North Health in Intellectual Disability Study. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2021, , .	2.0	4
8	Return to work after severe traumatic brain injury: a national study with a one-year follow-up of neurocognitive and behavioural outcomes. <i>Neuropsychological Rehabilitation</i> , 2020, 30, 281-297.	1.6	29
9	Family needs at one and two years after severe traumatic brain injury: a prospective study of changes and predictors. <i>Brain Injury</i> , 2020, 34, 89-97.	1.2	11
10	Clinical effect modifiers of antibiotic treatment in patients with chronic low back pain and Modic changes - secondary analyses of a randomised, placebo-controlled trial (the AIM study). <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 458.	1.9	9
11	The Family Needs Questionnaire-Revised: a Rasch analysis of measurement properties in the chronic phase after traumatic brain injury. <i>Brain Injury</i> , 2020, 34, 1375-1383.	1.2	3
12	Persistent pain associated with socioeconomic and personal factors in a Sami and Non-Sami population in Norway: an analysis of SAMINOR 2 survey data. <i>International Journal of Circumpolar Health</i> , 2020, 79, 1787022.	1.2	1
13	Family members and health care workers' perspectives on motivational factors of participation in physical activity for people with intellectual disability: A qualitative study. <i>Journal of Intellectual Disability Research</i> , 2020, 64, 259-270.	2.0	17
14	Physical Activity With Tailored mHealth Support for Individuals With Intellectual Disabilities: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e19213.	1.0	11
15	eHealth Approach for Motivating Physical Activities of People with Intellectual Disabilities. <i>IFIP Advances in Information and Communication Technology</i> , 2020, , 31-41.	0.7	5
16	Experiences of quality of life the first year after stroke in Denmark and Norway. A qualitative analysis. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2019, 14, 1659540.	1.6	34
17	A quality indicator set for use in rehabilitation team care of people with rheumatic and musculoskeletal diseases; development and pilot testing. <i>BMC Health Services Research</i> , 2019, 19, 265.	2.2	15
18	Cortical Thickness and Cognitive Performance After Out-of-Hospital Cardiac Arrest. <i>Neurorehabilitation and Neural Repair</i> , 2019, 33, 296-306.	2.9	5

#	ARTICLE	IF	CITATIONS
19	Efficacy of antibiotic treatment in patients with chronic low back pain and Modic changes (the AIM) Tj ETQq1 1 0.784314 rgBT /Overlacc	6.0	77
20	Validity, reliability and Norwegian adaptation of the Stroke-Specific Quality of Life (SS-QOL) scale. SAGE Open Medicine, 2018, 6, 205031211775203.	1.8	18
21	Memory performance, global cerebral volumes and hippocampal subfield volumes in long-term survivors of Out-of-Hospital Cardiac Arrest. Resuscitation, 2018, 126, 21-28.	3.0	15
22	Early versus lateâ€applied constraintâ€induced movement therapy: A multisite, randomized controlled trial with a 12â€month followâ€up. Physiotherapy Research International, 2018, 23, e1689.	1.5	11
23	Family membersâ€™ experience with in-hospital health care after severe traumatic brain injury: a national multicentre study. BMC Health Services Research, 2018, 18, 951.	2.2	13
24	Can the health related quality of life measure QOLIBRI- overall scale (OS) be of use after stroke? A validation study. BMC Neurology, 2018, 18, 98.	1.8	6
25	Patterns of change and stability in caregiver burden and life satisfaction from 1ÂtoÂ2Âyears after severe traumatic brain injury: AÂNorwegian longitudinal study. NeuroRehabilitation, 2017, 40, 211-222.	1.3	42
26	Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. Lancet Neurology, The, 2017, 16, 987-1048.	10.2	1,571
27	Antibiotic treatment In patients with chronic low back pain and Modic changes (the AIM study): study protocol for a randomised controlled trial. Trials, 2017, 18, 596.	1.6	21
28	The family experiences of in-hospital care questionnaire in severe traumatic brain injury (FECQ-TBI): a validation study. BMC Health Services Research, 2016, 16, 675.	2.2	1
29	Alterations in cognitive outcome between 3 and 12 months in survivors of out-of-hospital cardiac arrest. Resuscitation, 2016, 105, 92-99.	3.0	47
30	Olfactory identification and its relationship to executive functions, memory, and disability one year after severe traumatic brain injury.. Neuropsychology, 2016, 30, 98-108.	1.3	23
31	Rehabilitation pathways and functional independence one year after severe traumatic brain injury. European Journal of Physical and Rehabilitation Medicine, 2016, 52, 650-661.	2.2	15
32	Factors Affecting Caregiver Burden 1 Year After Severe Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2015, 30, 411-423.	1.7	70
33	Functional Recovery and Life Satisfaction in the First Year After Severe Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2015, 30, E38-E49.	1.7	38
34	Family needs after brain injury: A cross cultural study. NeuroRehabilitation, 2015, 36, 203-214.	1.3	36
35	Norwegian constraint-induced therapy multisite trial: Adherence to treatment protocol applied early after stroke. Journal of Rehabilitation Medicine, 2015, 47, 816-823.	1.1	13
36	Mortality and One-Year Functional Outcome in Elderly and Very Old Patients with Severe Traumatic Brain Injuries: Observed and Predicted. Behavioural Neurology, 2015, 2015, 1-7.	2.1	23

#	ARTICLE	IF	CITATIONS
37	Efficacy of Constraint-Induced Movement Therapy in Early Stroke Rehabilitation. <i>Neurorehabilitation and Neural Repair</i> , 2015, 29, 517-525.	2.9	33
38	Determinants of cognitive outcome in survivors of out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2014, 85, 1462-1468.	3.0	34
39	A meta-analysis of constraint-induced movement therapy after stroke. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 833-842.	1.1	37
40	Severe traumatic brain injury in Norway: Impact of age on outcome. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 734-740.	1.1	25
41	Life satisfaction in subjects with long-term musculoskeletal pain in relation to pain intensity, pain distribution and coping. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 277-285.	1.1	15
42	Incidence of Hospital-Admitted Severe Traumatic Brain Injury and In-Hospital Fatality in Norway: A National Cohort Study. <i>Neuroepidemiology</i> , 2012, 38, 259-267.	2.3	87