## Hein van Hout

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3590458/publications.pdf

Version: 2024-02-01

129 papers 6,008 citations

76326 40 h-index 72 g-index

142 all docs 142 docs citations

times ranked

142

8428 citing authors

#	Article	IF	CITATIONS
1	Depression and the risk for cardiovascular diseases: systematic review and meta analysis. International Journal of Geriatric Psychiatry, 2007, 22, 613-626.	2.7	785
2	Patients' preferences in the treatment of depressive disorder in primary care. General Hospital Psychiatry, 2004, 26, 184-189.	2.4	349
3	Depression Is Associated With Decreased Blood Pressure, but Antidepressant Use Increases the Risk for Hypertension. Hypertension, 2009, 53, 631-638.	2.7	257
4	What do community-dwelling people with dementia need? A survey of those who are known to care and welfare services. International Psychogeriatrics, 2009, 21, 949.	1.0	193
5	Explaining the association between educational level and frailty in older adults: results from a 13-year longitudinal study in the Netherlands. Annals of Epidemiology, 2014, 24, 538-544.e2.	1.9	161
6	The identification of frail older adults in primary care: comparing the accuracy of five simple instruments. Age and Ageing, 2013, 42, 262-265.	1.6	139
7	General practitioners on dementia: tasks, practices and obstacles. Patient Education and Counseling, 2000, 39, 219-225.	2.2	137
8	Cardiovascular disease in persons with depressive and anxiety disorders. Journal of Affective Disorders, 2010, 125, 241-248.	4.1	131
9	Incidence of Depression and Anxiety in the Spouses of Patients With Dementia: A Naturalistic Cohort Study of Recorded Morbidity With a 6-Year Follow-Up. American Journal of Geriatric Psychiatry, 2010, 18, 146-153.	1.2	131
10	The Two-Year Incidence of Depression and Anxiety Disorders in Spousal Caregivers of Persons with Dementia: Who is at the Greatest Risk?. American Journal of Geriatric Psychiatry, 2015, 23, 293-303.	1.2	126
11	Anxiety and the risk of death in older men and women. British Journal of Psychiatry, 2004, 185, 399-404.	2.8	112
12	Cost-effectiveness of a stepped care intervention to prevent depression and anxiety in late life: randomised trial. British Journal of Psychiatry, 2010, 196, 319-325.	2.8	103
13	Understanding obstacles to the recognition of and response to dementia in different European countries: A modified focus group approach using multinational, multi-disciplinary expert groups. Aging and Mental Health, 2005, 9, 1-6.	2.8	96
14	Depression in old age (75+), the PIKO study. Journal of Affective Disorders, 2008, 106, 295-299.	4.1	87
15	Depression, Anxiety, and Arterial Stiffness. Biological Psychiatry, 2011, 69, 795-803.	1.3	86
16	Interpersonal Psychotherapy for Elderly Patients in Primary Care. American Journal of Geriatric Psychiatry, 2006, 14, 777-786.	1.2	84
17	The accuracy of family physicians' dementia diagnoses at different stages of dementia: a systematic review. International Journal of Geriatric Psychiatry, 2012, 27, 342-354.	2.7	79
18	Preferences regarding disclosure of a diagnosis of dementia: a systematic review. International Psychogeriatrics, 2014, 26, 1603-1618.	1.0	76

#	Article	IF	CITATIONS
19	Does a Family Meetings Intervention Prevent Depression and Anxiety in Family Caregivers of Dementia Patients? A Randomized Trial. PLoS ONE, 2012, 7, e30936.	2.5	74
20	Impact of coaching by community pharmacists on drug attitude of depressive primary care patients and acceptability to patients; a randomized controlled trial. European Neuropsychopharmacology, 2003, 13, 1-9.	0.7	71
21	Associations between life stress and subclinical cardiovascular disease are partly mediated by depressive and anxiety symptoms. Journal of Psychosomatic Research, 2015, 78, 332-339.	2.6	69
22	Effectiveness of case management among older adults with early symptoms of dementia and their primary informal caregivers: A randomized clinical trial. International Journal of Nursing Studies, 2011, 48, 933-943.	5.6	68
23	Self-perceived met and unmet care needs of frail older adults in primary care. Archives of Gerontology and Geriatrics, 2014, 58, 37-42.	3.0	68
24	The prognosis of minor depression in the general population: a systematic review. General Hospital Psychiatry, 2004, 26, 453-462.	2.4	62
25	A Pharmacy-Based Coaching Program to Improve Adherence to Antidepressant Treatment Among Primary Care Patients. Psychiatric Services, 2005, 56, 487-489.	2.0	62
26	Evaluation of a Palliative Care Program for Nursing Homes in 7 Countries. JAMA Internal Medicine, 2020, 180, 233.	5.1	62
27	Effectiveness of a Geriatric Care Model for frail older adults in primary care: Results from a stepped wedge cluster randomized trial. European Journal of Internal Medicine, 2016, 28, 43-51.	2.2	58
28	Do GPs' medical records demonstrate a good recognition of depression? A new perspective on case extraction. Journal of Affective Disorders, 2011, 133, 522-527.	4.1	56
29	The prevalence, incidence and risk factors for delirium in Dutch nursing homes and residential care homes. International Journal of Geriatric Psychiatry, 2012, 27, 709-715.	2.7	55
30	Factors of Resilience in Informal Caregivers of People with Dementia from Integrative International Data Analysis. Dementia and Geriatric Cognitive Disorders, 2016, 42, 198-214.	1.5	55
31	Validity and reliability of the Dutch version of the Camberwell Assessment of Need for the Elderly in community-dwelling people with dementia. International Psychogeriatrics, 2008, 20, 1273.	1.0	54
32	Costâ€Effectiveness of a Chronic Care Model for Frail Older Adults in Primary Care: Economic Evaluation Alongside a Steppedâ€Wedge Clusterâ€Randomized Trial. Journal of the American Geriatrics Society, 2015, 63, 2494-2504.	2.6	53
33	The Incidence of Depression and Its Risk Factors in Dutch Nursing Homes and Residential Care Homes. American Journal of Geriatric Psychiatry, 2012, 20, 932-942.	1.2	52
34	The occurrence and persistence of thoughts of suicide, selfâ€harm and death in family caregivers of people with dementia: a longitudinal data analysis over 2Âyears. International Journal of Geriatric Psychiatry, 2018, 33, 263-270.	2.7	51
35	Measuring the opinions of memory clinic users: patients, relatives and general practitioners. International Journal of Geriatric Psychiatry, 2001, 16, 846-851.	2.7	49
36	CAMDEX, can it be more efficient? Observational study on the contribution of four screening measures to the diagnosis of dementia by a memory clinic team. International Journal of Geriatric Psychiatry, 2001, 16, 64-69.	2.7	49

#	Article	IF	Citations
37	Substantial between-country differences in organising community care for older people in Europe—a review. European Journal of Public Health, 2016, 26, 213-219.	0.3	48
38	Comparing Palliative Care in Care Homes Across Europe (PACE): Protocol of a Cross-sectional Study of Deceased Residents in 6 EU Countries. Journal of the American Medical Directors Association, 2016, 17, 566.e1-566.e7.	2.5	47
39	Comparison of 10 single and stepped methods to identify frail older persons in primary care: diagnostic and prognostic accuracy. BMC Family Practice, 2016, 17, 102.	2.9	46
40	Quality indicators for community care for older people: A systematic review. PLoS ONE, 2018, 13, e0190298.	2.5	45
41	Time from diagnosis to institutionalization and death in people with dementia. Alzheimer's and Dementia, 2020, 16, 662-671.	0.8	44
42	Do psychosocial resources modify the effects of frailty on functional decline and mortality?. Journal of Psychosomatic Research, 2014, 77, 547-551.	2.6	41
43	Consensus-based cross-European recommendations for the identification, measurement and valuation of costs in health economic evaluations: a European Delphi study. European Journal of Health Economics, 2018, 19, 993-1008.	2.8	39
44	Integrating palliative care in long-term care facilities across Europe (PACE): protocol of a cluster randomized controlled trial of the †PACE Steps to Success' intervention in seven countries. BMC Palliative Care, 2018, 17, 47.	1.8	39
45	Strategies for the implementation of palliative care education and organizational interventions in long-term care facilities: A scoping review. Palliative Medicine, 2020, 34, 558-570.	3.1	39
46	Insomnia in Longâ€Term Care Facilities: A Comparison of Seven European Countries and Israel: The Services and Health for Elderly in Long TERm care Study. Journal of the American Geriatrics Society, 2014, 62, 2033-2039.	2.6	38
47	Towards personalized integrated dementia care: a qualitative study into the implementation of different models of case management. BMC Geriatrics, 2014, 14, 84.	2.7	38
48	Multiple imputation strategies for zero-inflated cost data in economic evaluations: which method works best?. European Journal of Health Economics, 2016, 17, 939-950.	2.8	37
49	Interactions between drugs and geriatric syndromes in nursing home and home care: results from Shelter and IBenC projects. Aging Clinical and Experimental Research, 2018, 30, 1015-1021.	2.9	37
50	Dying in long-term care facilities in Europe: the PACE epidemiological study of deceased residents in six countries. BMC Public Health, 2019, 19, 1199.	2.9	37
51	Cost-effectiveness of a disease management program for major depression in elderly primary care patients. Journal of General Internal Medicine, 2006, 21, 1020-1026.	2.6	36
52	Depressive and anxiety disorders and risk of subclinical atherosclerosis. Journal of Psychosomatic Research, 2010, 69, 203-210.	2.6	36
53	The Cost-Effectiveness of Two Forms of Case Management Compared to a Control Group for Persons with Dementia and Their Informal Caregivers from a Societal Perspective. PLoS ONE, 2016, 11, e0160908.	2.5	36
54	Do general practitioners disclose correct information to their patients suspected of dementia and their caregivers? A prospective observational study. Aging and Mental Health, 2006, 10, 151-155.	2.8	34

#	Article	IF	Citations
55	Identifying target groups for the prevention of depression among caregivers of dementia patients. International Psychogeriatrics, 2012, 24, 298-306.	1.0	34
56	Evaluation of DEM-DISC, customized e-advice on health and social support services for informal carers and case managers of people with dementia; a cluster randomized trial. International Psychogeriatrics, 2015, 27, 1365-1378.	1.0	34
57	Palliative Care Implementation in Long-Term Care Facilities: European Association for Palliative Care White Paper. Journal of the American Medical Directors Association, 2020, 21, 1051-1057.	2.5	34
58	Sensitivity to depression or anxiety and subclinical cardiovascular disease. Journal of Affective Disorders, 2013, 146, 126-131.	4.1	33
59	Organizational home care models across Europe: A cross sectional study. International Journal of Nursing Studies, 2018, 77, 39-45.	5.6	32
60	A cross-sectional study to compare care needs of individuals with and without dementia in residential homes in the Netherlands. BMC Geriatrics, 2013, 13, 51.	2.7	31
61	Polypharmacy in Home Care in Europe: Cross-Sectional Data from the IBenC Study. Drugs and Aging, 2018, 35, 145-152.	2.7	31
62	Self-reports on the IQCODE in Older Adults: A Psychometric Evaluation. Journal of Geriatric Psychiatry and Neurology, 2008, 21, 83-92.	2.3	30
63	Determinants of (non-)recognition of depression by general practitioners: Results of the Netherlands study of depression and anxiety. Journal of Affective Disorders, 2012, 138, 397-404.	4.1	30
64	Diagnosing dementia with confidence by GPs. Family Practice, 2007, 24, 616-621.	1.9	29
65	Reviewing the definition of crisis in dementia care. BMC Geriatrics, 2013, 13, 10.	2.7	29
66	Quality of care in European home care programs using the second generation interRAI Home Care Quality Indicators (HCQIs). BMC Geriatrics, 2015, 15, 148.	2.7	29
67	Effects of coaching by community pharmacists on psychological symptoms of antidepressant users; a randomised controlled trial. European Neuropsychopharmacology, 2003, 13, 347-354.	0.7	28
68	How Effective Is Bibliotherapy for Very Old Adults With Subthreshold Depression? A Randomized Controlled Trial. American Journal of Geriatric Psychiatry, 2011, 19, 256-265.	1.2	28
69	Depression increases the onset of cardiovascular disease over and above other determinants in older primary care patients, a cohort study. BMC Cardiovascular Disorders, 2015, 15, 40.	1.7	27
70	Conversion of STOPP/START version 2 into coded algorithms for software implementation: A multidisciplinary consensus procedure. International Journal of Medical Informatics, 2019, 125, 110-117.	3.3	27
71	Recognition of anxiety disorders by family physicians after rigorous medical record case extraction. General Hospital Psychiatry, 2012, 34, 460-467.	2.4	26
72	The cost-effectiveness of a family meetings intervention to prevent depression and anxiety in family caregivers of patients with dementia: a randomized trial. Trials, 2013, 14, 305.	1.6	26

#	Article	IF	CITATIONS
73	Evaluating the implementation of the PACE Steps to Success Programme in long-term care facilities in seven countries according to the RE-AIM framework. Implementation Science, 2019, 14, 107.	6.9	26
74	Community-Dwelling Patients With Dementia and Their Informal Caregivers With and Without Case Management: 2-Year Outcomes of a Pragmatic Trial. Journal of the American Medical Directors Association, 2015, 16, 800.e1-800.e8.	2.5	25
75	Toward an evidence-based implementation model and checklist for personalized dementia care in the community. International Psychogeriatrics, 2016, 28, 801-813.	1.0	21
76	Resilience in older persons: A systematic review of the conceptual literature. Ageing Research Reviews, 2020, 63, 101144.	10.9	21
77	Cost-effectiveness of usual general practitioner care with or without antidepressant medication for patients with minor or mild-major depression. Journal of Affective Disorders, 2008, 111, 106-112.	4.1	19
78	High incidence of clinically relevant depressive symptoms in vulnerable persons of 75 years or older living in the community. Aging and Mental Health, 2010, 14, 828-833.	2.8	19
79	Specifying ICD9, ICPC and ATC codes for the STOPP/START criteria: a multidisciplinary consensus panel. Age and Ageing, 2014, 43, 773-778.	1.6	19
80	Information for dementia patients and their caregivers: What information does a memory clinic pass on, and to whom?. Aging and Mental Health, 2003, 7, 34-38.	2.8	18
81	Cost-effectiveness of interpersonal psychotherapy for elderly primary care patients with major depression. International Journal of Technology Assessment in Health Care, 2007, 23, 480-487.	0.5	18
82	Screening for Mild Cognitive Impairment and Dementia with Automated, Anonymous Online and Telephone Cognitive Self-Tests. Journal of Alzheimer's Disease, 2017, 56, 249-259.	2.6	18
83	Social and functional health of home care clients with different levels of cognitive impairments. Aging and Mental Health, 2017, 21, 18-23.	2.8	18
84	Application of the STOPP/START criteria to a medical record database. Pharmacoepidemiology and Drug Safety, 2017, 26, 1242-1247.	1.9	17
85	The process of family-centered counseling for caregivers of persons with dementia: barriers, facilitators and benefits. International Psychogeriatrics, 2010, 22, 769-777.	1.0	16
86	Case Finding of Mild Cognitive Impairment and Dementia and Subsequent Care; Results of a Cluster RCT in Primary Care. PLoS ONE, 2016, 11, e0156958.	2.5	16
87	Depression in Dutch homes for the elderly: underâ€diagnosis in demented residents?. International Journal of Geriatric Psychiatry, 2010, 25, 712-718.	2.7	15
88	Predictors of Societal Costs in Dementia Patients and Their Informal Caregivers: A Two-Year Prospective Cohort Study. American Journal of Geriatric Psychiatry, 2015, 23, 1193-1203.	1.2	15
89	Development of a novel benchmark method to identify and characterize best practices in home care across six European countries: design, baseline, and rationale of the IBenC project. BMC Health Services Research, 2019, 19, 310.	2.2	15
90	Implementation of geriatric assessment and decision support in residential care homes: facilitating and impeding factors during initial and maintenance phase. BMC Health Services Research, 2013, 13, 8.	2.2	14

#	Article	IF	Citations
91	Convergent validity of the interRAI-HC for societal costs estimates in comparison with the RUD Lite instrument in community dwelling older adults. BMC Health Services Research, 2016, 16, 440.	2.2	14
92	Accessibility of health care experienced by persons with dementia from ethnic minority groups and formal and informal caregivers: A scoping review of European literature. Dementia, 2022, 21, 677-700.	2.0	14
93	Cross-Country Validation of the Association Between Oral Health and General Health in Community-Dwelling Older Adults. Journal of the American Medical Directors Association, 2019, 20, 1137-1142.e2.	2.5	13
94	Drug Burden Index and Cognitive and Physical Function in Aged Care Residents: A Longitudinal Study. Journal of the American Medical Directors Association, 2020, 21, 1086-1092.e1.	2.5	12
95	Predictors of Frailty and Vitality in Older Adults Aged 75 years and Over: Results from the Longitudinal Aging Study Amsterdam. Gerontology, 2021, 67, 69-77.	2.8	11
96	Physician Visits and Recognition of Residents' Terminal Phase in Long-Term Care Facilities: Findings From the PACE Cross-Sectional Study in 6 EU Countries. Journal of the American Medical Directors Association, 2019, 20, 696-702.e1.	2.5	10
97	Dutch family physicians' awareness of cognitive impairment among the elderly. BMC Geriatrics, 2015, 15, 105.	2.7	9
98	Prevalence of Preventive Cardiovascular Medication Use In Nursing Home Residents. Room for Deprescribing? The SHELTER Study. Journal of the American Medical Directors Association, 2017, 18, 1037-1042.	2.5	9
99	Multimorbidity Patterns and 5-Year Mortality in Institutionalized Older Adults. Journal of the American Medical Directors Association, 2022, 23, 1389-1395.e4.	2.5	9
100	Tailored mental health care after nursing home admission: improving transfers of people with dementia with behavioral problems. An explorative study. Aging and Mental Health, 2015, 19, 902-911.	2.8	8
101	Duration of Care Trajectories in Persons With Dementia Differs According to Demographic and Clinical Characteristics. Journal of the American Medical Directors Association, 2020, 21, 1102-1107.e6.	2.5	8
102	Potentially Inappropriate Treatments at the End of Life in Nursing Home Residents: Findings From the PACE Cross-Sectional Study in Six European Countries. Journal of Pain and Symptom Management, 2021, 61, 732-742.e1.	1.2	8
103	Are older long term care residents accurately prognosticated and consequently informed about their prognosis? Results from SHELTER study data in 5 European countries. PLoS ONE, 2018, 13, e0200590.	2.5	7
104	Perception of the Quality of Communication With Physicians Among Relatives of Dying Residents of Long-term Care Facilities in 6 European Countries: PACE Cross-Sectional Study. Journal of the American Medical Directors Association, 2020, 21, 331-337.	2.5	7
105	Quality of Care and Job Satisfaction in the European Home Care Setting: Research Protocol. International Journal of Integrated Care, 2016, 16, 14.	0.2	7
106	From protocolized to person-centered chronic care in general practice: study protocol of an action-based research project (COPILOT). Primary Health Care Research and Development, 2019, 20, e134.	1.2	6
107	Signs of Inequality? Variations in Providing Home Health Care Across Care Organizations and Across European Countries in the IBenC Study. Health Services Insights, 2019, 12, 117863291983763.	1.3	5
108	Care Professionals Manage the Future, Frail Older Persons the Past. Explaining Why Frailty Management in Primary Care Doesn't Always Work. Frontiers in Medicine, 2020, 7, 489.	2.6	5

#	Article	IF	Citations
109	Psychotropic drug prescription rates in primary care for people with dementia from recorded diagnosis onwards. International Journal of Geriatric Psychiatry, 2021, 36, 443-451.	2.7	5
110	Agreement of Nursing Home Staff With Palliative Care Principles: A PACE Cross-sectional Study Among Nurses and Care Assistants in Five European Countries. Journal of Pain and Symptom Management, 2019, 58, 824-834.	1.2	4
111	The Prevalence and Persistence of Dizziness in Older European Home Care Recipients: A Prospective Cohort Study. Journal of the American Medical Directors Association, 2020, 21, 338-343.e1.	2.5	4
112	Decreased costs and retained QoL due to the †PACE Steps to Success†intervention in LTCFs: cost-effectiveness analysis of a randomized controlled trial. BMC Medicine, 2020, 18, 258.	5.5	4
113	Prevalence and predictors of influenza vaccination in long-term care homes: a cross-national retrospective observational study. BMJ Open, 2022, 12, e057517.	1.9	4
114	Predictors of Societal Costs of Older Care-Dependent Adults Living in the Community in 11 European Countries. Health Services Insights, 2019, 12, 117863291882094.	1.3	3
115	Multimorbidity in General Practice: Unmet Care Needs From a Patient Perspective. Frontiers in Medicine, 2020, 7, 530085.	2.6	3
116	Safety risks among frail older people living at home in the Netherlands – A crossâ€sectional study in a routine primary care sample. Health and Social Care in the Community, 2022, 30, .	1.6	3
117	Pharmacological management of osteoporosis in nursing home residents: the Shelter study. Maturitas, 2021, 143, 184-189.	2.4	3
118	Place of Death with Dementiaâ€"Dutch People Rarely Die in the Hospital. Journal of the American Geriatrics Society, 2015, 63, 1961-1962.	2.6	2
119	Factors Associated with Perception of the Quality of Physicians' End-of-life Communication in Long-Term Care Facilities: PACE Cross-Sectional Study. Journal of the American Medical Directors Association, 2020, 21, 439.e1-439.e8.	2.5	2
120	Adverse Life Events: Do Home Care Clients Have Resources for Mastering Them?. Frontiers in Medicine, 2021, 8, 522410.	2.6	2
121	How Transitions in Dementia Care Trajectories Affect Health Problems in Partners: A Longitudinal Analysis With Linked Health and Administrative Data. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2021, 76, 1186-1194.	3.9	2
122	Development and validation of an algorithm to estimate the risk of severe complications of COVID-19: a retrospective cohort study in primary care in the Netherlands. BMJ Open, 2021, 11, e050059.	1.9	2
123	Mood Disturbances Across the Continuum of Care Based on Self-Report and Clinician Rated Measures in the interRAI Suite of Assessment Instruments. Frontiers in Psychiatry, 2022, 13, 787463.	2.6	2
124	Pro-actieve zorg voor kwetsbare ouderen: terug bij af?. Huisarts En Wetenschap, 2016, 59, 451-453.	0.0	1
125	Consensus on treatment for residents in long-term care facilities: perspectives from relatives and care staff in the PACE cross-sectional study in 6 European countries. BMC Palliative Care, 2019, 18, 73.	1.8	1
126	Feasibility of a new multifactorial fall prevention assessment and personalized intervention among older people recently discharged from the emergency department. PLoS ONE, 2022, 17, e0268682.	2.5	1

#	Article	IF	CITATIONS
127	WHOM DO WE SERVE? DIVERSITY OF OLDER COMMUNITY CARE RECIPIENTS' FUNCTIONING ACROSS EURO Innovation in Aging, 2019, 3, S36-S36.	PE U.1	0
128	Best practices for frail older persons and their care professionals in the European home care setting: study protocol. International Journal of Integrated Care, 2014, 14, .	0.2	0
129	Development and Validation of a Prediction Model for 6-Month Societal Costs in Older Community Care-Recipients in Multiple Countries; the IBenC Study. Health Services Insights, 2020, 13, 117863292098046.	1.3	O