
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3590458/publications.pdf Version: 2024-02-01



HEIN VAN HOUT

#	Article	IF	CITATIONS
1	Safety risks among frail older people living at home in the Netherlands – A crossâ€sectional study in a routine primary care sample. Health and Social Care in the Community, 2022, 30, .	1.6	3
2	Multimorbidity Patterns and 5-Year Mortality in Institutionalized Older Adults. Journal of the American Medical Directors Association, 2022, 23, 1389-1395.e4.	2.5	9
3	Accessibility of health care experienced by persons with dementia from ethnic minority groups and formal and informal caregivers: A scoping review of European literature. Dementia, 2022, 21, 677-700.	2.0	14
4	Prevalence and predictors of influenza vaccination in long-term care homes: a cross-national retrospective observational study. BMJ Open, 2022, 12, e057517.	1.9	4
5	Mood Disturbances Across the Continuum of Care Based on Self-Report and Clinician Rated Measures in the interRAI Suite of Assessment Instruments. Frontiers in Psychiatry, 2022, 13, 787463.	2.6	2
6	Feasibility of a new multifactorial fall prevention assessment and personalized intervention among older people recently discharged from the emergency department. PLoS ONE, 2022, 17, e0268682.	2.5	1
7	Potentially Inappropriate Treatments at the End of Life in Nursing Home Residents: Findings From the PACE Cross-Sectional Study in Six European Countries. Journal of Pain and Symptom Management, 2021, 61, 732-742.e1.	1.2	8
8	Pharmacological management of osteoporosis in nursing home residents: the Shelter study. Maturitas, 2021, 143, 184-189.	2.4	3
9	Psychotropic drug prescription rates in primary care for people with dementia from recorded diagnosis onwards. International Journal of Geriatric Psychiatry, 2021, 36, 443-451.	2.7	5
10	Predictors of Frailty and Vitality in Older Adults Aged 75 years and Over: Results from the Longitudinal Aging Study Amsterdam. Gerontology, 2021, 67, 69-77.	2.8	11
11	Adverse Life Events: Do Home Care Clients Have Resources for Mastering Them?. Frontiers in Medicine, 2021, 8, 522410.	2.6	2
12	How Transitions in Dementia Care Trajectories Affect Health Problems in Partners: A Longitudinal Analysis With Linked Health and Administrative Data. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2021, 76, 1186-1194.	3.9	2
13	Development and validation of an algorithm to estimate the risk of severe complications of COVID-19: a retrospective cohort study in primary care in the Netherlands. BMJ Open, 2021, 11, e050059.	1.9	2
14	Perception of the Quality of Communication With Physicians Among Relatives of Dying Residents of Long-term Care Facilities in 6 European Countries: PACE Cross-Sectional Study. Journal of the American Medical Directors Association, 2020, 21, 331-337.	2.5	7
15	Evaluation of a Palliative Care Program for Nursing Homes in 7 Countries. JAMA Internal Medicine, 2020, 180, 233.	5.1	62
16	Factors Associated with Perception of the Quality of Physicians' End-of-life Communication in Long-Term Care Facilities: PACE Cross-Sectional Study. Journal of the American Medical Directors Association, 2020, 21, 439.e1-439.e8.	2.5	2
17	The Prevalence and Persistence of Dizziness in Older European Home Care Recipients: A Prospective Cohort Study. Journal of the American Medical Directors Association, 2020, 21, 338-343.e1.	2.5	4
18	Decreased costs and retained QoL due to the †PACE Steps to Success' intervention in LTCFs: cost-effectiveness analysis of a randomized controlled trial. BMC Medicine, 2020, 18, 258.	5.5	4

#	Article	IF	CITATIONS
19	Drug Burden Index and Cognitive and Physical Function in Aged Care Residents: A Longitudinal Study. Journal of the American Medical Directors Association, 2020, 21, 1086-1092.e1.	2.5	12
20	Care Professionals Manage the Future, Frail Older Persons the Past. Explaining Why Frailty Management in Primary Care Doesn't Always Work. Frontiers in Medicine, 2020, 7, 489.	2.6	5
21	Multimorbidity in General Practice: Unmet Care Needs From a Patient Perspective. Frontiers in Medicine, 2020, 7, 530085.	2.6	3
22	Duration of Care Trajectories in Persons With Dementia Differs According to Demographic and Clinical Characteristics. Journal of the American Medical Directors Association, 2020, 21, 1102-1107.e6.	2.5	8
23	Time from diagnosis to institutionalization and death in people with dementia. Alzheimer's and Dementia, 2020, 16, 662-671.	0.8	44
24	Palliative Care Implementation in Long-Term Care Facilities: European Association for Palliative Care White Paper. Journal of the American Medical Directors Association, 2020, 21, 1051-1057.	2.5	34
25	Strategies for the implementation of palliative care education and organizational interventions in long-term care facilities: A scoping review. Palliative Medicine, 2020, 34, 558-570.	3.1	39
26	Resilience in older persons: A systematic review of the conceptual literature. Ageing Research Reviews, 2020, 63, 101144.	10.9	21
27	Development and Validation of a Prediction Model for 6-Month Societal Costs in Older Community Care-Recipients in Multiple Countries; the IBenC Study. Health Services Insights, 2020, 13, 117863292098046.	1.3	0
28	Agreement of Nursing Home Staff With Palliative Care Principles: A PACE Cross-sectional Study Among Nurses and Care Assistants in Five European Countries. Journal of Pain and Symptom Management, 2019, 58, 824-834.	1.2	4
29	Consensus on treatment for residents in long-term care facilities: perspectives from relatives and care staff in the PACE cross-sectional study in 6 European countries. BMC Palliative Care, 2019, 18, 73.	1.8	1
30	Dying in long-term care facilities in Europe: the PACE epidemiological study of deceased residents in six countries. BMC Public Health, 2019, 19, 1199.	2.9	37
31	From protocolized to person-centered chronic care in general practice: study protocol of an action-based research project (COPILOT). Primary Health Care Research and Development, 2019, 20, e134.	1.2	6
32	Signs of Inequality? Variations in Providing Home Health Care Across Care Organizations and Across European Countries in the IBenC Study. Health Services Insights, 2019, 12, 117863291983763.	1.3	5
33	Development of a novel benchmark method to identify and characterize best practices in home care across six European countries: design, baseline, and rationale of the IBenC project. BMC Health Services Research, 2019, 19, 310.	2.2	15
34	Cross-Country Validation of the Association Between Oral Health and General Health in Community-Dwelling Older Adults. Journal of the American Medical Directors Association, 2019, 20, 1137-1142.e2.	2.5	13
35	Predictors of Societal Costs of Older Care-Dependent Adults Living in the Community in 11 European Countries. Health Services Insights, 2019, 12, 117863291882094.	1.3	3
36	Conversion of STOPP/START version 2 into coded algorithms for software implementation: A multidisciplinary consensus procedure. International Journal of Medical Informatics, 2019, 125, 110-117.	3.3	27

#	Article	IF	CITATIONS
37	WHOM DO WE SERVE? DIVERSITY OF OLDER COMMUNITY CARE RECIPIENTS' FUNCTIONING ACROSS EUROI Innovation in Aging, 2019, 3, S36-S36.	РЕ 0.1	0
38	Evaluating the implementation of the PACE Steps to Success Programme in long-term care facilities in seven countries according to the RE-AIM framework. Implementation Science, 2019, 14, 107.	6.9	26
39	Physician Visits and Recognition of Residents' Terminal Phase in Long-Term Care Facilities: Findings From the PACE Cross-Sectional Study in 6 EU Countries. Journal of the American Medical Directors Association, 2019, 20, 696-702.e1.	2.5	10
40	Polypharmacy in Home Care in Europe: Cross-Sectional Data from the IBenC Study. Drugs and Aging, 2018, 35, 145-152.	2.7	31
41	Interactions between drugs and geriatric syndromes in nursing home and home care: results from Shelter and IBenC projects. Aging Clinical and Experimental Research, 2018, 30, 1015-1021.	2.9	37
42	Consensus-based cross-European recommendations for the identification, measurement and valuation of costs in health economic evaluations: a European Delphi study. European Journal of Health Economics, 2018, 19, 993-1008.	2.8	39
43	The occurrence and persistence of thoughts of suicide, selfâ€harm and death in family caregivers of people with dementia: a longitudinal data analysis over 2Âyears. International Journal of Geriatric Psychiatry, 2018, 33, 263-270.	2.7	51
44	Organizational home care models across Europe: A cross sectional study. International Journal of Nursing Studies, 2018, 77, 39-45.	5.6	32
45	Are older long term care residents accurately prognosticated and consequently informed about their prognosis? Results from SHELTER study data in 5 European countries. PLoS ONE, 2018, 13, e0200590.	2.5	7
46	Integrating palliative care in long-term care facilities across Europe (PACE): protocol of a cluster randomized controlled trial of the â€~PACE Steps to Success' intervention in seven countries. BMC Palliative Care, 2018, 17, 47.	1.8	39
47	Quality indicators for community care for older people: A systematic review. PLoS ONE, 2018, 13, e0190298.	2.5	45
48	Screening for Mild Cognitive Impairment and Dementia with Automated, Anonymous Online and Telephone Cognitive Self-Tests. Journal of Alzheimer's Disease, 2017, 56, 249-259.	2.6	18
49	Prevalence of Preventive Cardiovascular Medication Use In Nursing Home Residents. Room for Deprescribing? The SHELTER Study. Journal of the American Medical Directors Association, 2017, 18, 1037-1042.	2.5	9
50	Application of the STOPP/START criteria to a medical record database. Pharmacoepidemiology and Drug Safety, 2017, 26, 1242-1247.	1.9	17
51	Social and functional health of home care clients with different levels of cognitive impairments. Aging and Mental Health, 2017, 21, 18-23.	2.8	18
52	Comparison of 10 single and stepped methods to identify frail older persons in primary care: diagnostic and prognostic accuracy. BMC Family Practice, 2016, 17, 102.	2.9	46
53	Convergent validity of the interRAI-HC for societal costs estimates in comparison with the RUD Lite instrument in community dwelling older adults. BMC Health Services Research, 2016, 16, 440.	2.2	14
54	The Cost-Effectiveness of Two Forms of Case Management Compared to a Control Group for Persons with Dementia and Their Informal Caregivers from a Societal Perspective. PLoS ONE, 2016, 11, e0160908.	2.5	36

#	Article	IF	CITATIONS
55	Factors of Resilience in Informal Caregivers of People with Dementia from Integrative International Data Analysis. Dementia and Geriatric Cognitive Disorders, 2016, 42, 198-214.	1.5	55
56	Pro-actieve zorg voor kwetsbare ouderen: terug bij af?. Huisarts En Wetenschap, 2016, 59, 451-453.	0.0	1
57	Toward an evidence-based implementation model and checklist for personalized dementia care in the community. International Psychogeriatrics, 2016, 28, 801-813.	1.0	21
58	Multiple imputation strategies for zero-inflated cost data in economic evaluations: which method works best?. European Journal of Health Economics, 2016, 17, 939-950.	2.8	37
59	Comparing Palliative Care in Care Homes Across Europe (PACE): Protocol of a Cross-sectional Study of Deceased Residents in 6 EU Countries. Journal of the American Medical Directors Association, 2016, 17, 566.e1-566.e7.	2.5	47
60	Substantial between-country differences in organising community care for older people in Europe—a review. European Journal of Public Health, 2016, 26, 213-219.	0.3	48
61	Effectiveness of a Geriatric Care Model for frail older adults in primary care: Results from a stepped wedge cluster randomized trial. European Journal of Internal Medicine, 2016, 28, 43-51.	2.2	58
62	Case Finding of Mild Cognitive Impairment and Dementia and Subsequent Care; Results of a Cluster RCT in Primary Care. PLoS ONE, 2016, 11, e0156958.	2.5	16
63	Quality of Care and Job Satisfaction in the European Home Care Setting: Research Protocol. International Journal of Integrated Care, 2016, 16, 14.	0.2	7
64	Evaluation of DEM-DISC, customized e-advice on health and social support services for informal carers and case managers of people with dementia; a cluster randomized trial. International Psychogeriatrics, 2015, 27, 1365-1378.	1.0	34
65	Quality of care in European home care programs using the second generation interRAI Home Care Quality Indicators (HCQIs). BMC Geriatrics, 2015, 15, 148.	2.7	29
66	Costâ€Effectiveness of a Chronic Care Model for Frail Older Adults in Primary Care: Economic Evaluation Alongside a Steppedâ€Wedge Clusterâ€Randomized Trial. Journal of the American Geriatrics Society, 2015, 63, 2494-2504.	2.6	53
67	Place of Death with Dementia—Dutch People Rarely Die in the Hospital. Journal of the American Geriatrics Society, 2015, 63, 1961-1962.	2.6	2
68	Associations between life stress and subclinical cardiovascular disease are partly mediated by depressive and anxiety symptoms. Journal of Psychosomatic Research, 2015, 78, 332-339.	2.6	69
69	Depression increases the onset of cardiovascular disease over and above other determinants in older primary care patients, a cohort study. BMC Cardiovascular Disorders, 2015, 15, 40.	1.7	27
70	Tailored mental health care after nursing home admission: improving transfers of people with dementia with behavioral problems. An explorative study. Aging and Mental Health, 2015, 19, 902-911.	2.8	8
71	Predictors of Societal Costs in Dementia Patients and Their Informal Caregivers: A Two-Year Prospective Cohort Study. American Journal of Geriatric Psychiatry, 2015, 23, 1193-1203.	1.2	15
72	Dutch family physicians' awareness of cognitive impairment among the elderly. BMC Geriatrics, 2015, 15, 105.	2.7	9

#	Article	IF	CITATIONS
73	Community-Dwelling Patients With Dementia and Their Informal Caregivers With and Without Case Management: 2-Year Outcomes of a Pragmatic Trial. Journal of the American Medical Directors Association, 2015, 16, 800.e1-800.e8.	2.5	25
74	The Two-Year Incidence of Depression and Anxiety Disorders in Spousal Caregivers of Persons with Dementia: Who is at the Greatest Risk?. American Journal of Geriatric Psychiatry, 2015, 23, 293-303.	1.2	126
75	Do psychosocial resources modify the effects of frailty on functional decline and mortality?. Journal of Psychosomatic Research, 2014, 77, 547-551.	2.6	41
76	Preferences regarding disclosure of a diagnosis of dementia: a systematic review. International Psychogeriatrics, 2014, 26, 1603-1618.	1.0	76
77	Insomnia in Longâ€Term Care Facilities: A Comparison of Seven European Countries and Israel: The Services and Health for Elderly in Long TERm care Study. Journal of the American Geriatrics Society, 2014, 62, 2033-2039.	2.6	38
78	Self-perceived met and unmet care needs of frail older adults in primary care. Archives of Gerontology and Geriatrics, 2014, 58, 37-42.	3.0	68
79	Specifying ICD9, ICPC and ATC codes for the STOPP/START criteria: a multidisciplinary consensus panel. Age and Ageing, 2014, 43, 773-778.	1.6	19
80	Towards personalized integrated dementia care: a qualitative study into the implementation of different models of case management. BMC Geriatrics, 2014, 14, 84.	2.7	38
81	Explaining the association between educational level and frailty in older adults: results from a 13-year longitudinal study in the Netherlands. Annals of Epidemiology, 2014, 24, 538-544.e2.	1.9	161
82	Best practices for frail older persons and their care professionals in the European home care setting: study protocol. International Journal of Integrated Care, 2014, 14, .	0.2	0
83	A cross-sectional study to compare care needs of individuals with and without dementia in residential homes in the Netherlands. BMC Geriatrics, 2013, 13, 51.	2.7	31
84	Reviewing the definition of crisis in dementia care. BMC Geriatrics, 2013, 13, 10.	2.7	29
85	Implementation of geriatric assessment and decision support in residential care homes: facilitating and impeding factors during initial and maintenance phase. BMC Health Services Research, 2013, 13, 8.	2.2	14
86	The cost-effectiveness of a family meetings intervention to prevent depression and anxiety in family caregivers of patients with dementia: a randomized trial. Trials, 2013, 14, 305.	1.6	26
87	Sensitivity to depression or anxiety and subclinical cardiovascular disease. Journal of Affective Disorders, 2013, 146, 126-131.	4.1	33
88	The identification of frail older adults in primary care: comparing the accuracy of five simple instruments. Age and Ageing, 2013, 42, 262-265.	1.6	139
89	The accuracy of family physicians' dementia diagnoses at different stages of dementia: a systematic review. International Journal of Geriatric Psychiatry, 2012, 27, 342-354.	2.7	79
90	Identifying target groups for the prevention of depression among caregivers of dementia patients. International Psychogeriatrics, 2012, 24, 298-306.	1.0	34

#	Article	IF	CITATIONS
91	The Incidence of Depression and Its Risk Factors in Dutch Nursing Homes and Residential Care Homes. American Journal of Geriatric Psychiatry, 2012, 20, 932-942.	1.2	52
92	Recognition of anxiety disorders by family physicians after rigorous medical record case extraction. General Hospital Psychiatry, 2012, 34, 460-467.	2.4	26
93	Does a Family Meetings Intervention Prevent Depression and Anxiety in Family Caregivers of Dementia Patients? A Randomized Trial. PLoS ONE, 2012, 7, e30936.	2.5	74
94	The prevalence, incidence and risk factors for delirium in Dutch nursing homes and residential care homes. International Journal of Geriatric Psychiatry, 2012, 27, 709-715.	2.7	55
95	Determinants of (non-)recognition of depression by general practitioners: Results of the Netherlands study of depression and anxiety. Journal of Affective Disorders, 2012, 138, 397-404.	4.1	30
96	Depression, Anxiety, and Arterial Stiffness. Biological Psychiatry, 2011, 69, 795-803.	1.3	86
97	How Effective Is Bibliotherapy for Very Old Adults With Subthreshold Depression? A Randomized Controlled Trial. American Journal of Geriatric Psychiatry, 2011, 19, 256-265.	1.2	28
98	Effectiveness of case management among older adults with early symptoms of dementia and their primary informal caregivers: A randomized clinical trial. International Journal of Nursing Studies, 2011, 48, 933-943.	5.6	68
99	Do GPs' medical records demonstrate a good recognition of depression? A new perspective on case extraction. Journal of Affective Disorders, 2011, 133, 522-527.	4.1	56
100	Depression in Dutch homes for the elderly: underâ€diagnosis in demented residents?. International Journal of Geriatric Psychiatry, 2010, 25, 712-718.	2.7	15
101	The process of family-centered counseling for caregivers of persons with dementia: barriers, facilitators and benefits. International Psychogeriatrics, 2010, 22, 769-777.	1.0	16
102	Cost-effectiveness of a stepped care intervention to prevent depression and anxiety in late life: randomised trial. British Journal of Psychiatry, 2010, 196, 319-325.	2.8	103
103	Cardiovascular disease in persons with depressive and anxiety disorders. Journal of Affective Disorders, 2010, 125, 241-248.	4.1	131
104	High incidence of clinically relevant depressive symptoms in vulnerable persons of 75 years or older living in the community. Aging and Mental Health, 2010, 14, 828-833.	2.8	19
105	Incidence of Depression and Anxiety in the Spouses of Patients With Dementia: A Naturalistic Cohort Study of Recorded Morbidity With a 6-Year Follow-Up. American Journal of Geriatric Psychiatry, 2010, 18, 146-153.	1.2	131
106	Depressive and anxiety disorders and risk of subclinical atherosclerosis. Journal of Psychosomatic Research, 2010, 69, 203-210.	2.6	36
107	What do community-dwelling people with dementia need? A survey of those who are known to care and welfare services. International Psychogeriatrics, 2009, 21, 949.	1.0	193
108	Depression Is Associated With Decreased Blood Pressure, but Antidepressant Use Increases the Risk for Hypertension. Hypertension, 2009, 53, 631-638.	2.7	257

#	ARTICLE	IF	CITATIONS
109	Depression in old age (75+), the PIKO study. Journal of Affective Disorders, 2008, 106, 295-299.	4.1	87
110	Cost-effectiveness of usual general practitioner care with or without antidepressant medication for patients with minor or mild-major depression. Journal of Affective Disorders, 2008, 111, 106-112.	4.1	19
111	Self-reports on the IQCODE in Older Adults: A Psychometric Evaluation. Journal of Geriatric Psychiatry and Neurology, 2008, 21, 83-92.	2.3	30
112	Validity and reliability of the Dutch version of the Camberwell Assessment of Need for the Elderly in community-dwelling people with dementia. International Psychogeriatrics, 2008, 20, 1273.	1.0	54
113	Diagnosing dementia with confidence by GPs. Family Practice, 2007, 24, 616-621.	1.9	29
114	Cost-effectiveness of interpersonal psychotherapy for elderly primary care patients with major depression. International Journal of Technology Assessment in Health Care, 2007, 23, 480-487.	0.5	18
115	Depression and the risk for cardiovascular diseases: systematic review and meta analysis. International Journal of Geriatric Psychiatry, 2007, 22, 613-626.	2.7	785
116	Interpersonal Psychotherapy for Elderly Patients in Primary Care. American Journal of Geriatric Psychiatry, 2006, 14, 777-786.	1.2	84
117	Cost-effectiveness of a disease management program for major depression in elderly primary care patients. Journal of General Internal Medicine, 2006, 21, 1020-1026.	2.6	36
118	Do general practitioners disclose correct information to their patients suspected of dementia and their caregivers? A prospective observational study. Aging and Mental Health, 2006, 10, 151-155.	2.8	34
119	A Pharmacy-Based Coaching Program to Improve Adherence to Antidepressant Treatment Among Primary Care Patients. Psychiatric Services, 2005, 56, 487-489.	2.0	62
120	Understanding obstacles to the recognition of and response to dementia in different European countries: A modified focus group approach using multinational, multi-disciplinary expert groups. Aging and Mental Health, 2005, 9, 1-6.	2.8	96
121	Anxiety and the risk of death in older men and women. British Journal of Psychiatry, 2004, 185, 399-404.	2.8	112
122	Patients' preferences in the treatment of depressive disorder in primary care. General Hospital Psychiatry, 2004, 26, 184-189.	2.4	349
123	The prognosis of minor depression in the general population: a systematic review. General Hospital Psychiatry, 2004, 26, 453-462.	2.4	62
124	Impact of coaching by community pharmacists on drug attitude of depressive primary care patients and acceptability to patients; a randomized controlled trial. European Neuropsychopharmacology, 2003, 13, 1-9.	0.7	71
125	Effects of coaching by community pharmacists on psychological symptoms of antidepressant users; a randomised controlled trial. European Neuropsychopharmacology, 2003, 13, 347-354.	0.7	28
126	Information for dementia patients and their caregivers: What information does a memory clinic pass on, and to whom?. Aging and Mental Health, 2003, 7, 34-38.	2.8	18

#	Article	IF	CITATIONS
127	Measuring the opinions of memory clinic users: patients, relatives and general practitioners. International Journal of Geriatric Psychiatry, 2001, 16, 846-851.	2.7	49
128	CAMDEX, can it be more efficient? Observational study on the contribution of four screening measures to the diagnosis of dementia by a memory clinic team. International Journal of Geriatric Psychiatry, 2001, 16, 64-69.	2.7	49
129	General practitioners on dementia: tasks, practices and obstacles. Patient Education and Counseling, 2000, 39, 219-225.	2.2	137